CAFFETTO

BREWING THE ITALIAN WAY

Awkaen Your Exhaustion
With Great Taste coffee

Modern Coffee Brewers 3-5

Traditional Coffee Brewers 6-7

Automatic & Manual Fill Coffee Brewer 8

Digital Coffee Brewer 9

3 Carafes Coffee Machine 10

Semi-Automatic Coffee Machine 11-12

Coffee Percolators (Double Wall Urns) 13

Coffee Percolators (Single Wall Urns) 14

Water Boilers (Double Wall Urns) 15

Water Boilers (Single Wall Urns) 16

Mulled Wine Pot 17

Hot Water Dispenser (Auto-fill) 18

Cafe

COFFEE BREWERS

NEW

Premium Version

The New Generation of coffee brewers not only have modern outlook but it integrates the traits of digital and IC control as well as colourful LCD displays.

You can have more controls to the functions of the coffee brewer and monitor the brewing process.

- Stainless steel and aluminum body
- Coffee is kept at optimal temperature
- Up to 100 cups per hour
- Second heating plate (for CB-02A1)
- Stainless steel internal boiler
- Heat resistant glass decanter
- Thermal jar (for CB-02A2)
- Thermal insulated airpot (for CB-02A3)
- Output volume control
- Safety protection
- Manual and Auto-fill

CB-01

Single Version

For your choices

In this series, 3 sub-series are available with good quality-price ratio. The premium version incorporates both manual and auto water fill, fast & easy installation . Stainless steel boiler inside provides best temperature extraction to ensure maximum contact with the coffee in the stainless steel funnel, resulting in optimal flavor extraction.

The premium version comes with sophisticated LCD displays and touch controls; the standard version comes with two push button controls with LED indication and the economy version with two rocker switch controls

PREMIUM VERSION:

LCD display & Touch control
Manual & Auto water fill

CB-02A1

CB-02A2

CB-02A3

STANDARD VERSION:



Dual color push buttons control
Manual water fill only

CB-02B1

CB-02B2

CB-02B3

ECONOMY VERSION:

Rocker switches control
Manual water fill only

CB-02C1

CB-02C2

CB-02C3

Dual Version

For your choices

3 Dual sub-series are available as well, up to 200 cups per hours provides large back to back brewing capacity .Ideal for restaurants,banquets£ family reunions, restaurants, wedding snack bar, churches and beverage station .
The premium version comes with sophisticated LCD displays and touch controls,incorporates both manual and auto water fill;The stainless steel boiler inside provide best temperature extraction to ensure maximum contact with the coffee in the stainless steel funnel, resulting in optimal flavor extraction

PREMIUM VERSION:

LCD display & Touch control
Manual & Auto water fill

CBD-02A1

CBD-02A2

CBD-02A3

STANDARD VERSION:



Dual color push buttons control
Manual water fill only

CBD-02B1

CBD-02B2

CBD-02B3

ECONOMY VERSION:

Rocker switches control
Manual water fill only

CBD-02C1

CBD-02C2

CBD-02C3

Cafe

COFFEE BREWERS

The traditional coffee machines brew perfect cups of coffee, tea, hot cocoa , hot beverage as you want.

100 cups capacity: professional and durable, perfect for restaurant or hotel use. With top and bottom hotplate (for RB-286), fast filtering system with flow-through element. Continuous temperature at 93 - 96℃.

- Stainless steel body
- Coffee is kept at optimal temperature
- Up to 100 cups per hour
- 1.8 - 2.2 Litre each time of brewing
- 5 - 6 minutes each time of brewing
- Second heating plate (for RB-386)
- Stainless steel internal boiler
- Heat resistant glass decanter
- Thermal insulated airpot (for RV/RP-386)
- Safety protection
- Auto fill (RP-286-BV)

RB-286
1.8L Glass Decanter

RB-386
1.8L Glass Decanter

RV-386
2.0L Airpot

RP-386
2.2L Pump Airpot

RP-286-BV
2.5L Coffee Barrel

Fast filtering system with flow-through element

Heat Resistant Glass Decanter

Heating plate for keeping warm

Stainless Steel Fitler Funnel

Suitable for 110/250 filters

Cafe

DUAL COFFEE BREWERS

With these Dual coffee makers, you no longer have to worry about your coffee.

Up to 200 cups/hr: professional and durable, perfect for restaurant or hotel use. With top and bottom four hot plates at optimal temperature, fast filtering system with flow-through element.

- Stainless steel body
- Coffee is kept at optimal temperature
- Up to 200 cups per hour
- 3.6- 4.4 Litre each time of brewing
- 5 - 6 minutes each time of brewing
- Four heating plates
- Stainless steel internal boiler
- Heat resistant glass decanter
- Thermal insulated jar
- Safety protection
- Thermal insulated Airpot
- Finger print free coating (for DRB-386P)

DRB-286

DRB-386

DRV-286

DRV-386

DRB-386P

DRP-286

DRP-386

Fast filtering system with flow-through element

Heat Resistant Glass Decanter

Heating plate for keeping warm

Stainless Steel Fitler Funnel

Suitable for 110/250 filters

Cafe

COFFEE BREWERS

Customers are able to achieve large brewing capacity without frequent manual water fill by using this upgraded coffee machine. The new auto-fill function achieves continuous brewing, which perfectly meets requirement of coffee supply during peak hours. It is professional, durable and ideal for restaurants, banquets, hotels as well as commercial beverage stations.

Automatic £ Manual Fill Coffee Brewer

- Stainless steel body
- Coffee is kept at optimal temperature
- Up to 100 cups per hour
- 1.8 - 2.2 Litre each time of brewing
- 5 - 6 minutes each time of brewing
- Second heating plate
- Stainless steel internal boiler
- Heat resistant glass decanter
- Double thermostats safety protection
- Automatic & Manual-fill mode:
  Direct water connection . In case of water outage or no direct connection to the tap water supply , the manual fill option can still be used to brew coffee alternatively

ARB-386

1.8L Glass Decanter

ARBD-386

1.8L Glass Decanter

Fast filtering system with flow-through element

Heat Resistant Glass Decanter

Heating plate for keeping warm

Stainless Steel Fitler Funnel

Suitable for 110/250 filters

Cafe

COFFEE BREWERS

Auto-fill With Hot Water Dispenser

This digital coffee brewer is capable of achieving digital temperature control and capacity control, enable to brew various types of coffee and tea.The extraction efficiency is also faster than traditional coffee brewer,which perfectly meets requirement of coffee supply during peak hours. It's professional, durable and ideal for restaurants, banquets, hotels as well as commercial beverage stations.

Digital Coffee Brewer

- Stainless steel body
- Digital Temperature control
- Digital Volumn control
- Up to 200 cups per hour
- Fast brewing
- Hot Water Dispenser Function
- Stainless steel internal boiler
- Perfect Extraction

AFRB-286
1.8L Glass Decanter

AFRV-286
2.0L Airpot

AFRP-286
2.2L Airpot

AFRP-286-BV
2.5L Airpot

Hot Water Dispenser Function

Heat Resistant Glass Decanter

Heating plate for keeping warm

Stainless Steel Fitler Funnel

Suitable for 110/250 filters

Cafe

COFFEE BREWERS

The 12 cups coffee brewers with 3 hot plates and 3 carafes. Large capacity of 36 cups hot coffee can be always stand by. The multi-stream sprayer and the stainless steel boiler inside provide best temperature extraction to ensure maximum contact with the coffee in the stainless steel funnel, resulting in optimal flavor extraction . The FRB model featuring simple mechanical buttons and indicators , automatic refill system also comes with extra hot water dispenser function .

FRB-286

- Stainless steel body
- Coffee is kept at optimal temperature
- Up to 100 cups per hour
- 1.8 Litre each time of brewing
- 5 - 6 minutes each time of brewing
- Triple heating plates
- Stainless steel internal boiler
- Heat resistant glass decanter
- Safety protection double thermostats
- Auto fill (FRB-286)

RBT-386

Hot Water Dispenser Function

Heat Resistant Glass Decanter

Heating plate for keeping warm

Stainless Steel Fitler Funnel

Suitable for 110/250 filters

_Product Name:

SINGLE GROUP COFFEE MACHINE

- Model: S1
- Color: White

(Product View)

Additional Features:

1. One-click start, automatic water replenishment upon power-on.
2. Sets of parameters can be configured to meet the demands of various formulas.
3. One-button backwash function, can directly start the backwash program.
4. Multiple safety protections including electronic dry burn prevention, electronic overheat protection, and mechanical overpressure protection.
5. Pre-infusion, adjustable pre-infusion parameters.
6. Manual hot water outlet to meet temporary hot water needs.
7. Extraction timer display shows real-time extraction time.
8. Adjustable boiler temperature from 115°C to 128°C.
9. Extraction spotlight, equipped with spotlights to providing a clear view of the extraction process.

BASIC SPECIFICATION

Voltage	220V-240V/50~60Hz	Brewing Head	Built-in Brewing Head
Power	2400W	Heating System	Electronic Temperature Sensor
Boiler Sturcture	Single boiler with heat exchange	Steam Boiler Material	Food Grade Stainless Steel
Steam Boiler Capacity	5L	Extraction Measurement	Electronic Control
Pre-infusion function	Adjustable	Extraction spotlight	Yes/Turn on/Turn Off
Boiler Temperature Adjustable	115°C-128°C	Pressure Gauge	Dual Needle Gauge
Extraction Button	5 buttons	Steam Nozzle	4 Holes
Automatic Cleaning Button	Middle Button	Size (L*W*H):	492*524*548mm
Certifications	3C, CE, CB, Safe Certificate for Food Contact Product		

_Product Name:

DOUBLE GROUPS COFFEE MACHINE

- Model: S2
- Color: White

(Product View)

Additional Features:

1. One-click start, automatic water replenishment upon power-on.
2. 4 sets of parameters can be configured to meet the demands of various formulas.
3. One-button backwash function, can directly start the backwash program.
4. Multiple safety protections including electronic dry burn prevention, electronic overheat protection, and mechanical overpressure protection.
5. Pre-infusion, adjustable pre-infusion parameters.
6. Manual hot water outlet to meet temporary hot water needs.
7. Extraction timer display shows real-time extraction time.
8. Adjustable boiler temperature from 115°C to 128°C.
9. Extraction spotlight, equipped with spotlights to providing a clear view of the extraction process.

BASIC SPECIFICATION

Voltage	220V-240V/50~60Hz	Brewing Head	Built-in Brewing Head
Power	3500W	Heating System	Electronic Temperature Sensor
Boiler Sturcture	Single boiler with heat exchange	Steam Boiler Material	Food Grade Stainless Steel
Steam Boiler Capacity	11L	Extraction Measurement	Electronic Control
Pre-infusion function	Adjustable	Extraction spotlight	Yes/Turn on/Turn Off
Boiler Temperature Adjustable	115°C-128°C	Pressure Gauge	Dual Needle Gauge
Extraction Button	5 buttons per group	Steam Nozzle	4 Holes
Automatic Cleaning Button	Middle Button	Size (L*W*H):	742*524*548mm
Certifications	3C, CE, CB, Safe Certificate for Food Contact Product		

Multiple Boiler T3 Heating System

12L Steam boiler + 1L Coffee boiler *2+Brewing head heating model*2

Different from single-boiler system coffee machines, this setup features a multi-boiler temperature control system.

The main boiler supplies steam and hot water separately, while another boiler is dedicated to coffee extraction. Each boiler's temperature is independently adjustable with a precision of ±1℃.



PRODUCT PARAMETERS

MORE +



*manual measurements may a little bit difference

【Product name】 Commercial Espresso Semi-Automatic Coffee Machine - Ultimate Version

【Model】 KT3-2A 【Color】 Black/white

【Voltage】 220V/50-60HZ 【Power】 6200W

【Steam Boiler Capacity】 12L

【Steam Boiler Material】 copper

【Coffee Boiler Capacity】 1L*2

【Coffee Boiler Material】 copper

【Coffee Output】 240 cups/h

【Screen Size】 5-inch 【Net Weight】 76KG

URNS

COFFEE PERCOLATORS

Made from double-wall 304 stainless steel with a polished finish. Brew delicious, flavourful in big quantity for serving in restaurants, hotels and commercial events.

Double-wall structure reduces heat loss through conduction, convection and radiation. Up to 30% energy can be saved by less reheating because of good thermal insulation.

- Stainless steel body
- Double wall structure
- Temperature 94 - 99°C
- Protected against dry heating Not
- suitable for hot chocolate Descale
- indication lamp Thermal insulated
- handles Water tube showing
- water level Manual fill

DOUBLE WALL



DPC-267
6 Litre
1500 Watt

DPC-288
10 Litre
1500 Watt

DPC-290
15 Litre
1500 Watt

Stainless steel housing

Cool touch plastic handles for safe transportation

Dripping tray

Glass tube to show remaining capacity

Multi-functional indication lamp

URNS

COFFEE PERCOLATORS

The coffee urns (percolators) help you to prepare a considerably bigger quantity of coffee and keep it warm until they are to be drunk. These big coffee urns are used in commercial food and event venues such as restaurants, caterers, and nightclubs.

We have models with various capacities for your selection.

- Stainless steel body
- Single wall structure
- Temperature 94 - 99°C
- Protected against dry heating
- Not suitable for hot chocolate
- Descale indication lamp
- Thermal insulated handles
- Water tube showing water level
- Manual fill

SINGLE WALL



Coffee making Keep warm

Assembly

PC-267
6 Litre
1500 Watt

PC-288
10 Litre
1500 Watt

PC-290
15 Litre
1500 Watt

Stainless steel housing

Cool touch plastic handles for safe transportation

Easy removable parts for fast cleaning

Glass tube to show remaining capacity

Multi-functional indication lamp

URNS

WATER BOILERS

Double wall water boilers provide good thermal insulation.Not need to be heating your water all the time.
The double wall insulation structure of the boiler will keep the water hot for relatively long time without needing to be constantly reheated.That means energy and money save!

DOUBLE WALL

- Stainless steel body
- Double wall structure
- Maximum temperature 100°C
- With Temperature controller
- Protected against boiling dry
- Not suitable for hot chocolate
- Descale indication lamp
- Thermal insulated handles
- Water tube showing water level
- Manual fill



DPU-100
10 Litre
2400 Watt

DPU-200
20 Litre
2400 Watt

Stainless steel housing

Cool touch plastic handles for safe transportation

Dripping tray

Hidden heating element for easy cleaning

Temperature controller

URNS

WATER BOILERS

A water boiler or tea urn is ideal when a continuous supply or large quantity of boiling water is required. No more waiting for water to boil in a kettle or on a hob means that caterers can save time and work more efficiently. We offer various sizes of twater boiler urns for different situation and customer's requirements.

SINGLE WALL

- Stainless steel body
- Single wall structure
- Maximum temperature 100°C
- Temperature controller Protected
- Dry boil protection
- Not suitable for hot chocolate
- Descale indication lamp
- Thermal insulated handles
- Water tube showing water level

PU-100
10 Litre
2400 Watt

PU-200
20 Litre
2400 Watt

Stainless steel housing

Cool touch plastic handles for safe transportation

Easy removable parts for fast cleaning

Hidden heating element for easy cleaning

Temperature controller

URNS

Mulled Wine Pot

SINGLE WALL

When the weather gets cooler, many people often look for ways to warm up from the inside out. While many drinks can be enjoyed either cold or warm, some are created specifically to be enjoyed while hot. Well known varieties include: classic grog, a hot toddy, spiked cider, mulled wine, and crowd-pleasing hot punches. To convert your favourite drink into a hot, alcoholic beverage, simply add your preferred liquor and heat it to the desired temperature with our Hot Drink Boiler PU-300.

- Stainless steel body
- Single wall structure
- Maximum temperature 100℃
- With Temperature controller
- Protected against boiling dry
- Not suitable for hot chocolate
- Descale indication lamp
- Thermal insulated handles
- Water tube showing water level
- With frame for drink labels
- Manual fill

PU-300/ PU-400
30 Litre/40 Litre
2400 Watt

Stainless steel housing

Cool touch handles

Multi-function indication lamp

Thermal regulator

Drink label frame for inserting drink labels

Water

Hot Water Dispenser

AUTO-FILL

- Stainless steel body
- Automatic electronic control of water filling
- Rapid heat up and no priming is required
- Output 40 Litre / hr.
- Protected against boiling dry
- Water outlet at the front for releasing remained water in the tank
- Automatic descaling alert
- Opening at the top for cleaning and descale

AWB-16
Auto-fill
2700-3000 Watt

Digital Control Panel

multi functional
controls & alerts

With this digital control, auto-fill water boiler, you can have quality hot water on tap 24/7. Hot drinks like tea, coffee, and hot chocolate can now be made in seconds — with plenty of hot water to go around, and no need to wait for a kettle to boil.

Designed for maximum ease of use. Durable construction, and advanced electronic control, and easy descaling. Its advanced diagnostic system alerts the user when descaling is required.

Stainless steel housing

Connection to water

supply at the back

Digital Control

Water outlet tube for releasing water

Opening at the

top for cleaning