

COTTURA

PROFESSIONAL KITCHEN EQUIPMENT SOLUTIONS

18⁺ YEARS
INDUSTRY EXPERIENCE



CONTENTS

豪华立式组合炉 03 LUXURY COMBINATION OVEN	液晶数显电扒炉 37 LCD DIGITAL GRIDDLE	美国款燃气火山石烧烤炉52 USA GAS LAVA ROCK	蒸馏咖啡机 67 DISTILLING COFFEE MAKER
豪华立式燃气组合炉 05 LUXURY GAS COMBINATION OVEN	燃气扒炉 38 GAS GRIDDLE	多士炉53 ELECTRIC TOASTER	推车款暖汤池 68 FOOD SERVICE CART
豪华立式电组合炉 13 LUXURY ELECTRIC COMBINATION OVEN	热风循环电焗炉 39 ELECTRIC CONVECTION OVEN	煮面炉 55 PASTA COOKER	暖汤池（有玻璃罩） 68 BAIN MARIE (WITH GLASS)
台式组合炉 21 COUNTER TOP WESTERN KITCHEN EQUIPMENT	多功能蒸烤箱 40 MULTIFUNCTIONAL STEAM OVEN	电华夫炉57 WAFFLE BAKER	暖汤池（无玻璃罩） 69 BAIN MARIE (NO GLASS)
不锈钢电炸炉 27 ELECTRIC FRYER	微波热风快速烤箱 41 MICROWAVE HIGH SPEED OVEN	雪糕皮机 60 CONE BAKER	食物保温餐车 70 FOOD WARMER CART
带阀电炸炉 30 ELECTRIC FRYER WITH VALVE	电焗炉 42 ELECTRIC BAKING OVEN	热狗机 61 HOT DOG WARMER	蒸包柜 72 FOOD STEAMER SHOWCASER
不锈钢电炸炉 31 ELECTRIC FRYER	电披萨炉 43 ELECTRIC PIZZA OVEN	热狗保温机 62 HOT DOG WARMER	陈列电热保温柜 73 FOOD WARMING SHOWCASE
智屏电炸炉 32 SMART SCREEN ELECTRIC FRYER	燃气披萨炉 46 GAS PIZZA OVEN	电三文治机 63 PANINI CONTACT GRILL	弧形电热保温柜 74 FOOD STEAMER SHOWCASER
座地式电炸炉 33 ELECTRIC FRYER WITH CABINET	台式燃气煲仔炉 47 COUNTER TOP GAS STOVE	电班戟炉 64 ELECTRIC CREPE MAKER	伸缩保温吊灯 75 TELESCOPIC FOOD WARMING LAMP
燃气炸炉 34 GAS FRYER	升降电面火炉 49 ELECTRIC LIFT-UP SALAMANDER	爆谷机 65 POPCORN MAKER	保温台 77 LAMP FOOD WARMING STATION
电扒炉 36 ELECTRIC GRIDDLE	石英烘炉 50 QUARTZOSE TUBE OVEN	圆桶电热开水器 66 ELECTRIC WATER BOILER	

COTTURA 豪华立式组合炉

LUXURY COMBINATION OVEN

可以选配不锈钢门拉手、冲压门及金属旋钮，常规产品标配电木门拉手
Stainless steel door handle, stamping door and metal knob can be selected,
standard products come with bakelite door handles

- 国际流行款式，豪华美观
- 全不锈钢外壳，坚固耐用
- 自动恒温装置，高效节能
- 可调节脚座

- International style, deluxe appearance
- High quality stainless steel
- High efficiency, energy saving and strong practicality
- Adjustable legs



COTTURA 豪华立式燃气组合炉

LUXURY GAS COMBINATION OVEN

- 全不锈钢外壳，坚固耐用
 - 脉冲点火系统，带熄火安全保护装置
 - 高效燃烧器配独立开关及温控
 - 可调节脚座
 - 燃气炉适用于管道气、天然气、石油气
 - 关键元件由国际著名厂家供应
-
- All stainless steel body, strong and durable
 - Electronic direct spark ignition, flame failure safety device for each control
 - Heavy duty gas burner with individual switch and thermostat
 - Adjustable legs
 - Devices are preset to city gas, natural gas or LPG
 - Key-component from famous international suppliers



LGR-94C



LGR-96C



LGR-92C



LGR-74

燃气煲仔炉连柜座 GAS RANGE WITH CABINET



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGR-74C	2800~3700	2000~2500	22	G3/4"	700×700×(850+70)
LGR-76C	2800~3700	2000~2500	33	G3/4"	1050×700×(850+70)
LGR-92C	2800~3700	2000~2500	11	G3/4"	400×900×(850+70)
LGR-94C	2800~3700	2000~2500	22	G3/4"	800×900×(850+70)
LGR-96C	2800~3700	2000~2500	33	G3/4"	1200×900×(850+70)

燃气煲仔炉连管脚 GAS STOVE WITH STAND



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGR-74	2800~3700	2000~2500	22	G3/4"	700×700×(850+70)
LGR-76	2800~3700	2000~2500	33	G3/4"	1050×700×(850+70)
LGR-94	2800~3700	2000~2500	22	G3/4"	800×900×(850+70)
LGR-96	2800~3700	2000~2500	33	G3/4"	1200×900×(850+70)

可选配 9kW 功率燃气煲仔炉头 9kW power burner can be selected



LGR-96V



LGR-76V



LGR-94V



LGR-74V

燃气煲仔炉连燃气焗炉 GAS RANGE WITH GAS OVEN



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGR-74V	2800~3700	2000~2500	27	G3/4"	700×700×(850+70)
LGR-76V	2800~3700	2000~2500	38	G3/4"	1050×700×(850+70)
LGR-94V	2800~3700	2000~2500	27	G3/4"	800×900×(850+70)
LGR-96V	2800~3700	2000~2500	38	G3/4"	1200×900×(850+70)

备注：焗炉温度 50~320℃可调 Note:Oven temperature50~320℃

COTTURA 豪华立式燃气组合炉

LUXURY GAS COMBINATION OVEN



LGR-96EV



LGR-94EV

燃气煲仔炉连电焗炉 GAS RANGE WITH ELECTRIC OVEN



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGR-74EV	2800~3700	2000~2500	22+5	G3/4"	700×700×(850+70)
LGR-76EV	2800~3700	2000~2500	33+5	G3/4"	1050×700×(850+70)
LGR-94EV	2800~3700	2000~2500	22+5	G3/4"	800×900×(850+70)
LGR-96EV	2800~3700	2000~2500	33+5	G3/4"	1200×900×(850+70)

备注：焗炉温度 50~300℃可调，220~240V 电压 Note: Oven temperature 50~300°C , 220~240V voltage

- 全不锈钢外壳，坚固耐用
 - 脉冲点火器系统，带熄火安全保护装置
 - 高效燃烧器配独立开关及温控器
 - 可调节脚座
 - 燃气炉适用于管道气、天然气、石油气
 - 关键配件由国际著名厂家供应
- All stainless steel body, strong and durable
 - Electronic direct spark ignition, flame failure safety devuce for each control
 - Heavy duty gas burner with individual switch and thermostat
 - Adjustable legs
 - Devices are preset to city gas, natural gas or LPG
 - Key-component from famous international suppliers



LGG-9C



LGG-7C-A

立式燃气扒炉连柜座 GAS GRIDDLE WITH CABINET



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGG-7C	2800~3700	2000~2500	8	G3/4"	700×700×(850+70)
LGG-9C	2800~3700	2000~2500	10	G3/4"	800×900×(850+70)
LGG-7C-A	2800~3700	2000~2500	4	G3/4"	350×700×(850+70)
LGG-9C-A	2800~3700	2000~2500	5	G3/4"	400×900×(850+70)

备注：扒板可选择全平、1/3 坑（标配）、半平半坑、全坑
Note: Griddle plate can choose all flat/1/3 grooved (standard configuration)/all grooved

COTTURA 豪华立式燃气组合炉

LUXURY GAS COMBINATION OVEN



LGF-92C



LGF-91C



LGF-72C

- 全不锈钢外壳，坚固耐用
 - 脉冲点火器系统，带熄火安全保护装置
 - 高效燃烧器配独立开关及温控器
 - 可调节脚座
 - 燃气炉适用于管道气、天然气、石油气
 - 关键配件由国际著名厂家供应
- All stainless steel body, strong and durable
 - Electronic direct spark ignition, flame failure safety devuce for each control
 - Heavy duty gas burner with individual switch and thermostat
 - Adjustable legs
 - Devices are preset to city gas, natural gas or LPG
 - Key-component from famous international suppliers



LGCB-7C-A



LGCB-9C

立式燃气炸炉连柜座 GAS FRYER WITH CABINET



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGF-72C	2800~3700	2000~2500	28	G3/4"	700×700×(850+70)
LGF-71C	2800~3700	2000~2500	14	G3/4"	350×700×(850+70)
LGF-92C	2800~3700	2000~2500	28	G3/4"	800×900×(850+70)
LGF-91C	2800~3700	2000~2500	14	G3/4"	400×900×(850+70)

备注：燃气温控安全阀，温度可调 120~190℃
Note: With temperature-controlled valve, the temperature can be adjusted from 120 to 190° C

立式燃气烧烤炉连柜座 GAS LAVA ROCK GRILL WITH CABINET



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGCB-7C	2800~3700	2000~2500	12	G3/4"	700×700×(850+70)
LGCB-9C	2800~3700	2000~2500	14	G3/4"	800×900×(850+70)
LGCB-7C-A	2800~3700	2000~2500	6	G3/4"	350×700×(850+70)
LGCB-9C-A	2800~3700	2000~2500	7	G3/4"	400×900×(850+70)

COTTURA 豪华立式燃气组合炉

LUXURY GAS COMBINATION OVEN



- 全不锈钢外壳，坚固耐用
 - 脉冲点火器系统，带熄火安全保护装置
 - 高效燃烧器配独立开关及温控器
 - 可调节脚座
 - 燃气炉适用于管道气、天然气、石油气
 - 关键配件由国际著名厂家供应
- All stainless steel body, strong and durable
 - Electronic direct spark ignition, flame failure safety devuce for each control
 - Heavy duty gas burner with individual switch and thermostat
 - Adjustable legs
 - Devices are preset to city gas, natural gas or LPG
 - Key-component from famous international suppliers



立式燃气煮面炉连柜座 GAS PASTA COOKER WITH CABINET



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)	煮面筛 Basket
	液化气 LPG	天然气 NG				
LGPC-712C	2800~3700	2000~2500	22	G3/4"	700×700×(850+70)	12 个圆筛 12pcs Round Basket
LGPC-704C-Y	2800~3700	2000~2500	22	G3/4"	700×700×(850+70)	4 个意式方筛 4pcs Square Basket
LGPC-912C	2800~3700	2000~2500	24	G3/4"	800×900×(850+70)	12 个圆筛 12pcs Round Basket
LGPC-906C-Y	2800~3700	2000~2500	24	G3/4"	800×900×(850+70)	6 个意式方筛 6pcs Square Basket
LGPC-906C-A	2800~3700	2000~2500	12	G3/4"	400×900×(850+70)	6 个圆筛 6pcs Round Basket
LGPC-706C-A	2800~3700	2000~2500	11	G3/4"	400×700×(850+70)	6 个圆筛 6pcs Round Basket

立式燃气暖汤池连柜座 GAS BAIN MARIE WITH CABINET



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG			
LGBM-7C	2800~3700	2000~2500	7	G3/4"	700×700×(850+70)
LGBM-9C	2800~3700	2000~2500	7	G3/4"	800×900×(850+70)
LGBM-7C-A	2800~3700	2000~2500	3.5	G3/4"	350×700×(850+70)
LGBM-9C-A	2800~3700	2000~2500	3.5	G3/4"	400×900×(850+70)

COTTURA 豪华立式电组合炉

LUXURY ELECTRIC COMBINATION OVEN

- 国际流行款式，豪华美观
 - 全不锈钢外壳，坚固耐用
 - 自动恒温装置，高效节能
- International style,deluxe appearance
- High quality stainless steel
- High efficiency, energy saving and strong practicality



LER-94V



LER-94C-A

立式圆板电煮食炉连焗炉 ELECTRIC ROUND HOT PLATE COOKER WITH OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LER-74V	380	14	700×700×(850+70)
LER-76V	380	18.6	1050×700×(850+70)
LER-94V	380	14	800×900×(850+70)
LER-96V	380	18.6	1200×900×(850+70)

立式圆板 / 方板电煮食炉连柜座 ELECTRIC ROUND /SQUARE HOT PLATE COOKER WITH CABINET



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LER-74C	380	9.2	700×700×(850+70)
LER-76C	380	13.8	1050×700×(850+70)
LER-94C	380	9.2	800×900×(850+70)
LER-96C	380	13.8	1200×900×(850+70)
LER-94C-A	380	16	800×900×(850+70)
LER-96C-A	380	24	1200×900×(850+70)

- 国际流行款式，豪华美观
 - 全不锈钢外壳，坚固耐用
 - 自动恒温装置，高效节能
- International style,deluxe appearance
- High quality stainless steel
- High efficiency, energy saving and strong practicality



LER-96V-A

立式方板电煮食炉焗炉 ELECTRIC SQUARE HOT PLATE COOKER WITH OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LER-94V-A	380	21	800×900×(850+70)
LER-96V-A	380	29	1200×900×(850+70)

COTTURA 豪华立式电组合炉

LUXURY ELECTRIC COMBINATION OVEN

- 国际流行款式，豪华美观
 - 全不锈钢外壳，坚固耐用
 - 自动恒温装置，高效节能
- International style,deluxe appearance
 - High quality stainless steel
 - High efficiency, energy saving and strong practicality



立式电煮面炉连柜座 ELECTRIC PASTA COOKER WITH CABINET

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	煮面筛 Basket
LEPC-712C	380	15	700×700×(850+70)	12 个圆筛 12pcs Round Basket
LEPC-704C-Y	380	15	700×700×(850+70)	4 个意式方筛 4pcs Square Basket
LEPC-912C	380	18	800×900×(850+70)	12 个圆筛 12pcs Round Basket
LEPC-906C-Y	380	18	800×900×(850+70)	6 个意式方筛 6pcs Square Basket
LEPC-706C-A	380	7.5	400×700×(850+70)	6 个圆筛 6pcs Round Basket
LEPC-906C-A	380	9	400×900×(850+70)	6 个圆筛 6pcs Round Basket



立式电烧烤炉连柜座 ELECTRIC LAVA ROCK GRILL WITH CABINET

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LECB-7C	380	10	700×700×(850+70)
LECB-9C	380	12	800×900×(850+70)
LECB-7C-A	220	3.3	350×700×(850+70)
LECB-9C-A	220	4	400×900×(850+70)



立式电扒炉 ELECTRIC GRIDDLE

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LEG-7C	380	8	700×700×(850+70)
LEG-9C	380	10	800×900×(850+70)
LEG-7C-A	220	2.7	350×700×(850+70)
LEG-9C-A	220	3.3	400×900×(850+70)
LEG-7EV	380	8+5	700×700×(850+70)
LEG-9EV	380	10+5	800×900×(850+70)

备注：扒板可选择全平、1/3 坑（标配）、半平半坑、全坑
Note: Griddle plate can choose all flat/1/3 grooved (standard configuration)/all grooved



立式电炸炉连柜座 ELECTRIC FRYER WITH CABINET

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LEF-72C	380	24	700×700×(850+70)
LEF-71C	380	12	350×700×(850+70)
LEF-92C	380	24	800×900×(850+70)
LEF-91C	380	12	400×900×(850+70)

COTTURA 豪华立式电组合炉

LUXURY ELECTRIC COMBINATION OVEN



立式暖汤池连柜座 ELECTRIC BAIN MARIE WITH CABINET

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
LEBM-7C	230	5	700×700×(850+70)
LEBM-9C	230	6	800×900×(850+70)
LEBM-7C-A	230	2.5	350×700×(850+70)
LEBM-9C-A	230	3	400×900×(850+70)



燃气 / 电热可倾斜式炒锅 GAS/ELECTRIC TILTING FRYING PAN

型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	容量 Capacity (L)	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG				
LGTF-9C-80L	2800~3700	2000~2500	14	G3/4"	80	800×900×920

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	容量 Capacity (L)	外形尺寸 Dimension (mm)
LETF-9C-80L	380	12	80	800×900×920

- 国际流行款式，豪华美观

- 全不锈钢外壳，坚固耐用

- 自动恒温装置，高效节能
- International style,deluxe appearance

- High quality stainless steel

- High efficiency, energy saving and strong practicality



电热 / 燃气摇摆式炒锅 ELECTRIC / GAS TITING FRYING PAN

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	容量 Capacity (L)	外形尺寸 Dimension (mm)
LETF-100TS	380	10	100	1280×950×990
LETF-150TS	380	15	150	1400×1100×990

型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	容量 Capacity (L)	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG				
GFP-900TM-100	2800~3700	2000~2500	20	G3/4"	100	1280×950×990
GFP-1100TM-150	2800~3700	2000~2500	20	G3/4"	150	1400×1100×990



拼台 WORK ELEMENT WITH CABINET

型号 Model	外形尺寸 Dimension (mm)
LHT-350	350×700×(850+70)
LHT-400	400×900×(850+70)
LHT-400-S	400×900×(850+70)

COTTURA 豪华立式电组合炉

LUXURY ELECTRIC COMBINATION OVEN



- 国际流行款式，豪华美观
 - 全不锈钢外壳，坚固耐用
 - 自动恒温装置，高效节能
- International style,deluxe appearance
 - High quality stainless steel
 - High efficiency, energy saving and strong practicality



电热 / 燃气夹层汤煲 ELECTRIC/GAS BOILING KETTLE



型号 Model	额定电压 Voltage (V)	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	容量 Capacity (L)	外形尺寸 Dimension (mm)
		液化气 LPG	天然气 NG			
LETO-9C-100L	380			15	100	800×900×(850+70)
LGTO-9C-100L		2800~3700	2000~2500	20	100	800×900×(850+70)
LETO-9C-150L	380			21	150	800×900×(850+70)

燃气摇摆式汤锅 GAS TILTING BOILING KETTLE



型号 Model	气源压力 Gas Pressure (Pa)		热功率 Power (kW)	入气接口规格 Gas inlet size	容量 Capacity (L)	外形尺寸 Dimension (mm)
	液化气 LPG	天然气 NG				
GSP-900T-100	2800~3700	2000~2500	20	G3/4"	100	1040×860×1140
GSP-900T-150	2800~3700	2000~2500	20	G3/4"	150	1140×860×1140
GSP-900T-200	2800~3700	2000~2500	20	G3/4"	200	1140×860×1290

电摇摆式夹层汤锅 ELECTRIC TILTING BOILING KETTLE



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	容量 Capacity (L)	外形尺寸 Dimension (mm)
ESP-900T-100	380	10	100	1120×900×1200
ESP-900T-150	380	15	150	1220×900×1200
ESP-1000T-200	380	20	200	1450×1040×1140
ESP-1000T-300	380	25	300	1550×1150×1250

COTTURA 台式组合炉

COUNTER TOP WESTERN KITCHEN EQUIPMENT



TEG-7



TECB-7



TEF-72



TER-74



TEPC-712

台式组合炉 COUNTER TOP WESTERN KITCHEN EQUIPMENT

名称 Name	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
电扒炉 Electric griddle	TEG-7	380	7.5	700×700×380
电烧烤炉 Electric bbq grill	TECB-7	380	10	700×700×465
电双缸炸炉 Electric fryer	TEF-72	380	10	700×700×480
电四头煮食炉 Electric cooker	TER-74	380	9.2	700×700×380
电煮面炉 Electric pasta cooker	TEPC-712	380	15	700×700×380



TGR-74

燃气四头煲仔炉 GAS STOVE

名称 Name	型号 Model	气源种类 Gas	额定功率 Power (kW)	外形尺寸 Dimension (mm)
开口柜 Cabinet	TG-700			699×564×550
燃气四头煲仔炉 Gas stove	TGR-74	天然气 NG, 液化气 LPG	22	700×700×380



TEBM-400



TECB-400



TEF-401



TEG-400

400 台式组合炉 400 TABLETOP COMBINED FURNACE



产品名称 Name	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
电保温汤池 Electric insulated hot water bath	TEBM-400	230	2	400×700×490
电烧烤炉 Electric barbecue grill	TECB-400	230	3.5	400×700×490
电炸炉 Electric fryer	TEF-401	380	9	400×700×490
电扒炉 Electric grill	TEG-400	230	2.7	400×700×490



TEW-400



TEPC-406

400 台式组合炉 400 TABLETOP COMBINED FURNACE



产品名称 Name	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
电煮面炉 Electric noodle cooker	TEPC-406	380	7.5	400×700×490
电薯条保温炉 Electric french fry warmer	TEW-400	230	1.5	400×700×515

COTTURA 台式组合炉

COUNTER TOP WESTERN KITCHEN EQUIPMENT

- 国际流行款式，豪华美观
 - 全不锈钢外壳，坚固耐用
 - 自动恒温装置，高效节能
- International style,deluxe appearance
 - High quality stainless steel
 - High efficiency, energy saving and strong practicality



TEG-60



TEF-62V



TECB-60



TEPC-66



TER-64



TEBM-64

台式组合炉 COUNTER TOP WESTERN KITCHEN EQUIPMENT



名称 Name	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
电扒炉 Electric griddle	TEG-60	220~240	5	600×600×370
电炸炉 Electric fryer	TEF-62V	220~240	2.5+2.5	600×600×370
电烤炉 Electric lava rock grill	TECB-60	220/380	7.2	650×600×370
电煮面炉 Electric pasta cooker	TEPC-66	220~240	6	600×600×370
4头电煮食炉 Electric cooker	TER-64	220/380	8	600×600×370
电暖汤池 Electric bain marie	TEBM-64	220~240	1.5	700×600×370



TGG-60



TGF-62V



TGCB-60



TGPC-66



TGR-62



TGR-64

台式燃气豪华组合 COUNTER TOP LUXURY WESTERN KITCHEN EQUIPMENT



名称 Name	型号 Model	气源种类 Gas	额定功率 Power (kW)	外形尺寸 Dimension (mm)
燃气扒炉 Gas griddle	TGG-60	天然气 NG，液化气 LPG	2×4	600×600×370
燃气炸炉 Gas fryer	TGF-62V		2×5	600×600×370
燃气烤炉 Gas lava rock grill	TGCB-60		2×6	650×600×370
燃气煮面炉 Gas pasta cooker	TGPC-66		2×5	600×600×370
燃气煲仔炉 Gas stove	TGR-62		2×5	300×600×370
燃气煲仔炉 Gas stove	TGR-64		4×5	560×600×370
燃气汤池 Gas bain marie	TGBM-64		4	700×600×370

COTTURA 不锈钢电炸炉

ELECTRIC FRYER



EF-101/EF-131



EF-061/EF-081

不锈钢电炸炉（单缸）S/S SINGLE TANK ELECTRIC FRYER



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-061	6	220~240	2	190×440×275
EF-081	8	220~240	2	190×440×330
EF-101	10	220~240	3	290×440×290
EF-131	13	220~240	3.3	290×440×340
EF-171	17	220~240	5	290×500×335



EF-102/EF-132



EF-062/EF-082

不锈钢电炸炉（双缸）S/S 2-TANK ELECTRIC FRYER



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-062	6+6	220~240	2+2	390×440×275
EF-082	8+8	220~240	2+2	390×440×330
EF-102	10+10	220~240	3+3	590×440×290
EF-132	13+13	220~240	3.3+3.3	590×440×340
EF-172	17+17	220~240	5+5	600×500×335

COTTURA 带阀电炸炉

ELECTRIC FRYER WITH VALVE

- 超温保护，配置排油阀，工作完后可直接排油，方便快捷
- 容易清洁，炸篮为双排线框架结构，美观耐用
- Heavy gauge stainless steel construction
- Removable heating head with lock and safety cut out
- With tap easy for cleaning
- Single lined fryer
- Extreme-big heating power, rapid temperature increase
- Auto constant temperature control
- High-efficiency and low energy, easy to clean
- Strong stainless steel frying basket



EFB 系列，油缸与机箱一体结合，令产品更加坚固耐用。
油缸底部倾斜容易清洗
EFB series the oil pan welding with the body,
luxurious, beautiful and strong, easy for cleaning



EFB-101V
EFB-151V
EFB-221V



EF-101V EF-161V
EF-131V EF-191V

带阀电炸炉（单缸）SINGLE TANK ELECTRIC FRYER WITH TAP



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-101V	10	220~240	3	280×495×345
EF-131V	13	220~240	3.3	310×505×355
EF-161V	16	220~240	5	340×560×380
EF-191V	19	220~240	5	340×540×390
EFB-101V	10	220~240	3	305×555×400
EFB-151V	15	220~240	3.3	340×600×425
EFB-221V	22	220~240	5	380×660×435



EFB 系列，油缸与机箱一体结合，令产品更加坚固耐用。油缸底部倾斜容易清洗
EFB series the oil pan welding with the body, luxurious, beautiful and strong, easy for cleaning



EF-102V EF-132V EF-162V



EFB-102V EFB-152V EFB-222V

带阀电炸炉（双缸）2-TANK ELECTRIC FRYER WITH TAP



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EF-102V	10+10	220~240	3+3	570×495×345
EF-132V	13+13	220~240	3.3+3.3	630×505×355
EF-162V	16+16	220~240	5+5	690×560×380
EFB-102V	10+10	220~240	3+3	615×555×400
EFB-152V	15+15	220~240	3.3+3.3	685×600×425
EFB-222V	22+22	220~240	5+5	760×660×435

COTTURA 不锈钢电炸炉

ELECTRIC FRYER

- 超温保护，配置排油阀，工作完后可直接排油，方便快捷
- 容易清洁，炸篮为双排线框架结构，美观耐用
- Heavy gauge stainless steel construction
- Removable heating head with lock and safety cut out
- With tap easy for cleaning
- Single lined fryer
- Extreme-big heating power, rapid temperature increase
- Auto constant temperature control
- High-efficiency and low energy, easy to clean
- Strong stainless steel frying basket



EFS-8L-V



EFD-8L



EFS-8LV-PC

自动升降电炸炉 AUTOMATIC LIFT-UP ELECTRIC FRYER



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EFD-8L	8	220~240	3.2	270×650×435
EFS-8L-V	8	220~240	3.2	270×650×435
EFS-8LV-PC	8	220~240	3.2	270×650×435

COTTURA 智屏电炸炉

SMART SCREEN ELECTRIC FRYER



- 液晶屏：高清数字显示，操作简单直观。可挑选多国语言。
- LCD Screen: Clear digital display for simple operation. Multiple languages are available for selection.



- 精准控温：温度控制精准且稳定。
- Precise Temp: Accurate & stable temperature control.



EFH-101V-PC

EFH-131V-PC



- 预设菜单：内置程序，一键启动使用更方便。
- Preset Menu: With built - in programs. One - key startup makes it more convenient to use.



EFH-102V-PC

EFH-132V-PC



EFC-101V-PC

EFC-131V-PC



EFC-102V-PC

EFC-132V-PC

智屏电炸炉 SMART SCREEN ELECTRIC FRYER



产品名称 Name	型号 Model	额定功率 Power (kW)	外形尺寸 Dimension (mm)	油缸容量 Capacity (L)
电炸炉	EFH-101V-PC	3	310×550×360	7.72
Electric fryer	EFH-102V-PC	2*3	630×550×360	13.95
电炸炉	EFH-131V-PC	3.3	310×550×425	9
Electric fryer	EFH-132V-PC	2*3.3	630×550×425	16
电炸炉	EFC-101V-PC	3.3	290×520×390	6.6
Electric fryer	EFC-102V-PC	2*3.3	586×520×390	12.2
电炸炉	EFC-131V-PC	3.3	290×590×420	7.7
Electric fryer	EFC-132V-PC	2*3.3	588×590×420	14.5

COTTURA 座地式电炸炉

ELECTRIC FRYER WITH CABINET

- 豪华美观，发热管可翻转，容易清洁，超温保护，炸篮为绕线结构，美观耐用，配置排油阀

- Heavy gauge stainless steel construction luxurious and beautiful
- Removable heating head with lock and safety cut out
- Extreme-big heating power, rapid temperature increase
- Auto constant temperature control
- High-efficiency and low energy, easy to clean
- Strong stainless steel frying basket



EFB-102V/C
EFB-152V/C
EFB-222V/C

EF-161V/C



EF-85B



EF-162V/C



EFB 系列，油缸与机箱一体结合，令产品更加坚固耐用。
油缸底部倾斜容易清洗
EFB series the oil pan welding with the body,
luxurious, beautiful and strong, easy for cleaning

座地式电炸炉 ELECTRIC FRYER WITH CABINET



型号 Model	油缸容量 Capacity (L)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EFB-102V/C	10+10	220~240	3+3	615×460×970
EFB-152V/C	15+15	220~240	3.3+3.3	695×530×970
EFB-222V/C	22+22	220~240	5+5	760×590×970
EF-482T/C	48+48	380~415	9+9	840×730×980
EF-481T/C	48	380~415	9	420×460×975
EF-161V/C	16	220~240	5	340×560×980
EF-162V/C	16+16	220~240	5+5	690×560×980
EF-85B	14+14	220~240	4+4	610×630×960

COTTURA 燃气炸炉

GAS FRYER

- 豪华美观，发热管可翻转，容易清洁，超温保护，炸篮为绕线结构，美观耐用，配置排油阀

- Heavy gauge stainless steel construction luxurious and beautiful
- Removable heating head with lock and safety cut out
- Extreme-big heating power, rapid temperature increase
- Auto constant temperature control
- High-efficiency and low energy, easy to clean
- Strong stainless steel frying basket



GF-71A



GF-72A



GF-71



GF-72

燃气炸炉 GAS FRYER



型号 Model	油缸容量 Capacity (L)	炸筛数量 Frying basket	气源种类 Gas	外形尺寸 Dimension (mm)
GF-71	10	1	天然气 NG，液化气 LPG	290×520×430
GF-72	10+10	2		580×520×430
GF-71A	18	1		350×680×610
GF-72A	18+18	2		665×680×610

COTTURA 燃气炸炉

GAS FRYER



燃气油水混合炸炉 OIL-WATER INTEGRATED GAS FRYER

型号 Model	气源种类 Gas	热功率 Power (kW)	外形尺寸 Dimension (mm)
GF-380YS	天然气 NG, 液化气 LPG	14	480×700×1100
GF-290YS		11	380×700×1100

立式燃气炸炉 GAS FRYER

型号 Model	气源种类 Gas	热功率 Power (kW)	外形尺寸 Dimension (mm)
LGF-3R	天然气 NG, 液化气 LPG	12	400×770×1150
LGF-4R		16	400×770×1150
LGF-5R		20	540×770×1150

COTTURA 电扒炉

ELECTRIC GRIDDLE

- 精钢扒面板，加热迅速、均匀，自动恒温装置，机身前置护杆，保护温控器
- All stainless steel construction, easy clean surface
- High-efficient, energy-saving and useful
- Solid 12mm thick steel cooking plate
- Removable grease trap
- Full sized cooking area
- Auto constant temperature control



电扒炉（平面）ELECTRIC GRIDDLE（ALL FLAT）



型号 Model	扒板厚度 Thickness of the hot plate (mm)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EG518	10	220~240	2.4	550×380×240
EG818	8	220~240	3	550×470×230
EG820	8	220~240	4.4	730×510×230
EG410	12	220~240	2.5	415×500×255
EG500	12	220~240	3	500×520×310
EG600	12	220~240	5	600×520×310
EG750	12	220~240	6	750×520×310
EG1000	12	220~240	6	1000×520×310

电扒炉（半平半坑）ELECTRIC GRIDDLE（HALF FLAT&HALF GROOVED）



型号 Model	扒板厚度 Thickness of the hot plate (mm)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EG518-2	10	220~240	2.4	550×380×240
EG818-2	8	220~240	3	550×470×230
EG820-2	8	220~240	4.4	730×510×230
EG410-2	12	220~240	2.5	415×500×255
EG500-2	12	220~240	3	500×520×310
EG600-2	12	220~240	5	600×520×310
EG750-2	12	220~240	6	750×520×310
EG1000-2	12	220~240	6	1000×520×310

COTTURA 电扒炉

ELECTRIC GRIDDLE



电扒炉（镜面）ELECTRIC GRIDDLE (CHROME SURFACE)

型号 Model	扒板厚度 Thickness of the hot plate (mm)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EG518D	10	220~240	2.4	550×380×240
EG410D	12	220~240	2.5	415×500×255
EG500D	12	220~240	3	500×520×310
EG600D	12	220~240	5	600×520×310
EG750D	12	220~240	6	750×520×310
EG1000D	12	220~240	6	1000×520×310

GAINCO 液晶数显电扒炉

LCD DIGITAL GRIDDLE



液晶数显电扒炉 LCD DIGITAL GRIDDLE

型号 Model	扒板厚度 Thickness of the hot plate (mm)	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EG410-PC	12	220~240	2.5	415×500×255
EG500-PC	12	220~240	3	500×520×310
EG600-PC	12	220~240	5	600×520×310
EG750-PC	12	220~240	6	750×520×310
EG1000-PC	12	220~240	6	1000×520×310

COTTURA 燃气扒炉

GAS GRIDDLE

燃气扒炉（平面）GAS GRIDDLE (ALL FLAT)

型号 Model	气源种类 Gas	扒板厚度 Thickness of the hot plate (mm)	外形尺寸 Dimension (mm)
GT500	天然气 NG，液化气 LPG	12	500×590×500
GT600		12	600×590×500
GT750		12	750×590×500
GT1000		12	1000×590×500
GT1200		16	1200×795×940



燃气扒炉（镜面）GAS GRIDDLE (CHROME SURFACE)

型号 Model	气源种类 Gas	扒板厚度 Thickness of the hot plate (mm)	外形尺寸 Dimension (mm)
GT500D	天然气 NG，液化气 LPG	12	500×590×500
GT600D		12	600×590×500
GT750D		12	750×590×500
GT1000D		12	1000×590×500
GT1200D		16	1200×795×940



燃气扒炉（半平半坑）GAS GRIDDLE (HALF FLAT&HALF GROOVED)

型号 Model	气源种类 Gas	扒板厚度 Thickness of the hot plate (mm)	外形尺寸 Dimension (mm)
GT500-2	天然气 NG，液化气 LPG	12	500×590×500
GT600-2		12	600×590×500
GT750-2		12	750×590×500
GT1000-2		12	1000×590×500
GT1200-2		16	1200×795×940



立式燃气扒炉 GAS GRIDDLE

型号 Model	气源种类 Gas	扒板厚度 Thickness of the hot plate (mm)	外形尺寸 Dimension (mm)
GT1000D-R	天然气 NG，液化气 LPG	16	1000×675×985

COTTURA 热风循环电焗炉

ELECTRIC CONVECTION OVEN

- 带可视门窗，烘烤情况一目了然，活
动式烤架及烤盘
- All stainless steel construction
- High-efficient, energy-saving&useful
- Removable baking grill



EB-2F

EB-8F



EB-4F

EB-4F-PC

热风循环电焗炉 ELECTRIC CONVECTION OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	烤盘尺寸 Baking pan size (mm)	外形尺寸 Dimension (mm)
EB-2F	220~240	2.67	GN1/2×3PCS	460×570×460
EB-4F	220~240	2.67	435×315×4PCS	595×600×580
EB-6F	220~240	2.67	GN1/1×4PCS	695×600×580
EB-8F	220~240	6.4	400×600×4PCS	835×796×572
EB-2F-PC	220~240	2.2	GN1/2×3PCS	683×598×404
EB-4F-PC	220~240	3.2	435×315×4PCS	683×598×490

COTTURA 多功能蒸烤箱

MULTIFUNCTIONAL STEAM OVEN



- 热风循环加热、自动断电安全装置、数字显示与触摸屏、易于清洁、
节能模式、蒸汽喷射、温度控制（±1° C）、定时功能
- Convection Heating, Auto Shut-Off Safety, Digital Display &
Touchscreen, Easy Cleaning, Energy Saving Mode, Steam Injection,
Temperature Control (±1° C), Timer Function



EB-3FA

多功能蒸烤箱 MULTIFUNCTIONAL STEAM OVEN



产品名称 Name	型号 Model	额定功率 Power (kW)	外形尺寸 Dimension (mm)	烤盘尺寸 Baking pan size (mm)
多功能蒸烤箱 Multifunctional steam oven	EB-3FA	5.5	600×670×550	435×315

COTTURA 微波热风快速烤箱

MICROWAVE HIGH SPEED OVEN

- 热风加热、微波技术、冲击热风，实现极速加热、加热均匀一致。采用液晶触摸屏面板，可编程多种自定义菜单项。多段烹饪程序，组合丰富多样

- Hot air heating, microwave technology, and impingement hot air achieve extremely fast and uniformly consistent heating. It adopts an LCD touch - screen panel and can program a variety of custom menu items. There are multi - stage cooking programs with a rich and diverse combination



EB-111



微波热风快速烤箱 MICROWAVE HIGH SPEED OVEN



产品名称 Name	型号 Model	额定功率 Power (kW)	外形尺寸 Dimension (mm)
微波热风快速烤箱 Microwave high speed oven	EB-111	3.5	460×680×680

COTTURA 电焗炉

ELECTRIC BAKING OVEN



EB-40B



EB-420



EB-520



EB-620



EB-20B

电焗炉 ELECTRIC BAKING OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EB-420	220~240	3	710×550×450
EB-520	220~240	3	770×715×450
EB-620	220~240	3	865×715×450
EB-20B	220~240	5.7	1210×800×520
EB-40B	380	11.4	1210×750×870
EB-60B	380	17.1	1210×750×1570

COTTURA 电披萨炉

ELECTRIC PIZZA OVEN

- 不锈钢面板；升温迅速，炉温可达 450-500℃；耐高温防爆玻璃观察窗，高亮度照明灯，工作过程可实时监控；火山石板通过无毒测试，可与食物直接接触

- Stainless steel front door and front panel

- Max. 450-500°C thermostat control. Fast cooking within 5 mins

- Thermostat control separate for upper and lower heating element inside each deck

- Reinforced door for easy service and frequently open and close operation

- Reinforced high temperate glass window for monitor pizza baking condition

- Long live halogen lighting system for better to check pizza baking process



EPZ-2 EPZ-218



EPZ-2M



EPZ-18

电披萨炉 ELECTRIC PIZZA OVEN

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	调温范围 Temperature	外形尺寸 Dimension (mm)	内膛尺寸 Chamber (mm)	每次烤比萨饼数量 Capacity
EPZ-2M	220~240	1.8	0~350℃	516×470×360	330×330×100×2Pcs	12" pizza×2pcs
EPZ-2	220~240	2.4	0~350℃	585×550×430	400×400×115×2Pcs	12" pizza×2pcs
EPZ-218	220~240	3	0~350℃	685×675×430	500×500×115×2pcs	18" pizza×2pcs
EPZ-18	220~240	2	0~350℃	685×675×280	500×500×115×1pcs	18" pizza×1pcs
EPZ-1	220~240	1.6	0~350℃	585×550×230	400×400×115×1pcs	12" pizza×1pcs

- 最高温度 350℃，升温快，效率高，360°自动旋转功能，受热均匀，食物口感鲜美。内置高温石板，导热性优异，热量分布均匀。触屏式智能操控，多种烤制菜单，一键轻松烘焙，告别繁琐操作

- The maximum temperature is 350℃ , fast heating - up , high efficiency. 360° automatic rotation function, ensuring even heat absorption, make food tastes delicious. High - temperature stone slab inside, featuring excellent thermal conductivity and uniform heat distribution.The touch - screen intelligent control, a variety of baking menus, enabling easy one - click baking and getting rid of cumbersome operations



EPZ-18X

旋转披萨炉 ROTARY PIZZA OVEN

产品名称 Name	型号 Model	额定功率 Power (kW)	外形尺寸 Dimension (mm)	每次烤比萨饼数量 Capacity
旋转披萨炉 Rotary pizza oven	EPZ-18X	3.55	700×750×370	18" pizza*1 PCS



披萨架 Pizza oven with shelf
EPZ-4/EPZ-6/EPZ-8/EPZ-12



EPZ-4/EPZ-6



EPZ-8/EPZ-12

电披萨炉 ELECTRIC PIZZA OVEN

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	调温范围 Temperature	外形尺寸 Dimension (mm)	内膛尺寸 Chamber (mm)	每次烤比萨饼数量 Capacity
EPZ-4	380	4.5	0~450℃	975×915×415	660×660×135×1Pcs	12" pizza×4pcs
EPZ-6	380	6.9	0~450℃	975×1210×415	660×990×135×1Pcs	12" pizza×6pcs
EPZ-8	380	9	0~450℃	975×915×745	660×660×135×2Pcs	12" pizza×8pcs
EPZ-12	380	13.8	0~450℃	975×1210×745	660×990×135×2Pcs	12" pizza×12pcs

COTTURA 电披萨炉

ELECTRIC PIZZA OVEN

- 不锈钢面板；升温迅速，炉温可达 450-500℃；耐高温防爆玻璃观察窗，高亮度照明灯，工作过程可实时监控；火山石板通过无毒测试，可与食物直接接触

- Stainless steel front door and front panel
- Max. 450-500℃ thermostat control. Fast cooking within 5 mins
- Thermostat control separate for upper and lower heating element inside each deck
- Reinforced door for easy service and frequently open and close operation
- Reinforced high temperate glass window for monitor pizza baking condition
- Long live halogen lighting system for better to check pizza baking process



EPZ-36



EPZ-33

电披萨炉 ELECTRIC PIZZA OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	调温范围 Temperature	外形尺寸 Dimension (mm)	内膛尺寸 Chamber (mm)
EPZ-33	380	5.94	0~300℃	1330×620×360	1130×420×130×1PCS
EPZ-36	380	10.38	0~300℃	1330×1060×360	1130×850×130×1PCS

COTTURA 燃气披萨炉

GAS PIZZA OVEN



GPZ-4



EPZ-215W



EPZ-15W



GPZ-6

电披萨炉 ELECTRIC PIZZA OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	调温范围 Temperature	外形尺寸 Dimension (mm)	内膛尺寸 Chamber (mm)	每次烤比萨饼数量 Capacity
EPZ-215W	220~240	5.2	50~320℃	1130×630×370	830×420×130×2PCS	15" pizza×2pcs
EPZ-15W	220~240	4.3	50~320℃	715×630×370	415×420×130×2PCS	15" pizza×2pcs

燃气披萨炉 GAS PIZZA OVEN



型号 Model	燃气功率 Power (kW)	气源种类 Gas	外形尺寸 Dimension (mm)	内膛尺寸 Chamber (mm)
GPZ-4	8	天然气 NG，液化气 LPG	1265×920×(530+40)	660×680×150
GPZ-6	10		1595×920×(530+40)	990×680×150

COTTURA 台式燃气煲仔炉

COUNTER TOP GAS STOVE

- 长明火设计，带熄火保护，火力调节，符合欧洲安全要求
- Stainless steel construction luxurious and beautiful
- High-efficiency and low energy, easy to clean
- Lighter ignition, with ignition flame, flame failure saftery device for each control
- Key-component from famous supplier, according to the Euro standard



GB-2



GB-2Y



GB-3Y



GB-4Y



GB-6Y



GR-1D



TGR-2



TGR-4

台式燃气煲仔炉 COUNTER TOP GAS STOVE



型号 Model	气源种类 Gas	热功率 Power (kW)	外形尺寸 Dimension (mm)
GB-2Y	天然气 NG, 液化气 LPG	11	660×428×308
GB-2		11	375×735×308
GB-3Y		16	990×428×308
GB-4Y		22	765×735×308
GB-6Y		33	1150×735×308

台式燃气煲仔炉 COUNTER TOP GAS STOVE



型号 Model	气源种类 Gas	热功率 Power (kW)	外形尺寸 Dimension (mm)
GR-1D	天然气 NG, 液化气 LPG	14	458×585×475
TGR-2		11	300×805×360
TGR-4		22	600×805×360
TGR-6		33	900×805×360

COTTURA 升降电面火炉

ELECTRIC LIFT-UP SALAMANDER



升降电面火炉 ELECTRIC LIFT-UP SALAMANDER

RoHS CE ECT

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	烤网尺寸 Shelf size (mm)	外形尺寸 Dimension (mm)
EMH-450S	220~240	2.8	437×314	450×480×500
EMH-600S	220~240	4	580×320	600×480×520
EMH-800S	220~240	5.6	785×320	800×480×520



挂墙式电面火炉 COUNTER TOP ELECTRIC SALAMANDER

RoHS CE ECT

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	烤网尺寸 Shelf size (mm)	外形尺寸 Dimension (mm)
EMH-936	220~240	2	450×235	610×340×280
EMH-937	220~240	4	635×397	800×450×470
EMH-938	220~240	2.2	420×335	580×390×390
EMH-550	220~240	3	350×290	550×480×300
EMH-934	220~240	2.85	530×340	730×410×380

COTTURA 石英烘炉

QUARTZOSE TUBE OVEN



石英烘炉 QUARTZOSE TUBE OVEN

RoHS CE ECT

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
MHQ-360E	220~240	3.6	490×250×380
MHQ-360ET	220~240	3.6	490×250×380
MHQ-240E	220~240	2.4	490×250×280
MHQ-240ET	220~240	2.4	490×250×280
MHQ-360	220~240	3.6	490×250×380
MHQ-360T	220~240	3.6	490×250×380
MHQ-240	220~240	2.4	490×250×280
MHQ-240T	220~240	2.4	490×250×280

COTTURA 石英烘炉

QUARTZOSE TUBE OVEN

- 全不锈钢镜面板，豪华美观，红外线加热，可选用石英管和电热管
- All stainless steel construction
- High-efficient, energy-saving&useful
- Quartzose tube or stainless steel heating elements



MHQ-200



MHQ-300



MHQ-4S

石英烘炉

QUARTZOSE TUBE OVEN



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
MHQ-200	220~240	2	450×290×305
MHQ-300	220~240	3	450×290×435
MHQ-4S	220~240	3.5	410×330×460

COTTURA 美国款燃气火山石烧烤炉

USA GAS LAVA ROCK



CB-24



CB-12



CB-36

美国款燃气火山石烧烤炉

USA GAS LAVA ROCK GRILL



型号 Model	气源种类 Gas	外形尺寸 Dimension (mm)
CB-12	天然气 NG，液化气 LPG	310×660×390
CB-24		610×660×390
CB-36		915×660×390

COTTURA 多士炉

ELECTRIC TOASTER



ET-4



ET-6

多士炉 ELECTRIC TOASTER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	面包数 Bread (PCS)	外形尺寸 Dimension (mm)
ET-4	220~240	1.8	4	335×270×215
ET-6	220~240	2.5	6	430×270×215



VT-250

汉堡机 ELECTRIC BURGER MACHINE

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
VT-250	220~240	1.83	450×356×620



ETT-150



ETT-300



ETT-450



ETT-160

ETT-360

ETT-460

链式多士炉 ELECTRIC CONVEYOR TOASTER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	产量 (片 / 小时) Pieces of bread/H	外形尺寸 Dimension (mm)
ETT-150	220~240	1.35	150~180	288×418×387
ETT-300	220~240	2.25	300~350	368×418×387
ETT-450	220~240	2.65	450~500	468×418×387
ETT-160	220~240	1.35	150~180	310×565×410
ETT-360	220~240	2.25	300~350	390×565×410
ETT-460	220~240	2.65	450~500	490×565×410

COTTURA 煮面炉

PASTA COOKER



EPC-TM-3



EPC-TM-6

升降式电煮面炉 AUTOMATIC LIFT-UP ELECTRIC NOODLE COOKER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EPC-TM-6	220~380	9	670×830×(850+210)
EPC-TM-3	220~380	4.5	335×830×(850+210)

关东煮机 ELECTRIC ODEN COOKING MACHINE

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
OKB-2	220~240	2.6	647×370×292



OKB-2

- 三个水箱独立工作，可单个加热，也可三个同时加热；高效节能

- All stainless steel construction
- High-efficient, energy-saving & useful
- Thermostat control
- Cast aluminum heating plate high efficient



EPC-2Y



EPC-4A



EPC-6A



EPC-2

台式电煮面炉 COUNTER TOP PASTA COOKER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EPC-2Y	220~240	4.5	400×680×370
EPC-4A	220~240	3.2	420×600×350
EPC-6A	220~240	4.8	600×600×350
EPC-2	220~240	2	180×406×275



NB-2D



NB-1C

煮面炉粉筛 PASTA BASKET



产品名称 Name	型号 Model	外形尺寸 Dimension (mm)
方形煮面炉粉筛 Square pasta basket	NB-1D	140×140×200
	NB-2D	290×168×200
圆形煮面炉粉筛 Round pasta basket	NB-1C	φ 135×145

备注：全不锈钢材质 304 Note: all stainless steel 304

COTTURA电华夫炉

WAFFLE BAKER

- 加热盘不粘涂层, 容易清洁, 恒温装置
- All stainless steel construction
- Non stick surface,easy clean
- Thermostat contro



NP-511



NP-504



NP-2218



NP-510



NP-101



NP-517



NP-99



NP-527



NP-535



NP-536



NP-507



NP-502



NP-508

电华夫炉 WAFFLE BAKER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
NP-527	220~240	1.8	362×360×245
NP-99	220~240	1.8	280×395×245
NP-101	220~240	1.8	300×295×245
NP-502	220~240	1.8	300×420×245
NP-504	220~240	1.8	300×420×245
NP-508	220~240	1.8	300×420×260
NP-507	220~240	1.8	300×420×245
NP-517	220~240	1.8	300×420×245
NP-510	220~240	1.8	300×420×250
NP-535	220~240	1.8	365×360×245
NP-536	220~240	1.8	365×360×245
NP-2218	220~240	1.8	300×420×250
NP-511	220~240	1.8	560×440×270

COTTURA 电华夫炉

WAFFLE BAKER



电华夫炉 WAFFLE BAKER

RoHS CE

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
HF-1	220~240	1	360×250×230
HF-2	220~240	1+1	360×500×230
HF-1F	220~240	2	300×420×260
HF-2F	220~240	2+2	600×420×260
NP-549	220~240	3.2	500×610×160



电脑版手抓饼机 COMPUTER CONTROL CONTACT GRILL

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
SZ-265	220~240	2	320×540×300

COTTURA 雪糕皮机

CONE BAKER



雪糕皮机 CONE BAKER

RoHS CE

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
XGP-1	220~240	1	360×250×230
XGP-2	220~240	1+1	360×500×230



刀叉消毒箱 / 鸡蛋消毒箱 ELECTRIC KNIFE STERILIZER

RoHS CE

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
DX-1	220~240	0.01	400×150×615
DX-2	220~240	0.02	400×300×615
OX-30-B	220~240	0.06	360×430×220
OX-30-D	220~240	0.06	360×430×320

COTTURA 热狗机

HOT DOG WARMER

- 全不锈钢机身、不锈钢辊轴；抽屉式接油盘，卫生方便
- Adjustable temperature control
- Easy-to-clean pull out drip pan
- All stainless steel construction
- High-efficient, energy-saving & useful



HD-5



HD-11



HD-7X



HD-9X



HD-14F



HD-8F

热狗机 HOT DOG WARMER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
HD-5	220~240	0.5	440×250×175
HD-7	220~240	0.7	440×325×175
HD-9	220~240	0.9	550×400×175
HD-11	220~240	1.1	550×475×175
HD-5X	220~240	0.5	440×310×380
HD-7X	220~240	0.7	440×325×380
HD-9X	220~240	0.9	575×380×430
HD-11X	220~240	1.1	575×450×430
HD-8F	220~240	1.25	530×360×165
HD-14F	220~240	2.15	530×530×165

COTTURA 热狗保温机

HOT DOG WARMER

- 耐高温玻璃
- 铝合金加热棒
- High temperature resistant glass
- Aluminum heating rods



HDW-1



HDW-1T



HDW-2

热狗保温机 HOT DOG WARMER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
HDW-1	220~240	0.3	245×330×360
HDW-2	220~240	0.58	480×330×360
HDW-1T	220~240	1	360×260×265

COTTURA 电三文治机

PANINI CONTACT GRILL

- 铸铁加热板、表面搪瓷处理，清洁卫生

- Heavy gauge stainless steel construction

- Extreme-big heating power, rapid temperature increase

- Auto constant temperature control

- High-efficiency and low energy

- Non stick surface heating plate,easy to clean



EGD-20



EGD-14



EGD-14B



EGD-10

电三文治机 PANINI CONTACT GRILL



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EGD-10	220~240	1.8	320×410×190
EGD-10A	220~240	1.8	320×410×190
EGD-10B	220~240	1.8	320×410×190
EGD-14	220~240	2.2	440×410×190
EGD-14A	220~240	2.2	440×410×190
EGD-14B	220~240	2.2	440×410×190
EGD-20	220~240	3.6	580×410×190
EGD-20A	220~240	3.6	580×410×190
EGD-20B	220~240	3.6	580×410×190

COTTURA 电班戟炉

ELECTRIC CREPE MAKER

- 直径 400mm 搪瓷处理加热盘，干净，好用；恒温装置

- All stainless steel construction

- 400mm Non stick surface heating plate, easy clean

- Thermostat control



ECM-2



ECM-1

电班戟炉 ELECTRIC CREPE MAKER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	盘径 Cooking plate dim (mm)
ECM-1	220~240	3	450×490×235	400
ECM-2	220~240	3+3	860×490×235	400



GCM-2



GCM-1

燃气班戟炉 GAS CREPE MAKER



型号 Model	气源种类 Gas	外形尺寸 Dimension (mm)	盘径 Cooking plate dim (mm)
GCM-1	天然气 NG，液化气 LPG	450×490×235	400
GCM-2		860×490×235	400

COTTURA 爆谷机

POPCORN MAKER

- 四面钢化玻璃，全方位展示爆谷过程，抽屉式屑末接盘，方便清理，加热快速均匀，90秒可完成一次制作

- High-output, stainless steel popping pot provides optimum performance and easy cleaning

- Presentation lamp lights the cabinet interior and highlights the popped corn for added impulse sales

- Four sides with toughened glass safety as well as easy cleaning



EP-8



EP-8F



EP-8Y

台式爆谷机

TABLE TOP POPCORN MAKER

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EP-8	220~240	1.3	500×360×650
EP-8F	220~240	1.3	550×445×730
EP-8Y	220~240	1.3	510×410×690

COTTURA 圆桶电热开水器

ELECTRIC WATER BOILER

- 玻璃管水位显示；高效不锈钢发热管、恒温装置、防干烧保护

- Sight tube for visible level indication

- Non drip tap

- Concealed element

- Swivel locking lid

- Boil dry protection

- Automatic boil and simmer – no temperature adjustment needed

- Indicator lights for power and temperature



BW-30/36



BW-12/16

圆桶电热开水器

ELECTRIC WATER BOILER

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
BW-12	220~240	1.5	Φ263×430
BW-16	220~240	1.5	Φ263×480
BW-30	220~240	2.5	Φ303×535
BW-36	220~240	2.5	Φ303×610

- 有单层和双层两种

- 双层架构可避免外壳温度高，节能安全

- 自动恒温，防干烧保护

- Single wall and double wall construction

- High efficiency, energy saving and stable water temperature

- Boil dry protection



BWS-10Z



BWS-20Z

全不锈钢开水器

S.STEEL WATER BOILER

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
BWZ-5Z	220~240	2.4	Φ221×384
BWZ-10Z	220~240	2.4	Φ221×478
BWZ-20Z	220~240	2.4	Φ226×602
BWZ-30Z	220~240	2.4	Φ385×499
BWZ-40Z	220~240	2.4	Φ385×582
BWZ-05ZD	220~240	2.4	Φ241×380
BWZ-07ZD	220~240	2.4	Φ241×430
BWZ-10ZD	220~240	2.4	Φ241×480
BWZ-20ZD	220~240	2.4	Φ288×570

COTTURA 蒸馏咖啡机

DISTILLING COFFEE MAKER

- 全不锈钢 304 机身，自动将水煮沸，自动喷淋咖啡粉和滤出咖啡
- Stainless steel #304 construction
- High efficient stainless steel heating element and stainless steel inner liner
- Temperature-controlling-and-limiting device incorporated into the machine, safety, high efficiency, energy saving, and easy operation

蒸馏咖啡机 DISTILLING COFFEE MAKER

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
DW-17	220~240	2.06	205×385×450



DW-17



BC-20

BC-16

BC-10

- 不锈钢滤网，坚固耐用；玻璃管水位显示，符合欧盟标准
- Stainless steel construction
- Sight tube for visible level indication

咖啡桶 COFFEE BOILER

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
BC-10	220~240	1.6	Φ230×470
BC-16	220~240	1.6	Φ275×530
BC-20	220~240	1.6	Φ275×600

咖啡壶 COFFEE KETTLE

型号 Model	容量 Capacity (L)	外形尺寸 Dimension (mm)
CK-17	1.7	205×385×450



1.7L



TW-2 双暖

- 电发热板，高效节能
- Stainless steel body, electric heater plate
- High efficiency and save energy

咖啡炉 COFFEE MAKER

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	备注 Note
TW-2 双暖	220~240	0.2	350×240×70	2-warmer

COTTURA 推车款暖汤池

FOOD SERVICE CART

推车款暖汤池 FOOD SERVICE CART

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
BMC-2	220~240	2	625×855×870
BMC-3	220~240	3	625×1220×270
BMC-4	220~240	4	625×1585×570

GAINCO 暖汤池（有玻璃罩）

BAIN MARIE (WITH GLASS)

- 液晶温度显示，可实时监控；玻璃罩顶，美观卫生，可随意调整份数盘排列
- Heavy gauge stainless steel construction
- 3 to 5 large 1/2 gastronomes, 3 to 8 large 1/3 gastronomes
- Freely adjust structure
- Auto temperature control
- LCD temperature indication



BM-5



BM-63

暖汤池（有玻璃罩） BAIN MARIE(WITH GLASS)

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	配置份盘 (GN pan qty)
BM-3	220~240	1	950×365×330	3pcs 1/2×100mm
BM-4	220~240	1.5	1215×365×330	4pcs 1/2×100mm
BM-5	220~240	1.8	1485×365×330	5pcs 1/2×100mm
BM-33	220~240	1	685×365×330	3pcs 1/3×100mm
BM-43	220~240	1	862×365×330	4pcs 1/3×100mm
BM-53	220~240	1.5	1039×365×330	5pcs 1/3×100mm
BM-63	220~240	1.5	1215×365×330	6pcs 1/3×100mm
BM-73	220~240	1.5	1393×365×330	7pcs 1/3×100mm
BM-83	220~240	1.8	1570×365×330	8pcs 1/3×100mm



BMC-3

COTTURA 暖汤池（无玻璃罩）

BAIN MARIE (NO GLASS)

- 自动恒温装置，可随意调整份数盘排列

- Heavy gauge stainless steel construction

- Freely adjust structure

- Auto temperature control



BM-1



BM-1V



BM-4T



BM-8T

暖汤池（无玻璃罩）BAIN MARIE(NO GLASS)



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	配置份盘 (GN pan qty)
BM-2T	220~240	1	430×680×275	1/2×100mm 2Pcs
BM-4T	220~240	1.5	750×680×275	1/2×100mm 4Pcs
BM-6T	220~240	1.8	1100×680×275	1/2×100mm 6Pcs
BM-8T	220~240	1.8	1450×680×275	1/2×100mm 8Pcs
BM-4TA	220~240	1.5	750×600×275	1/2×100mm 2Pcs
BM-1	220~240	1.2	340×590×260	1/1×150mm
BM-1V	220~240	1.2	340×590×260	1/1×150mm

COTTURA 食物保温餐车

FOOD WARMER CART

- 采用热风循环加热保温

- 温度可调节 ,65~82℃

- 数显内胆温度

- Hot air circulation heating and warming

- The temperature can be adjusted 65 to 82℃

- LCD temperature indication



EWC-11



EWC-22



EWC-16S



EWC-16SS



EWC-8S-1K

食物保温餐车 FOOD WARMER CART



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	内腔 Chamber (mm)	备注 Note
EWC-5	220~240	1.3	730×940×1350	540×660×940	5 层，层高 160mm，可放 10 个 1/1 份数盘 5-Shelf, Shelf distance 160mm, Capacity up to 10×GN1/1
EWC-11	220~240	2.7	730×940×1765	540×660×1380	11 层，层高 115mm，可放 22 个 1/1 份数盘 11-Shelf, Shelf distance 115mm, Capacity up to 22×GN1/1
EWC-22	220~240	5.4	1400×940×1765	540×660×1380	22 层，层高 115mm，可放 44 个 1/1 份数盘 22-Shelf, Shelf distance 115mm, Capacity up to 44×GN1/1
EWC-16S	220~240	2.7	810×880×1760	530×660×1310	16 层，层高 75mm，可放 32 个 1/1 份数盘 16-Shelf, Shelf distance 75mm, Capacity up to 32×GN1/1
EWC-16SS	220~240	2	760×880×1760	540×700×1335	16 层，层高 86mm，可放 32 个 1/1 份数盘 16-Shelf, Shelf distance 86mm, Capacity up to 32×GN1/1
EWC-8S-1K	220~240	1.3	995×730×1050	540×620×820	8 层，层高 80mm，可放 8 个层板或 16 个 1/1 份数盘 8-Shelf, Shelf distance 80mm, Capacity up to 8 plates or 16×GN 1/1

COTTURA 食物保温餐车

FOOD WARMER CART



食物保温餐车 FOOD WARMER CART

RoHS CE ENEC

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	内腔 Chamber (mm)	备注 Note
EWC-15A-2K	220~240	1.8	630×800×1840	430×630×1410	15 层, 层高 75mm, 可放 15 个 1/1 份数盘或烤盘 15-Shelf, Shelf distance 75mm, Capacity up to 15×GN1/1 or baking pan
EWC-15B-2K	220~240	1.8	760×800×1840	540×660×1410	15 层, 层高 75mm, 可放 30 个 1/1 份数盘 15-Shelf, Shelf distance 75mm, Capacity up to 30×GN1/1
EWC-15A-4K	220~240	1.8	630×800×1840	430×630×1410	15 层, 层高 75mm, 可放 15 个 1/1 份数盘或烤盘 15-Shelf, Shelf distance 75mm, Capacity up to 15×GN1/1 or baking pan
EWC-15B-4K	220~240	1.8	760×800×1840	540×660×1410	15 层, 层高 75mm, 可放 30 个 1/1 份数盘 15-Shelf, Shelf distance 75mm, Capacity up to 30×GN1/1
EWC-15A-4XK	220~240	1.8	570×830×1845	430×630×1410	15 层, 层高 75mm, 可放 15 个 1/1 份数盘或烤盘 15-Shelf, Shelf distance 75mm, Capacity up to 15×GN1/1 or baking pan
EWC-5A-1D	220~240	1.8	630×800×950	430×630×530	5 层, 层高 80mm, 可放 5 个 1/1 份数盘或烤盘 5-Shelf, Shelf distance 80mm, Capacity up to 5×GN1/1 or baking pan
EWC-5B-1D	220~240	1.8	760×800×950	540×660×530	5 层, 层高 80mm, 可放 10 个 1/1 份数盘 5-Shelf, Shelf distance 80mm, Capacity up to 10×GN1/1
EWC-4S	220~240	1.3	1020×660×880	720×420×570	4 层, 层高 130mm 4-Shelf, Shelf distance 130mm
EWC-4S-B	220~240	1.3	1020×660×1150	720×420×840	4 层, 层高 200mm, 标配 4 个层网, 或选配 8 层 4-Shelf, Shelf distance 200mm, Capacity up to 4×baking net, or change to 8 layers
EWC-8SS	220~240	2	860×832×1235	540×700×810	8 层, 层高 86mm, 可放 16 个 1/1 份数盘 8-Shelf, Shelf distance 86mm, Capacity up to 16×GN1/1
EWC-8SS-2A	220~240	4	980×709×1235	单个内腔尺寸: 336×576×810	8 层, 层高 86mm, 可放 16 个 1/1 份数盘 8-Shelf, Shelf distance 86mm, Capacity up to 16×GN1/1

COTTURA 蒸包柜

FOOD STEAMER SHOWCASER



- 四面中空玻璃, 自动温控及缺水保护, 90 秒产生蒸汽, 5 层不锈钢网

- 网高度可调, 可加工直径 7CM 的包子 80 个
- Four side hollow glass, automatic temperature control and water protection 90 Seconds to produce steam, 5 layers of stainless steel net

- Net height adjustable, can process the diameter 7 CM of the steamed stuffed bun 80 pcs



电热蒸包柜 ELECTRIC FOOD STEAMER SHOWCASER

RoHS ENEC

型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EZ-5	220~240	1.1	380×400×750
EZ-6	220~240	1.5	460×520×830

COTTURA 陈列电热保温柜

FOOD WARMING SHOWCASE

- 钢化玻璃，恒温控制
- Even temperatire and humidity, fullvisual glass, good-looking



ELW-2P



ELW-3P

保温展示柜 WARMING SHOWCASE



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
ELW-2P	220~240	0.85	350×390×520
ELW-3P	220~240	1	710×390×520

- 红外线加热，持久恒温
- All stainless steel construction
- High-efficient, energy-saving & useful



EHS-660



EHS-330



EHS-1

保温站 SIMPLE FOOD WARMER



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
EHS-330	220~240	0.6	565×340×420
EHS-660	220~240	1	860×370×420
EHS-1	220~240	0.3	340×565×420
EHS-2	220~240	1.1	720×530×590
EHS-3	220~240	1.55	1020×530×590
EHS-4	220~240	2.05	1220×530×590

COTTURA 弧形电热保温柜

FOOD STEAMER SHOWCASER

- 钢化玻璃，恒温控制
- Even temperatire and humidity, fullvisual glass, good-looking



ELW-660R

ELW-990R



ELW-1200B



ELW-900B



ELW-660B

弧形电热保温柜 CURVED GLASS WARMING SHOWCASE



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
ELW-660R	220~240	0.8	660×500×620
ELW-990R	220~240	1.2	960×500×620
ELW-660B	220~240	1.85	660×440×625
ELW-900B	220~240	1.85	900×480×625
ELW-1200B	220~240	2.2	1200×480×625

COTTURA 伸缩保温吊灯

TELESCOPIC FOOD WARMING LAMP

- 可伸缩高度，调节范围 :600-1500mm, 配送 250W 硬质防爆加热灯泡 1 个

- Telescopic design, can adjust :600-1500mm, with 1pcs 250W anti-explosion bulb



伸缩保温吊灯 TELESCOPIC FOOD WARMING LAMP



喷漆 Plating				电镀 Electroplate			
型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	直径 Lamp dia (mm)	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	直径 Lamp dia (mm)
HL-A	220~240	0.25	175	HLE-A	220~240	0.25	175
HL-B	220~240	0.25	175	HLE-B	220~240	0.25	175
HL-C	220~240	0.25	270	HLE-C	220~240	0.25	270
HL-D	220~240	0.25	290	HLE-D	220~240	0.25	290
HL-E	220~240	0.25	290	HLE-E	220~240	0.25	290



保温灯 FOOD WARMING LAMP



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)	型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
DW-1	220~240	0.25	φ 270×700	DW-2	220~240	0.5	φ 270×700
DZ-1	220~240	0.25	φ 270×700	DZ-2	220~240	0.5	φ 270×700
DZ-1S	220~240	0.25	φ 270×700	DZ-2S	220~240	0.5	φ 270×700



保温灯 FOOD WARMING LAMP



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension
HLC-A	220~240	0.25	Caliber 15CM
HLC-B	220~240	0.25	Caliber 19CM
HLC-C	220~240	0.25	Caliber 19.5CM
DZ-1F	220~240	0.25	φ 280×900mm



COTTURA 保温台

LAMP FOOD WARMING STATION



保温台 FOOD WARMING LAMP STATION



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
PD-1	220~240	0.25	550×550×700
PD-2	220~240	0.5	550×550×700
PSD-2	220~240	0.5	550×550×700
HD-2	220~240	0.5	900×500×750
HD-4	220~240	1	900×550×750



保温座 FOOD WARMING LAMP STATION



型号 Model	额定电压 Voltage (V)	额定功率 Power (kW)	外形尺寸 Dimension (mm)
DR-2	220~240	1	780×530×700
DR-2T	220~240	1	780×530×700
DR-3	220~240	1.4	1070×530×700
DR-3T	220~240	1.4	1070×530×700
DR-4	220~240	1.8	1360×530×700
DR-4T	220~240	1.8	1360×530×700

NOTES: