



**COTTURA**  
INDUCTION  
**CATALOG**



2025



## COMMERCIAL COOKTOP SERIES



## COMMERCIAL COOKTOP SERIES

### AM-CD401

220V~240V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
600 x 690 x 115mm

**SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 4 Digital LED Display  
3500W\*4 Output Power  
Max Power: 5000W, Power Share Function  
Over-heating & Over-voltage Protection

**PACKAGE:**

Without pot: 1pc/ctn, carton size: 680\*770\*210mm

**LOADING QTY:**

Without pot: 254pcs/ 20'GP, 618pcs/ 40HQ



### AM-CD201

220V~240V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
410 x 765 x 120mm

**SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 4 Digital LED Display  
3500W\*2 Output Power  
Max Power: 5000W, Power Share Function  
Over-heating & Over-voltage Protection

**PACKAGE:**

Without pot: 1pc/ctn, carton size: 820\*470\*180mm

**LOADING QTY:**

Without pot: 405pcs/ 20'GP, 985pcs/ 40HQ





## COMMERCIAL COOKTOP SERIES



### AM-CD202

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):

410 x 765 x 120mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 4 Digital LED Display  
3500W\*2 Output Power  
Max Power: 5KW or 7KW, Power Share Function  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 820\*470\*180mm

**LOADING QTY:**

Without pot: 405pcs/ 20'GP, 985pcs/ 40HQ



### AM-CD203

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):

410 x 765 x 120mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W\*2 Output Power  
Max Power: 5000W, Power Share Function  
180 minutes timer function  
60℃-240℃ temperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 470\*820\*180mm

**LOADING QTY:**

Without pot: 405pcs/ 20'GP, 985pcs/ 40HQ

## COMMERCIAL COOKTOP SERIES

### AM-CD205

■ **PRODUCT DIMENTION**(L x W x H):

680 x 430 x 120mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W + 3500W Output Power  
180 minutes timer function  
60℃-240℃ temperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 750\*520\*180mm

**LOADING QTY:**

Without pot: 400pcs/ 20'GP, 971pcs/ 40HQ



### AM-CDT401

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):

600×600×270/300mm

■ **SPECIFICATION:**


Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 4 Digital LED Display  
3500W\*2 + 1500W\*2 Output Power  
Max Power: 5000W, Power Share Function  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 702\*680\*335mm

**LOADING QTY:**

Without pot: 175pcs/ 20'GP, 425pcs/ 40HQ



## AM-CD206

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):  
800 x 505 x 185mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
5000W + 5000W Output Power  
180 minutes timer function  
60℃-240℃ temperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 865\*565\*250mm

**LOADING QTY:**

Without pot: 229pcs/ 20'GP, 557pcs/ 40HQ



Half-bridge technology  
High efficiency, Stable and durable

## COMMERCIAL COOKTOP SERIES

## AM-CD207

■ **PRODUCT DIMENTION**(L x W x H):  
800 x 505 x 185mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
5000W + 5000W Output Power  
180 minutes timer function  
60℃-240℃ temperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 865\*565\*250mm

**LOADING QTY:**

Without pot: 229pcs/ 20'GP, 557pcs/ 40HQ



## AM-CD208

■ **PRODUCT DIMENTION**(L x W x H):  
680 x 435 x 120mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W + 3500W Output Power  
180 minutes timer function  
60℃-240℃ temperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 750\*525\*180mm

**LOADING QTY:**

Without pot: 395pcs/ 20'GP, 959pcs/ 40HQ





Max Power  
8000W



### AM-CD801

380V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
520 x 635 x 265mm

**SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Magnetic Switch Control with 4 Digital LED Display  
8000W Output Power  
Over-heating & Over-voltage Protection

**PACKAGE:**  
Without pot: 1pc/ctn, carton size: 540\*660\*320mm

**LOADING QTY:**  
Without pot: 245pcs/ 20'GP, 596pcs/ 40HQ



Half-bridge technology  
High efficiency, Stable and durable

### AM-CDT101

380V~400V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
325 x 600 x 385mm

**SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 1 Digital LED Display  
5000W Output Power  
Over-heating & Over-voltage Protection

**PACKAGE:**  
Without pot: 1pc/ctn, carton size: 375\*650\*400mm

**LOADING QTY:**  
Without pot: 286pcs/ 20'GP, 694pcs/ 40HQ

### AM-CDT101W

**PRODUCT DIMENTION**(L x W x H):  
400 x 600 x 270mm

**SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 1 Digital LED Display  
5000W Output Power  
Over-heating & Over-voltage Protection

**PACKAGE:**  
Without pot: 1pc/ctn, carton size: 450\*750\*285mm

**LOADING QTY:**  
Without pot: 291pcs/ 20'GP, 706pcs/ 40HQ



Half-bridge technology  
High efficiency, Stable and durable



## AM-CD801W

380V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):

520 x 635 x 265mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Magnetic Switch Control with 4 Digital LED Display  
8000W Output Power  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 540\*660\*320mm

**LOADING QTY:**

Without pot: 245pcs/ 20'GP, 596pcs/ 40HQ



## AM-CD506W

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):

400 x 500 x 185mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
5000W Output Power  
180 minutes timer function  
60℃-240℃ temperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 465\*270\*575mm

**LOADING QTY:**

Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



## AM-CDT102

380V~400V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):

500 x 500 x 380mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 1 Digital LED Display  
3500W\*2 Output Power  
Max Power: 5000W, Power Share Function  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 620\*570\*480mm

**LOADING QTY:**

Without pot: 164pcs/ 20'GP, 400pcs/ 40HQ



## AM-CD506

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):

400 x 500 x 185mm

■ **SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
5000W Output Power  
180 minutes timer function  
60℃-240℃ temperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**

Without pot: 1pc/ctn, carton size: 465\*270\*575mm

**LOADING QTY:**

Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



Half-bridge technology  
High efficiency, Stable and durable



COMMERCIAL INDUCTION COOKER

5000w  
High-power

COMMERCIAL INDUCTION COOKER

### AM-CD502

220V~240V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
400 x 500 x 185mm

**SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob & Button Control with 4 Digital LED Display  
5000W Output Power  
180 minutes timer function  
60°C -240°C temperature setting  
Over-heating & Over-voltage Protection

**PACKAGE:**  
Without pot: 1pc/ctn, carton size: 465\*270\*575mm

**LOADING QTY:**  
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



### AM-503W

220V~240V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
400 x 500 x 185mm

**SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
5000W Output Power  
180 minutes timer function  
60°C -240°C temperature setting  
Over-heating & Over-voltage Protection

**PACKAGE:**  
Without pot: 1pc/ctn, carton size: 465\*270\*575mm

**LOADING QTY:**  
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ





## AM-CD504W

220V~240V 50Hz/60Hz

- **PRODUCT DIMENTION**(L x W x H):  
800 x 505 x 185mm
- **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob & Sensor Touch Control with 4 Digital LED Display  
5000W Output Power  
180 minutes timer function  
60°C-240°C temperature setting  
Over-heating & Over-voltage Protection

- **PACKAGE:**  
Without pot: 1pc/ctn, carton size: 465\*270\*575mm

**LOADING QTY:**  
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ

Half-bridge technology  
High efficiency, Stable and durable

## AM-CD507

220V~240V 50Hz/60Hz

- **PRODUCT DIMENTION**(L x W x H):  
400 x 500 x 185mm
- **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
5000W Output Power  
180 minutes timer function  
60°C-240°C temperature setting  
Over-heating & Over-voltage Protection

- **PACKAGE:**  
Without pot: 1pc/ctn, carton size: 465\*270\*575mm

**LOADING QTY:**  
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



## AM-CD505

220V~240V 50Hz/60Hz

- **PRODUCT DIMENTION**(L x W x H):  
400 x 500 x 185mm
- **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob & Sensor Touch Control with 4 Digital LED Display  
5000W Output Power  
180 minutes timer function  
60°C-240°C temperature setting  
Over-heating & Over-voltage Protection

- **PACKAGE:**  
Without pot: 1pc/ctn, carton size: 465\*270\*575mm

**LOADING QTY:**  
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ



## AM-CD101

220V~240V 50Hz/60Hz

- **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm
- **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°C temperature setting  
Over-heating & Over-voltage Protectio

- **PACKAGE:**  
Without pot: 1pc/ctn, carton size: 410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ







COMMERCIAL INDUCTION COOKER



### AM-CD102

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



### AM-CD102W

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 130mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



### AM-CD103

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control  
3500W Output Power  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



### AM-CD104

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Button Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD105

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with LCD Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD108T

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD108

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD108W

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 130mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



# COMMERCIAL INDUCTION COOKER

NEW

GOOD STARTS HERE



## WIRELESS THERMO PROBE

### AM-CD112

220V~240V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm

**SPECIFICATION:**

Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with LCD Display  
Wireless Bluetooth Thermo Pro  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

**PACKAGE:**

Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**

Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



Fry meat over low heat  
600W~1000W



Boil soup evenly over high heat  
1800W~2000W



Stir fry with intense heat  
3000W





## AM-CD111

220V~240V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm

**SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

**PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD117

220V~240V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm

**SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Button Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

**PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ

Half-bridge technology  
High efficiency  
Stable and durable



Half-bridge technology  
High efficiency, Stable and durable



**AM-CD119**

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch and Knob Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



**AM-CD105W**

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 130mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with LCD Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



**AM-CD27A**

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
313 x 390 x 82mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Button Control with 4 Digital LED Display  
2700W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



**AM-CD122**

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
335 x 420 x 63mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size: 405\*153\*480mm

**LOADING QTY:**  
Without pot: 941pcs/ 20'GP, 2286pcs/ 40HQ



Half-bridge technology  
High efficiency  
Stable and durable

3500W  
High-power



COMMERCIAL INDUCTION COOKER



## AM-CD111XL

220V~240V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
400 x 530 x 150mm

**SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

**PACKAGE:**  
Without pot: 1pc/ctn, carton size:435\*185\*600\*mm

**LOADING QTY:**  
Without pot: 508pcs/ 20'GP, 1236pcs/ 40HQ



Half-bridge technology  
High efficiency, Stable and durable



## AM-CD120W

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 130mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD120

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD113

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD113W

220V~240V 50Hz/60Hz

■ **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm

**LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ





## AM-CD27B

220~240V 50Hz/60Hz

- **PRODUCT DIMENTION**(L x W x H):  
313 x 390 x 82mm
- **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
2700W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- **LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD102

220~240V 50Hz/60Hz

- **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm
- **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- **LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD130

220~240V 50Hz/60Hz

- **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm
- **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- **LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD130W

220~240V 50Hz/60Hz

- **PRODUCT DIMENTION**(L x W x H):  
340 x 430 x 120mm
- **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- **PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- **LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



## AM-CD502W

220V/380V 50Hz/60Hz

- **PRODUCT DIMENTION**(L x W x H):  
800 x 505 x 185mm
- **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
5000W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- **PACKAGE:**  
Without pot: 1pc/ctn, carton size:465\*270\*575mm
- **LOADING QTY:**  
Without pot: 316pcs/ 20'GP, 768pcs/ 40HQ

Half-bridge technology  
High efficiency, Stable and durable

3500W  
High-power



### AM-BCD101W

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 360 x 120mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



### AM-BCD102W

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 360 x 120mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



### AM-BCD101

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 360 x 120mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ



### AM-BCD102

220V~240V 50Hz/60Hz

- PRODUCT DIMENTION**(L x W x H):  
340 x 360 x 120mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W Output Power  
180 minutes timer function  
60°C-240°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size:410\*180\*520mm
- LOADING QTY:**  
Without pot: 622pcs/ 20'GP, 1510pcs/ 40HQ




# COMMERCIAL FREE STANDING SERIES




## AM-TCD601

- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch and Knob Control with 4 Digital LED Display  
3500W\*6/ 5000W\*6 Output Power  
180 minutes timer function  
60°C-300°Ctemperature setting  
Over-heating & Over-voltage Protection
- PRODUCT DIMENTION(L x W x H):**  
1200 x 900 x 820/920mm
- PACKAGE:**  
Without pot: 1pc/plt, pallet size: 1270\*1000\*600mm
- LOADING QTY:**  
Without pot: 37pcs/ 20'GP, 89pcs/ 40HQ




## AM-CD602C

- PRODUCT DIMENTION(L x W x H):**  
1200 x 900 x820/920mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch and Knob Control with 4 Digital LED Display  
3500W\*6/ 5000W\*6 Output Power  
180 minutes timer function  
60°C-300°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/plt, pallet size: 1270\*800\*970mm
- LOADING QTY:**  
Without pot: 28pcs/ 20'GP, 69pcs/ 40HQ



## AM-TCD401

- PRODUCT DIMENTION(L x W x H):**  
800 x 900 x 820/920mm
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch and Knob Control with 4 Digital LED Display  
3500W\*4/ 5000W\*4 Output Power  
180 minutes timer function  
60°C-300°Ctemperature setting  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/plt, pallet size: 960\*890\*680mm
- LOADING QTY:**  
Without pot: 48pcs/ 20'GP, 117pcs/ 40HQ






## AM-TCD402

■ **PRODUCT DIMENTION**(L x W x H):  
800 x 900 x 820/920mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch and Knob Control with 4 Digital LED Display  
3500W\*4/ 5000W\*4 Output Power  
180 minutes timer function  
60°C-300°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/plt, pallet size: 960\*890\*680mm

**LOADING QTY:**  
Without pot: 48pcs/ 20'GP, 117pcs/ 40HQ



## AM-CD1500

■ **PRODUCT DIMENTION**(L x W x H):  
649 x 730 x 120mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Megnetic Switch Control with 1 Digital LED Display  
15KW Output Power  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/plt, pallet size:815\*752\*655mm

**LOADING QTY:**  
Without pot: 69pcs/ 20'GP, 169pcs/ 40HQ




## AM-TCD402C

■ **PRODUCT DIMENTION**(L x W x H):  
800 x 900 x 820/920mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch and Knob Control with 4 Digital LED Display  
3500W\*4/ 5000W\*4 Output Power  
180 minutes timer function  
60°C-300°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/plt, pallet size: 960\*890\*680mm

**LOADING QTY:**  
Without pot: 48pcs/ 20'GP, 117pcs/ 40HQ



## AM-CD1500W

■ **PRODUCT DIMENTION**(L x W x H):  
649 x 730 x 120mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Megnetic Switch Control with 1 Digital LED Display  
15KW Output Power  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/plt, pallet size:815\*752\*655mm

**LOADING QTY:**  
Without pot: 69pcs/ 20'GP, 169pcs/ 40HQ





## AM-TCD201

**PRODUCT DIMENTION**(L x W x H):  
450 x 900 x 800/920mm

**SPECIFICATION:**


Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W\*2/ 5000W\*2 Output Power  
180 minutes timer function  
60°C-300°Ctemperature setting  
Over-heating & Over-voltage Protection

**PACKAGE:**

Without pot: 1pc/plt, pallet size: 960\*540\*560mm

**LOADING QTY:**

Without pot: 96pcs/ 20'GP, 234pcs/ 40HQ



## AM-TCD202

**PRODUCT DIMENTION**(L x W x H):  
450×900×800/920mm

**SPECIFICATION:**


Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 4 Digital LED Display  
3500W\*2/ 5000W\*2 Output Power  
Over-heating & Over-voltage Protection

**PACKAGE:**

Without pot: 1pc/plt, pallet size: 510\*900\*845mm

**LOADING QTY:**

Without pot: 72pcs/ 20'GP, 175pcs/ 40HQ



## AM-TCD201C

**PRODUCT DIMENTION**(L x W x H):  
450 x 900 x 800/920mm

**SPECIFICATION:**


Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W\*2/ 5000W\*2 Output Power  
180 minutes timer function  
60°C-300°Ctemperature setting  
Over-heating & Over-voltage Protection

**PACKAGE:**

Without pot: 1pc/plt, pallet size: 560\*1000\*815mm

**LOADING QTY:**

Without pot: 61pcs/ 20'GP, 149pcs/ 40HQ



## AM-CDT401L 220V/380V 50Hz/60Hz

**PRODUCT DIMENTION**(L x W x H):  
600x720x800/920mm

**SPECIFICATION:**


Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 4 Digital LED Display  
3500W\*2 + 1500W\*2 Output Power  
Max Power: 5000W, Power Share Function  
Over-heating & Over-voltage Protection

**PACKAGE:**

Without pot: 1pc/ctn, carton size: 702\*680\*335mm

**LOADING QTY:**

Without pot: 175pcs/ 20'GP, 425pcs/ 40HQ



## AM-TCD405C

**PRODUCT DIMENTION**(L x W x H):  
800 x700 x 840/960mm

**SPECIFICATION:**


Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Knob Control with 4 Digital LED Display  
3500W\*4/ 5000W\*4 Output Power  
Over-heating & Over-voltage Protection

**PACKAGE:**

Without pot: 1pc/plt, pallet size: 910\*800\*845mm

**LOADING QTY:**

Without pot: 45pcs/ 20'GP, 110pcs/ 40HQ



## INDUCTION DEEP FRYER SERIES



### AM-CD8F101A

- PRODUCT DIMENTION**(L x W x H):  
320 x 525 x 450mm (320+130)
- SPECIFICATION:**  
Touchscreen With Auto-lifting System  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with 4 Digital LED Display  
3500W/ 5000W Output Power  
30 minutes timer function  
60°C-210°Ctemperature setting  
Capacity: 8L  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size: 390\*610\*515mm

**LOADING QTY:**  
Without pot: 229pcs/ 20'GP, 555pcs/ 40HQ



### AM-CD12F101

- PRODUCT DIMENTION**(L x W x H):  
330 x 530 x 445mm (330+115)
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with LCD Display  
3500W/ 5000W Output Power  
180 minutes timer function  
60°C-200°Ctemperature setting  
Capacity: 8L  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/ctn, carton size: 390\*610\*515mm

**LOADING QTY:**  
Without pot: 229pcs/ 20'GP, 555pcs/ 40HQ



# INDUCTION DEEP FRYER SERIES



## AM-CD22F201

- PRODUCT DIMENTION**(L x W x H):  
660 x 530 x 445mm (400+150)
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with LCD Display  
3500W/ 5000W Output Power  
180 minutes timer function  
60°C-200°Ctemperature setting  
Capacity: 22L  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/plt, pallet size: 720\*615\*525mm
- LOADING QTY:**  
Without pot: 175pcs/ 20'GP, 425pcs/ 40HQ



## AM-CD22F201C

- PRODUCT DIMENTION**(L x W x H):  
600 x 600 x 950mm (800+150)
- SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Stainless Steel Body  
Sensor Touch Control with LCD Display  
3500W/ 5000W Output Power  
180 minutes timer function  
60°C-200°Ctemperature setting  
Capacity: 22L  
Over-heating & Over-voltage Protection
- PACKAGE:**  
Without pot: 1pc/plt, pallet size: 710\*660\*1050mm
- LOADING QTY:**  
Without pot: 81pcs/ 20'GP, 197pcs/ 40HQ



## INDUCTION WARMER SERIES

### INDUCTION WARMER

GOOD STARTS HERE

#### AM-BCD105

■ **PRODUCT DIMENTION**(L x W x H):  
530 x 345 x 65mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Aluminum Frame  
Sensor Touch Control with 3 Digital LED Display  
1000W Output Power  
2hrs automatically stop or non-stop timer function  
45°C-100°Ctemperature setting  
Over-heating & Over-voltage Protection



■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size: 600\*460\*130mm

**LOADING QTY:**  
Without pot: 682pcs/ 20'GP, 1658pcs/ 40HQ



#### AM-BCD106

■ **PRODUCT DIMENTION**(L x W x H):  
526 x 356 x 70mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Aluminum Frame  
Sensor Touch Control with 3 Digital LED Display  
1000W Output Power  
2hrs automatically stop or non-stop timer function  
45°C-100°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size: 600\*460\*130mm

**LOADING QTY:**  
Without pot: 682pcs/ 20'GP, 1658pcs/ 40HQ



#### AM-BCD107

■ **PRODUCT DIMENTION**(L x W x H):  
526 x 356 x 70mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Aluminum Frame  
Sensor Touch Control with 3 Digital LED Display  
1000W Output Power  
2hrs automatically stop or non-stop timer function  
45°C-100°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size: 600\*460\*130mm

**LOADING QTY:**  
Without pot: 682pcs/ 20'GP, 1658pcs/ 40HQ



#### AM-BCD108

■ **PRODUCT DIMENTION**(L x W x H):  
385 x 385 x 110mm

■ **SPECIFICATION:**  
Grade A Black Micro Tempered Ceramic Glass  
Aluminum Frame  
Sensor Touch Control with 3 Digital LED Display  
1000W Output Power  
2hrs automatically stop or non-stop timer function  
45°C-100°Ctemperature setting  
Over-heating & Over-voltage Protection

■ **PACKAGE:**  
Without pot: 1pc/ctn, carton size: 425\*485\*180mm

**LOADING QTY:**  
Without pot: 666pcs/ 20'GP, 1618pcs/ 40HQ