









■ 双刀变频调速肉丸机

Double knife variable frequency speed control meatball machine

XJT-SD600
110/220/380V
3.7kw
400-600pcs/min
Ф12-28mm
1050*600*1800mm
≈ 260kg

设备使用双刀剪切可做鱼丸、肉丸、素丸、珍珠丸等实心丸 等

The equipment can be used to cut fish balls, meat balls, plain balls, pearl balls and other solid balls





圆肉丸机

Rice-meat dumplings machine

뽀号-Model	XJT-604	XJT-D604
电压 -Voltage	110/220/380V	110/220/380V
功率 -Power	1.1kw	2.2kw
产量 -Yield	150-300kg/h	80-150kg/h
肉丸直径 -Ball d lameter	14-26mm	28-63mm
产品尺寸 -Product size	680*380*1200mm	790*450*1610mm
产品重量 -Product weight	≈ 80kg	≈ 105kg

可以制作各类爽脆,有韧性、有弹性的猪肉丸、鱼丸、牛肉丸、鸡肉丸,配有不同大小丸子模具。

It can be used to make all kinds of crisp, flexible and elastic pork balls, fish balls, beef balls and chicken balls, and is equipped with ball molds of different sizes.





型号-Model	XJT-BX6
电压 - Voltage	110/220/380V
功率 -Power	1.5kw
产量-Yield	130-170pcs/min
肉丸直径 -Ball d iameter	Ф25-40mm
产品尺寸 -Product size	800*700*1650mm
产品重量 -Product weight	≈ 250kg

可生产包馅鱼丸、猪肉丸、撒尿牛肉丸、爆汁小鱼丸等多 种球形酱汤类包馅产品。

It can produce a variety of spherical sauce soup packing products, such as wrapped fish balls, pork balls, urinated beef balls, fried fish balls, etc.





■ 肉羹肉条机 Meat soup and meat loaf machine



XJT-RG600
380V
2.65kw
90-500kg/h
1000*550*1850mm
≈ 190kg

适用于制造肉羹 肉条 眉毛丸子等产品,设备采用双调速变 频空制成型速度,推料速度可调,出丸模具可定制。

It is suitable for making meat soup, meat strips, eyebrow balls and other products. The equipment adopts double speed regulation, frequency conversion and air forming speed. The feeding speed is adjustable, and the pill outlet mold can be customized.

COTTURA

■智能双湿水煮熟化定型槽





型号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-SC1500	110/220/380V	15kw	250L	1480*520*710mm	≈ 80kg

可根据客户不同需求提供非标定制

适用于各种肉丸等定型熟化等,设备设计中间采用发泡剂,取保温隔热作用,双槽加热,独立控制,定型熟化分别控制加热温度,加热速 度快,省电更省心,可根据客户需求定制不同规格不同加热方式。

Non standard customization can be provided according to different needs of customers It is applicable to shaping and curing of various meatballs, etc. Foaming agent is used in the middle of equipment design, with the function of heat preservation and insulation, double tank heating, independent control, and shaping and curing respectively control the heating temperature. The heating speed is fast, and power saving is more convenien t. Different heating methods of different specifications can be customized according to customer needs.





I 压鱼饼压扁机



采用输送带和逆反方向同时运转,配合胶头滴管使用使压 成饼状不易粘连,可用于成型鱼肉饼等各种饼状产品。

The conveyor belt and the reverse direction are operated simultaneously, and the rubber head dropper is used to make the pressed cake not easy to stick. It can be used to shape various cake products such as fish cakes.



型号	电压	功率	输送带宽	产品尺寸
Model	Voltage	Power	Transmission bandwidth	Product size
XJT-RB300	110/220/380V	0.12+0.12kw	300mm	1500*680*480mm





腐皮卷机是一款取代手工的机器,可制作肉卷、惠来卷章、 潮汕粿肉、福建五香条、鱼卷、虾卷、墨鱼卷等各种各地 卷类食品。

This machine can make meat rolls, fish rolls, shrimp rolls, cuttlefish rolls and other kinds of rolls.

型号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-RJ180	110/220V	1.07kw	120pcs/min	2000*650*1650mm	≈ 300kg



COTTURA

■ 手动肉饼机

Manual meat patty machine

肉饼直径 -meat pie diameter

Φ100/130/150mm 230*165*270mm

产品重量 -Product weight

≈ 4.8kg







■全自动肉饼机

Fully automatic meat patty machine.



全自动肉饼成型机能自动完成馅料的充填、成型、贴纸、输出 等工序,可以生产市场上流行的汉堡肉饼、麦乐鸡块、鱼香汉 堡肉饼、土豆饼、南瓜饼、肉串等产品。

The automatic meat pie molding machine can automatically complete filling, molding, pasting, output and other processes of stuffing, and can produce popular hamburger patties, McNuggets, fish flavored hamburger patties, potato cakes, pumpkin cakes, meat skewers and other products in the market.





■鱿鱼拉松机

Pork peeling and slicing machine



鱿鱼拉松机用于把烘烤后的鱿鱼进行压延和纤维疏松,使 鱼片外观漂亮,口感更佳。

The manual sealing machine squid marathon machine is used to stretch and loosen the fibers of roasted squid, making the appearance of the fish fillet beautiful and the taste better.



型号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-LS315	380V	1.5kw	≈ 300kg/h	1500*1000*1200mm	≈ 350kg







将焙烤好的鱿鱼板放入挤丝机传送带上,经过挤丝机辊 子挤压,出来的产品呈条状,条状规格分别为 2.5mm、 3mm、3.5mm 供客户选择。

Place the roasted squid plate onto the conveyor belt of the extruder, and after being squeezed by the extruder rollers, the resulting product is in a strip shape with specifications of 2.5mm, 3mm, and 3.5mm for customers to choose from.

亚号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-JS500	380V	1.5kw	≈ 200kg/h	1300*600*1000mm	≈ 100kg



짜号 -Model	XJT-PX60
电压 -Voltage	220V
功率 -Power	0.75kw
切片规格-Slice specification	3-40mm
包装尺寸 -Package size	920*780*680mm
产品重提 -Product weight	≈ 78kg

用途:将肉进行多片水平式切割,应用于猪牛鸡鸭肉等新 鲜原料薄片的切割加工,厚薄可调节。

Use: It can be used for horizontal cutting of pork, beef, chicken, duck and other fresh raw materials, with adjustable thickness.



■ 平行切肉丁肉条肉块机

Parallel chopping machine

输送带输送于肉切条,切片,切丁,切块等。整机不锈钢、风冷马达连续工作不发热,双 密封机身防水可直接用水冲洗带运转,输送带易拆卸,可折叠,清洗方便,送料速度可调节, 平刀组和齿刀组可根据用户需求互换,拆卸简单便捷。输送带防跑偏设计。

The conveyor belt is used to transport meat cutting strips, slices, dices, dices, etc. The stainless steel and aircooled motor of the whole machine work continuously without heating. The double sealed body is waterproof and can be directly flushed with water. The conveyor belt is easy to disassemble, fold, and clean. The feeding speed is adjustable. The conveyor belt is designed to prevent deviation.



型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品 亚哥 Product weight
XJT-QR330	380V	0.75kw	≈ 600kg/h	2000*550*1310mm	≈ 100kg
XJT-QR550G	380V	1.5kw	≈ 1000kg/h	2000*550*1310mm	≈ 110kg









型号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-PR3000	380V	11kw	3000-4000kg/h	2100*1200*1200mm	≈ 900kg

Pork peeling and slicing machine

机器特点:去皮厚度随意调,脚踏开关,操作方便。 Machine features: the peeling thickness can be adjusted at will, and the foot switch is convenient to operate.







型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QP300	220/380V	0.37kw	≈ 18m/min	530*500*460mm	≈ 35kg
XJT-QP500	220/380V	0.75kw	≈ 18m/min	815*710*880mm	≈ 120kg



COTTURA

■全自动切片机

Full automatic slice



适合切冷冻肉、腊肉、无骨肉类、火腿切片和其它类似榨菜带有弹性的食物,把原材料肉切成肉片等

It is suitable for cutting cold frozen meat, bacon, boneless meat, ham slices and other food with elasticity similar to pickles, and cutting raw meat into meat slices.



문동 Model	电压 Voltage	电机功率 Motor power	刀片功率 Blade power	刀片直径 Blade diameter	产品尺寸 Product size	产品重量 Product weight
XJT-300A	110/220V	0.37kw	0.18kw	300mm	540*460*650mm	≈ 50kg
XJT-320A	110/220V	0.37kw	0.55kw	320mm	800*550*670mm	≈ 83kg



■ 半自动切片机 Saml automatic slicer





짜명 Model	电压 Voltage	功率 Power	产品尺寸 Product size	产品重量 Product weight
XJT-B250	110/220v	0.24kw	535*475*420mm	≈ 22kg
XJT-B300	110/220v	0.27kw	590*538*450mm	≈ 28kg







型号 -Model	XJT-800D	
电压 -Voltage	380V	
功率 -Power	1.1kw	
产量 -Yield	≈ 800kg/h	
包装尺寸 -Package size	660*380*730mm	
包装重量 -Packing weight	≈ 80kg	

适用于可切鱼肉、猪肉、鸡胸肉、牛肉、鱼皮、海带等进行切片,切丝,切丁适合酒楼、餐厅、肉档、小型加工厂。 It is suitable for cutting fish, pork, chicken breast, beef, fish skin, kelp, etc. for slicing, shredding, and dicing suitable for restaurants, restaurants, meat stalls, and small processing plants.





型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-HA	110/220V	0.55kw	150-300kg/h	460*280*470mm	≈ 33kg
XJT-EA	110/220V	0.75kw	300-500kg/h	500*300*710mm	≈ 42kg





■ 鲜肉开条机



适合规格大的餐饮或肉类加工企业,切肉机总长采用 143MM 直径刀集轴承、链轮齿轮为一体。两边支承侧板与 机架通过螺丝相连。

Suitable for catering or meat processing enterprises with large specifications, the total length of the meat cutter adopts a 143mm diameter knife that integrates bearings and sprocket gears. The supporting side plates on both sides are connected to the frame through screws.



型팅	电压	功率	产业	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-1500	220/380V	1.5kw	≈ 1500kg/h	800*660*930mm	≈ 100kg



■ 切肉切片切丝机







型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-S500A	110/220/380V	1.5kw	≈ 500kg/h	480*480*870mm	≈ 84kg
XJT-S800A	110/220/380V	1.5kw	≈ 800kg/h	680*660*930mm	≈ 138kg



■ 刨肉机 Meat shaper



采用大纽扣刀盘带动刀片转动,刨肉力度大,可刨零下 18 度以肉冻肉而无需解冻,刨肉刀片采用锻打技术,并用六 个螺母固定在刀盘,刨肉时不起跳,不断裂,经久耐用。(刨 肉厚度可调)

Using a large button cutterhead to drive the blade to rotate, the meat slicing force is strong, and it can slice frozen meat at minus 18 degrees without thawing. The meat slicing blade adopts forging technology and is fixed on the cutterhead with six nuts. It does not jump or break during meat slicing, and is durable. (The thickness of the shaved meat can be adjusted)



型号	电压	功率	产量	侧肉厚度	产品尺寸	产品重量
Model	Voltage	Power	Yield	Meat thickness	Product size	Product weight
XJT-PR1000	380V	4kw	≈ 800kg/h	1-15mm	1300*640*1270mm	≈ 500kg









벨号 Model	电压 Voltage	油泵功率 / 减速机功率 Oil pump power/reducer power	产品 Vield	切割欄尺寸 Cutting groove size	产品尺寸 Product size
XJT-DR500	380V	1.5kw/1.5kw	500-600kg/h	840*840*350mm	1480*800*980mm
XJT-DR800	380V	1.5kw/2.2kw	700-900kg/h	120*120*550mm	1950*1000*1120mm

本机可将 $0\sim$ -5°C的冻肉块、鲜肉、脂肪、茎类蔬菜等切割成丁、粒。网格刀具,切刀可自行拆卸而调出不同尺寸,切丁标准高,切割尺寸可选择: 45678101214162024304060120

This machine can cut frozen meat cubes, fresh meat, fat, stem vegetables, etc. from 0 to 5 °C into small pieces or granules. Grid cutting tool, which can be disassembled and adjusted to different sizes, with high cutting standards and optional cutting sizes: 4 5 6 7 8 10 12 14 16 20 24 30 40 60 120



COTTURA

回 切熟腊冻肉机

Cooked Preserved Meat Chiller







塱명	电压	功率	切制厚度	输送带宽度	产品尺寸	产品重量
Model	Voltage	Power	Cutting thickness	Belt width	Product size	Product weight
XJT-SR160D	380V	1.15kw	1-55mm	160*110mm	1960*700*1160mm	≈ 175kg



■ 切熟腊冻肉机 Cooked Preserved Meat Chille





用途:能将各种不带骨的扣肉、牛扒、五花熟肉、豆干、 微冻肉等切成片状或块状。

Use: It can cut all kinds of pork, steak, cooked pork with five flowers, dried beans, and slightly frozen meat into slices or blocks.

型号	电压	功率	切割厚度	产品尺寸	产品重量
Model	Voltage	Power	Cutting thickness	Product size	Product weight
XJT-SR120S	380V	0.77kw	1-32mm (可调/adjustable)	1380*680*1200mm	≈ 148kg



■ 数控切肉卷机

CNC meat cutting roll machine



模拟手工切片的原理,采用变速箱传动,自动进料的原理。可根据不同需求选择一次切 2、4、6、8 圈肥羊肉。本机使用 PLC 控制,步进电机传动,故障少,双导向推动,自动退进,可根据自己所需要的厚度在数控面板自动加减,最低温度可切-18 度的物品(无需解冻),适用于大型冷冻批发大型餐饮使用。

Simulate the principle of manual slicing, using gearbox transmission and automatic feeding. You can choose to cut 2, 4, 6, and 8 rounds of fat lamb at once according to different needs. This machine is controlled by PLC and driven by a stepper motor, with few faults. It is driven by dual guidance and automatically retracts. It can be automatically adjusted on the CNC panel according to the thickness you need. The minimum temperature can be cut to -18 degrees Celsius (without thawing), making it suitable for large-scale frozen wholesale and large-scale catering use.



型号	电压	功率	刀連	产品尺寸	产品重量
Model	Voltage	Power	Knife speed	Product size	Product weight
XJT-QP2	220/380V	2.2kw	50-60 次 / 分(times/minute)	1100*550*1300mm	≈ 200kg







型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-JR120B	380v	11kw	≈ 1000kg/h	1060*700*1140mm	≈ 320kg
XJT-JR1250A	380v	37kw	≈ 4.5t/h	2090*1150*1640mm	≈ 1.2t

COTTURA

■ 大功率绞肉机 High-power meat grinder







型목 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-D12A	220V	1.1kw	≈ 250kg/h	520*250*285mm	≈ 22kg
XJT-D22A	220V	1.5kw	≈ 350kg/h	530*260*330mm	≈ 24kg
XJT-D32A	220V	2.2kw	≈ 350kg/h	540*260*330mm	≈ 27kg







绞肉机可绞各种肉, 冻肉, 果蔬, 辣椒, 姜蒜等, 最新方 口下料管设计,快速下料不堵料。

The meat grinder can grind all kinds of meat, frozen meat, fruits and vegetables, chili, ginger and garlic, etc. The latest square mouth blanking tube design allows fast blanking without blocking.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品車量 Product weight
XJT-JR32A	220/380V	3kw	120-360kg/h	815*360*815mm	≈ 72kg
XJT-JR42A	220/380V	4kw	220-480kg/h	1095*535*955mm	≈ 155kg
XJT-JR52A	380V	5.5kw	600-1200kg/h	1240*630*1080mm	≈ 230kg





Three nets and two knives meat grinder

했号 -Model	XJT-SW500BL
电压 -Voltage	380V
功率 -Power	3kw
产量 -Yield	≈ 1000kg/h
产品尺寸 -Product size	796*594*982mm
产品重量 -Product weight	≈ 115kg











本款绞肉机所有与食品接触部位的材料全部采用优质不锈 钢,产品设计完全符合欧洲安全标准。外形美观,结构紧凑, 非常适合酒店, 肉类加工行业, 学校, 餐馆或任何其他食 品服务业使用。

All materials in contact with food in this meat grinder are made of highquality stainless steel, and the product design fully complies with European safety standards. Beautiful in appearance and compact in structure, it is very suitable for use in hotels, meat processing industries, schools, restaurants, or any other food service industry.

型号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-L32A	220/380V	1.5kw	120-360kg/h	395*700*835mm	≈ 75kg











■ 绞切一体机

Twisting and cutting integrated machine

堲号 -Model	XJT-JQ300S
电压 Voltage	220V
绞肉功率 - Mincing power	2.2kw
切肉功率 - Meat cutting power	1.5kw
绞肉产量 - Output of minced meat	≈ 180kg/h
切肉产量 - Cut meat output	≈ 450kg/h
产品尺寸 -Product size	650*470*820mm
产品重量 -Product weight	≈ 87kg





Meat grinding and cutting integrated machine

型号 -Model	XJT-JQ500B
电压 -Voltage	220/380V
功事 -Power	0.75/1.1kw
产值-Yield	≈ 500kg/h
产品尺寸 -Product size	515*480*850mm
产品重量 -Product weight	≈ 90kg

整机采用不锈钢制造旋挂式刀组方便清洗, 可绞肉、切 肉片肉丝等。

The whole machine is made of stainless steel and is easy to clean. It can grind meat, cut meat slices and shreds.









型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-180A	220/380V	1.5kw	≈ 180kg/h	860*800*860mm	≈ 180kg
XJT-300A	220/380V	2.2kw	≈ 300kg/h	950*850*920mm	≈ 250kg



■采鱼肉机



采鱼肉机用于各种淡水、海水鱼类、虾类去皮骨, 取净肉 的专用机械,适合广大鱼虾类制品专业厂、食品厂、鱼丸 制作、渔船等单位使用。

The fish meat harvester is a specialized machinery used for skinning and removing meat from various freshwater and seawater fish and shrimp, suitable for professional fish and shrimp product factories, food factories, fish ball production, fishing boats and other units.





COTTURA

● 鱼浆精滤机

Fish puree fine filter



用于配套鱼肉采肉机、鱼肉过滤杂质、主要将鱼浆中的鱼 细骨、鱼鳞、鱼筋、鱼皮等杂质剔出来,使鱼浆的白度纯、 杂质量小、鱼浆更细腻

It is used for supporting fish meat picker, filtering fish impuri ties, mainly removing fish fine bones, scales, tendons, skin and other impurities from fish pulp, so as to make fish pulp pure in whiteness, less impurities and more delicate.



민욱 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-JL200	220/380V	2.2kw	100-150kg/h	1050*620*800mm	≈ 90kg
XJT-JL1500	380V	11kw	1000-1500kg/h	1500*720*1000mm	≈ 350kg



■ 三速制冷打浆机

Three speed refrigeration beater



采用智能操控系统,有高中低三种打浆速度三种刀可选择,满足不同在料的打浆需求,是一款多能打浆设备,压宿机制冷配有温控感应调节、流水式摇杆自动出料等优点。

Adopting an intelligent control system, there are three types of beating speeds and three types of knives to choose from, meeting the beating needs of different materials. It is a versatile beating equipment with a cold pressing mechanism, temperature sensing adjustment, and automatic discharge of flowing joystick.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-DJ28SS	380V	5.5kw+2P	≈ 10kg/次(Once)	550*900*900mm	≈ 180kg
XJT-DJ40SS	380V	11kw+3p	20-30kg/次 (Once)	1270*620*1540mm	≈ 400kg
XJT-DJ50SS	380V	18.5kw+4p	30-50kg/次 (Once)	1400*750*1700mm	≈ 500kg



■ 液压式工业打浆机

Hydraulic industrial beater



变频调速液压打浆机是肉丸、烤肠等多种肉制品的主要打 核30.8

Variable frequency speed regulating hydraulic beater is the main beater for meat products such as meatballs and sausages.



호텔	电压	功率	7≃11i	料桶尺寸	产品重量
Model	Voltage	Power	Yield	Barrel size	Product weight
XJT-YY450	380V	45kw	≈ 450L (400kg/次)	960*670mm	≈ 320kg



■ 变频调速工业打浆机

Frequency conversion speed regulation industrial beater



设备特点:变频调速根据工艺选择不同的速度,有进料斗 方便中途加物料,量桶容量大。

Equipment features: Variable frequency speed regulation is selected according to the process. There is a feeding hopper for convenient feeding of materials in the middle, and the capacity of the measuring barrel is large.

토号 Model	电压 Voltage	功率 Power	产量 Yield	料桶尺寸 Barrel size	产品尺寸 Product size	产品重量 Product weight
XJT-DJ100	380V	7.5kw	100-150kg/h	550*550mm	1700*650*1650mm	≈ 600kg
XJT-DJ200	380V	18.5kw	1000-1500kg/h	700*650mm	1800*760*1930mm	≈ 800kg



COTTURA

■小型快速肉浆机

Small fast meat paste machine







型목	电压	功率	容量	产品尺寸	产品重量
Model	Voltage	Power	Capacity	Product size	Product weight
XJT-F28	380V	4kw	10kg	800*450*850mm	≈ 130kg



■ 单轴拌馅机 Single shaft filling mixer



拌馅机是用于混料的必备设备、物料搅拌均匀、充分膨胀、 无汽泡、弹性好、色泽鲜艳并最大限度的提取了蛋白质、 混料效率高,是改善产品品质的一种理想设备。

The filling mixer is a necessary equipment for mixing materials. The materials are evenly stirred, fully expanded, bubble free, elastic, bright in color, and extracted protein to the maximum extent. The mixing efficiency is high.

型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-BX50A	220V	0.75kw	50L	720*510*1050mm	≈ 135kg
XJT-BX70A	220V	1.1kw	70L	820*510*1050mm	≈ 135kg
XJT-BX90A	220V	1.5kw	90L	860*510*1050mm	≈ 178kg
XJT-BX130A	380V	1.5kw	130L	1010*560*1130mm	≈ 223kg
XJT-BX150A	380V	1.5kw	150L	1050*580*1130mm	≈ 250kg
XJT-BX180A	380V	1.5kw	180L	1200*700*1200mm	≈ 265kg



■ 斩拌机 Chopper







型号	电压	功率	容量	产品尺寸	产品重量
Model	Voltage	Power	Capacity	Product size	Product weight
XJT-ZB5	220V	0.37kw	5L	500*420*520mm	≈ 29kg



■ 新拌机 Chopper





新拌机是肉制品生产工艺中的关键设备、高速旋转的斩拌 刀可把原料肉斩拌成细腻的糜状,同时可以把其它辅助料 搅拌均匀。

The chapper is the key equipment in the meat product production process. The high-speed rotating chapper can chop and mix the raw meat into fine mince, and at the same time, it can mix other auxiliary materials evenly

型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-ZB20	380V	4.1kw	20L	780*600*850mm	≈ 140kg
XJT-ZB40	380V	5.1kw	40L	1100*830*1080mm	≈ 203kg



COTTURA

■ 新拌机 Chopper





型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品厘量 Product weight
XJT-ZB80	380V	13.98kw	80L	1700*1350*1350mm	≈ 700kg
XJT-ZB125	380V	13.98kw	125L	2020*1450*1300mm	≈ 1100kg









型목 Model	电压 Voltage	功率 Power	容值 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-BX150	380V	1.68kw	150L	1140*700*1130mm	≈ 230kg
XJT-BX200	380V	2.38kw	200L	1320*700*1130mm	≈ 390kg
XJT-BX300	380V	3.55kw	300L	1360*750*1290mm	≈ 538kg





■ 拌馅机提升机

Filling machine elevator

电压 -Voltage	380V
功率 -Power	1.5kw
提升高度 -Lifting height	1700 ~ 1950mm
设备高度 - Equipment height	2800mm
材质 -Texture of material	304 厚 3mm



■ 真空搅拌拌馅机



真控搅拌机是用于混料的必备设备、在真空状态下物料撑 拌均匀、充分膨胀、无汽泡、弹性好、色泽鲜艳并最大限 度的提取了蛋白质、混料效率高,是改善产品品质的一种

The true-control mixer is a necessary equipment for mixing materials. Under vacuum, the materials are evenly mixed and the mixing efficiency is high.

型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重用 Product weight
XJT-JB150	380V	3.75kw	150L ≈ 100kg	1150*950*1350mm	≈ 300kg
XJT-JB200	380V	3.75kw	200L ≈ 140kg	1260*900*1380mm	≈ 350kg
XJT-JB350	380V	5.15kw	350L ≈ 230kg	1340*900*1610mm	≈ 400kg
XJT-JB750	380V	8.25kw	750L ≈ 550kg	1980*1065*1875mm	≈ 650kg
XJT-JB1200	380V	14.7kw	1200L ≈ 840kg	2130*1410*2130mm	≈ 750kg









全自动灌肠打卡一体机,可一次性灌肠、打卡。尼龙收缩膜、 尼龙膜、复合膜 PVDC 膜等肠衣均可。


Fully automatic enema check-in all-in-one machine, capable of one-time enema and check-in. Nylon shrink film, nylon film, composite film PVDC film and other intestinal coatings can be used.



型号 Model	电压 Voltage	功率 Power	容量 capacity	产量 Vield	肠衣直径 Intestinal diameter	产品尺寸 Product size
XJT-GC55L	220V	0.5kw	55L	100-500kg/h	s	640*640*1430mm
XJT-SZDK40	220V	0.5kw		30-40pcs/min	30-90mm	630*630*1500mm







电动只需要脚踩踏版即可灌肠。适用于餐饮、家庭等香肠、火腿肠、腊肠等加工。

Electric enema can be achieved by simply stepping on the pedal. Suitable for processing sausages, ham sausages, sausages, etc. in restaurants, households, etc.

型목 Model	电压 Voltage	功率 Power	料桶尺寸 Bucket size	产品尺寸 Product size	产品重量 Product weight
LXJ-D10L	220V	25w	Ф220*280mm	420*330*650mm	≈ 27kg
XJT-D12L	220V	25w	Ф220*325mm	420*330*720mm	≈ 28kg
XJT-D15L	220V	25w	Ф220*410mm	420*330*780mm	≈ 29kg
XJT-D16L	220V	60w	Ф220*435mm	415*315*820mm	≈ 35kg
XJT-D20L	220V	120w	Ф275*410mm	430*330*810mm	≈ 43kg
XJT-D25L	220V	120w	Ф275*500mm	430*330*910mm	≈ 45kg



Pneumatic quantitative kink enema machine



气动定量扭结灌肠机,采用先进技术运用气动、光电控制 原理,可连续自动定量灌装扭结,适合灌装各种、火腿类 产品,适合天然肠衣、胶原、烟熏肠衣.

Pneumatic quantitative kinking enema machine, using advanced technology and pneumatic and photoelectric control principle, can continuously and automatically fill kinking, suitable for filling all kinds of ham products, natural casings, collagen, smoked casings



모号	电压	功率	容量	产量	产品尺寸	产品重量
Model	Voltage	Power	capacity	Yield	Product size	Product weight
XJT- NJ50L	380V	1.5kw	50L	≈ 60 节 /min	600*400*1240mm	≈ 120kg



转换开关、脚踏双重控制,操作安全。 用于香肠、糯为肠、火脚肠等。 Applicable to the processing of sausages, sausages



sausages for catering	and family		-			
型号 Model	电压 Voltage	功率 Power	科桶容量 Barrel capacity	产品尺寸 Product size	产品重量 Product weight	
XJT-YY150	110/220/380V	0.55kw	15L	600*400*1240mm	≈ 120kg	
XJT-YY260	110/220/380V	1.1kw	26L	640*485*1240mm	≈ 160kg	
XJT-YY350	110/220/380V	1.5kw	35L	735*560*1240mm	≈ 180kg	
XJT-YYD500	220/380V	1.5kw	50L	1200*800*1500mm	≈ 200kg	

COTTURA

①全自动香肠扎线机

Fully automatic sausage binding machine



电动双路自动香肠扎线机,采用食品级 SUS304 不锈钢制造,体积小,效率高,易操作。控制系统采用触摸屏和伺服控制系统组成,具有手动和自动连续两种生产模式,在自动连续模式下生产效率更高。

The electric two-way automatic sausage binding machine is made of foodgrade SUS304 stainless steel, with small size, high efficiency and easy operation. The control system is composed of touch screen and servo control system. It has two production modes, manual and automatic continuous, and the production efficiency is higher in automatic continuous mode.



型号	电压	功率	产順	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-ZX2	220/380V	0.25kw	10-120节 /min	1100*550*1200mm	≈ 600kg



型목 Model	电压 Voltage	功率 Power	卡扣型号 Snap model	产品尺寸 Product size	产品重量 Product weight
XJT-SDZK	1	5	U502/U503/U506/U508	400*180*610mm	≈ 10kg
XJT-DK50	220V	0.3kw	U502/U503/U506/U508	350*560*640mm	≈ 29kg



■ 锯骨机

Bone sawing machine





锯骨机是专业针对骨头、排骨、冷冻肉类、鱼类、大型肉 类的切割。产品使用原装进口锯条,安全系数好,可直接 拆卸冲冼无死角,锯带带有过紧保持、电机带有过热保持、 真正做到安全、卫生方便。

The bone sawing machine is specialized in cutting bones, pork ribs, frozen meat, fish, and large meat. The product uses original imported saw blades with good safety factor, which can be directly disassembled for washing without dead corners. The saw band is equipped with over tightening retention, and the motor is equipped with overheating retention, truly achieving safety, hygiene and convenience.



型号 Model	电压 Voltage	功率 Power	工作台尺寸 Table size	产品尺寸 Product size	产品重量 Product weight
XJT-JG210	110/220V	0.9kw	505*415mm	550*500*920mm	≈ 47kg
XJT-JG320	110/220V	1.1kw	530*430mm	600*675*1170mm	≈ 85kg



型号 Model	电压 Voltage	功率 Power	工作台尺寸 Table size	产品尺寸 Product size	产品重量 Product weight
XJT-JG210A	110/220V	1.1kw	600*415mm	620*505*945mm	≈ 52kg
XJT-JG250A	220V	1.1kw	550*440mm	510*490*910mm	≈ 50kg



■ 锯骨机

Bone sawing machin





活动工作台工作便利,整机食品级不钢是专业针对骨头、排骨、冷冻肉类、鱼类、大型肉类的切割。产品使用原装进口锯条,安全系数好,可直接拆卸冲洗无死角,锯带带有过紧保持、电机带有过热保持、真正做到安全、卫生方便。

The activity workbench is convenient for work, and the whole machine is made of food grade stainless steel, which is specialized in cutting bones, pork ribs, frozen meat, fish, and large meat. The product uses original imported saw blades with good safety factor, which can be directly disassembled for washing without dead corners. The saw band is equipped with over tightening retention, and the motor is equipped with overheating retention, truly achieving safety, hygiene and convenience.



型号 Model	电压 Voltage	功率 Power	工作台尺寸 Table size	产品尺寸 Product size	产品重量 Product weight
XJT-JG310AH	110/220/380V	1.5kw	690*545mm	780*750*1500mm	≈ 80kg
XJT-JG350AH	110/220/380V	1.5kw	760*640mm	850*670*1660mm	≈ 98kg





Bone sawing machine





. 발목 Model	电压 Voltage	功率 Power	工作台尺寸 Table size	产品尺寸 Product size	产品重量 Product weight
XJT-JG360AH	110/220/380V	1.5kw	800*570mm	820*770*1700mm	≈ 130kg
XJT-JG500AH	110/220/380V	2.2kw	880*760mm	900*960*1935mm	≈ 178kg



■ 切排骨机 Chopping machine





用于冷冻排骨、冻五花肉、冻半片鸭半片鸡、冻鱼等切块、 切丁产品一次成型。

It is used for one-time molding of frozen pork chops, frozen pork, frozen duck, frozen chicken, frozen fish and other cut products.



Me	발목	电压	功率	严重	产品尺寸	产品重量
Me	odel	Voltage	Power	Yield	Product size	Product weight
XJT-	QG500	380V	3kw	500-800kg/h	1050*600*1100mm	≈ 320kg

Full automati



■全自动切片机/砍排机

设备用于将冷冻的肉类,鱼,奶酪,培根,香肠等原料切 割成用户所需要的肉片,更换锯齿切刀亦可将等带骨类冻 肉切割成块状或者段状,产品厚薄度可自行调节。

The equipment is used to cut frozen meat, fish, cheese, bacon, sausage and other raw materials into blocks or segments.

型号 Model	电压 Voltage	功率 Power	产量 Yield	料仓尺寸 Bin size	产品尺寸 Product size	产品重量 Product weight
XJT-K210	380V	3kw	≈ 210pcs/min	210*230mm	1880*820*1280mm	≈ 420kg
XJT-K250D	380V	4.8kw	≈ 210pcs/min	250*230mm	2280*950*1340mm	≈ 520kg



COTTURA

■ 不锈钢装料车

Stainless steel loading truck





200L

容量 - Capacity

ii内径 -Barrel Inner diameter

桶尺寸 -Barrel size

650*620*500mm 800*650*660mm

欢迎非标定制 Welcome non-standard customization





回 碎骨机 Bone crusher



碎骨机特别适合牛骨、猪骨、羊骨、驴骨、等各种动物 大骨和鱼骨类的破碎,破碎范围 5-100mm。(常规出厂 32mm)

The bone crusher is particularly suitable for crushing various animal bones and fish bones, such as cow bones, pig bones, sheep bones, donkey bones, etc., with a crushing range of 5-100mm. (Conventional factory 32mm)

型号 Model	电压 Voltage	功率 Power	产量 Yield	进料口直径 Feed inlet diameter	产品尺寸 Product size	产品重量 Product weight
XJT-PS200A	220/380V	3kw	20-60kg/h	Ф180*160mm	630*480*850mm	≈ 160kg
XJT-PS300A	380V	5.5kw	80-200kg/h	Ф310*230mm	1080*740*1160mm	≈ 330kg
XJT-PS400A	380V	7.5kw	150-400kg/h	Ф410*235mm	1080*840*1160mm	≈ 380kg
XJT-PS500A	380V	11kw	200-600kg/h	Ф520*250mm	1450*980*1380mm	≈ 750kg
XJT-PS600A	380V	15kw	300-900kg/h	Ф600*300mm	1600*1100*1480mm	≈ 1250kg
XJT-PS800A	380V	37kw	800-2200kg/h	Ф800*650mm	1700*1320*1500mm	≈ 2500kg
KJT-PS1000A	380V	45kw	1000-4000kg/h	Ф1000*800mm	1800*1500*1550mm	≈ 4000kg



■手动盐水注射机

Manual saline injection machine







型号	电压	功率	注射针次数	产品尺寸	产品型量
Model	Voltage	Power	Number of injections	Product size	Product weight
XJT-SZS4	220V	0.75kw	4/8针 (needles)	1150*750*750mm	≈ 45kg



国盐水注射机 Saline injection machine



盐水注射机适用于生产火腿肉、烤肉、牛肉、鸡、鴨等主要设备,在肉中注射混合盐水的一种专用设备,各种肉经过盐水混合液注射均匀渗透,柔软味鲜,并增加出品率。

Salt water injection machine is applicable to the production of ham, roast meat, beef, chicken, duck and other major equipment.

型号 Model	电压 Voltage	功率 Power	γ≃ π Yield	注射次数 Number of injections	产品尺寸 Product size
XJT-ZS48	380V	4.1kw	≈ 300kg	40-70m/min	1350*750*1650mm
XJT-ZS80	380V	5.1kw	≈ 700kg	40-70m/min	1550*880*1650mm
XJT-ZS120	380V	6.2kw	≈ 900kg	40-70m/min	1850*1350*1800mm



■ 滚揉机上料机

Rolling and kneading machine feeding machine

电压 -Voltage	380V
功事 -Power	1.5kw
提升高度 -Lifting height	2400-2500mm
产品尺寸 - Product size	1300*1400*1800mm

适用于配套大型滚揉机使用

Suitable for supporting large rolling machine









真空滚揉机采用圆筒内导板自挤压原理进行滚揉,当筒体转动时肉块按导板导向往里挤压,肉块经自我摔打、相互挤压,使肉体蛋白质分 解成水溶性蛋白,易被人体吸收。同时能使添加料(淀粉等)与肉体蛋白质互为溶合,以达到肉质变嫩、口感好、成品出率高的目的。

The vacuum rolling machine adopts the principle of self extrusion of the inner guide plate of the cylinder for rolling. When the cylinder rotates, the meat pieces are guided by the guide plate and squeezed inward. The meat pieces are self beaten and mutually squeezed, causing the protein in the body to decompose into water-soluble protein, which is easily absorbed by the human body. At the same time, it can make the additives (starch, etc.) dissolve with the body protein, achieving the goal of tender meat, good taste, and high yield of finished products.

월号 Model	电压 Voltage	功率 Power	料簡容积 Barrel volume	装料量 Loading capacity	产品尺寸 Product size	产品重量 Product weight
XJT-GR100	380V	1.5kw	100L	≈ 35kg/次	860*550*930mm	≈ 100kg
XJT-GR200	380V	1.5kw	200L	≈ 75kg/次	1000*620*1100mm	≈ 190kg
XJT-GR400	380V	2.25kw	400L	≈ 150kg/次	1200*810*1290mm	≈ 280kg
XJT-GR600	380V	2.25kw	600L	≈ 225kg/次	1280*910*1340mm	≈ 320kg
XJT-GR1000	380V	2.25kw	1000L	≈ 375kg/次	1560*1020*1460mm	≈ 420kg
XJT-GR1200	380V	2.25kw	1200L	≈ 450kg/次	2200*1000*1500mm	≈ 530kg
XJT-GR1600	380V	4.5kw	1600L	≈ 600kg/次	1820*1220*1770mm	≈ 600kg
XJT-GR2000	380V	4.5kw	2000L	≈ 750kg/次	2280*1220*1800mm	≈ 680kg



◉ 小型腌肉机



小型真空呼吸腌制,使肉类在定时正压压宿,定时负压膨胀, 起到动太摩擦作用,不会破坏表皮,利用机械式滚筒原理, 让被腌制的肉相互摩擦,加快调味料渗入肉品的速度,大 大缩短了腌制时间。

Small vacuum curing can make the meat press at regular positive pressure and expand at regular negative pressure, which can play a role of dynamic friction and will not damage the skin. With the principle of mechanical drum, the cured meat can rub against each other, speed up the penetration of seasonings into the meat, and greatly shorten the curing time.



型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-YZ60K	220V	0.33kw	60L	880*490*950mm	≈ 37kg
XJT-YZ80K	220V	0,35kw	80L	955*540*1000mm	≈ 50kg
XJT-YZ150K	220V	0.9kw	150L	1115*600*1150mm	≈ 83kg



■ 可倾式制冷真空滚揉机

Tilting refrigeration vacuum rolling machine

制冷式真空滚揉机是在传统的滚揉机基础上改进而来,简 体采用双层设计,低温水通过尾端双通转轴进入夹层中, 通过循环使滚筒内部保持设定恒定温度。是低温火腿生成 和易变质海产品的主要加工设备。

Refrigerated vacuum rolling machine is an improvement on traditional rolling machines. The cylinder adopts a double layer design. Low temperature water enters the interlayer through a double pass shaft at the tail end, and the temperature inside the cylinder is kept constant by circulation. It is the main processing equipment for low-temperature ham generation and perishable seafood.

활목 Model	电压 Voltage	驱动功率 Drive power	真空功率 Vacuum power	容量 Capacity	产量 Yield
XJT-GRL1000	380V	2.2kw	3kw	1000L	500kg/次
XJT-GRL1500	380V	3kw	3kw	1500L	750kg/次
XJT-GRL2000	380V	3kw	3kw	2000L	1t/次
XJT-GRL2500	380V	3kw	3kw	2500L	1.2t/次
XJT-GRL3000	380V	3kw	3kw	3000L	1.5t/次



回内置烟熏炉 Built in smoking stove



烟熏炉可蒸煮烟熏各种香肠、火腿肠、干肠、腊肠、烤肉 及各种鱼等。操作简单、方便可靠。

The smoking stove can steam and smoke various sausages, ham sausages, dried sausages, sausages, grilled meat, and various fish. Easy to operate, convenient and reliable.



型号 Model	电压 Voitage	功率 Power	工作空间 Working space	产品尺寸 Product size	产品重量 Product weight
XJT-YXN30	220/380V	14.5kw	810*740*920mm	1050*1300*1650mm	≈ 160kg
XJT-YXN50	220/380V	14.5kw	910*840*1080mm	1160*1440*1840mm	≈ 350kg
XJT-YXN100	380V	21kw	1050*1200*1200mm	1200*1570*2100mm	≈ 550kg



■ 台式真空包装机

Desktop vacuum packaging machine





产品机身采用 201 不锈钢、工作室采用 304 不锈钢、电脑 版操作。

The product body is made of 201 stainless steel, the studio is made of 304 stainless steel, and the computer version is operated.

型号 Model	电压 Voltage	功率 Power	真空室尺寸 Chamber Size	产品尺寸 Product size	产品重量 Product weight
XJT-ZK260T	220V	0.3kw	380*280*50mm	500*330*380mm	≈ 31kg
XJT-ZK300T	220V	0.3kw	380*320*50mm	500*370*380mm	≈ 32kg
XJT-ZK400T	220V	0.9kw	440*420*65mm	540*490*450mm	≈ 56kg



立式单式真空包装机

Pertical single vacuum packaging machine



真空包装机、只需按下真空盖即可按设定的程序完成抽真 空或抽真空后充入惰性气体,封口、印字、冷却、排气的 全过程。

Vacuum packaging machine, simply press the vacuum cover to complete the entire process of vacuuming or filling inert gas after vacuuming according to the set program, sealing, printing, cooling, and exhaust.



型号 Model	电压 Voltage	功準 Power	真空室尺寸 Chamber Size	产品尺寸 Product size	产品重量 Product weight
XJT-ZK400L	220V	0.9kw	440*420*65mm	540*490*950mm	≈ 64kg
XJT-ZK500L	220V	0.9kw	650*600*65mm	730*710*960mm	≈ 77kg
XJT-ZK600L	220V	1.8kw	630*650*65mm	730*710*960mm	≈ 180kg



■ 立式双室真空包装机

Vertical double chamber vacuum packaging machine



经抽真空包装后的物品防止氧化、霉变、虫蛀、受潮、延 长产品储存期限,双室可以左右轮流工作,大大提高了工 作效率。产品机身采用 201 不锈钢、工作室采用 304 不锈钢、 电脑版操作。

After vacuum packaging, the items are protected from oxidation, mold, insect infestation, moisture, and extended product storage life. The dual chamber can rotate left and right, greatly improving work efficiency. The product body is made of 201 stainless steel, the studio is made of 304 stainless steel, and the computer version is operated.

型号 Model	电压 Voltage	功率 Power	真空室尺寸 Chamber Size	产品尺寸 Product size	产品重量 Product weight
XJT-ZK400/2LS	220V	0.9kw	500*450*50mm	1100*540*950mm	≈ 130kg
XJT-ZK500/2LS	380V	1.8kw	570*540*50mm	1250*610*1000mm	≈ 190kg
XJT-ZK600/2LS	380V	2.2kw	660*540*50mm	1450*610*1000mm	≈ 230kg

加工系列 -MACHINING SERIES-



■ 气泡臭氧清洗机

Bubble ozone cleaner

有效分离蔬菜上面粘连的泥沙,杂质。清洗过程喷淋和高 压喷嘴持续供水,供水量可调,气泡大小可调,方便客户 根据蔬菜处理量及清洁程度进行灵活调节。可根据客户要 求非标定制。

Effectively separate the adhered sediment and impurities on vegetables. During the cleaning process, the spray and high-pressure nozzle provide continuous water supply, with adjustable water supply and bubble size, making it convenient for customers to flexibly adjust according to the vegetable processing volume and cleanliness level. Non standard customization can be made according to customer requirements.



型号 Model	电压 Voltage	功率 Power	/≃ fii Yield	产品尺寸 Product size	产品重量 Product weight
XJT-XC300	220/380V	1.5kw	150-200pcs/h	1000*750*1080mm	≈ 80kg
XJT-XC600	220/380V	1.5kw	600-800kg/h	1500*730*1020mm	≈ 150kg

■ 气泡臭氧清洗机

Bubble ozone cleaner

本机采用高压气体产生鼓泡,可加入循环水泵冲浪和提升高压喷水进行三重清洗。





型동 Model	电压 Voltage	功率 Power	Æ≣ Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QX2200	220/380V	1.7kw	500-1000kg/h	2200*850*1200mm	≈ 180kg
XJT-QX3200	2.5kw	1.7kw	1000-1500kg/h	3200*850*1350mm	≈ 230kg



Rice washing machine

짜号 Model	产量 Yield	产品尺寸 Product size
XJT-XM35	35kg	500*400*800mm
XJT-XM50	50kg	550*450*850mm
XJT-XM75	75kg	600*500*900mm
XJT-XM100	100kg	650*550*950mm

冼米机适用于大米、小麦、玉米、豆类等颗粒粮食淘洗。 The rice washing machine is suitable for washing grain such as rice, wheat, corn and beans.







国生姜土豆芋头清洗去皮机 Ginger potato taro cleaning and peeling machine



本机主要将茎类物料的清冼、去皮、抛光、用于土豆、胡萝卜、 甜菜、山药果品类等物料。不锈钢材质、符合食品加工卫 生要求;凹凸型毛刷辊可以将物料凹凸部分的泥土清冼干 净。

This machine is mainly used for cleaning, peeling and polishing of stem materials, such as potatoes, carrots, sugar beets, yams and other materials. Stainless steel material, meeting the hygienic requirements of food processing. The concave-convex brush roller can clean the soil in the concave-convex part of the material.





加工系列 -MACHINING SERIES-

COTTURA

间 叶菜类果蔬加工生产线

Leaf vegetable fruit and vegetable processing production line





工作台 staging 球根茎切菜机 Bulb root and stem cutting machine

提升输送机 ifting conveyo 4.2 米气泡清洗机(2 台) 4.2 meter bubble cleanin machine (2 units) 振动沥水机 Vibration drainage machine

工作台进行初级挑拣,然后放入切菜机,切菜机可切叶菜或条状瓜果,切好后再经过输送机,将物料提升进入气泡清洗机,气泡清洗机采 用高压气体产生鼓泡,有效清洗分离物料上面粘连的泥沙与杂质。最后振动沥水机利用震动筛动去除物料表面残留的水份,从而可以起到 平摊均匀的效果。

The workbench performs primary picking and then puts it into a vegetable cutter. The vegetable cutter can cut leafy vegetables or strip shaped fruits and vegetables. After cutting, the material is lifted into a bubble cleaning machine by a conveyor. The bubble cleaning machine uses high-pressure gas to generate bubbles, effectively cleaning and separating the adhered sediment and impurities on the material. Finally, the vibrating drainage machine uses a vibrating screen to remove residual water on the surface of the material, thereby achieving a uniform and even spreading effect.

■ 根茎类果蔬加工生产线

Rootstock fruit and vegetable processing production line









毛辊满洗去皮机 Roller cleaning and peeling machine

提升輸送机 ifting conveyo 球根茎切菜机 Bulb root and ster cutting machine

提升输送机 ifting conveyo 网链式清洗机 Mesh chain leaning machine 振动沥水机 pration drainage machine

先用毛棍清洗去皮机清洗去皮,利用物料与毛刷之间的摩擦,从而达到清洗或去皮的效果。清洗好后经提升输送机送到球根茎切菜机进行 切割,通过刀盘更换,可将瓜果类切成片丝丁状。切割好后再由提升输送机将物料倒入网链式清洗机中,利用高压气体产生鼓泡将物料搅 动清洗,有效清洗分离表面粘连的泥沙与杂质。最后振动沥水机利用震动筛动去除物料表面残留的水份,从而可以起到平摊均匀的效果。

First, use a hair stick to clean the peeling machine, and use the friction between the material and the brush to achieve the effect of cleaning or peeling. After cleaning, it is transported by a lifting conveyor to the bulb and rhizome cutting machine for cutting. By replacing the cutterhead, fruits and vegetables can be cut into small pieces. After cutting, the material is poured into the mesh chain cleaning machine by the lifting conveyor. High pressure gas is used to generate bubbles to stir and clean the material, effectively cleaning and separating the adhered sediment and impurities on the surface. Finally, the vibrating drainage machine uses a vibrating screen to remove residual water on the surface of the material, thereby achieving a uniform and even spreading effect.





本机除电机、电器等相关部件外,机体均采用 SUS304 不 锈钢材质。将物料均匀的装入筛筐内摊平,放进装笼内, 合上上盖,机器自动开机工作,转笼运转的离心力使筐内 物料的水分甩出筐外,由排水口排除。

Except for the motor, electrical components, and other related components, the body of this machine is made of SUS304 stainless steel material. Evenly load the materials into the sieve basket and spread them flat. Put them into the basket, close the top cover, and the machine will automatically start working. The centrifugal force of the rotating basket will cause the moisture of the materials in the basket to be thrown out of the basket and discharged by the drainage outlet.



型号	电压	功事	产品尺寸	产品重量
Model	Voltage	Power	Product size	Product weight
XJT-TS420	220/380V	1.5kw	1000*680*1070mm	≈ 150kg













加工系列 -MACHINING SERIES-

COTTURA

■ 震动筛沥水机

Vibration screen drainage machine

型목-Model	XJT-Z200
电压 -Voltage	380V
功率 -Power	0.5kw
产品尺寸 -Product size	2000*800*800mm

用来配套气泡清洗机连起连续式生产使用,把清洗后的 蔬菜表面残留的水份利用震动筛动去除,从而可以起到 平摊均匀的效果。

Used to match the continuous production of the bubble cleaning machine, the residual water on the surface of the cleaned vegetables can be removed by vibrating screens, thus achieving a smooth and even distribution effect.



■ 果蔬脱水机

Fruit and vegetable dehydrator

适用于蔬菜脱水之用,该机具有外形美观和操作方便,容积大、效率高,耗能小,可连续清洗。料筒、箱体采用优质不锈钢材质,不锈蚀、清洁卫生。

It is suitable for vegetable dehydration. The machine has beautiful appearance, convenient operation, large volume, high efficiency, low energy consumption and continuous cleaning. The barrel and box are made of high-quality stainless steel, which is not rusty, clean and sanitary.







型号 Model	电压 Voltage	功罪 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-TS20	110/220V	0.75kw	20L	460*400*750mm	≈ 35kg
XJT-TS200	220V	0.25kw	20L	600*460*800mm	≈ 36kg
XJT-TS350	220V	0.37kw	35L	670*590*835mm	≈ 57kg
XJT-TS700	220V	0.55kw	70L	770*645*1050mm	≈ 65kg



■大蒜分瓣机

arlic separator

<u> </u> 뒢号 -Model	XJT-FB1000		
电压 -Voltage	220/380V		
功率 -Power	2kw		
产量 -Yield	800-1000kg/h		
产品尺寸 - Product size	950*850*1360mm		
产品重量 - Product weight	≈ 80kg		



国大蒜脱皮机 Garlic peeling machine

采用不锈板结实耐用,采用可调方式,操作简单,蒜球大 小均可使用,且蒜瓣不易损伤,内置风机将剥离后多余的 蒜皮吹离,大大方便了后续的脱皮处理。

The stainless steel plate is strong and durable, and the adjustable mode is adopted. The operation is simple. The size of garlic bulb can be used, and the garlic clove is not easy to be damaged. The built-in fan will blow the peeled garlic peel away, greatly facilitating the subsequent peeling treatment.










型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-TP150	220V	0.5kw	100-150kg/h	600*600*1200mm	≈ 70kg
XJT-TP300	220V	0.6kw	200-300kg/h	560*1000*1550mm	≈ 130kg
XJT-DS25A	220V	0.2kw	25kg/h	250*250*480mm	≈ 8.5kg

加工系列 -MACHINING SERIES-









It is suitable for peeling onions. The whole machine is made of 304 stainless steel. The strong air flow generated by the air compressor is used to form the air flow to remove the outer membrane of onions, and the



토号 Model	电压 Voltage	功率 Power	产面 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-YCTP500	380V	3kw	500-800kg/h	2570*850*1270mm	≈ 344kg
XJT-YCTP1000	380V	3kw	800-1000kg/h	2680*1020*1530mm	(7)







土豆脱皮机可脱土豆、芋仔、红薯、马蹄等。土豆脱皮机 机身采用食品级不锈钢制造、国标铜线电机、沙轮简单易 换使用寿命长、排渣口向下倾斜设计工作时不留残渣。

The potato peeler can peel potatoes, taro seeds, sweet potatoes, horseshoes, etc. The body of the potato peeling machine is made of food grade stainless steel, with a national standard copper wire motor, a simple and easy to replace sand wheel, and a long service life. The slag discharge port is designed to tilt downwards, leaving no residue during operation.

型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-TP10A	220V	0.55kw	10kg/次(once)	510*510*900mm	≈ 53kg
XJT-TP15A	220V	0.75kw	15kg/次 (once)	580*580*950mm	≈ 62kg
XJT-TP30A	220/380V	1.5kw	30kg/次 (once)	660*640*1110mm	≈ 89kg





仿人工削皮, 削皮后的物料表面平整光滑, 去皮率可达 98% 左右,解决了毛刷机去不掉皮及其暗伤问题。

Simulated artificial peeling, the surface of the peeled material is smooth and smooth, and the peeling rate can reach about 98%, which solves the problem that the brush machine can not peel and its dark wounds.



型号	电压	功率	容量	产簡	产品尺寸	产品重量
Model	Voltage	Power	Capacity	Yield	Product size	Product weight
XJT-TD600	380V	1.5kw	10kg	400-600kg/h	1260*835*1355mm	≈ 168kg







					ē.
型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-XK10A	220V	0.55kw	10kg/次 (once)	550*450*750mm	≈ 50kg
XJT-XK15A	220V	0.75kw	15kg/次 (once)	600*450*800mm	≈ 62kg
XJT-XK15B	220V	0.75kw	15kg/次 (once)	630*510*840mm	≈ 45kg



加工系列 -MACHINING SERIES-

COTTURA



型号-Model	XJT-SXP1
电压 -Voltage	220V
功率 -Power	0.5kw
产量 -Yield	150-200pcs/h
产品尺寸 -Product size	420*590*1030mm
产品重量 -Product weight	≈ 60kg





Melon and fruit peeler



双头瓜果削皮机适用于木瓜, 南瓜, 哈蜜瓜, 冬瓜, 柚子 等大中型瓜类削皮,两边削皮刀可同时运行,削皮厚薄可 调,去皮率达到95%以上。

Double-headed melon and fruit peeling machine is suitable for peeling large and medium-sized melons such as papaya, pumpkin, honeydew melon, winter melon, grapefruit, etc. The peeling knives on both sides can operate simultaneously, the peeling thickness can be adjusted, and the peeling rate can reach more than 95%.

产品重量 XJT-XP500 380V ≈ 95kg 0.75kw 120pcs/h 750*500*1800mm XJT-XP600 380V 1.5kw 230pcs/h 1200*720*1800mm ≈ 190kg



■萝卜削皮机



用于红萝卜去皮,人工放料,自动出料,削皮速度快,削 皮效果好。仿人工削皮,削皮后的物料表面平整光滑,去 皮率可达 98% 左右, 360°万向移动脚轮, 方便设备移动, 304 不锈钢材质制造,结实耐腐蚀。

Used for peeling carrots, manual feeding, automatic discharge, fast peeling speed, and good peeling effect. Simulated manual peeling, the surface of the peeled material is flat and smooth, with a peeling rate of about 98%. The 360 " universal moving casters are convenient for equipment movement, made of 304 stainless steel material, sturdy and corrosion-resistant.



型号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-XP30	380V	0.75kw	30~40pcs/min	2449*580*1096mm	≈ 215 kg







用于表面去泥沙后的白萝卜削皮。操作简单便捷,速度快 产量高,大幅地降低人工成本,萝卜的削皮率可达到百分 之九十左右。

Used for peeling white radishes after removing sediment from the surface. The operation is simple and convenient, with fast speed and high yield, greatly reducing labor costs. The peeling rate of radishes can reach about



型号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-XP40	220V	0.2kw	40-60pcs/min	1980*512*1062mm	≈ 104 kg



加工系列 -MACHINING SERIES -











■ 多功能切菜机

Multi	unct	ona	vege	table	cutte

聖号 -Model	XJT-DN608		
电压 -Voltage	220/380V		
功事 -Power	1.5kw		
≓¶ Yield	600-1000kg/h		
产品尺寸 -Product size	1250*600*1300mm		
产品重量 -Product weight	≈ 150kg		





■ 切菜机 Vegetable Cutte



将大白菜、高丽菜、菠菜及芹菜、葱、大蒜、瓜类等物料 切成片、丝状,适合食品加工业者配合自动化生产线。 切丝速度快,对物料无损伤,保持物料水份,无连刀。 Cut Chinese cabbage, Korean cabbage, spinach, celery, scallions, garlic, melons and other materials into slices and filaments, which is suitable for

food processors to cooperate with automatic production lines.

<u></u> 토号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QC805	220/380V	0.75kw	500-600kg/h	750*500*1300mm	≈ 60kg
XJT-QC806	220/380V	1.1kw	1000-2000kg/h	1000*780*1500mm	≈ 110kg



■ 切菜机 Vegetable cutter



操作简单、整机不锈钢制作可切多种蔬菜,双调频控菜段、 长短可调、切段范围 2-30mm 切段、切片、切丝、切碎、 切刀锋利切割蔬菜不易出水,出料口有微动安全保障。

Simple operation, stainless steel production of the whole machine can cut a variety of vegetables, dual frequency modulation, adjustable length, cutting range 2-30mm Slicing, slicing, shredding, shredding, cutting knife sharp cut vegetables are not easy to water, and the discharge port has micro-motion safety guarantee.



型号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-QC601	220V	0.75kw	100-200kg/h	540*440*620mm	≈ 33kg

■多功能切菜机

Multi-function vegetable cutter





多能切菜机使用国标铜线电机、食品级不锈钢、进口刀具 均模拟手工切菜的原理加工设计而成,出厂时配多套刀具, 适用于叶菜、根茎、中药材、干果、辣椒等切片、切丝、切丁、 切粒等专业性的加工。

Multi-purpose vegetable cutter is designed by using the national standard copper wire motor, food-grade stainless steel, and imported cutting tools to simulate the principle of manual vegetable cutting. When leaving the factory, it is equipped with multiple sets of cutting tools, which are suitable for the professional processing of leafy vegetables, roots, Chinese medicinal materials, dried fruits, chilies, and other slices, shredding, diceing, and granulating.

型号 Model	电压 Voltage	功幸 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QC660	110/220V	0.75kw	100-660kg/h	900*460*740mm	≈ 180kg
XJT-QC1000	220/380V	1.5kw	100-1000kg/h	1300*570*1020mm	≈ 230kg

加工系列 -MACHINING SERIES -

COTTURA

◉ 球根茎类切菜机

Végetable cutter

型号 -Model	XJT-DN865
电压 -Voltage	220V
功率 -Power	0.75kw
产品尺寸 - Product size	660*400*600mm
产品重量 -Product weight	≈ 70kg

用于各种蔬菜、瓜果加工。各种不同功能的刀盘可互换使 用,方便用户选择,可切丝、切条、切片、切丁。

It is used for processing various vegetables, melons and fruits. Knife discs with different functions can be interchanged for user's convenience, and can be cut into silk, strip, slice and dice.









Cutting small block machine

适合于商用、加工型工厂流水线使用,把根茎类果蔬、瓜 果切成小正方形丁状、粒状、根据客户要求订做不同刀据 可加工成条状。

It is suitable for commercial and processing factory assembly lines to cut rhizome fruits and vegetables, melons and fruits into small square dice and grains, and can be processed into strips according to customer requirements.



뾰号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QD100	380V	1.5kw	800-1000kg/h	710*640*990mm	≈ 90kg
XJT-QD1000	380V	0.75kw	800-1000kg/h	700*580*1020mm	≈ 145kg



手动切薯条机

Manual chip cutter





4	
型号-Model	XJT-ST03
切割尺寸 - Cutting size	7、9、14mm
产品尺寸 -Product size	350*200*250mm
产品重量 -Product weight	≈ 4.6kg



■切丝切条机

Wire and strip cutting machine.

大型平行切瓜果机可将萝卜, 土豆, 红薯, 芋头, 笋, 用 于将竹笋、姜、球根瓜果茎类切丝、条状。

The large parallel fruit cutting machine can cut radish, potatoes, sweet potatoes, taro, bamboo shoots, bamboo shoots, ginger, bulbous melons and fruits into strips.







호号 Model	电压 Voltage	功率 Power	产量. Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QSA	220V	0.37kw	100-200kg/h	510*450*600mm	≈ 45kg
XJT-QSB	220V	0.75kw	200-400kg/h	700*540*850mm	≈ 65kg
XJT-ST800	380V	1.5kw	800-1000kg/h	710*640*990mm	≈ 90kg

加工系列 -MACHINING SERIES —











Small melon and fruit cutting machine

用于各种蔬菜、瓜果加工。各种不同功能的刀盘可互换使用, 方便用户选择,可切丝、切条、切片、切丁。

It is used for processing various vegetables, melons and fruits. Knife discs with different functions can be interchanged for user's convenience, and can be cut into silk, strip, slice and dice.



型号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-GG1	220V	0.2kw	300kg/h	600*260*410mm	≈ 28kg





Desktop melon and fruit cutting machine



型号 Model	电压 Voltage	功率 Power	刀盘直径 Cutter diameter	产品尺寸 Product size	产品重量 Product weight
XJT-GG28	110/220V	0.75kw	205mm	580*385*550mm	≈ 25kg
KJT-GG28A	110/220V	0.75kw	205mm	580*385*550mm	≈ 25kg
XJT-GG28B	110/220V	0.75kw	205mm	580*385*550mm	≈ 25kg

球根茎类切菜机 本机专用于切片块茎蔬菜。 切割各种尺寸,调整尺寸并根据需要更改刀具尺寸。 出料口有微动装置,使用更安全。 This machine is specifically designed for slicing tuberous vegetables. Cut various sizes, adjust the dimensions, and change the tool size as needed. The discharge port has a micro motion device for safer use.



电压-Voltage 220/380V

功率-Power 2.2kw

产量-Yield 400-500kg/h

产品尺寸-Product size 1300*600*1250mm

产品重量-Product weight ≈ 100kg

XJT-TL500S

适合各种鲜、甜、糯玉米、冻玉米解冻后脱粒;出料口配有 鼓风机使脱后的玉米粒更加干净、美观。

Suitable for threshing all kinds of fresh, sweet, waxy corn and frozen corn after thawing; The outlet is equipped with a blower to make the stripped commore clean and beautiful.





■ 瓜果分瓣分块机

Melon and fruit slicing machine

瓜果分瓣机可用于冬瓜、南瓜,西瓜、哈密瓜甜瓜等大中型瓜果类分瓣。利用气压将瓜果推过刀具,从而达到瓜果 分瓣的效果,整机采用不锈钢制作。

The melon and fruit splitting machine can be used to split large and medium-sized melon and fruit, such as winter melon, pumpkin, watermelon, cantaloupe and melon. Use air pressure to push the melon and fruit through the cutter, so as to achieve the effect of dividing the melon and fruit. The whole machine is made of stainless steel.





型목 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-FB1	380V	3kw	1000-1300pcs/h	805*1180*580mm	≈ 45kg
XJT-FB6	220V	0.24kw	100-200kg/h	650*650*920mm	≈ 90g



加工系列 -MACHINING SERIES-



■ 盆式切碎机

Basin choppe





菜馅机采用盆转动高速旋转刀组的原理将其切碎成馅,有 仿手工的便利让食物的水分充分保留不流失,整机采用食 品级不锈钢,国标铜线电机,刀片使用进口特殊不锈钢是 你各种馅料加工理想之选。

The vegetable filling machine adopts the principle of high-speed rotating knife group with basin rotation to cut it into fillings. It has the convenience of imitating manual work to fully retain the moisture of the food without loss. The whole machine uses food grade stainless steel, national standard copper wire motor, and imported special stainless steel blades, which are the ideal choice for processing various fillings.



型 [®]	电压	功率	容量	产量	产品尺寸	产品重量
Mod	lel Voltage	Power	Capacity	Yield	Product size	Product weight
XJT-OX	300A 110/220/380V	1.5kw	10kg/次 (order)	100-300kg/h	780*700*960mm	≈ 105kg



■ 椰子粉碎机

Coconut crusher



本机是由我公司根据市场所需设计而成、针对椰子肉、瓜果、姜、根茎类果蔬进行破碎、粉碎, 出料细度可调节, 最细可达到 100 目。

This machine is designed by our company according to the needs of the market. It is used for crushing and crushing coconut meat, melon and fruit, ginger, and rhizome fruits and vegetables. The fineness of the discharge can be adjusted to reach 100 meshes.

필号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品恒量 Product weight
XJT-PS6	220V/50hz	3kw	500kg/h	750*630*1000mm	≈ 135kg
XJT-PS8	380V/50hz	7.5kw	1000kg/h	900*800*1100mm	≈ 180kg
XJT-PS10	380V/50hz	11kw	2000-3000kg/h	750*630*1000mm	≈ 350kg



■大型打碎机

Large crusher



切碎机适合将蒜头、姜、土豆、菠菜、洋葱、花生等多种蔬菜打成泥状或细切状,刀片数量可以自由添加(最高可达 10 支),使用方便。

The chopper is suitable for making garlic, ginger, potatoes, spinach, onions, peanuts and other vegetables into mud or finely cut shape. The number of blades can be freely added (up to 10), which is convenient to use interchanged for user's convenience, and can be cut into silk, strip, slice and dice.



호롱	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-QS898B	380V	2.2kw	500-1000kg/h	900*380*1000mm	≈ 100kg



■ 切碎机





主要用于各种肉类、调味品类、瓜果蔬菜类切成颗粒状和 浆糊状。机器接触食物部位全部采用不锈钢材料。切碎速 度快,升温少,切碎效果极佳。

Mainly used for cutting various meats, seasonings, fruits and vegetables into granular and paste shapes. All parts of the machine that come into contact with food are made of stainless steel material. Fast chopping speed, minimal heating, and excellent chopping effect.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-QSF18	220V	3kw	18L	570*470*950mm	≈ 69kg
XJT-QSF38	380V	5.5kw	38L	675*525*1050mm	≈ 102kg

加工系列 -MACHINING SERIES -

COTTURA

■ 切碎打浆机

Chopper beate



XJT-BS30L
110/220V
2.5kw
30L
670*620*1050mm

≈ 40kg

产品重量 -Product weight













호号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-QS32L	110/220V	1.8kw	32L	670*620*1050mm	≈ 45kg
XJT-QS50	380V	4.5kw	50L	740*780*1120mm	≈ 69kg

新款通用多功能切碎机使用机械的方法将果蔬等物料打碎及搅拌成汁,工作原理是靠搅拌杯底部的刀片高速旋转把物品反复反复打碎。适 用于果菜汁、调味料等加工。

The new universal multifunctional shredder uses mechanical methods to break and stir materials such as fruits and vegetables into juice. The working principle is to use the high-speed rotation of the blade at the bottom of the mixing cup to repeatedly break the items. Suitable for processing fruit and vegetable juices, seasonings, etc.



■ 切碎机 Channer



盆式切馅料机直接投料式、高速切碎、直观可控、颗粒均 匀适用于肉馅、菜馅的切碎是包子、饺子等食品包点加工 的理想选择。

The pot-type stuffing cutter is directly feeding, high-speed chopping, intuitive and controllable, and the particles are uniform. It is suitable for chopping meat and vegetable fillings. It is an ideal choice for processing steamed stuffed buns, dumplings and other food packages.





型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-R05	110/220V	550w	5L	360*400*530mm	≈ 25kg
XJT-R07	110/220V	750w	7L	380*420*540mm	≈ 26kg
XJT-R10	110/220V	1100w	10L	400*440*570mm	≈ 29kg
XJT-R15	110/220V	1400w	15L	420*460*620mm	≈ 33kg





■切碎机

适用于果蔬、坚果、肉类等物料打碎及搅拌成汁,工作原理是靠搅拌杯底部的刀片高速旋转,把物品反复反复打碎。 适用于大型沙冰机适用于沙冰,刨冰,绿豆沙,冰沙,奶茶店等。

It is suitable for breaking and mixing fruits and vegetables, nuts, meat and other materials into juice. The working principle is to break the items repeatedly by rotating the blade at the bottom of the mixing cup at high speed. Suitable for large sand ice machine Suitable for sand ice, shaved ice, mungbean sand, ice cream, milk tea shop, etc.

型号 Model	电压 Voltage	功率 Power	容量 Capacity	产品尺寸 Product size	产品重量 Product weight
XJT-QS3B	110/220V	0.75kw	3L	320*310*555mm	≈ 22kg
XJT-QS5B	110/220V	1.1kw	5L	370*350*630mm	≈ 29kg
XJT-QS8B	110/220V	1.5kw	8L	380*400*735mm	≈ 38kg
XJT-QS13B	110/220V	2.2kw	13L	420*415*820mm	≈ 55kg



加工系列 -MACHINING SERIES -





■甘蔗汁机

Sugarcane juice machine

토팅 -Model	XJT-GZ4G
电压 -Voltage	110/220V
功率 -Power	1.1kw
产量 -Yield	350kg/h
产品尺寸 - Product size	560*540*640mm
产品重量 -Product weight	≈ 82kg





型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-GZ3	220V	0.4kw	250kg/h	430*380*480mm	≈ 51kg
XJT-GZ4	220V	0.4kw	250kg/h	430*380*480mm	≈ 61kg

独立榨汁仓,可拆卸滚筒,确保甘蔗汁绝对符合卫生标准,且方便每天清冼。高端精密减速电机,功率强大,超低静音。自动式微调,根据甘蔗大小自动调节,一次性压干,出汁率高,省时省力。

The independent juice bin and removable drum ensure that the sugarcane juice is absolutely in line with the hygienic standard and convenient for cleaning every day. High-end precision reduction motor, powerful power, ultra-low mute. Automatic fine adjustment, automatic adjustment according to the size of sugarcane, one-time drying, high juice yield, time-saving and labor-saving.





■ 大型甘蔗机

Large sugarcane machine

型号 -Model	XJT-GZ800
电压 -Voltage	220V
功率 -Power	3kw
产量 -Yield	800kg/h
产品尺寸 - Product size	850*480*430mm
产品重量 - Product weight	≈ 140kg







型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-GZL3	220V	0.75kw	200kg/h	400*320*800mm	≈ 45kg
XJT-GZ500	220/380V	1.1kw	500kg/h	500*360*850mm	≈ 80kg

适用于小型糖加工作坊,适用于甘蔗田直接作业,每次可投入 2 条甘蔗速度快捷,压榨辊采用食品级不锈钢,带有脚轮移动使用更便利, 采用不锈钢全封闭结构,可内置蔗渣桶,保证渣汁不外泄,安全、干净、卫生;甘蔗机传动部位齿轮减速箱设计,并配有防震装置,大大 降低机械运转过程中的噪声。

Suitable for small sugar processing workshops, suitable for direct operations in sugarcane fields, with a fast speed of adding 2 sugarcane at a time. The pressing roller is made of food grade stainless steel, with casters for more convenient movement and use. It adopts a fully enclosed stainless steel structure and can be equipped with a bagasse bucket to ensure that the bagasse does not leak out, which is safe, clean, and hygienic; The design of the gear reducer in the transmission part of the sugarcane machine is equipped with an anti vibration device, greatly reducing the noise during mechanical operation.

加工系列 -MACHINING SERIES-



■ 手动水果榨汁机

Manual fruit juicer

킾목 -Model	XJT-S100
果盘直径 -Fruit tray diameter	100mm
产品尺寸 - Product size	260*540*710mm
产品重量 -Product weight	≈ 16kg

便携、省力,可压榨榨汁机不便加工的水果,居家户外都 能活用。

It is portable and labor-saving, and can be used to squeeze fruits that are inconvenient to be processed by the juicer. It can be used at home and outdoors.







Commercial Juicer

팔号 -Model	XJT-B2000
电压 -Voltage	110/220V
功率 -Power	0.55kw
产品尺寸 -Product size	430*350*450mm
产品重量 -Product weight	≈ 19kg

■全自动甘蔗削皮切段机

Full-automatic sugarcane peeling and cutting machine





极号	电压	功率	产量	产品尺寸	产品重量
Model	Voltage	Power	Yield	Product size	Product weight
XJT-GZXP240	220V	1.5kw	200-240pcs/h	1340*560*1110mm	≈ 180kg



■螺旋榨汁机

Screw Juicer



本机可以对含水分,液体的精碎物料及粉碎物料进行固液 分离。优点是压力大、吨位大,我们可以根据你的产量设 计你需要的设备大小,根据物料来确定吨位的大小。

This machine can carry out solid-liquid separation of fine and crushed materials containing water and liquid. The advantages are large pressure and tonnage. We can design the size of equipment you need according to your output and determine the tonnage according to the material.



型목 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-LX500	380V/50hz	1.5kw	0.5T/h	770*330*880mm	≈ 68kg
XJT-LX1000	380V/50hz	3kw	0.5-1T/h	1210*450*1150mm	≈ 86kg
XJT-LX1500	380V/50hz	3kw	1.5t/h	1100*350*1000mm	≈ 125kg
XJT-LX2000	380V/50hz	7.5kw	2t/h	1600*520*1450mm	≈ 130kg



■ 破碎螺旋榨汁机

Crushing spiral juicer

该设备由破碎机和螺旋榨汁机组成,破碎机安装在榨汁机 的进料口上,破碎后的物料直接落入榨汁机榨汁。破碎机 由简体、飞刀转子、底刀、电机、皮带轮组成,飞刀转子 在底刀的间隙中高速旋转,在两者的共同作用下将物料破 碎,进入榨汁机榨汁。

This equipment consists of a crusher and a spiral juicer, which is installed at the feeding port of the juicer, and the crushed material directly falls into the juicer for juice extraction. The crusher is composed of a cylinder, a flying knife rotor, a bottom knife, an electric motor, and a belt pulley. The flying knife rotor rotates at high speed in the gap between the bottom knives, and under the combined action of the two, the material is crushed and enters the juicer for juice extraction.

型号 Model	电压 Voltage	功率 Power	产量 Yield	产品尺寸 Product size	产品重量 Product weight
XJT-LX500S	380V-50hz	2.25kw	0.1-0.5T	970*430*1330mm	≈ 128kg
XJT-LX1000S	380V-50hz	4.5kw	0.5T-1T	1230*450*1500mm	≈ 154kg
XJT-LX1500S	380V-50hz	7.5kw	1-2T	1600*570*1600mm	≈ 180kg