





COTTURA 
• FRÍGIDO •

CATALOG



2025



STAINLESS STEEL REFRIGERATION





UPRIGHT CABINETS

PREMIUM LINE-GN 1/1

Standard Features:

- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Self closing door.
- Reversible door.
- Adjustable shelves GN 1/1.
- Energy efficiency class.

Optional:

- S/S Adjustable feet or casters.
- Touch screen thermostat.
- Stainless steel look or paint spray look.
- Color: S/S, black , white.



GN280TNV

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN280TNV	448*765*2100	280	2~8	Cubigel	Carel	R290	67
GN280BTV	448*765*2100	280	-18~-22	Cubigel	Carel	R290	67
GN280TNVG	448*795*2100	280	2~8	Cubigel	Carel	R290	67
GN280BTVG	448*795*2100	280	-18~-22	Cubigel	Carel	R290	67
GN280TNV-2D	448*765*2100	280	2~8	Cubigel	Carel	R290	67
GN280BTV-2D	448*765*2100	280	-18~-22	Cubigel	Carel	R290	67

UPRIGHT CABINETS

PREMIUM LINE-GN 2/1

Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Self closing door.
- Reversible door.
- Adjustable shelves GN 2/1.
- Energy efficiency class.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN550TN-PT	740*870*2100	550	2~8	Cubigel	Carel	R290	39
GN550BT-PT	740*870*2100	550	-18~-22	Cubigel	Carel	R290	39
GN550TN2D-PT	740*870*2100	550	2~8	Cubigel	Carel	R290	39
GN550BT2D-PT	740*870*2100	550	-18~-22	Cubigel	Carel	R290	39
GN550TNG-PT	740*850*2100	550	2~8	Cubigel	Carel	R290	39
GN550BTG-PT	740*850*2100	550	-18~-22	Cubigel	Carel	R290	39

UPRIGHT CABINETS

PREMIUM LINE-GN 2/1



Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Self closing door.
- Reversible door.
- Adjustable shelves GN 2/1.
- Energy efficiency class.

Optional:

- S/S Adjustable feet or casters.
- Touch screen thermostat.
- Stainless steel look or paint spray look.
- Color: S/S, black , white.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GNH1260TN-PT	1480*870*2100	1260	2~8	Embraco	Carel	R290	15
GNH1260BT-PT	1480*870*2100	1260	-18~-22	SECOP	Carel	R290	15
GNH1260TNG-PT	1480*850*2100	1260	2~8	Embraco	Carel	R290	15
GNH1260BTG-PT	1480*850*2100	1260	-18~-22	SECOP	Carel	R290	15
GNH1260TN-PT(4D)	1480*870*2100	1260	2~8	Embraco	Carel	R290	15
GNH1260BT-PT(4D)	1480*870*2100	1260	-18~-22	SECOP	Carel	R290	15



UPRIGHT CABINETS


MONOBLOCK LINE

Standard Features:

- Monoblock style refrigerators and freezers.
- AISI 201 stainless steel interior and exterior for high-quality products.
- Reversible doors that close automatically when opening less than 90°.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without tools.
- The digital thermostat.
- High-quality compressor: Scope, Embraco.
- Compatible with GN2/1 shelves.
- Cooling system with automatic defrost.
- CFC-free with 60mm super thickness.
- Three layers of gray-coated shelves per door as standard.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.



GN650TN-MN

Ventilated system


Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN650TN-MN	740*830*2010	650	2~+8	Cubigel	touch screen	R290	40
GN650TNG-MN	740*830*2010	650	2~+8	Cubigel	touch screen	R290	40
GN650BT-MN	740*830*2010	650	-18~-22	Cubigel	touch screen	R290	40
GN650BTG-MN	740*830*2010	650	-18~-22	Cubigel	touch screen	R290	40

Standard Features:

- Monoblock style refrigerators and freezers.
- Two full-size S/S door cabinet chillers & freezers.
- Stainless steel 201 interior and exterior.
- Revisable, self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- 6 adjustable GN2/1 shelves.
- CFC-free with 60mm super thickness.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.



GN1400TN-MN

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN1400TN-MN	1480*830*2010	1300	2~+8	Cubigel	touch screen	R290	15
GN1400TNG-MN	1480*830*2010	1300	2~+8	Cubigel	touch screen	R290	15
GN1400BT-MN	1480*830*2010	1300	-18~-22	Cubigel	touch screen	R290	15
GN1400BTG-MN	1480*830*2010	1300	-18~-22	Cubigel	touch screen	R290	15

UPRIGHT CABINETS GN650

STANDARD LINE

Standard Features:

- European fashion style refrigerators and freezers.
- AISI304 or 201 stainless steel interior and exterior for high-quality products.
- Reversible doors that close automatically when opening less than 90°.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without tools.
- The digital thermostat of well-known brands Dixell, Carel, Eliwell.
- High-quality compressor: Danfoss, Embraco.
- Well-known brand fans from EBM.
- Compatible with GN2/1 shelves.
- Cooling system with automatic defrost.
- Replaceable door center sill with heating elements.
- CFC-free with 60mm super thickness.
- Three layers of gray-coated shelves per door as standard.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.
- Heating element for door frame.



GN650TN



GN650TNG



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN650TN	740*830*2010	650	2~+8	Secop	Dixell / Carel	R600a	40
GN650TNG	740*830*2010	650	2~+8	Secop	Dixell / Carel	R600a	40
GN650TNM	740*830*2010	650	2~+8	Secop	Dixell / Carel	R600a	40
GN650BT	740*830*2010	650	-18~-22	Secop	Dixell / Carel	R290	40
GN650BTG	740*830*2010	650	-18~-22	Secop	Dixell / Carel	R290	40
GN650BTM	740*830*2010	650	-18~-22	Secop	Dixell / Carel	R290	40



UPRIGHT CABINETS GN1410 SERIES

STANDARD LINE

Standard Features:

- Two full-size S/S door cabinet chillers & freezers.
- Stainless steel interior and exterior.
- Revisable, self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.
- 6 adjustable GN2/1 shelves.
- CFC free foaming.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.
- Heating element for door frame.



GN1410TN



GN1410TNG



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN1410TN	1480*830*2010	1300	2~+8	Secop	Dixell / Carel	R600a	15
GN1410TNG	1480*830*2010	1300	2~+8	Secop	Dixell / Carel	R600a	15
GN1410TNM	1480*830*2010	1300	2~+8	Secop	Dixell / Carel	R600a	15
GN1410BT	1480*830*2010	1300	-18~-22	Secop	Dixell / Carel	R290	15
GN1410BTG	1480*830*2010	1300	-18~-22	Secop	Dixell / Carel	R290	15
GN1410BTM	1480*830*2010	1300	-18~-22	Secop	Dixell / Carel	R290	15



UPRIGHT CABINETS GN600 SERIES

MONOBLOCK LINE

Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Self closing door.
- Reversible door.
- 3 adjustable shelves.

Optional:

- S/S Adjustable feet or casters.
- Touch screen thermostat.
- Heating element for door frame.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GNH600TNV-PT	680*810*2010	530	2~8	Zel	Carel	R600a	42
GNH600BTV-PT	680*810*2010	530	-18~-22	Cubigel	Carel	R290	42
GNH600TNVM-PT	680*810*2010	530	2~8	Zel	Carel	R600a	42
GNH600BTVM-PT	680*810*2010	530	-18~-22	Cubigel	Carel	R290	42
GNH600TNVG-PT	680*790*2010	530	2~8	Zel	Carel	R600a	42
GNH600BTVG-PT	680*790*2010	530	-18~-22	Secop	Carel	R290	42



UPRIGHT CABINETS GN1200 SERIES

MONOBLOCK LINE

Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Self closing door.
- Reversible door.
- 6 adjustable shelves.

Optional:

- S/S Adjustable feet or casters.
- Touch screen thermostat.
- Heating element for door frame.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GNH1200TNV-PT	1340*810*2010	990	2~8	Cubigel	Carel	R290	22
GNH1200BTV-PT	1340*810*2010	990	-18~-22	Cubigel	Carel	R290	22
GNH1200TNVG-PT	1340*790*2010	990	2~8	Cubigel	Carel	R290	22
GNH1200BTVG-PT	1340*790*2010	990	-18~-22	Secop	Carel	R290	22
GNH1200TNVM-PT	1340*810*2010	990	2~8	Cubigel	Carel	R290	22
GNH1200BTVM-PT	1340*810*2010	990	-18~-22	Cubigel	Carel	R290	22

UPRIGHT CABINETS SNACK400 SERIES

STANDARD LINE

Standard Features:

- Stainless steel interior and exterior.
- Full-length stainless steel handle.
- Fan cooling system.
- 3 adjustable shelves.
- 60mm insulation thickness CFC free foaming.
- Digital thermostat.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.
- Heating element for door frame.



SNACK400TN



SNACK400TNM



SNACK400TNG

Static system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SNACK400TN	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400TNG	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400TNM	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SNACK400TNV	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400TNVG	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400TNVM	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400BTV	680*710*2010	429	-18~-22	Embraco	Dixell / Carel	R290	48
SNACK400BTVG	680*710*2010	429	-18~-22	Embraco	Dixell / Carel	R290	48
SNACK400BTVM	680*710*2010	429	-18~-22	Embraco	Dixell / Carel	R290	48

UPRIGHT CABINETS SNACK800 SERIES

STANDARD LINE

Standard Features:

- Stainless steel interior and exterior.
- Full-length stainless steel handle.
- Fan cooling system.
- 6 adjustable shelves.
- 60mm insulation thickness CFC free foaming.
- Digital thermostat.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.
- Heating element for door frame.



SNACK800TN



SNACK800TNM



SNACK800TNG

Static system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SNACK800TN	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800TNG	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800TNM	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SNACK800TNV	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800TNVG	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800TNVM	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800BTV	1340*710*2010	1065	-18~-22	Secop	Dixell / Carel	R290	25
SNACK800BTVG	1340*710*2010	1065	-18~-22	Secop	Dixell / Carel	R290	25
SNACK800BTVM	1340*710*2010	1065	-18~-22	Secop	Dixell / Carel	R290	25



GN COUNTERS

STANDARD LINE

Standard Features:

- Stainless steel interior and exterior.
- Reversible self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3,GN2/3,GN1/2 drawers.
- Interior lighting LED.



SOLID DOOR without backsplash

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2100TN	1360*700*850	282	2~+8	Zel	Carel	R600a	48
GN2100BT	1360*700*850	282	-18~-22	Secop	Carel	R290	48
GN3100TN	1795*700*850	417	2~+8	Zel	Carel	R600a	38
GN3100BT	1795*700*850	417	-18~-22	Secop	Carel	R290	38
GN4100TN	2230*700*850	553	2~+8	Zel	Carel	R600a	32
GN4100BT	2230*700*850	553	-18~-22	Secop	Carel	R290	32



SOLID DOOR with backsplash

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2200TN	1360*700*950	282	2~+8	Zel	Carel	R600a	48
GN2200BT	1360*700*950	282	-18~-22	Secop	Carel	R290	48
GN3200TN	1795*700*950	417	2~+8	Zel	Carel	R600a	38
GN3200BT	1795*700*950	417	-18~-22	Secop	Carel	R290	38
GN4200TN	2230*700*950	553	2~+8	Zel	Carel	R600a	32
GN4200BT	2230*700*950	553	-18~-22	Secop	Carel	R290	32



GLASS DOOR without backsplash

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2100TNG	1360*700*850	282	2~+8	Zel	Carel	R600a	48
GN2100BTG	1360*700*850	282	-18~-22	Secop	Carel	R290	48
GN3100TNG	1795*700*850	417	2~+8	Zel	Carel	R600a	38
GN3100BTG	1795*700*850	417	-18~-22	Secop	Carel	R290	38
GN4100TNG	2230*700*850	553	2~+8	Zel	Carel	R600a	32
GN4100BTG	2230*700*850	553	-18~-22	Secop	Carel	R290	32



GLASS DOOR with backsplash

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2200TNG	1360*700*950	282	2~+8	Zel	Carel	R600a	48
GN2200BTG	1360*700*950	282	-18~-22	Secop	Carel	R290	48
GN3200TNG	1795*700*950	417	2~+8	Zel	Carel	R600a	38
GN3200BTG	1795*700*950	417	-18~-22	Secop	Carel	R290	38
GN4200TNG	2230*700*950	553	2~+8	Zel	Carel	R600a	32
GN4200BTG	2230*700*950	553	-18~-22	Secop	Carel	R290	32



GN COUNTERS

STANDARD LINE

Standard Features:

- Stainless steel interior and exterior.
- Reversible self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3, GN2/3, GN1/2 drawers.
- Interior lighting LED.



1 door + 2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2120TN	1360*700*850	282	2~+8	Zel	Carel	R600a	48



4 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2140TN	1360*700*850	282	2~+8	Zel	Carel	R600a	48



2 doors + 2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN3120TN	1795*700*850	417	2~+8	Zel	Carel	R600a	38



1 door + 4 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN3140TN	1795*700*850	417	2~+8	Zel	Carel	R600a	38



1 door + 4 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN3160TN	1795*700*850	417	2~+8	Zel	Carel	R600a	38



3 doors + 2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN4120TN	2230*700*850	553	2~+8	Zel	Carel	R600a	32



2 doors + 4 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN4140TN	2230*700*950	553	2~+8	Zel	Carel	R600a	32



1 doors + 6 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN4160TN	2230*700*950	553	2~+8	Zel	Carel	R600a	32



8 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN4180TN	2230*700*950	553	2~+8	Zel	Carel	R600a	32



UNDERCOUNTERS

STANDARD LINE



Standard Features:

- Undercounter unit with 650mm height.
- Stainless steel interior and exterior.
- Reversible self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.

BAKERY COUNTERS

STANDARD LINE

Standard Features:

- Two S/S solid door PA refrigerated counter.
- PA bakery counter with 800mm depth.
- Stainless steel interior and exterior.
- Reversible self-closing door.
- Stainless steel full-length handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.
- 2 adjustable shelves.

Optional:

- Adjustable feet or castors.
- Internal LED lighting.
- Lock and key.



Undercounters

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
U-GN2100TN	1360*700*650	214	2~+8	Zel	Carel	R600a	72
U-GN2100BT	1360*700*650	214	-18~-22	Secop	Carel	R600a	72
U-GN3100TN	1795*700*650	317	2~+8	Zel	Carel	R600a	54
U-GN3100BT	1795*700*650	317	-18~-22	Secop	Carel	R600a	54
U-GN4100TN	2230*700*650	420	2~+8	Zel	Carel	R290	48
U-GN4100BT	2230*700*650	420	-18~-22	Secop	Carel	R290	48

Bakery counters

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TN-PT	1500*800*860	310	2~10	ZEL	Dixell	R600a	28
PAH2000TN-PT	2000*800*860	480	2~10	Embraco	Dixell	R600a	28
PAH2500TN-PT	2500*800*860	650	2~10	Embraco	Dixell	R290	16

GN1/1 COUNTERS WITH SINK

STANDARD LINE



Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- **Stainless steel integrated sink. (400*300*200mm)**

Optional:

- Adjustable feet or castors.
- With GN1/3, GN2/3, GN1/2 drawers.
- Interior lighting LED.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2100TN-S	1360*700*860	261	2~8	ZEL	Carel	R600a	66
GN3100TN-S	1795*700*860	403	2~8	ZEL	Carel	R600a	50
GN4100TN-S	2230*700*860	638	2~8	Embraco	Carel	R290	46
GN2100BT-S	1360*700*860	261	-18~-22	Secop	Carel	R290	66
GN3100BT-S	1795*700*860	403	-18~-22	Secop	Carel	R290	50
GN4100BT-S	2230*700*860	638	-18~-22	Secop	Carel	R290	46

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2200TN-S	1360*700*960	261	2~8	ZEL	Carel	R600a	44
GN3200TN-S	1795*700*960	403	2~8	ZEL	Carel	R600a	38
GN4200TN-S	2230*700*960	638	2~8	Embraco	Carel	R290	32
GN2200BT-S	1360*700*960	261	-18~-22	Secop	Carel	R290	44
GN3200BT-S	1795*700*960	403	-18~-22	Secop	Carel	R290	38
GN4200BT-S	2230*700*960	638	-18~-22	Secop	Carel	R290	32



GN COUNTERS

PREMIUM LINE

Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- Self closing door.

Optional:

- Adjustable feet or castors.
- With GN1/3,GN2/3,GN1/2 drawers.
- Interior lighting LED.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN1500TN-PT	1500*700*850	196	2~8	ZEL	Honker HK-60	R600a	44
GN2000TN-PT	2000*700*850	294	2~8	ZEL	Honker HK-60	R600a	32
GN2500TN-PT	2500*700*850	421	2~8	Cubigel	Honker HK-60	R290	24
GN1500BT-PT	1500*700*850	196	-18~-22	Cubigel	Honker HK-60	R290	44
GN2000BT-PT	2000*700*850	294	-18~-22	Cubigel	Honker HK-60	R290	32
GN2500BT-PT	2500*700*850	421	-18~-22	Cubigel	Honker HK-60	R290	24

PREPARATION TABLES

CUSTOMIZED LINE






PREPARATION TABLES


MARBLE WORKTOP LINE

Standard Features:


- Compatible GN pans on Prep-top
- Stainless steel exterior and interior
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Curved edge for easy cleaning
- Removable gasket




GN pan size & quantity



PAH1500TNS



PAH2000TNS



PAH2500TNS

Sandwich counter with glass top

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TNS	1500*810*860	310	2~10	Embraco	Carel	R290	28
PAH2000TNS	2000*810*860	480	2~10	Embraco	Carel	R290	28
PAH2500TNS	2500*810*860	650	2~10	Embraco	Carel	R290	16




PREPARATION TABLES

Standard Features:


- Compatible GN pans on Prep-top.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- Reserve a place for the cash register.




GN pan size & quantity



PAH1500TNSQG



PAH2000TNSQG



PAH2500TNSQG

Preparation tables

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TNSQG	1500*800*850	310	2~10	Embraco	Carel	R290	28
PAH2000TNSQG	2000*800*850	480	2~10	Embraco	Carel	R290	28
PAH2500TNSQG	2500*800*850	650	2~10	Embraco	Carel	R290	16




PREPARATION TABLES

Standard Features:


- Compatible GN pans on Prep-top.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- Reserve a place for the cash register.




GN pan size & quantity



PAH1500



PAH2000



PAH2500

Preparation tables(SS top with Gas spring glass cover)

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TNSG	1500*810*860	310	2~10	Embraco	Carel	R290	28
PAH2000TNSG	2000*810*860	480	2~10	Embraco	Carel	R290	28
PAH2500TNSG	2500*810*860	650	2~10	Embraco	Carel	R290	16

Preparation tables (Marble top w/o Gas spring glass cover)

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TNPZ	1500*800*850	310	2~10	Embraco	Carel	R290	28
PAH2000TNPZ	2000*800*850	480	2~10	Embraco	Carel	R290	28
PAH2500TNPZ	2500*800*850	650	2~10	Embraco	Carel	R290	16

SANDWICH COUNTERS

STANDARD LINE

Standard Features:

- Top-mounted coolers with 700 mm and 800 mm depths.
- Compatible GN1/3 pans on Prep-Top.
- Stainless steel interior and exterior.
- Reversible, self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or casters.
- Internal LED lighting.
- Lock and way.
- GN1/4, GN1/6 pans on Pre-top.



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SH2000/700	1360*700*1085	282	2~+8	Zel	Carel	R600a	48
SH2000/800	1510*800*1085	390	2~+8	Zel	Carel	R600a	30



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SH3000/700	1795*700*1085	417	2~+8	Zel	Carel	R290	38
SH3000/800	2020*800*1085	580	2~+8	Zel	Carel	R290	28

PIZZA COUNTERS

STANDARD LINE

Standard Features:

- Pizza counter with VRX on the top.
- Marble worktop.
- With 7 sets of multifunctional drawers.
- Stainless steel interior and exterior.
- Reversible self-closing door.
- Continuous stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- Internal LED lighting.
- Lock and key.



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PZ-2600TN	1510*800*1000	390	2~+8	Zel	Carel	R600a	30
VRX-1500/380	1500*395*435	GN1/3 * 5 + GN1/2*1	0~+10	Zel	Carel	R600a	261



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PZ-1610TN	1510*800*1000	390	2~+8	Zel	Carel	R600a	30
VRX-1500/380	1500*395*435	GN1/3*5 + GN1/2*1	0~+10	Zel	Carel	R600a	261



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PZ-3600TN	2020*800*1000	580	2~+8	Secop	Carel	R290	28
VRX-2000/380	2000*395*435	GN1/3*9	0~+10	Zel	Carel	R600a	196



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PZ-2610TN	2025*800*1000	580	2~+8	Secop	Carel	R290	28
VRX-2000/380	2000*395*435	GN1/3*9	0~+10	Zel	Carel	R600a	196

BLAST CHILLER

STANDARD LINE

Standard Features:

- Compatible for 3GN trays , 5 GN trays, 10 GN trays and 15 GN trays.
- Stainless steel exterior and interior.
- Enlarged evaporator with fan-cooling.
- Curved edge for easy cleaning.
- Removable gasket.



Blastchiller

Model no	Dimensions (mm)	Net capacity (L)	Temperature(°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BLASTH-3A	800*825*880	88	-35~0	R290	Dixell/ Honker	R290	52
BLASTH-5A	800*825*980	118	-35~0	R290	Dixell/ Honker	R290	52
BLASTH-10A	800*825*1445	218	-35~0	R290	Dixell/ Honker	R290	26
BLASTH-15A	800*825*1795	318	-35~0	R290	Dixell/ Honker	R290	26

SALADETTE



Standard Features:

- European standard Saladette.
- AISI304 stainless steel interior and exterior.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without tools.
- Digital thermostat of famous Italian brand Dixell, Carel.
- High quality famous compressor: Embraco, Zanussi.
- Compatible for GN1/1 pans and GN1/6 pans.
- Fan cooling system.
- CFC free foaming.

Optional:

- Ventilated cooling system/glass doors/SS201 material.
- Adjustable feet or small swivel casters.



S-450



S-900



S-903

Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-450	450*700*850	108	0~+10	Zel	Carel	R600a	150
S-900	900*700*850	240	0~+10	Zel	Carel	R600a	72
S-903	1365*700*850	368	0~+10	Zel	Carel	R290	48

Standard Features:

- Saladette with stainless steel tabletop.
- Inside and outside are made of stainless steel AISI304.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without the use of tools.
- The digital thermostat of the famous Italian brand Dixell, Carel.
- High-quality famous compressor: Embraco, Zanussi.
- GN1/1 shelves+GN1/2 drawer.
- Fan-assisted cooling system.
- CFC free foaming.

Optional:

- Ventilated cooling system/glass doors/SS201 material.
- Adjustable feet or small casters.



S-901



S-901 2D



S-901 4D

Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-901	900*700*850	240	0~+10	Zel	Carel	R600a	72
S-901 2D	900*700*850	230	0~+10	Zel	Carel	R600a	72
S-901 4D	900*700*850	220	0~+10	Zel	Carel	R600a	72

SALADETTE



Standard Features:

- Saladette with solid door and granite top.
- Refrigerated topping well for GN1/6 pans.
- Interior and exterior in AISI304 stainless steel.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without tools.
- Digital thermostat of the famous Italian brand Dixell, Carel, Eliwell.
- High quality famous compressor: Embraco, Zanussi 2*GN1/1 shelves.
- Fan assisted cooling system.

Optional:

- Ventilated cooling system/glass doors/SS201 material/R290 new refrigerant.



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PS-900	900*700*1075	240	0~+10	Zel	carel	R600a	72



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PS-903	1365*700*1075	402	0~+10	Secop	Carel	R600a	48



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PS-200	900*700*970	240	0~+10	Zel	Carel	R600a	72



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PS-300	1365*700*970	392	0~+10	Zel	Carel	R600a	48



SALADETTE



Standard Features:

- Saladette with three solid doors and square glass cover.
- Suitable for 4*GN1/1 pans.
- Interior and exterior made of AISI304 stainless steel.
- Rounded inner edges for easy handling.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without the use of tools.
- Digital thermostat Italian famous brand.
- High-quality famous compressor: Embraco, Zanussi.
- Fan-assisted cooling system.

Optional:

- Ventilated cooling system.
- Glass doors/SS201 material.
- R290 new refrigerant.



Standard Features:

- Saladette with three solid stainless steel doors and granite top.
- The Interior and exterior are made of stainless steel AISI304.
- Inner box curved edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without tools.
- Digital thermostat: Carel, Eliwell.
- High-quality famous compressor: Embraco, Zanussi.
- Fan-assisted cooling system.
- CFC-free foaming.
- Adjustable feet or small casters.

Optional:

- Ventilated cooling system.
- Glass doors/SS201 material.
- R290 new refrigerant.



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-900CG	900*700*850	240	0~+10	Zel	Carel	R600a	72
S-903CG	1365*700*850	368	0~+10	Secop	Carel	R290	48



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-900SQ	900*700*850	240	0~+10	Zel	Carel	R600a	72
S-903SQ	1365*700*850	368	0~+10	Secop	Carel	R290	48



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-903PZ	1400*700*1020	368	0~+10	Secop	Carel	R600a	48
VRX-1400/330	1400*335*435	GN1/4*6	0~+10	Zel	Carel	R600a	343



SALADETTE



Standard Features:

- Saladette with three solid doors and stainless steel tabletop.
- Inside and outside made of stainless steel AISI304.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without tools.
- Digital thermostat : Dixell, Carel, Eliwell.
- High-quality famous compressor: Embraco, Zanussi.
- Fan-assisted cooling system.

Optional:

- Ventilated cooling system.
- Glass doors/SS201 material.
- R290 new refrigerant.



S-903 S/S TOP



S-903-6D





Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-903 S/S TOP	1365*700*850	368	0~+10	Secop	Carel	R290	48
S-903-6D	1365*700*850	368	0~+10	Secop	Carel	R290	48





REFRIGERATED TOPPING UNITS



Standard Features:


- Top glass cover.
- Interior and exterior stainless steel AISI304 material for high level product.
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell.
- High quality famous compressor: Embraco, Zanussi.
- Accept GN1/4 pans for 30 range and GN1/3 pans for 380 range.
- CFC free foaming.
- R134a/R600a.
- Adjustable feet.

Optional:

- Top stainless steel cover/SS201 material.


Static System

Model no	VRX-1200/330	VRX-1400/330	VRX-1500/330	VRX-1600/330	VRX-1800/330	VRX-2000/330
Dimensions (mm)	1200*335*435	1400*335*435	1500*335*435	1600*335*435	1800*335*435	2000*335*435
Net capacity(L)	GN1/4*5	GN1/4*6	GN1/4*7	GN1/4*8	GN1/4*9	GN1/4*10
Temperature (°C)	0~+10	0~+10	0~+10	0~+10	0~+10	0~+10
Compressor	ZEL	ZEL	ZEL	ZEL	ZEL	ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R600a	R600a	R600a	R600a	R600a	R600a
40 ' loading quantity	386	336	310	294	260	242




Static System

Model no	VRX-1200/380	VRX-1400/380	VRX-1500/380	VRX-1600/380	VRX-1800/380	VRX-2000/380
Dimensions (mm)	1200*395*435	1400*395*435	1500*395*435	1600*395*435	1800*395*435	1800*395*435
Net capacity(L)	GN1/3*3+GN1/2*1	GN1/3*4+GN1/2*1	GN1/3*5+GN1/2*1	GN1/3*7	GN1/3*8	GN1/3*8
Temperature (°C)	0~+10	0~+10	0~+10	0~+10	0~+10	0~+10
Compressor	ZEL	ZEL	ZEL	ZEL	ZEL	ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R600a	R600a	R600a	R600a	R600a	R600a
40 ' loading quantity	323	280	261	247	218	218





REFRIGERATED TOPPING UNITS



Standard Features:


- Top stainless steel cover.
- Interior and exterior stainless steel AISI304 material for high level product.
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell.
- High quality famous compressor: Embraco, Zanussi.
- Accept GN1/4 pans for 30 range and GN1/3 pans for 380 range.
- CFC free foaming.
- R134a/R600a.
- Adjustable feet.

Optional:

- SS201 material/R290 new refrigerant.


Static System

Model no	VRX-1200/330S	VRX-1400/330S	VRX-1500/330S	VRX-1600/330S	VRX-1800/330S	VRX-2000/330S
Dimensions (mm)	1200*335*281	1400*335*281	1500*335*281	1600*335*281	1800*335*281	2000*335*281
Net capacity(L)	GN1/4*5	GN1/4*6	GN1/4*7	GN1/4*8	GN1/4*9	GN1/4*10
Temperature (°C)	0~+10	0~+10	0~+10	0~+10	0~+10	0~+10
Compressor	ZEL	ZEL	ZEL	ZEL	ZEL	ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R600a	R600a	R600a	R600a	R600a	R600a
40 ' loading quantity	386	336	310	294	260	242



Static System

Model no	VRX-1200/380S	VRX-1400/380S	VRX-1500/380S	VRX-1600/380S	VRX-1800/380S	VRX-2000/380S
Dimensions (mm)	1200*395*281	1400*395*281	1500*395*281	1600*395*281	1800*395*281	2000*395*281
Net capacity(L)	GN1/3*3+GN1/2*1	GN1/3*4+GN1/2*1	GN1/3*5+GN1/2*1	GN1/3*7	GN1/4*8	GN1/4*9
Temperature (°C)	0~+10	0~+10	0~+10	0~+10	0~+10	0~+10
Compressor	ZEL	ZEL	ZEL	ZEL	ZEL	ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R600a	R600a	R600a	R600a	R600a	R600a
40 ' loading quantity	323	280	261	247	218	196



REACH-IN REFRIGERATOR

SOLID DOOR

Standard Features:


- Internal LED light.
- Stainless steel exterior & interior.
- Inner box curved edges for easy cleaning.
- Door lock and key standard for all refrigerators.
- Magnetic door gasket(s) standard for positive door seal.
- Reversible and automatically self close door when less than 90°open.
- Refrigerator climate class : N.
- Door handle can be customized with recessed door handles.
- Ventilated system, down duct refrigeration to ensure even distribution of air.
- Embraco compressor units with environmentally friendly R290 refrigerant.
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell.

Optional:


- Extra shelves: includes 4 shelf clips per shelf.
- Middle shelf.
- Adjustable feet.




GD-27R



Front view



Door open size




Side view

Reach-in Refrigerator with 1 Solid door


Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-27R	686*821*2117 mm 27*32*83 inch	595 21	2~8°C 35~46°F	Huayi	Carel	R290	39
GD-27F	686*821*2117mm 54*32*83 inch	595 21	-18~-22°C 0~-8°F	Huayi	Carel	R290	39



GD-54R




Front view




Door open size



GD-81R



Front view



Side view

Reach-in Refrigerator with 2 Solid doors

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-54R	1375*821*2117 mm 54*32*83 inch	1300 45.9	2~8°C 35~46°F	Huayi	Carel	R290	21
GD-54F	1375*821*2117 mm 54*32*83 inch	1300 45.9	-18~-22°C 0~-8°F	Huayi	Carel	R290	21

Reach-in Refrigerator with 3 Solid doors

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-81R	2062*821*2117 mm 81*32*83 inch	2025 71.5	2~8°C 35~46°F	Huayi	Carel	R290	13
GD-81F	2062*821*2117 mm 81*32*83 inch	2025 71.5	-18~-22°C 0~-8°F	Huayi	Carel	R290	13

REACH-IN REFRIGERATOR


GLASS DOOR

Standard Features:

- Internal LED light.
- Stainless steel exterior & interior.
- Inner box curved edges for easy cleaning.
- Door lock and key standard for all refrigerators.
- Magnetic door gasket(s) standard for positive door seal.
- Automatically self close door when less than 90° open.
- Refrigerator climate class : N.
- Door handled can be customized.
- Ventilated system, down duct refrigeration to ensure even distribution of air.
- Embraco compressor units with environmentally friendly R290 refrigerant.
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell.

Optional:


- Extra shelves: includes 4 shelf clips per shelf.
- Middle shelf.
- Adjustable feet.



Door open size



GD-27RG



Front view




Side view

Reach-in Refrigerator with 1 Glass door

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-27RG	686*850*2117 mm 27*33*83 inch	595 21	2~8°C 35~46°F	Huayi	Carel	R290	39
GD-27FG	686*850*2117 mm 27*33*83 inch	595 21	-18~-22°C 0~-8°F	Huayi	Carel	R290	39



GD-54RG




Front view



Side view



GD-81RG



Front view



Side view

Reach-in Refrigerator with 2 Glass doors

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-54RG	1375*850*2117 mm 54*33*83 inch	1300 45.9	2~8°C 35~46°F	Huayi	Carel	R290	21
GD-54FG	1375*850*2117 mm 54*33*83 inch	1300 45.9	-18~-22°C 0~-8°F	Embraco	Carel	R290	21

Reach-in Refrigerator with 3 Glass doors

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-81RG	2062*850*2117 mm 81*33*83 inch	2025 71.5	2~8°C 35~46°F	Huayi	Carel	R290	13
GD-81FG	2062*850*2117 mm 81*33*83 inch	2025 71.5	-18~-22°C 0~-8°F	Embraco	Carel	R290	13



REACH-IN REFRIGERATOR & FREEZER


SOLID DOOR

Standard Features:

- Store frozen and refrigerated products in the same footprint.
- Durable stainless steel construction with foamed-in-place insulation.
- Self-closing, stay open doors with a stepped edge design and locks.
- Solid state digital controller with an LED display and temperature alarms.
- Uses eco-friendly R-290 refrigerant; 115V.

Optional:

- Extra shelves
- Adjustable feet



Reach-in Refrigerator & Freezer

Model no	Dimensions	Net capacity(L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
STH-27RF	686*821*2117 mm 27*32*83 inch	Chiller 269 19.5 Freezer 269 19.5	2~8 / -18~-22°C 35~46 / 0~-8°F	Huayi	Carel	R290	39
STH-54RF	1375*821*2117mm 54*32*83 inch	Chiller 594 21 Freezer 594 21	2~8 / -18~-22°C 35~46 / 0~-8°F	Huayi	Carel	R290	21
STH-81RRF	2062*821*2117mm 81*32*83 inch	Chiller 1293 45.7 Frzzer 594 21	2~8 / -18~-22°C 35~46 / 0~-8°F	Huayi	Carel	R290	13
STH-81RFF	2062*821*2117mm 81*32*83 inch	Chiller 594 21 Frzzer 1293 45.7	2~8 / -18~-22°C 35~46 / 0~-8°F	Huayi	Carel	R290	13



UNDER COUNTER

SOLID DOOR

Standard Features:

- Stainless steel interior and exterior, Floors and rounded cabinet corners for easy cleaning.
- Door lock and key standard for all refrigerators , door handle can be customized.
- Includes 1 adjustable and removable wire shelf per section,heavy duty shelves.
- Digital temperature controls with LED display for precise adjustment and automatic defrosting system.
- Reversible doors and automatically self close when less than 90°open.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools.
- Ventilated system, down duct refrigeration to ensure even distribution of air.
- Embraco compressor units with environmentally friendly R290 refrigerant.



1 door Under Counter (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-29BR	735*805*970 mm 29*32*38 inch	230 8.1	2~8℃ 35~46°F	Huayi	Carel	R290	60
TUC-29BF	735*805*970 mm 29*32*38 inch	230 8.1	-18~-22℃ 0~8°F	Huayi	Carel	R290	60

1 door Under Counter (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-29BRT-S	735*610*970 mm 29*24*38 inch	158 5.6	2~8℃ 35~46°F	Huayi	Carel	R290	98
TUC-29BFT-S	735*610*970 mm 29*24*38 inch	158 5.6	-18~-22℃ 0~8°F	Huayi	Carel	R290	98



2 door Under Counter (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-48BR	1230*805*970 mm 48*32*38 inch	417 14.3	2~8℃ 35~46°F	Huayi	Carel	R290	44
TUC-48BF	1230*805*970 mm 48*32*38 inch	417 14.3	-18~-22℃ 0~8°F	Huayi	Carel	R290	44

2 door Under Counter (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-48BRT-S	1230*610*970 mm 48*24*38 inch	287 10.1	2~8℃ 35~46°F	Huayi	Carel	R290	54
TUC-48BFT-S	1230*610*970 mm 48*24*38 inch	287 10.1	-18~-22℃ 0~8°F	Huayi	Carel	R290	54



2 door Under Counter (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-60BR	1555*805*970 mm 61*32*38 inch	540 19.1	2~8℃ 35~46°F	Huayi	Carel	R290	28
TUC-60BF	1555*805*970 mm 61*32*38 inch	540 19.1	-18~-22℃ 0~8°F	Huayi	Carel	R290	28

2door Under Counter (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-60BRT-S	1555*610*970 mm 61*24*38 inch	372 13.1	2~8℃ 35~46°F	Huayi	Carel	R290	48
TUC-60BFT-S	1555*610*970 mm 61*24*38 inch	372 13.1	-18~-22℃ 0~8°F	Huayi	Carel	R290	48



3 door Under Counter (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-72BR	1827*805*970 mm 72*32*38 inch	642 22.7	2~8℃ 35~46°F	Huayi	Carel	R290	24
TUC-72BF	1827*805*970 mm 72*32*38 inch	642 22.7	-18~-22℃ 0~8°F	Huayi	Carel	R290	24

3 door Under Counter (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-72BRT-S	1827*610*970 mm 72*24*38 inch	442 15.6	2~8℃ 35~46°F	Huayi	Carel	R290	36
TUC-72BFT-S	1827*610*970 mm 72*24*38 inch	442 15.6	-18~-22℃ 0~8°F	Huayi	Carel	R290	36



PIZZA PREP TABLE


SOLID DOOR

Standard Features:


- American fashionable style Pizza table.
- Stainless steel interior and exterior.
- Reversible doors and automatically self close when less than 90° open.
- Inner box curved edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools.
- Door lock and key standard for all refrigerators , door handle can be customized.
- Digital thermostat Italian famous brand Dixell,Carel,Eliwell.
- High quality famous compressor: Embraco.

Optional:


- Fans: Germany Well-known brand EBM fans.
- Automatic defrost cooling system.
- Adjustable stainless steel feet or lockable casters.




Front view



Side view







Back view







Top view

TPP-47



TPP-67



TPP-94

Pizza Prep Table

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TPP-47	1205*880*1068 mm 48*35*42 inch	310 11	2~8℃ 35~46°F	Huayi	Carel	R290	42
TPP-67	1800*880*1068 mm 70*35*42 inch	592 20.9	2~8℃ 35~46°F	Huayi	Carel	R290	24
TPP-94	2395*880*1068 mm 94*35*42 inch	874 30.9	2~8℃ 35~46°F	Huayi	Carel	R290	16



SALAD PREP TABLE


SOLID DOOR

Standard Features:

- American fashionable style Saladette.
- Stainless steel interior and exterior.
- Automatically self close door when less than 90° open.
- Inner box curved edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without use of tools.
- Door lock and key standard for all refrigerators, door handle can be customized.
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell.
- High quality famous compressor: Embraco.

Optional:

- Fans: Germany Well-known brand EBM fans.
- Automatic defrost cooling system.
- Adjustable stainless steel feet or lockable casters.



1 door Salad Prep Table (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-29	735*805*1152 mm 29*32*45 inch	230 18.1	2~8℃ 35~46°F	Huayi	Carel	R290	60

1 door Salad Prep Table (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-29T-S	735*740*1152 mm 29*29*45 inch	158 5.6	2~8℃ 35~46°F	Huayi	Carel	R290	98




2 doors Salad Prep Table (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-48	1230*805*1152 mm 48*32*45 inch	417 14.7	2~8℃ 35~46°F	Huayi	Carel	R290	44

2 door Salad Prep Table (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-48T-S	1230*740*1152 mm 48*29*45 inch	287 10.1	2~8℃ 35~46°F	Huayi	Carel	R290	54




2 door Salad Prep Table (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-60	1555*805*1152 mm 61*32*45 inch	540 19.1	2~8℃ 35~46°F	Huayi	Carel	R290	28

2 door Salad Prep Table (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-60T-S	155*740*1152 mm 61*29*45 inch	372 13.1	2~8℃ 35~46°F	Huayi	Carel	R290	48



3 doors Salad Prep Table (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-72	1827*805*1152 mm 72*32*45 inch	642 22.7	2~8℃ 35~46°F	Huayi	Carel	R290	24

3 door Salad Prep Table (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-72T-S	1827*740*1152 mm 72*29*45 inch	442 15.6	2~8℃ 35~46°F	Huayi	Carel	R290	36




MEGA TOP SALAD PREP TABLE






Standard Features:




- Stainless steel exterior & interior.
- Dixell / Carel digital controller.
- 10" cutting board.
- Automatically self close door when less than 90° open.
- Magnetic door gaskets standard for door seal.
- One pre-installed shelf per section.






TSSU-29MT





TSSU-40MT



TSSU-60MT



TSSU-72MT



Mega Top Salad Prep Table

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-29MT	735*930*1152 mm 29*37*45 inch	230 8.1	2~8°C 35~46°F	Huayi	Carel	R290	60
TSSU-48MT	1230*930*1152 mm 48*37*45 inch	417 14.7	2~8°C 35~46°F	Huayi	Carel	R290	44
TSSU-60MT	1555*930*1152 mm 61*37*45 inch	540 19	2~8°C 35~46°F	Huayi	Carel	R290	28
TSSU-72MT	1827*930*1152 mm 72*37*45 inch	642 22.7	2~8°C 35~46°F	Huayi	Carel	R290	24

REFRIGERATED CHEF BASES






Standard Features:

- Stainless steel exterior and interior.
- Carel digital controller.
- Embraco compressor.
- Environmentally friendly refrigerant R290.
- Heavy duty stainless steel drawer slides and rollers.
- Magnetic drawer gaskets.
- Recessed door handles.
- Pre-installed casters.
- Gravity fed self closing drawers.
- Step design on the counter-top.

Optional:

- Stainless steel pan or PC pan.



Chef Base Chiller

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
CB36TN	920*820*685 mm 36.2*32.3*27.2 inch	72 2.5	0~5°C 32~41°F	Huayi	Carel	R290	52
CB52TN	1340*820*685 mm 52.8*32.3*27.2 inch	131 4.6	0~5°C 32~41°F	Huayi	Carel	R290	32
CB72TN	1835*820*685 mm 72.2*32.3*27.2 inch	178 6.3	0~5°C 32~41°F	Huayi	Carel	R290	26

Chef Base Freezer

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
CB36BT	1005*820*690 mm 39.6*32.3*27.2 inch	72 2.5	-20~-16°C -4~-3.2°F	Huayi	Carel	R290	52
CB52BT	1425*820*690 mm 56.1*32.3*27.2 inch	131 4.6	-20~-16°C -4~-3.2°F	Huayi	Carel	R290	32
CB72BT	1920*820*690 mm 75.6*32.3*27.2 inch	178 6.3	-20~-16°C -4~-3.2°F	Huayi	Carel	R290	26

REFRIGERATED TOPPING UNIT



Standard Features:

- Exterior and interior material: stainless steel.
- Zanussi high quality compressor.
- Suitable for GN 1/6 pans.
- CFC free foaming.
- Environmental refrigerant R600a.



Refrigerated topping unit

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant
RTR-4	380*654*231 mm 15*26*9 inch	4* GN1/6	1~10°C 32~41°F	ZEL	ROBERTSHAW	R600a
RTR-8	698*654*231 mm 27*26*9 inch	8* GN1/6	1~10°C 32~41°F	ZEL	ROBERTSHAW	R600a

