





COTTURA 
• FRÍGIDO •

CATALOG



2025



Abs REFRIGERATION





ABS LINE UPRIGHT CHILLER/FREEZER

Standard Features:

- European standard ABS inside upright chiller and freezer.
- Digital thermostat.
- Revisable self-closing door.
- Shelves with narrow distance between wires for better goods stability.
- With Interior light.

Optional:

- White and stainless steel form.
- Glass and solid door.



CHILLER

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Shelves	Shelf size (mm)	Coolant	40"loading Quantity
R200	600*635*835	99	0~8	2+1	U: 496*410 B: 496*270	R600a	162
R200 SS	600*635*835	99	0~8	2+1	U: 496*410 B: 496*270	R600a	162
R400	600*639*1875	267	0~8	4+1	U: 496*410 B: 496*210	R600a	57
R400 SS	600*639*1875	267	0~8	4+1	U: 496*410 B: 496*210	R600a	57
R600	775*744*1900	473	0~8	4+1	U: 668*525 B: 668*210	R600a	42
R600 SS	775*744*1900	473	0~8	4+1	U: 668*525 B: 668*210	R600a	42

DISPLAY COOLER

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Shelves	Shelf size (mm)	Coolant	40"loading Quantity
R200G	600*673*835	99	0~8	2+1	U: 496*410 B: 496*270	R600a	162
R200G SS	600*673*835	99	0~8	2+1	U: 496*410 B: 496*270	R600a	162
R400G	600*677*1875	267	0~8	4+1	U: 496*410 B: 496*210	R600a	57
R400G SS	600*677*1875	267	0~8	4+1	U: 496*410 B: 496*210	R600a	57
R600G	775*782*1900	473	0~8	4+1	U: 668*525 B: 668*210	R600a	42
R600G SS	775*782*1900	473	0~8	4+1	U: 668*525 B: 668*210	R600a	42

STATIC FREEZER

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Shelves	Shelf size (mm)	Coolant	40"loading Quantity
F200	600*635*835	97	-23~-18	2	425*412	R600a	162
F200 SS	600*635*835	97	-23~-18	2	425*412	R600a	162
F200G	600*673*835	97	-23~-18	2	425*412	R290	162
F200G SS	600*673*835	97	-23~-18	2	425*412	R290	162
F400	600*639*1875	249	-23~-18	6	425*412	R290	57
F400 SS	600*639*1875	249	-23~-18	6	425*412	R290	57
F600	775*744*1900	411	-23~-18	6	588*496	R290	42
F600 SS	775*744*1900	411	-23~-18	6	588*496	R290	42



SR/SF LINE UPRIGHT CHILLER/FREEZER



Standard Features:

- European standard white prepainted solid door upright chiller and freezer.
- Digital thermostat.
- Revisable self-closing door.
- Shelves with narrow distance between wires for better goods stability.
- 7 layer of evaporator as shelves for freezer.
- With Interior light.

Optional:

- White and stainless steel form.
- Glass and solid door.



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SR20VDG	600*620*900	147	2~8	Jiaxipera	Honker	R600a	114
SR20V-2D	595*615*870	128	2~8	Jiaxipera	Honker	R600a	114

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SR20	595*653*870	170	0~+8	ZEL	Carel	R600a	108
SR20G	595*653*870	170	0~+8	ZEL	Carel	R600a	108
SR20S	595*653*870	170	0~+8	ZEL	Carel	R600a	108
SR20GS	595*653*870	170	0~+8	ZEL	Carel	R600a	108
SF20	595*653*870	170	-18~-22	ZEL	Carel	R600a	108
SF20G	595*653*870	170	-18~-22	ZEL	Carel	R600a	108
SF20S	595*653*870	170	-18~-22	ZEL	Carel	R600a	108

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SR40	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40G	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40S	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40GS	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40V	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40VG	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40VS	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40VGS	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SF40V	595*653*1840	380	-18~-22	ZEL	Carel	R290	54
SF40VG	595*653*1840	380	-18~-22	ZEL	Carel	R290	54
SF40VS	595*653*1840	380	-18~-22	ZEL	Carel	R290	54
SF40VGS	595*653*1840	380	-18~-22	ZEL	Carel	R290	54

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SR60	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60G	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60S	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60GS	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60V	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60VG	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60VS	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60VGS	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SF60V	775*723*1840	590	-18~-22	HUAYI	Carel	R290	42
SF60VS	775*723*1840	590	-18~-22	HUAYI	Carel	R290	42
SF60VG	775*723*1840	590	-18~-22	HUAYI	Carel	R290	42
SF60VGS	775*723*1840	590	-18~-22	HUAYI	Carel	R290	42

MEAT AGER



STEAK AGER

Standard Features:



Stainless steel shelf with LED light
Stronger and big capacity




Accurate temperature control



Elegant door handle with touch screen



Food grade material



Accurate humidification system



Glass door selection



GD-60SA

GD-120SA

GD-180SA

GD-300SA

Meat Ager

Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Humidity Range	N.W/G.W (kg)	40HQ load capacity
GD-40SA	485*600*820	535*680*885	88	1~25	60-85%	37/42	219
GD-46SA	595*570*820	660*655*885	98	1~25	60-85%	44/47	162
GD-60SA	605*600*870	655*680*920	107	1~25	60-85%	45/48	108
GD-120SA	595*710*1270	645*780*1440	233	1~25	60-85%	71/75	54
GD-180SA	595*710*1720	645*780*1890	352	1~25	60-85%	92/97	54
GD-300SA	750*720*2015	795*805*2175	620	1~25	60-85%	123/141	42

WINE COOLER



LED touch pad control



Wooden shelf



Wine cooler							
Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Shelf.No	Bottle Capacity	40HQ load capacity
GD-32RS	485*499*827	610*620*885	90	5~20	5	30	171
GD-32RDT	485*499*827	610*620*885	85	5~20	4	26	171
GD-42S	485*640*827	605*760*885	125	5~20	5	46	171

WINE COOLER



GD-60SA GD-120SA GD-180SA GD-300SA

Wine cooler							
Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Shelf.No	Bottle Capacity	40HQ load capacity
GD-55RS	528*481*1446	580*570*1495	173	5~20	10	60	108
GD-55RDT	528*481*1446	580*570*1495	170	5~20	9	60	108

Wine cooler							
Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Shelf.No	Bottle Capacity	40HQ load capacity
GD-70RS	528*481*1596	580*570*1645	194	5~20	12	70	108
GD-70RDT	528*481*1596	580*570*1645	190	5~20	11	70	108

Wine cooler							
Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Shelf.No	Bottle Capacity	40HQ load capacity
GD-172-2D	939*541*1821	1060*665*2020	490	5~20	32	172	34

DRINKS





HEATPIPE MINIBAR



Standard Features:

- Advance peltier cooling.
- Work with heat pipe.
- Interior led light, shelves and door racks.

Optional:

- Different color.
- Lock and key.



Model no	Dimensions (mm)	Temp.(°C)	Capacity (L)	Noise (db)	N/W	40"loading Quantity
HP-28A	475*385*390	6~12	28	0	10.1	652
HP-30A	475*385*455	6~12	30	0	10.8	626
HP-40A	560*400*425	6~12	40	0	12.5	508

Glass door

Standard Features:

- Advance peltier cooling.
- Work with heat pipe.
- Interior led light, shelves and door racks.

Optional:

- Different color.
- Lock and key.



Model no	Dimensions (mm)	Temp.(°C)	Capacity (L)	Noise (db)	N/W	40"loading Quantity
HP-28BM	475*385*390	6~12	28	0	10.1	652
HP-30BM	475*385*455	6~12	30	0	10.8	626
HP-40BM	560*400*425	6~12	40	0	12.5	508

ABSORPTION MINIBAR



Standard Features:

- Super silent operation.
- Auto defrost.
- LED lamp.
- Adjustable shelves.

Optional:

- Different color.
- Lock and key.
- Reversible door.



Model no	Dimensions (mm)	Temp.(°C)	Capacity (L)	Noise (db)	N/W	40"loading Quantity
AB-30	402*420*500	3~12	30	0	13.5	600
AB-40	402*455*560	3~12	40	0	15.5	484
AB-50	402*455*670	3~12	50	0	17.5	438

Glass door

Standard Features:

- Advance peltier cooling.
- Work with heat pipe.
- Interior led light, shelves and door racks.

Optional:

- Different color.
- Lock and key.



Model no	Dimensions (mm)	Temp.(°C)	Capacity (L)	Noise (db)	N/W	40"loading Quantity
AB-30TE	402*420*500	4~12	30	0	14.5	600
AB-40TE	402*455*560	4~12	40	0	15.5	484
AB-50TE	402*455*670	4~12	50	0	16.5	438



BACKBAR WITH HINGED DOOR



Standard Features:

- Automatic self-closing hinged door.
- Double layers tempered glass.
- Removable digital thermostat.
- 2 adjustable shelves per door.
- Interior LED light.
- Fan assisted cooling.
- Replaceable door gasket.
- Lock and key.



Hinged door with 84mm Height

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BBS-128H	600*520*840	128	0~+8	ZEL	Carel	R600a	216
BBD-198H	900*520*840	198	0~+8	ZEL	Carel	R600a	144
BBT-320H	1350*520*840	320	0~+8	ZEL	Carel	R600a	99

Hinged door with 90mm Height

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BBS-130H	600*520*900	138	0~+8	ZEL	Carel	R600a	144
BBD-230H	900*520*900	208	0~+8	ZEL	Carel	R600a	96
BBT-350H	1350*520*900	330	0~+8	ZEL	Carel	R600a	66

BACKBAR WITH SLINDING DOOR



Standard Features:

- Automatic self-closing sliding door.
- Double layers tempered glass.
- Removable digital thermostat.
- 2 adjustable shelves per door.
- Interior LED light.
- Fan assisted cooling.
- Replaceable door gasket.
- Lock and key.




Sliding door with 84mm Height

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BBD-198S	900*520*840	198	0~+8	ZEL	Carel	R600a	144
BBT-320S	1350*520*840	320	0~+8	ZEL	Carel	R600a	99

Hinged door with 90mm Height

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BBD-230S	900*520*900	208	0~+8	ZEL	Carel	R600a	96
BBT-350S	1350*520*900	330	0~+8	ZEL	Carel	R600a	66





BACKBAR COUNTER

Standard Features:

- Exterior material : Black powder painted steel.
- Interior material of cabinet :Embossed aluminium.
- Interior material of drawer: SUS 201.
- Reversible self-closing door.
- Copper tube and aluminum finned evaporator.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3,GN2/3,GN1/2 drawers.
- Interior lighting LED.



2 doors

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC210	1465*520*840	280	2~+8	Embraco	Carel	R290	54



1 door + 2 * GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC220	1465*520*840	280	2~+8	Embraco	Carel	R290	54



4 * GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC240	1465*520*840	280	2~+8	Embraco	Carel	R290	54



Standard Features:

- Exterior material : Black powder painted steel.
- Interior material of cabinet :Embossed aluminium.
- Interior material of drawer: SUS 201.
- Reversible self-closing door.
- Copper tube and aluminum finned evaporator.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3,GN2/3,GN1/2 drawers.
- Interior lighting LED.



3 doors

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC310	2005*520*840	425	2~+8	Embraco	Carel	R290	43



2 doors + 2 * GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC320	2005*520*840	425	2~+8	Embraco	Carel	R290	43



1 door + 2 * GN1/2 drawers + 3*GN1/3 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC350	2005*520*840	425	2~+8	Embraco	Carel	R290	43



6 * GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC360	2005*520*840	425	2~+8	Embraco	Carel	R290	43






BACKBAR COUNTER

Standard Features:

- Exterior material : Black powder painted steel.
- Interior material of cabinet :Embossed aluminium.
- Interior material of drawer: SUS 201.
- Reversible self-closing door.
- Copper tube and aluminum finned evaporator.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3,GN2/3,GN1/2 drawers.
- Interior lighting LED.



4 doors

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC410	2545*520*840	600	2~+8	Embraco	Carel	R290	34



3 doors + 2* GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC420	2545*520*840	600	2~+8	Embraco	Carel	R290	34



2 doors + 4* GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC440	2545*520*840	600	2~+8	Embraco	Carel	R290	34



1 door + 6* GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC460	2545*520*840	600	2~+8	Embraco	Carel	R290	34



8* GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC480	2545*520*840	600	2~+8	Embraco	Carel	R290	34



BACKBAR COUNTER

GLASS DOOR



Standard Features:

- Exterior material : Black powder painted steel.
- Interior material of cabinet :Embossed aluminium.
- Reversible self-closing door.
- Copper tube and aluminum finned evaporator.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.


Optional:

- Adjustable feet or castors.
- Interior lighting LED.
- Stainless steel shelf.
- Touch screen.



Glass Door

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC210G	1465*520*840	280	2~+8	Embraco	Carel	R290	54
DC310G	2005*520*840	425	2~+8	Embraco	Carel	R290	43
DC410G	2545*520*840	600	2~+8	Embraco	Carel	R290	34



BEVERAGE COOLER

WITH CANOPY

**Standard Features:**

- Exterior black PCM, interior white pre-painted aluminium sheet.
- Vertical interior lighting LED.
- Adjustable wire shelves.
- Door frame in black plastic.
- Door made of double layer tempered glass.
- Temperature controller (1 to 7 °C).
- Lock & Key.

Optional:

- Additional wire shelf available.
- Digital thermostat available.
- Automatic door closing available.
- Condensation fan on bottom available.
- Advertising stickers/serigraphy on light boxes/cabinet sides available.
- Universal wheel with brake available.



LC-150



LC-230

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-150	500*535*1310	124	2~8	3	38/41	166
LC-200	500*535*1650	180	2~8	3	45/49	111
LC-230	550*535*1675	207	2~8	3	50/54	102
LC-260	550*535*1775	226	2~8	3	51/55	101



LC-360



Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-320	600*572*1825	290	2~8	4	61/67	77
LC-360	600*572*1915	310	2~8	4	62/68	76
LC-480	600*572*2040	466	2~8	4	65/73	69

BEVERAGE COOLER

WITHOUT CANOPY

**Standard Features:**

- Exterior black PCM, interior white pre-painted aluminium sheet.
- Vertical interior lighting LED.
- Adjustable wire shelves.
- Door frame in black plastic.
- Door made of double layer tempered glass.
- Temperature controller (1 to 7 °C).
- Lock & Key.

Optional:

- Additional wire shelf available.
- Digital thermostat available.
- Automatic door closing available.
- Condensation fan on bottom available.
- Advertising stickers/serigraphy on light boxes/cabinet sides available.
- Universal wheel with brake available.



LC-150N



LC-230N

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-150N	500*535*1135	124	2~8	3	38/41	168
LC-200N	500*535*1460	180	2~8	3	45/49	140
LC-230N	550*535*1490	207	2~8	3	50/54	105
LC-260N	550*535*1590	226	2~8	3	51/55	104



LC-480N



LC-580N

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-320N	600*572*1640	290	2~8	4	61/67	77
LC-360N	600*572*1730	310	2~8	4	62/68	76
LC-480N	610*724*1845	466	2~8	4	65/73	69
LC-580N	700*730*1890	548	2~8	4	68/76	45



BEVERAGE COOLER

Standard Features:

- Exterior black PCM, interior white pre-painted aluminium sheet.
- Vertical interior lighting LED.
- Adjustable wire shelves.
- Door frame in black plastic.
- Door made of double layer tempered glass.
- Temperature controller (1 to 7 °C).
- Lock & Key.

Optional:

- Additional wire shelf available.
- Digital thermostat available.
- Automatic door closing available.
- Condensation fan on bottom available.
- Advertising stickers/serigraphy on light boxes/cabinet sides available.
- Universal wheel with brake available.



LC-600N



LC-600

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-600NB	972*572*1660	483	2~8	8	80/87	55
LC-600	972*572*1845	483	2~8	8	87/94	54



LC-800



LC-1200

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-800	1050*660*1995	680	2~8	8	120/130	32
LC-1200	1220*720*2040	1090	2~8	8	167/170	27



Standard Features:

- Exterior black PCM, interior white pre-painted aluminium sheet.
- Vertical interior lighting LED.
- Adjustable wire shelves.
- Door frame in black plastic.
- Door made of double layer tempered glass.
- Temperature controller (1 to 7 °C).
- Lock & Key.

Optional:

- Additional wire shelf available.
- Digital thermostat available.
- Automatic door closing available.
- Condensation fan on bottom available.
- Advertising stickers/serigraphy on light boxes/cabinet sides available.
- Universal wheel with brake available.



LC-600

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-360D	600*572*1915	310	2~8	4	66/72	76

COUNTERTOP BEVERAGE COOLER

Standard Features:

- Adjustable wire shelves.
- Ventilation fan inside.
- Temperature controller (1 to 7).
- Elegant LED light box.
- Double layer tempered glass door.
- Consolidating spray painting metal cabinet design.
- Perfect temperature for beer storage (-3~8°C).

Optional:

- Additional wire shelves available.
- Universal wheel with brake available.
- Numerical temperature display available.
- Automatic door closing available.
- Multiple colors available.
- External handle available.
- Lock and key.
- Advertising stickers/serigraphy.



LC-120B



LC-150B



LC-200B

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-120B	500*530*840	95	2~8	2	32/34	218
LC-150B	500*535*1070	124	2~8	3	33/36	168
LC-200B	500*535*1395	180	2~8	3	40/44	146



BEVERAGE COOLER

CLASSIC LINE

Standard Features:

- Self-evaporating water tray.
- LED vertical lighting + canopy LED light.
- Double glass and self-closing door.
- With lock and key.
- With black plastic handle and plastic door frame.
- Interior made of painted aluminium.

Optional:

- Additional wire shelf available.
- Promotional stickers/serigraphy available.
- Universal wheel with brake available.



GD-P160SH



GD-P338SH

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	Package Dimensions (mm)	40HQ load capacity
GD-P160SH	390*475*1880	160	0~10	4	450*530*1950	139
GD-P338SH	578*605*1980	338	0~10	4	624*630*2025	75
GD-P338VH	578*605*1980	338	0~10	4	624*630*2025	75



GD-P1000VS



GD-P1500VH

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	Package Dimensions (mm)	40HQ load capacity
GD-P1000VH	1130*700*2023	1000	0~10	8	1180*750*2100	30
GD-P1000VS	1130*720*2023	1000	0~10	8	1180*770*2100	30
GD-P1500VH	1710*720*2063	1500	0~10	15	1760*770*2140	15

BEVERAGE COOLER FREEZER




Standard Features:

- Material: black pre-coated steel.
- Cooler with two layers of tempered glass.
- Freezer with three layers of tempered glass, coated with heater.
- The ventilated system with high-efficiency compressor.
- Automatic defrost.
- LED lighting.
- Low energy framless doors.
- High impact display area.
- Mobile and versatile.
- Available as a fridge or freezer.

Optional:

- White pre-coated steel.



1 Door | 600mm

Model no	Dimensions (mm)	Capacity (L)	Temp.Range (°C)	Coolant	Shelf.No	Packing Size (mm)	40"loading Quantity
BR60CP	600*760*2000	255	+2 ~ +8	R290	4	670*830*2150	42
BF60CP	600*760*2000	255	-18~-22	R290	4	670*830*2150	42

2 Doors | 1200mm

Model no	Dimensions (mm)	Capacity (L)	Temp.Range (°C)	Coolant	Shelf.No	Packing Size (mm)	40"loading Quantity
BR120CP	1200*760*2000	582	+2 ~ +8	R290	8	1270*830*2150	23
BF120CP	1200*760*2000	582	-18~-22	R290	8	1270*830*2150	23

3 Doors | 1800mm

Model no	Dimensions (mm)	Capacity (L)	Temp.Range (°C)	Coolant	Shelf.No	Packing Size (mm)	40"loading Quantity
BR180CP	1800*760*2000	907	+2 ~ +8	R290	12	1870*830*2150	14
BF180CP	1800*760*2000	907	-18~-22	R290	12	1870*830*2150	14



BEVERAGE COOLER

Standard Features:

- Double layers tempered glass door.
- Cabinet LED light + canopy LED light.
- Self-evaporating water tray.
- 4 casters + 2 adjustable feet at the front.
- Digital controller.
- Self-closing door with lock & key.



Beverage Cooler

Model no	Dimensions	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
LSC-420SFA	600*655*1985	390	1-10°C	Donper	Kerda	R290	71
LSC-720SFA	1100*620*1985	690	1-10°C	Donper	Kerda	R290	41
LSC-1120SFA	1650*620*1985	1070	1-10°C	Donper	Kerda	R290	20

Beverage Cooler

Model no	Dimensions	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SC-571L	750*760*1980	570	1-10°C	Huayi	Kerda	R290	42
SC-791L	1100*600*1985	711	1-10°C	Huayi	Kerda	R290	41
SC-1121L	1610*600*1985	1020	1-10°C	Huayi	Kerda	R290	20
SC-870PL	1090*760*1980	870	1-10°C	Huayi	Kerda	R290	30
SC-1040PL	1280*760*1980	1040	1-10°C	Huayi	Kerda	R290	27



FOUR SIDE GLASS SHOWCASE

Standard Features :

- Material: Plastic + Glass or AL.
- Colour: White and Black.
- Type of glass : Double glazing.
- Cooling: Circulating air.
- Coolant: R600a.
- Temperature range: 2°C to 12°C.
- Climate class : 4.
- Drip Water evaporation.
- Automatic defrosting fuction.
- 4 Vertical Led light.
- Plastic coated height adjustable intermediate shelves.
- Voltage/Hz : 220~240V 50Hz.



GDSC-38B



GDSC-58B



GDSC-78B



GDSC-98B



GDSC-128B



GDSC-158B



GDSC-188B



GDSC-218B

Model no	External W x D x H (mm)	Internal W x D x H (mm)	Packaging W x D x H (mm)	Shelves	Net weight (kg)	Gross weight (kg)	Loading Qty 20'/40'/40HQ
GDSC-38W/GDSC-38B	434*398*714	370*330*340	485*443*755	1	32	34	189/387/387
GDSC-58W/GDSC-58B	434*398*854	370*330*480	485*443*895	2	37	39	126/258/360
GDSC-78W/GDSC-78B	434*398*1004	370*330*630	485*443*1045	2	42	45	126/258/258
GDSC-98W/GDSC-98B	434*398*1154	370*330*780	485*443*1195	3	48	51	126/258/258

Model no	External W x D x H (mm)	Internal W x D x H (mm)	Packaging W x D x H (mm)	Shelves	Net weight (kg)	Gross weight (kg)	Loading Qty 20'/40'/40HQ
GDSC-128W/GDSC-128B	515*553*1100	449*486*617	566*598*1145	2	59	62	76/164/164
GDSC-158W/GDSC-158B	515*553*1230	449*486*747	566*598*1275	3	62	66	38/82/164
GDSC-188W/GDSC-188B	515*553*1323	449*486*840	566*598*1368	2	68	73	38/82/82
GDSC-218W/GDSC-218B	515*553*1500	449*486*1017	566*598*1545	3	73	78	38/82/82



FOUR SIDE GLASS SHOWCASE

Standard Features :

- Material: Plastic + Glass or AL.
- Colour: White and Black.
- Type of glass : Double glazing.
- Cooling: Circulating air.
- Coolant: R600a.
- Temperature range: 2°C to 12°C.
- Climate class : 4.
- Drip Water evaporation.
- Automatic defrosting fuction.
- 4 Vertical Led light.
- Plastic coated height adjustable intermediate shelves.
- Voltage/Hz : 220~240V 50Hz.



GDSC-238B



GDSC-258B



GDSC-278B

Model no	External W x D x H (mm)	Internal W x D x H (mm)	Packaging W x D x H (mm)	Shelves	Net weight (kg)	Gross weight (kg)	Loading Qty 20'/40'/40HQ
GDSC-238W/GDSC-238B	515*553*1600	449*486*1117	566*598*1645	4	76	81	38/82/82
GDSC-258W/GDSC-258B	515*553*1700	449*486*1217	566*598*1745	5	80	85	38/82/82
GDSC-278W/GDSC-278B	515*553*1800	449*486*1317	566*598*1845	5	86	91	38/82/82



Standard Features :

- Material: Plastic + Glass or AL.
- Colour: White and Black.
- Type of glass : Double glazing.
- Cooling: Circulating air.
- Coolant: R600a.
- Temperature range: 2°C to 12°C.
- Climate class : 4.
- Drip Water evaporation.
- Automatic defrosting fuction.
- 4 Vertical Led light.
- Plastic coated height adjustable intermediate shelves.
- Voltage/Hz : 220~240V 50Hz.
- With front and back two doors.



GDSC-103FW



GDSC-63FW



GDSC-83FW

Model no	External W x D x H (mm)	Internal W x D x H (mm)	Packaging W x D x H (mm)	Shelves	Net weight (kg)	Gross weight (kg)	Loading Qty 20'/40'/40HQ
GDSC-63FW/GDSC-63FB	434*446*854	370*356*486	485*356*895	2	39	41	100/200/300
GDSC-83FW/GDSC-83FB	434*446*1004	370*356*636	485*356*1045	3	44	46	100/200/200
GDSC-103FW/GDSC-103FB	434*446*1154	370*356*786	485*356*1195	4	51	54	100/200/200



MILK REFRIGERATOR WITH CUP WARMER



Standard Features:

- Digital temperature controller.
- Touch panel operation and digital display.
- Milk cooling with cup warmer on top.
- Independent selection of internal light control.
- Glass door with hidden handle.
- Reserved opening for milk shake machine straw.
- Tempered glass and stainless steel.




Static cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
RW-15	300*525*640	15	2~8	4	R134a/ R600a	35

DISPLAY SHOWCASE

Standard Features:

- Brilliant internal LED illumination on sides.
- Digital temperature controller and display.
- Cooling system on top.
- 4 adjustable chrome plated shelves.
- Front flat glass door.
- 4 sides triple glass.
- 4 castors, 2 with brakes.
- Automatic defrost.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
DC-400L-2	656*653*1892	400	2~8	4	R290	181

WINE COOLER



Standard Features:

- Brilliant Internal LED illumination on sides.
- Digital temperature controller and display.
- Cooling system on top.
- Wine shelf.
- 4 sides triple glass.
- 4 Castors, 2 with brakes.
- Automatic defrost.

Optional:

- Front flat glass door or curved glass door.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
WN-400L-2	656*653*1892	81 pcs	5~18	4	R290	181

Standard Features:

- Internal LED illumination.
- Digital temperature controller and display.
- Automatic return door.
- 8K mirror surface stainless steel.
- Automatic water evaporation.
- Tempered glass.
- Black titanium material.
- Stainless Steel win shelves.

Optional:

- Adjustable shelves.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
WN-645L	1070*550*2400	645L	8~15	4	R290	300
WN-1005L	1600*550*2400	1005L	8~15	4	R290	380



DISPLAY SHOWCASE

Standard Features:

- Brilliant internal LED illumination on sides.
- Digital temperature controller and display.
- Adjustable chrome plated shelves.
- Front flat glass door.
- 4 sides triple glass.
- 4 castors, 2 with brakes.
- Automatic defrost.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
DS-270L	650*650*1500	270	0~12	4	R134a/R290	130
DS-350L	850*650*1500	350	0~12	4	R134a/R290	152
DS-400L	650*650*1908	400	0~12	4	R134a/R290	161
DS-550L	850*650*1908	550	0~12	4	R134a/R290	192

FREEZER SHOWCASE

Standard Features:

- Brilliant Internal LED illumination on sides.
- Digital temperature controller and display.
- Adjustable chrome plated shelves.
- 4 Sides three layers glass.
- Ventilated cooling system.
- Automatic defrost.
- Adjustable base feet.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
FS-270L	650*650*1500	270	-13~-22	4	R404a	167
FS-350L	850*650*1500	350	-13~-22	4	R404a	192
FS-400L	650*650*1908	400	-13~-22	4	R404a	210
FS-550L	850*650*1908	550	-13~-22	4	R404a	225

ICE CREAM DISPLAY



Standard Features:

- Digital temperature controller and display.
- 4x5L pan or 8x1/6 pan.
- Automatic defrost.
- Floding flat / curved glass cover.
- On/off switch.
- Adjustable feet.



Static cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
GD-67L	805*666*356	67	-18~-25	4	R134a/R290	34.5
GD-77L	805*666*305	77	-18~-25	4	R134a/R290	38
GD-77L-2	805*666*358	77	-18~-25	4	R134a/R290	28
GD-87L	867*735*373	87	-18~-25	4	R290	45



CHOCOLATE SHOWCASE



Standard Features:

- Hermetic compressor, high refrigeration capacity, low consumption and low noise levels.
- Ventilated cooling system, cooling fast, ensure the internal temperature stable.
- Automatic defrosting system, short defrosting time, to ensure the stable taste of the inside ice cream.
- Double hollow tempered glass with heating element, works well in high humidity environment.
- Right angle modeling, top glass can be placed menu, cups and other items.



Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Coolant	Pan	Power (w)
GN-6RV	1260*740*1373	160	-18~-22	R404a	6	1100
GN-7RV	1435*740*1373	175	-18~-22	R404a	7	1160
GN-8RV	1610*740*1373	195	-18~-22	R404a	8	1180
GN-9RV	1785*740*1373	215	-18~-22	R404a	9	1200
GN-12RV	1260*1045*1373	300	-18~-22	R404a	12	1200
GN-14RV	1435*1045*1373	349	-18~-22	R404a	14	1260
GN-16RV	1610*1045*1373	382	-18~-22	R404a	16	1280
GN-18RV	1785*1045*1373	425	-18~-22	R404a	18	1300

CHOCOLATE SHOWCASE

Standard Features:

- Fast defogging speed, effective removal of fog, to maintain a clear view inside the display cabinet.
- Panoramic design, can increase the display of goods.
- Microcomputer precise temperature control.
- High-strength double-layer hollow glass, strong and durable.
- Full copper tube evaporator.
- High efficiency of heat dissipation.

Optional:

- Other colors / steel.
- Customizable.



Ventilated system | Sliding door

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Coolant	Drawers	Doors
900XD-CT	900*850*1175	480	2~8	R290	2	2
1000XD-CT	1000*850*1175	535	2~8	R290	2	2
1200XD-CT	1200*850*1175	650	2~8	R290	3	2
1500XD-CT	1500*850*1175	815	2~8	R290	3	2
1800XD-CT	1800*850*1175	985	2~8	R290	4	2

CAKE SHOWCASE



Standard Features:

- Adjustable shelves * 2 layers / 3 layers.
- Brand compressor.
- Digital controller.
- Insulating glass.
- Black pre-painted steel base.
- Led light inside.
- Integrated black door frame.



GN-900R2-J



GN-900R3-J

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Coolant	Shelves	Power (w)
GN-900R2-J	900*660*1200	150	2~8	R290	2	445
GN-1000R2-J	1000*660*1200	170	2~8	R290	2	455
GN-1200R2-J	1200*660*1200	200	2~8	R290	2	465
GN-1500R2-J	1500*660*1200	255	2~8	R290	2	625
GN-1800R2-J	1800*660*1200	310	2~8	R290	2	715
GN-900R3-J	900*660*1200	165	2~8	R290	3	460
GN-1000R3-J	1000*660*1200	185	2~8	R290	3	470
GN-1200R3-J	1200*660*1300	220	2~8	R290	3	480
GN-1500R3-J	1500*660*1200	270	2~8	R290	3	640
GN-1800R3-J	1800*660*1200	330	2~8	R290	3	730



GN-900C2-J



GN-900C3-J

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Coolant	Shelves	Power (w)
GN-900C2-J	900*660*1200	145	2~8	R290	2	445
GN-1000C2-J	1000*660*1200	165	2~8	R290	2	455
GN-1200C2-J	1200*660*1200	195	2~8	R290	2	465
GN-1500C2-J	1500*660*1200	250	2~8	R290	2	625
GN-1800C2-J	1800*660*1200	305	2~8	R290	2	715
GN-900C3-J	900*660*1300	160	2~8	R290	3	460
GN-1000C3-J	1000*660*1300	180	2~8	R290	3	470
GN-1200C3-J	1200*660*1300	215	2~8	R290	3	480
GN-1500C3-J	1500*660*1300	265	2~8	R290	3	640
GN-1800C3-J	1800*660*1300	325	2~8	R290	3	730

FREEZER





CHEST FREEZER



Standard Features:

- European super low energy consumption.
- 70mm thickness insulation for BD105 - BD255.
- 75mm thickness insulation for BD350 - BD650.
- Suitable for wide climate, SN/T.
- Adjustable thermostat.
- Main power indicator.
- Defrost water drain hole.
- Recess handle on front side.
- Adjustable feet.
- Environmentally friendly coolant.
- Available in white or silver body color.

Optional:

- Interior LED light.
- Full baskets / digital thermometer.
- Top S/S lid.
- Outside condensor.
- Casters.



BD-105

Static system | 70mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
BD-105	580*560*840	97	ST	≤-18	1	R600a	223
BD-155	775*560*840	148	ST	≤-18	1	R600a	168
BD-205	960*560*840	197	ST	≤-18	1	R600a	138
BD-255	1164*560*840	247	ST	≤-18	1	R600a	109

Static system | 75mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
BD-350	1030*765*840	280	ST	≤-18	1	R600a	96
BD-450	1270*765*840	370	ST	≤-18	2	R600a	79
BD-550	1530*765*840	465	ST	≤-18	2	R600a	65
BD-650	1810*765*840	568	ST	≤-18	2	R600a	56

Standard Features:

- 80 mm thickness insulation.
- Two lids as standard.
- Adjustable thermostat.
- Main power indicator.
- Defrost water drain hole.
- External handle with lock.
- Two baskets inside.
- Adjustable feet.
- Environmentally friendly coolant.

Optional:

- Interior LED light.
- Full baskets / digital thermometer.
- Top S/S lid.
- Outside condensor.
- Casters.



BD-700D

Static system | 80mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
BD-700D	2000*740*850	670	ST	≤-18	2	R290	51
BD-900D	1930*895*910	850	ST	≤-18	2	R290	24
BD-1000D	2280*895*910	945	ST	≤-18	2	R290	24



CHEST FREEZER

FLAT GLASS TOP

Standard Features:

- Easily open from Front or back side.
- Adjustable thermostat.
- Main power indicator.
- Defrost water drain hole.
- Sandblasting oxidation surface.
- treatment PVC frame.
- Three-dimensional electronic thermostat, accurate temperature control, highlighting the generousness.
- Adjustable feet.
- Environmentally friendly coolant.

Optional:

- Wheels/ Full baskets/ digital thermometer.



SD-100



SD-320P

Static system | 70mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
SD-100	585*525*840	97	ST	≤-18	1	R600a	223
SD-200	960*525*840	197	ST	≤-18	1	R600a	135

Static system | 75mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
SD-320P	1030*680*850	273	N/ST	≤-18	3	R290	98
SD-420P	1270*680*850	355	N/ST	≤-18	4	R290	79
SD-520P	1530*680*850	445	N/ST	≤-18	5	R290	65
SD-620P	1810*680*850	545	N/ST	≤-18	6	R290	56

CHEST FREEZER

SLIDING CURVED GLASS LID

Standard Features:

- New style curved sliding glass lid.
- Exterior white finish.
- Door Frame (two sides): Dark grey plastic.
- Door Frame (Middle up and bottom) : silver aluminum.
- Inside cabiner walls: white PCM aluminum.
- Adjustable thermostat.
- Main power indicator.
- Defrost water drain hole.
- Full basket as standard.
- Interior LED light as standard.
- Four caster wheels.
- Environmentally friendly coolant.



SD-320Q



SD-620Q

Static system | 70mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
SD-220Q	740*680*850	180	N/ST	≤-18	2	R290	134
SD-320Q	1030*680*850	273	N/ST	≤-18	3	R290	97
SD-420Q	1270*680*850	355	N/ST	≤-18	4	R290	79
SD-520Q	1530*680*850	445	N/ST	≤-18	5	R290	65
SD-620Q	1810*680*850	545	N/ST	≤-18	6	R290	56
SD-720Q	2000*680*850	615	N/ST	≤-18	7	R290	50

CHEST FREEZER

SINGLE CURVED SLIDING GLASS TOP WITH DRAWERS

Standard Features:

- High COP compressor for non-CFC refrigerant.
- Superior cooling performance of -25°C below the loading line.
- Dual evaporator system.
- Unique drawer design, for the easy recycle of the merchandise from the drawer to the cabinet.
- Electronic temperature control.
- Removable compressor base for easy maintenance.
- 2 pieces curved tempered glass lid with low-E, left and right sliding, for easy access to the inside merchandise.
- Standard interior illumination of 1 piece LED strip.
- Precoated galvanized steel exterior liner.
- 6 wheels, front 2 wheels with brake, back 4 swivel wheels.



FS-750

Static system | 70mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
FS-750	1996*750*850	635	4	≤-25	7	R404a/R290	26

CHEST FREEZER

DOUBLE CURVED SLIDING GLASS TOP WITH DRAWERS

Standard Features:

- High COP compressor for non-CFC refrigerant.
- Superior cooling performance of -25°C below the loading line.
- Dual evaporator system.
- Unique drawer design, for the easy recycle of the merchandise from the drawer to the cabinet.
- Electronic temperature control.
- Removable compressor base for easy maintenance.
- 6 pieces curved tempered glass lid with low-E, up and down sliding, for easy access to the inside merchandise.
- Standard interior illumination of 1 piece LED strip.
- 6 wheels, front 2 wheels with brake, back 4 swivel wheels.



FS-700

Static system | 65mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
FS-700	1750*800*925	630	4	≤-25	14	R404a/R290	26
FS-800	2000*800*925	740	4	≤-25	16	R404a/R290	26

CHEST FREEZER

FLAT GLASS TOP WITH DRAWERS

Standard Features:

- High COP compressor for non-CFC refrigerant.
- Superior cooling performance of -25°C below the loading line
- Dual evaporator system.
- Unique drawer design, for the easy recycle of the merchandise from the drawer to the cabinet.
- Electronic temperature control.
- Removable compressor base for easy maintenance.
- 2 pieces curved tempered glass lid with low-E, left and right sliding, for easy access to the inside merchandise.
- Standard interior illumination of 1 piece LED strip.
- Precoated galvanized steel exterior liner.



FS-850

Static system | 63mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
FS-850	2000*800*860	660	4	≤-25	7	R404a/R290	26

CHEST FREEZER

DOUBLE SIDES SLIDING GLASS TOP

Standard Features:

- High COP compressor & Non-CFC refrigerant.
- Electronic temperature control.
- Free from maintenance ventilated motor fan for condenser& compressor.
- 4 pieces curved tempered glass lids with low-E, double sides left and right sliding.
- Standard interior LED illumination.
- White precoated galvanized steel exterior liner.
- Embossed aluminum interior liner.
- Integrated plastic cabinet frame.



SDQ-1100

Static system | 70mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
SDQ-1100	2000*1000*850	945	4 (30°C / 55%)	≤-18	7	R290 / R404a	20