



COTTURA
b b b g r o u p
CATALOG
2025



CATALOG

2025-2026



COTTURA
b b b g r o u p

C b TTURA
C b TTURA
C b TTURA



CONTENTS

STAINLESS STEEL REFRIGERATION

Upright cabinets	01
GN counters	17
Preparation tables	24
Pizza counters	29
Blast chillers	30
Saladette	31
Refrigerated topping units	39
Reach-in refrigerators	43
Under counter	49
Pizza prep tables	51
Salad prep tables	53
Chef bases	57

ABS REFRIGERATION

ABS line	59
Aluminium line	61

MEAT AGER

Meat ager	63
Wine cooler	65

DRINKS

Minibars	67
Backbar cooler	69
Beverage cooler	77
Four side glass showcase	85
Milk refrigerator	89
Cake showcase	94
Slush machine	95
Juice dispenser	99

FREEZER

Chest freezer	103
---------------------	-----

ICE MAKER

Bullet ice maker	109
Cube ice maker	111
Compact ice maker	112

STAINLESS STEEL REFRIGERATION





UPRIGHT CABINETS

PREMIUM LINE-GN 1/1

Standard Features:

- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Self closing door.
- Reversible door.
- Adjustable shelves GN 1/1.
- Energy efficiency class.

Optional:

- S/S Adjustable feet or casters.
- Touch screen thermostat.
- Stainless steel look or paint spray look.
- Color: S/S, black , white.



GN280TNV

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN280TNV	448*765*2100	280	2~8	Cubigel	Carel	R290	67
GN280BTV	448*765*2100	280	-18~-22	Cubigel	Carel	R290	67
GN280TNVG	448*795*2100	280	2~8	Cubigel	Carel	R290	67
GN280BTVG	448*795*2100	280	-18~-22	Cubigel	Carel	R290	67
GN280TNV-2D	448*765*2100	280	2~8	Cubigel	Carel	R290	67
GN280BTV-2D	448*765*2100	280	-18~-22	Cubigel	Carel	R290	67

UPRIGHT CABINETS

PREMIUM LINE-GN 2/1

Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Self closing door.
- Reversible door.
- Adjustable shelves GN 2/1.
- Energy efficiency class.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN550TN-PT	740*870*2100	550	2~8	Cubigel	Carel	R290	39
GN550BT-PT	740*870*2100	550	-18~-22	Cubigel	Carel	R290	39
GN550TN2D-PT	740*870*2100	550	2~8	Cubigel	Carel	R290	39
GN550BT2D-PT	740*870*2100	550	-18~-22	Cubigel	Carel	R290	39
GN550TNG-PT	740*850*2100	550	2~8	Cubigel	Carel	R290	39
GN550BTG-PT	740*850*2100	550	-18~-22	Cubigel	Carel	R290	39



UPRIGHT CABINETS
PREMIUM LINE-GN 2/1



Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Slef closing door.
- Reversible door.
- Adjustable shelves GN 2/1.
- Energy efficiency class.

Optional:

- S/S Adjustable feet or casters.
- Touch screen thermostat.
- Stainless steel look or paint spray look.
- Color: S/S, black , white.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GNH1260TN-PT	1480*870*2100	1260	2~8	Embraco	Carel	R290	15
GNH1260BT-PT	1480*870*2100	1260	-18~-22	SECOP	Carel	R290	15
GNH1260TNG-PT	1480*850*2100	1260	2~8	Embraco	Carel	R290	15
GNH1260BTG-PT	1480*850*2100	1260	-18~-22	SECOP	Carel	R290	15
GNH1260TN-PT(4D)	1480*870*2100	1260	2~8	Embraco	Carel	R290	15
GNH1260BT-PT(4D)	1480*870*2100	1260	-18~-22	SECOP	Carel	R290	15



UPRIGHT CABINETS


MONOBLOCK LINE

Standard Features:

- Monoblock style refrigerators and freezers.
- AISI 201 stainless steel interior and exterior for high-quality products.
- Reversible doors that close automatically when opening less than 90°.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without tools.
- The digital thermostat.
- High-quality compressor: Scope, Embraco.
- Compatible with GN2/1 shelves.
- Cooling system with automatic defrost.
- CFC-free with 60mm super thickness.
- Three layers of gray-coated shelves per door as standard.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.



GN650TN-MN

Ventilated system


Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN650TN-MN	740*830*2010	650	2~+8	Cubigel	touch screen	R290	40
GN650TNG-MN	740*830*2010	650	2~+8	Cubigel	touch screen	R290	40
GN650BT-MN	740*830*2010	650	-18~-22	Cubigel	touch screen	R290	40
GN650BTG-MN	740*830*2010	650	-18~-22	Cubigel	touch screen	R290	40

Standard Features:

- Monoblock style refrigerators and freezers.
- Two full-size S/S door cabinet chillers & freezers.
- Stainless steel 201 interior and exterior.
- Revisable, self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- 6 adjustable GN2/1 shelves.
- CFC-free with 60mm super thickness.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.



GN1400TN-MN

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN1400TN-MN	1480*830*2010	1300	2~+8	Cubigel	touch screen	R290	15
GN1400TNG-MN	1480*830*2010	1300	2~+8	Cubigel	touch screen	R290	15
GN1400BT-MN	1480*830*2010	1300	-18~-22	Cubigel	touch screen	R290	15
GN1400BTG-MN	1480*830*2010	1300	-18~-22	Cubigel	touch screen	R290	15



UPRIGHT CABINETS GN650

STANDARD LINE

Standard Features:

- European fashion style refrigerators and freezers.
- AISI304 or 201 stainless steel interior and exterior for high-quality products.
- Reversible doors that close automatically when opening less than 90°.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without tools.
- The digital thermostat of well-known brands Dixell, Carel, Eliwell.
- High-quality compressor: Danfoss, Embraco.
- Well-known brand fans from EBM.
- Compatible with GN2/1 shelves.
- Cooling system with automatic defrost.
- Replaceable door center sill with heating elements.
- CFC-free with 60mm super thickness.
- Three layers of gray-coated shelves per door as standard.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.
- Heating element for door frame.



GN650TN



GN650TNG



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN650TN	740*830*2010	650	2~+8	Secop	Dixell / Carel	R600a	40
GN650TNG	740*830*2010	650	2~+8	Secop	Dixell / Carel	R600a	40
GN650TNM	740*830*2010	650	2~+8	Secop	Dixell / Carel	R600a	40
GN650BT	740*830*2010	650	-18~-22	Secop	Dixell / Carel	R290	40
GN650BTG	740*830*2010	650	-18~-22	Secop	Dixell / Carel	R290	40
GN650BTM	740*830*2010	650	-18~-22	Secop	Dixell / Carel	R290	40



UPRIGHT CABINETS GN1410 SERIES

STANDARD LINE

Standard Features:

- Two full-size S/S door cabinet chillers & freezers.
- Stainless steel interior and exterior.
- Revisable, self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.
- 6 adjustable GN2/1 shelves.
- CFC free foaming.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.
- Heating element for door frame.



GN1410TN



GN1410TNG



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN1410TN	1480*830*2010	1300	2~+8	Secop	Dixell / Carel	R600a	15
GN1410TNG	1480*830*2010	1300	2~+8	Secop	Dixell / Carel	R600a	15
GN1410TNM	1480*830*2010	1300	2~+8	Secop	Dixell / Carel	R600a	15
GN1410BT	1480*830*2010	1300	-18~-22	Secop	Dixell / Carel	R290	15
GN1410BTG	1480*830*2010	1300	-18~-22	Secop	Dixell / Carel	R290	15
GN1410BTM	1480*830*2010	1300	-18~-22	Secop	Dixell / Carel	R290	15



UPRIGHT CABINETS GN600 SERIES

MONOBLOCK LINE

Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Self closing door.
- Reversible door.
- 3 adjustable shelves.

Optional:

- S/S Adjustable feet or casters.
- Touch screen thermostat.
- Heating element for door frame.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GNH600TNV-PT	680*810*2010	530	2~8	Zel	Carel	R600a	42
GNH600BTV-PT	680*810*2010	530	-18~-22	Cubigel	Carel	R290	42
GNH600TNVM-PT	680*810*2010	530	2~8	Zel	Carel	R600a	42
GNH600BTVM-PT	680*810*2010	530	-18~-22	Cubigel	Carel	R290	42
GNH600TNVG-PT	680*790*2010	530	2~8	Zel	Carel	R600a	42
GNH600BTVG-PT	680*790*2010	530	-18~-22	Secop	Carel	R290	42

UPRIGHT CABINETS GN1200 SERIES

MONOBLOCK LINE

Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- LED light.
- Self closing door.
- Reversible door.
- 6 adjustable shelves.

Optional:

- S/S Adjustable feet or casters.
- Touch screen thermostat.
- Heating element for door frame.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GNH1200TNV-PT	1340*810*2010	990	2~8	Cubigel	Carel	R290	22
GNH1200BTV-PT	1340*810*2010	990	-18~-22	Cubigel	Carel	R290	22
GNH1200TNVG-PT	1340*790*2010	990	2~8	Cubigel	Carel	R290	22
GNH1200BTVG-PT	1340*790*2010	990	-18~-22	Secop	Carel	R290	22
GNH1200TNVM-PT	1340*810*2010	990	2~8	Cubigel	Carel	R290	22
GNH1200BTVM-PT	1340*810*2010	990	-18~-22	Cubigel	Carel	R290	22



UPRIGHT CABINETS SNACK400 SERIES

STANDARD LINE

Standard Features:

- Stainless steel interior and exterior.
- Full-length stainless steel handle.
- Fan cooling system.
- 3 adjustable shelves.
- 60mm insulation thickness CFC free foaming.
- Digital thermostat.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.
- Heating element for door frame.



SNACK400TN



SNACK400TNM



SNACK400TNG

Static system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SNACK400TN	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400TNG	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400TNM	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SNACK400TNV	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400TNVG	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400TNVM	680*710*2010	429	0~+10	ZEL	Dixell / Carel	R600a	48
SNACK400BTV	680*710*2010	429	-18~-22	Embraco	Dixell / Carel	R290	48
SNACK400BTVG	680*710*2010	429	-18~-22	Embraco	Dixell / Carel	R290	48
SNACK400BTVM	680*710*2010	429	-18~-22	Embraco	Dixell / Carel	R290	48

UPRIGHT CABINETS SNACK800 SERIES

STANDARD LINE

Standard Features:

- Stainless steel interior and exterior.
- Full-length stainless steel handle.
- Fan cooling system.
- 6 adjustable shelves.
- 60mm insulation thickness CFC free foaming.
- Digital thermostat.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or casters.
- Heating element for door frame.



SNACK800TN



SNACK800TNM



SNACK800TNG

Static system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SNACK800TN	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800TNG	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800TNM	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SNACK800TNV	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800TNVG	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800TNVM	1340*710*2010	1065	0~+10	Secop	Dixell / Carel	R600a	25
SNACK800BTV	1340*710*2010	1065	-18~-22	Secop	Dixell / Carel	R290	25
SNACK800BTVG	1340*710*2010	1065	-18~-22	Secop	Dixell / Carel	R290	25
SNACK800BTVM	1340*710*2010	1065	-18~-22	Secop	Dixell / Carel	R290	25



UPRIGHT CABINETS BAKERY SERIES

STANDARD LINE



Standard Features:

- A full S / S solid door bakery cabinet freezer.
- Stainless steel interior and exterior.
- Revisable self-closing door.
- Stainless steel full-length handle.
- 10 adjustable baking trays 600*800, no GN pans.
- CFC-free foam 60mm insulation thickness.
- Digital thermostat.
- Automatic defrost.
- With lock and key.
- LED light.

Optional:

- Adjustable feet or castors.
- Heating element for door frame.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PA-800TN	740*990*2010	737	0~+10	Secop	Dixell / Carel	R600a	33
PA-800BT	740*990*2010	737	-18~-22	Secop	Dixell / Carel	R290	33
GE-800TN	740*990*2010	737	0~+10	Secop	Dixell / Carel	R600a	33
GE-800BT	740*990*2010	737	-18~-22	Secop	Dixell / Carel	R290	33





GN COUNTERS

STANDARD LINE

Standard Features:

- Stainless steel interior and exterior.
- Reversible self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3, GN2/3, GN1/2 drawers.
- Interior lighting LED.



SOLID DOOR without backsplash

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2100TN	1360*700*850	282	2~+8	Zel	Carel	R600a	48
GN2100BT	1360*700*850	282	-18~-22	Secop	Carel	R290	48
GN3100TN	1795*700*850	417	2~+8	Zel	Carel	R600a	38
GN3100BT	1795*700*850	417	-18~-22	Secop	Carel	R290	38
GN4100TN	2230*700*850	553	2~+8	Zel	Carel	R600a	32
GN4100BT	2230*700*850	553	-18~-22	Secop	Carel	R290	32



SOLID DOOR with backsplash

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2200TN	1360*700*950	282	2~+8	Zel	Carel	R600a	48
GN2200BT	1360*700*950	282	-18~-22	Secop	Carel	R290	48
GN3200TN	1795*700*950	417	2~+8	Zel	Carel	R600a	38
GN3200BT	1795*700*950	417	-18~-22	Secop	Carel	R290	38
GN4200TN	2230*700*950	553	2~+8	Zel	Carel	R600a	32
GN4200BT	2230*700*950	553	-18~-22	Secop	Carel	R290	32



GLASS DOOR without backsplash

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2100TNG	1360*700*850	282	2~+8	Zel	Carel	R600a	48
GN2100BTG	1360*700*850	282	-18~-22	Secop	Carel	R290	48
GN3100TNG	1795*700*850	417	2~+8	Zel	Carel	R600a	38
GN3100BTG	1795*700*850	417	-18~-22	Secop	Carel	R290	38
GN4100TNG	2230*700*850	553	2~+8	Zel	Carel	R600a	32
GN4100BTG	2230*700*850	553	-18~-22	Secop	Carel	R290	32



GLASS DOOR with backsplash

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2200TNG	1360*700*950	282	2~+8	Zel	Carel	R600a	48
GN2200BTG	1360*700*950	282	-18~-22	Secop	Carel	R290	48
GN3200TNG	1795*700*950	417	2~+8	Zel	Carel	R600a	38
GN3200BTG	1795*700*950	417	-18~-22	Secop	Carel	R290	38
GN4200TNG	2230*700*950	553	2~+8	Zel	Carel	R600a	32
GN4200BTG	2230*700*950	553	-18~-22	Secop	Carel	R290	32



GN COUNTERS

STANDARD LINE

Standard Features:

- Stainless steel interior and exterior.
- Reversible self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3,GN2/3,GN1/2 drawers.
- Interior lighting LED.



1 door + 2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2120TN	1360*700*850	282	2~+8	Zel	Carel	R600a	48



4 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2140TN	1360*700*850	282	2~+8	Zel	Carel	R600a	48



2 doors + 2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN3120TN	1795*700*850	417	2~+8	Zel	Carel	R600a	38



1 door + 4 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN3140TN	1795*700*850	417	2~+8	Zel	Carel	R600a	38



1 door + 4 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN3160TN	1795*700*850	417	2~+8	Zel	Carel	R600a	38



3 doors + 2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN4120TN	2230*700*850	553	2~+8	Zel	Carel	R600a	32



2 doors + 4 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN4140TN	2230*700*950	553	2~+8	Zel	Carel	R600a	32



1 doors + 6 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN4160TN	2230*700*950	553	2~+8	Zel	Carel	R600a	32



8 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN4180TN	2230*700*950	553	2~+8	Zel	Carel	R600a	32



UNDERCOUNTERS

STANDARD LINE



Standard Features:

- Undercounter unit with 650mm height.
- Stainless steel interior and exterior.
- Reversible self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.

GN1/1 COUNTERS WITH SINK

STANDARD LINE



Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- **Stainless steel integrated sink. (400*300*200mm)**

Optional:

- Adjustable feet or castors.
- With GN1/3, GN2/3, GN1/2 drawers.
- Interior lighting LED.

BAKERY COUNTERS

STANDARD LINE

Standard Features:

- Two S/S solid door PA refrigerated counter.
- PA bakery counter with 800mm depth.
- Stainless steel interior and exterior.
- Reversible self-closing door.
- Stainless steel full-length handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.
- 2 adjustable shelves.

Optional:

- Adjustable feet or castors.
- Internal LED lighting.
- Lock and key.



Undercounters

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
U-GN2100TN	1360*700*650	214	2~+8	Zel	Carel	R600a	72
U-GN2100BT	1360*700*650	214	-18~-22	Secop	Carel	R600a	72
U-GN3100TN	1795*700*650	317	2~+8	Zel	Carel	R600a	54
U-GN3100BT	1795*700*650	317	-18~-22	Secop	Carel	R600a	54
U-GN4100TN	2230*700*650	420	2~+8	Zel	Carel	R290	48
U-GN4100BT	2230*700*650	420	-18~-22	Secop	Carel	R290	48

Bakery counters

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TN-PT	1500*800*860	310	2~10	ZEL	Dixell	R600a	28
PAH2000TN-PT	2000*800*860	480	2~10	Embraco	Dixell	R600a	28
PAH2500TN-PT	2500*800*860	650	2~10	Embraco	Dixell	R290	16

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2100TN-S	1360*700*860	261	2~8	ZEL	Carel	R600a	66
GN3100TN-S	1795*700*860	403	2~8	ZEL	Carel	R600a	50
GN4100TN-S	2230*700*860	638	2~8	Embraco	Carel	R290	46
GN2100BT-S	1360*700*860	261	-18~-22	Secop	Carel	R290	66
GN3100BT-S	1795*700*860	403	-18~-22	Secop	Carel	R290	50
GN4100BT-S	2230*700*860	638	-18~-22	Secop	Carel	R290	46

Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN2200TN-S	1360*700*960	261	2~8	ZEL	Carel	R600a	44
GN3200TN-S	1795*700*960	403	2~8	ZEL	Carel	R600a	38
GN4200TN-S	2230*700*960	638	2~8	Embraco	Carel	R290	32
GN2200BT-S	1360*700*960	261	-18~-22	Secop	Carel	R290	44
GN3200BT-S	1795*700*960	403	-18~-22	Secop	Carel	R290	38
GN4200BT-S	2230*700*960	638	-18~-22	Secop	Carel	R290	32



GN COUNTERS

PREMIUM LINE

Standard Features:

- Monoblock system.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- Self closing door.

Optional:

- Adjustable feet or castors.
- With GN1/3, GN2/3, GN1/2 drawers.
- Interior lighting LED.



Ventilated system

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
GN1500TN-PT	1500*700*850	196	2~8	ZEL	Honker HK-60	R600a	44
GN2000TN-PT	2000*700*850	294	2~8	ZEL	Honker HK-60	R600a	32
GN2500TN-PT	2500*700*850	421	2~8	Cubigel	Honker HK-60	R290	24
GN1500BT-PT	1500*700*850	196	-18~-22	Cubigel	Honker HK-60	R290	44
GN2000BT-PT	2000*700*850	294	-18~-22	Cubigel	Honker HK-60	R290	32
GN2500BT-PT	2500*700*850	421	-18~-22	Cubigel	Honker HK-60	R290	24

PREPARATION TABLES

CUSTOMIZED LINE





PREPARATION TABLES


MARBLE WORKTOP LINE

Standard Features:


- Compatible GN pans on Prep-top
- Stainless steel exterior and interior
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Curved edge for easy cleaning
- Removable gasket




GN pan size & quantity



PAH1500TNS



PAH2000TNS



PAH2500TNS

Sandwich counter with glass top

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TNS	1500*810*860	310	2~10	Embraco	Carel	R290	28
PAH2000TNS	2000*810*860	480	2~10	Embraco	Carel	R290	28
PAH2500TNS	2500*810*860	650	2~10	Embraco	Carel	R290	16

PREPARATION TABLES




Standard Features:


- Compatible GN pans on Prep-top
- Stainless steel exterior and interior
- Ventilated cooling
- Evaporator with anti-corrosion treatment
- Curved edge for easy cleaning
- Removable gasket
- Reserve a place for the cash register.




GN pan size & quantity



PAH1500TNSQG



PAH2000TNSQG



PAH2500TNSQG

Preparation tables

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TNSQG	1500*800*850	310	2~10	Embraco	Carel	R290	28
PAH2000TNSQG	2000*800*850	480	2~10	Embraco	Carel	R290	28
PAH2500TNSQG	2500*800*850	650	2~10	Embraco	Carel	R290	16



PREPARATION TABLES




Standard Features:


- Compatible GN pans on Prep-top.
- Stainless steel exterior and interior.
- Ventilated cooling.
- Evaporator with anti-corrosion treatment.
- Curved edge for easy cleaning.
- Removable gasket.
- Reserve a place for the cash register.




GN pan size & quantity



PAH1500



PAH2000



PAH2500

Preparation tables(SS top with Gas spring glass cover)

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TNSG	1500*810*860	310	2~10	Embraco	Carel	R290	28
PAH2000TNSG	2000*810*860	480	2~10	Embraco	Carel	R290	28
PAH2500TNSG	2500*810*860	650	2~10	Embraco	Carel	R290	16

Preparation tables (Marble top w/o Gas spring glass cover)

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PAH1500TNPZ	1500*800*850	310	2~10	Embraco	Carel	R290	28
PAH2000TNPZ	2000*800*850	480	2~10	Embraco	Carel	R290	28
PAH2500TNPZ	2500*800*850	650	2~10	Embraco	Carel	R290	16

SANDWICH COUNTERS

STANDARD LINE

Standard Features:

- Top-mounted coolers with 700 mm and 800 mm depths.
- Compatible GN1/3 pans on Prep-Top.
- Stainless steel interior and exterior.
- Reversible, self-closing door.
- Full-length stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or casters.
- Internal LED lighting.
- Lock and way.
- GN1/4, GN1/6 pans on Pre-top.



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SH2000/700	1360*700*1085	282	2~+8	Zel	Carel	R600a	48
SH2000/800	1510*800*1085	390	2~+8	Zel	Carel	R600a	30



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SH3000/700	1795*700*1085	417	2~+8	Zel	Carel	R290	38
SH3000/800	2020*800*1085	580	2~+8	Zel	Carel	R290	28



PIZZA COUNTERS

STANDARD LINE

Standard Features:

- Pizza counter with VRX on the top.
- Marble worktop.
- With 7 sets of multifunctional drawers.
- Stainless steel interior and exterior.
- Reversible self-closing door.
- Continuous stainless steel handle.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- Internal LED lighting.
- Lock and key.



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PZ-2600TN	1510*800*1000	390	2~+8	Zel	Carel	R600a	30
VRX-1500/380	1500*395*435	GN1/3 * 5 + GN1/2*1	0~+10	Zel	Carel	R600a	261



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PZ-1610TN	1510*800*1000	390	2~+8	Zel	Carel	R600a	30
VRX-1500/380	1500*395*435	GN1/3*5 + GN1/2*1	0~+10	Zel	Carel	R600a	261



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PZ-3600TN	2020*800*1000	580	2~+8	Secop	Carel	R290	28
VRX-2000/380	2000*395*435	GN1/3*9	0~+10	Zel	Carel	R600a	196



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PZ-2610TN	2025*800*1000	580	2~+8	Secop	Carel	R290	28
VRX-2000/380	2000*395*435	GN1/3*9	0~+10	Zel	Carel	R600a	196

BLAST CHILLER

STANDARD LINE

Standard Features:

- Compatible for 3GN trays , 5 GN trays, 10 GN trays and 15 GN trays.
- Stainless steel exterior and interior.
- Enlarged evaporator with fan-cooling.
- Curved edge for easy cleaning.
- Removable gasket.



Blastchiller

Model no	Dimensions (mm)	Net capacity (L)	Temperature(°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BLASTH-3A	800*825*880	88	-35~0	R290	Dixell/ Honker	R290	52
BLASTH-5A	800*825*980	118	-35~0	R290	Dixell/ Honker	R290	52
BLASTH-10A	800*825*1445	218	-35~0	R290	Dixell/ Honker	R290	26
BLASTH-15A	800*825*1795	318	-35~0	R290	Dixell/ Honker	R290	26



SALADETTE



Standard Features:

- European standard Saladette.
- AISI304 stainless steel interior and exterior.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without tools.
- Digital thermostat of famous Italian brand Dixell, Carel.
- High quality famous compressor: Embraco, Zanussi.
- Compatible for GN1/1 pans and GN1/6 pans.
- Fan cooling system.
- CFC free foaming.

Optional:

- Ventilated cooling system/glass doors/SS201 material.
- Adjustable feet or small swivel casters.



S-450



S-900



S-903

Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-450	450*700*850	108	0~+10	Zel	Carel	R600a	150
S-900	900*700*850	240	0~+10	Zel	Carel	R600a	72
S-903	1365*700*850	368	0~+10	Zel	Carel	R290	48

Standard Features:

- Saladette with stainless steel tabletop.
- Inside and outside are made of stainless steel AISI304.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without the use of tools.
- The digital thermostat of the famous Italian brand Dixell, Carel.
- High-quality famous compressor: Embraco, Zanussi.
- GN1/1 shelves+GN1/2 drawer.
- Fan-assisted cooling system.
- CFC free foaming.

Optional:

- Ventilated cooling system/glass doors/SS201 material.
- Adjustable feet or small casters.



S-901



S-901 2D



S-901 4D

Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-901	900*700*850	240	0~+10	Zel	Carel	R600a	72
S-901 2D	900*700*850	230	0~+10	Zel	Carel	R600a	72
S-901 4D	900*700*850	220	0~+10	Zel	Carel	R600a	72



SALADETTE



Standard Features:

- Saladette with solid door and granite top.
- Refrigerated topping well for GN1/6 pans.
- Interior and exterior in AISI304 stainless steel.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without tools.
- Digital thermostat of the famous Italian brand Dixell, Carel, Eliwell.
- High quality famous compressor: Embraco, Zanussi 2*GN1/1 shelves.
- Fan assisted cooling system.

Optional:

- Ventilated cooling system/glass doors/SS201 material/R290 new refrigerant.



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PS-900	900*700*1075	240	0~+10	Zel	carel	R600a	72



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PS-903	1365*700*1075	402	0~+10	Secop	Carel	R600a	48



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PS-200	900*700*970	240	0~+10	Zel	Carel	R600a	72



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
PS-300	1365*700*970	392	0~+10	Zel	Carel	R600a	48



SALADETTE



Standard Features:

- Saladette with three solid doors and square glass cover.
- Suitable for 4*GN1/1 pans.
- Interior and exterior made of AISI304 stainless steel.
- Rounded inner edges for easy handling.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without the use of tools.
- Digital thermostat Italian famous brand.
- High-quality famous compressor: Embraco, Zanussi.
- Fan-assisted cooling system.

Optional:

- Ventilated cooling system.
- Glass doors/SS201 material.
- R290 new refrigerant.



Standard Features:

- Saladette with three solid stainless steel doors and granite top.
- The Interior and exterior are made of stainless steel AISI304.
- Inner box curved edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without tools.
- Digital thermostat: Carel, Eliwell.
- High-quality famous compressor: Embraco, Zanussi.
- Fan-assisted cooling system.
- CFC-free foaming.
- Adjustable feet or small casters.

Optional:

- Ventilated cooling system.
- Glass doors/SS201 material.
- R290 new refrigerant.



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-900CG	900*700*850	240	0~+10	Zel	Carel	R600a	72
S-903CG	1365*700*850	368	0~+10	Secop	Carel	R290	48



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-900SQ	900*700*850	240	0~+10	Zel	Carel	R600a	72
S-903SQ	1365*700*850	368	0~+10	Secop	Carel	R290	48



Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-903PZ	1400*700*1020	368	0~+10	Secop	Carel	R600a	48
VRX-1400/330	1400*335*435	GN1/4*6	0~+10	Zel	Carel	R600a	343



SALADETTE



Standard Features:

- Saladette with three solid doors and stainless steel tabletop.
- Inside and outside made of stainless steel AISI304.
- Rounded inner edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without tools.
- Digital thermostat : Dixell, Carel, Eliwell.
- High-quality famous compressor: Embraco, Zanussi.
- Fan-assisted cooling system.

Optional:

- Ventilated cooling system.
- Glass doors/SS201 material.
- R290 new refrigerant.



S-903 S/S TOP



S-903-6D





Static with fan cooling

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
S-903 S/S TOP	1365*700*850	368	0~+10	Secop	Carel	R290	48
S-903-6D	1365*700*850	368	0~+10	Secop	Carel	R290	48





REFRIGERATED TOPPING UNITS



Standard Features:


- Top glass cover.
- Interior and exterior stainless steel AISI304 material for high level product.
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell.
- High quality famous compressor: Embraco, Zanussi.
- Accept GN1/4 pans for 30 range and GN1/3 pans for 380 range.
- CFC free foaming.
- R134a/R600a.
- Adjustable feet.

Optional:

- Top stainless steel cover/SS201 material.


Static System

Model no	VRX-1200/330	VRX-1400/330	VRX-1500/330	VRX-1600/330	VRX-1800/330	VRX-2000/330
Dimensions (mm)	1200*335*435	1400*335*435	1500*335*435	1600*335*435	1800*335*435	2000*335*435
Net capacity(L)	GN1/4*5	GN1/4*6	GN1/4*7	GN1/4*8	GN1/4*9	GN1/4*10
Temperature (°C)	0~+10	0~+10	0~+10	0~+10	0~+10	0~+10
Compressor	ZEL	ZEL	ZEL	ZEL	ZEL	ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R600a	R600a	R600a	R600a	R600a	R600a
40 ' loading quantity	386	336	310	294	260	242




Static System

Model no	VRX-1200/380	VRX-1400/380	VRX-1500/380	VRX-1600/380	VRX-1800/380	VRX-2000/380
Dimensions (mm)	1200*395*435	1400*395*435	1500*395*435	1600*395*435	1800*395*435	1800*395*435
Net capacity(L)	GN1/3*3+GN1/2*1	GN1/3*4+GN1/2*1	GN1/3*5+GN1/2*1	GN1/3*7	GN1/3*8	GN1/3*8
Temperature (°C)	0~+10	0~+10	0~+10	0~+10	0~+10	0~+10
Compressor	ZEL	ZEL	ZEL	ZEL	ZEL	ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R600a	R600a	R600a	R600a	R600a	R600a
40 ' loading quantity	323	280	261	247	218	218





REFRIGERATED TOPPING UNITS



Standard Features:


- Top stainless steel cover.
- Interior and exterior stainless steel AISI304 material for high level product.
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell.
- High quality famous compressor: Embraco, Zanussi.
- Accept GN1/4 pans for 30 range and GN1/3 pans for 380 range.
- CFC free foaming.
- R134a/R600a.
- Adjustable feet.

Optional:

- SS201 material/R290 new refrigerant.


Static System

Model no	VRX-1200/330S	VRX-1400/330S	VRX-1500/330S	VRX-1600/330S	VRX-1800/330S	VRX-2000/330S
Dimensions (mm)	1200*335*281	1400*335*281	1500*335*281	1600*335*281	1800*335*281	2000*335*281
Net capacity(L)	GN1/4*5	GN1/4*6	GN1/4*7	GN1/4*8	GN1/4*9	GN1/4*10
Temperature (°C)	0~+10	0~+10	0~+10	0~+10	0~+10	0~+10
Compressor	ZEL	ZEL	ZEL	ZEL	ZEL	ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R600a	R600a	R600a	R600a	R600a	R600a
40 ' loading quantity	386	336	310	294	260	242



Static System

Model no	VRX-1200/380S	VRX-1400/380S	VRX-1500/380S	VRX-1600/380S	VRX-1800/380S	VRX-2000/380S
Dimensions (mm)	1200*395*281	1400*395*281	1500*395*281	1600*395*281	1800*395*281	2000*395*281
Net capacity(L)	GN1/3*3+GN1/2*1	GN1/3*4+GN1/2*1	GN1/3*5+GN1/2*1	GN1/3*7	GN1/4*8	GN1/4*9
Temperature (°C)	0~+10	0~+10	0~+10	0~+10	0~+10	0~+10
Compressor	ZEL	ZEL	ZEL	ZEL	ZEL	ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R600a	R600a	R600a	R600a	R600a	R600a
40 ' loading quantity	323	280	261	247	218	196





REACH-IN REFRIGERATOR

SOLID DOOR

Standard Features:


- Internal LED light.
- Stainless steel exterior & interior.
- Inner box curved edges for easy cleaning.
- Door lock and key standard for all refrigerators.
- Magnetic door gasket(s) standard for positive door seal.
- Reversible and automatically self close door when less than 90°open.
- Refrigerator climate class : N.
- Door handle can be customized with recessed door handles.
- Ventilated system, down duct refrigeration to ensure even distribution of air.
- Embraco compressor units with environmentally friendly R290 refrigerant.
- Digital thermostat Italian famous brand Dixell,Carel,Eliwell.

Optional:


- Extra shelves: includes 4 shelf clips per shelf.
- Middle shelf.
- Adjustable feet.




GD-27R



Door open size



Front view




Side view

Reach-in Refrigerator with 1 Solid door


Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-27R	686*821*2117 mm 27*32*83 inch	595 21	2~8°C 35~46°F	Huayi	Carel	R290	39
GD-27F	686*821*2117mm 54*32*83 inch	595 21	-18~-22°C 0~-8°F	Huayi	Carel	R290	39



GD-54R




Front view




Door open size



GD-81R



Front view



Side view

Reach-in Refrigerator with 2 Solid doors

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-54R	1375*821*2117 mm 54*32*83 inch	1300 45.9	2~8°C 35~46°F	Huayi	Carel	R290	21
GD-54F	1375*821*2117 mm 54*32*83 inch	1300 45.9	-18~-22°C 0~-8°F	Huayi	Carel	R290	21

Reach-in Refrigerator with 3 Solid doors

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-81R	2062*821*2117 mm 81*32*83 inch	2025 71.5	2~8°C 35~46°F	Huayi	Carel	R290	13
GD-81F	2062*821*2117 mm 81*32*83 inch	2025 71.5	-18~-22°C 0~-8°F	Huayi	Carel	R290	13



REACH-IN REFRIGERATOR

GLASS DOOR

Standard Features:


- Internal LED light.
- Stainless steel exterior & interior.
- Inner box curved edges for easy cleaning.
- Door lock and key standard for all refrigerators.
- Magnetic door gasket(s) standard for positive door seal.
- Automatically self close door when less than 90° open.
- Refrigerator climate class : N.
- Door handled can be customized.
- Ventilated system, down duct refrigeration to ensure even distribution of air.
- Embraco compressor units with environmentally friendly R290 refrigerant.
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell.

Optional:


- Extra shelves: includes 4 shelf clips per shelf.
- Middle shelf.
- Adjustable feet.




GD-27RG



Door open size



Front view



Side view

Reach-in Refrigerator with 1 Glass door


Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-27RG	686*850*2117 mm 27*33*83 inch	595 21	2~8°C 35~46°F	Huayi	Carel	R290	39
GD-27FG	686*850*2117 mm 27*33*83 inch	595 21	-18~-22°C 0~-8°F	Huayi	Carel	R290	39



GD-54RG




Front view




Side view



GD-81RG



Front view



Side view

Reach-in Refrigerator with 2 Glass doors

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-54RG	1375*850*2117 mm 54*33*83 inch	1300 45.9	2~8°C 35~46°F	Huayi	Carel	R290	21
GD-54FG	1375*850*2117 mm 54*33*83 inch	1300 45.9	-18~-22°C 0~-8°F	Embraco	Carel	R290	21

Reach-in Refrigerator with 3 Glass doors

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
GD-81RG	2062*850*2117 mm 81*33*83 inch	2025 71.5	2~8°C 35~46°F	Huayi	Carel	R290	13
GD-81FG	2062*850*2117 mm 81*33*83 inch	2025 71.5	-18~-22°C 0~-8°F	Embraco	Carel	R290	13



REACH-IN REFRIGERATOR & FREEZER


SOLID DOOR

Standard Features:

- Store frozen and refrigerated products in the same footprint.
- Durable stainless steel construction with foamed-in-place insulation.
- Self-closing, stay open doors with a stepped edge design and locks.
- Solid state digital controller with an LED display and temperature alarms.
- Uses eco-friendly R-290 refrigerant; 115V.

Optional:

- Extra shelves
- Adjustable feet



Reach-in Refrigerator & Freezer

Model no	Dimensions	Net capacity(L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
STH-27RF	686*821*2117 mm 27*32*83 inch	Chiller 269 19.5 Freezer 269 19.5	2~8 / -18~-22°C 35~46 / 0~-8°F	Huayi	Carel	R290	39
STH-54RF	1375*821*2117mm 54*32*83 inch	Chiller 594 21 Freezer 594 21	2~8 / -18~-22°C 35~46 / 0~-8°F	Huayi	Carel	R290	21
STH-81RRF	2062*821*2117mm 81*32*83 inch	Chiller 1293 45.7 Frzzer 594 21	2~8 / -18~-22°C 35~46 / 0~-8°F	Huayi	Carel	R290	13
STH-81RFF	2062*821*2117mm 81*32*83 inch	Chiller 594 21 Frzzer 1293 45.7	2~8 / -18~-22°C 35~46 / 0~-8°F	Huayi	Carel	R290	13



UNDER COUNTER

SOLID DOOR

Standard Features:

- Stainless steel interior and exterior, Floors and rounded cabinet corners for easy cleaning.
- Door lock and key standard for all refrigerators , door handle can be customized.
- Includes 1 adjustable and removable wire shelf per section,heavy duty shelves.
- Digital temperature controls with LED display for precise adjustment and automatic defrosting system.
- Reversible doors and automatically self close when less than 90°open.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools.
- Ventilated system, down duct refrigeration to ensure even distribution of air.
- Embraco compressor units with environmentally friendly R290 refrigerant.



1 door Under Counter (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-29BR	735*805*970 mm 29*32*38 inch	230 8.1	2~8℃ 35~46°F	Huayi	Carel	R290	60
TUC-29BF	735*805*970 mm 29*32*38 inch	230 8.1	-18~-22℃ 0~8°F	Huayi	Carel	R290	60

1 door Under Counter (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-29BRT-S	735*610*970 mm 29*24*38 inch	158 5.6	2~8℃ 35~46°F	Huayi	Carel	R290	98
TUC-29BFT-S	735*610*970 mm 29*24*38 inch	158 5.6	-18~-22℃ 0~8°F	Huayi	Carel	R290	98



2 door Under Counter (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-48BR	1230*805*970 mm 48*32*38 inch	417 14.3	2~8℃ 35~46°F	Huayi	Carel	R290	44
TUC-48BF	1230*805*970 mm 48*32*38 inch	417 14.3	-18~-22℃ 0~8°F	Huayi	Carel	R290	44

2 door Under Counter (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-48BRT-S	1230*610*970 mm 48*24*38 inch	287 10.1	2~8℃ 35~46°F	Huayi	Carel	R290	54
TUC-48BFT-S	1230*610*970 mm 48*24*38 inch	287 10.1	-18~-22℃ 0~8°F	Huayi	Carel	R290	54



2 door Under Counter (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-60BR	1555*805*970 mm 61*32*38 inch	540 19.1	2~8℃ 35~46°F	Huayi	Carel	R290	28
TUC-60BF	1555*805*970 mm 61*32*38 inch	540 19.1	-18~-22℃ 0~8°F	Huayi	Carel	R290	28

2door Under Counter (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-60BRT-S	1555*610*970 mm 61*24*38 inch	372 13.1	2~8℃ 35~46°F	Huayi	Carel	R290	48
TUC-60BFT-S	1555*610*970 mm 61*24*38 inch	372 13.1	-18~-22℃ 0~8°F	Huayi	Carel	R290	48



3 door Under Counter (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-72BR	1827*805*970 mm 72*32*38 inch	642 22.7	2~8℃ 35~46°F	Huayi	Carel	R290	24
TUC-72BF	1827*805*970 mm 72*32*38 inch	642 22.7	-18~-22℃ 0~8°F	Huayi	Carel	R290	24

3 door Under Counter (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TUC-72BRT-S	1827*610*970 mm 72*24*38 inch	442 15.6	2~8℃ 35~46°F	Huayi	Carel	R290	36
TUC-72BFT-S	1827*610*970 mm 72*24*38 inch	442 15.6	-18~-22℃ 0~8°F	Huayi	Carel	R290	36



PIZZA PREP TABLE


SOLID DOOR

Standard Features:


- American fashionable style Pizza table.
- Stainless steel interior and exterior.
- Reversible doors and automatically self close when less than 90° open.
- Inner box curved edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools.
- Door lock and key standard for all refrigerators , door handle can be customized.
- Digital thermostat Italian famous brand Dixell,Carel,Eliwell.
- High quality famous compressor: Embraco.

Optional:


- Fans: Germany Well-known brand EBM fans.
- Automatic defrost cooling system.
- Adjustable stainless steel feet or lockable casters.




Front view



Side view







Back view







Top view

TPP-47



TPP-67



TPP-94

Pizza Prep Table

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TPP-47	1205*880*1068 mm 48*35*42 inch	310 11	2~8℃ 35~46°F	Huayi	Carel	R290	42
TPP-67	1800*880*1068 mm 70*35*42 inch	592 20.9	2~8℃ 35~46°F	Huayi	Carel	R290	24
TPP-94	2395*880*1068 mm 94*35*42 inch	874 30.9	2~8℃ 35~46°F	Huayi	Carel	R290	16



SALAD PREP TABLE


SOLID DOOR

Standard Features:

- American fashionable style Saladette.
- Stainless steel interior and exterior.
- Automatically self close door when less than 90° open.
- Inner box curved edges for easy cleaning.
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without use of tools.
- Door lock and key standard for all refrigerators, door handle can be customized.
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell.
- High quality famous compressor: Embraco.

Optional:

- Fans: Germany Well-known brand EBM fans.
- Automatic defrost cooling system.
- Adjustable stainless steel feet or lockable casters.




1 door Salad Prep Table (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-29	735*805*1152 mm 29*32*45 inch	230 18.1	2~8°C 35~46°F	Huayi	Carel	R290	60

1 door Salad Prep Table (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-29T-S	735*740*1152 mm 29*29*45 inch	158 5.6	2~8°C 35~46°F	Huayi	Carel	R290	98



2 doors Salad Prep Table (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-48	1230*805*1152 mm 48*32*45 inch	417 14.7	2~8°C 35~46°F	Huayi	Carel	R290	44

2 door Salad Prep Table (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-48T-S	1230*740*1152 mm 48*29*45 inch	287 10.1	2~8°C 35~46°F	Huayi	Carel	R290	54




2 door Salad Prep Table (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-60	1555*805*1152 mm 61*32*45 inch	540 19.1	2~8°C 35~46°F	Huayi	Carel	R290	28

2 door Salad Prep Table (24 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-60T-S	155*740*1152 mm 61*29*45 inch	372 13.1	2~8°C 35~46°F	Huayi	Carel	R290	48



3 doors Salad Prep Table (32 inch Depth)

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-72	1827*805*1152 mm 72*32*45 inch	642 22.7	2~8°C 35~46°F	Huayi	Carel	R290	24

3 door Salad Prep Table (24 inch Depth)


Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-72T-S	1827*740*1152 mm 72*29*45 inch	442 15.6	2~8°C 35~46°F	Huayi	Carel	R290	36





MEGA TOP SALAD PREP TABLE

Standard Features:




- Stainless steel exterior & interior.
- Dixell / Carel digital controller.
- 10" cutting board.
- Automatically self close door when less than 90° open.
- Magnetic door gaskets standard for door seal.
- One pre-installed shelf per section.






TSSU-29MT





TSSU-40MT



TSSU-60MT



TSSU-72MT



Mega Top Salad Prep Table

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
TSSU-29MT	735*930*1152 mm 29*37*45 inch	230 8.1	2~8°C 35~46°F	Huayi	Carel	R290	60
TSSU-48MT	1230*930*1152 mm 48*37*45 inch	417 14.7	2~8°C 35~46°F	Huayi	Carel	R290	44
TSSU-60MT	1555*930*1152 mm 61*37*45 inch	540 19	2~8°C 35~46°F	Huayi	Carel	R290	28
TSSU-72MT	1827*930*1152 mm 72*37*45 inch	642 22.7	2~8°C 35~46°F	Huayi	Carel	R290	24



REFRIGERATED CHEF BASES




Standard Features:

- Stainless steel exterior and interior.
- Carel digital controller.
- Embraco compressor.
- Environmentally friendly refrigerant R290.
- Heavy duty stainless steel drawer slides and rollers.
- Magnetic drawer gaskets.
- Recessed door handles.
- Pre-installed casters.
- Gravity fed self closing drawers.
- Step design on the counter-top.

Optional:

- Stainless steel pan or PC pan.



Chef Base Chiller

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
CB36TN	920*820*685 mm 36.2*32.3*27.2 inch	72 2.5	0~-5°C 32~41°F	Huayi	Carel	R290	52
CB52TN	1340*820*685 mm 52.8*32.3*27.2 inch	131 4.6	0~-5°C 32~41°F	Huayi	Carel	R290	32
CB72TN	1835*820*685 mm 72.2*32.3*27.2 inch	178 6.3	0~-5°C 32~41°F	Huayi	Carel	R290	26

Chef Base Freezer

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant	40"loading Quantity
CB36BT	1005*820*690 mm 39.6*32.3*27.2 inch	72 2.5	-20~-16°C -4~-3.2°F	Huayi	Carel	R290	52
CB52BT	1425*820*690 mm 56.1*32.3*27.2 inch	131 4.6	-20~-16°C -4~-3.2°F	Huayi	Carel	R290	32
CB72BT	1920*820*690 mm 75.6*32.3*27.2 inch	178 6.3	-20~-16°C -4~-3.2°F	Huayi	Carel	R290	26

REFRIGERATED TOPPING UNIT



Standard Features:

- Exterior and interior material: stainless steel.
- Zanussi high quality compressor.
- Suitable for GN 1/6 pans.
- CFC free foaming.
- Environmental refrigerant R600a.



Refrigerated topping unit

Model no	Dimensions	Net capacity (L/cu.ft)	Temperature	Compressor	Thermostat	Coolant
RTR-4	380*654*231 mm 15*26*9 inch	4* GN1/6	1~-10°C 32~41°F	ZEL	ROBERTSHAW	R600a
RTR-8	698*654*231 mm 27*26*9 inch	8* GN1/6	1~-10°C 32~41°F	ZEL	ROBERTSHAW	R600a



Abs REFRIGERATION





ABS LINE UPRIGHT CHILLER/FREEZER



Standard Features:

- European standard ABS inside upright chiller and freezer.
- Digital thermostat.
- Revisable self-closing door.
- Shelves with narrow distance between wires for better goods stability.
- With Interior light.

Optional:

- White and stainless steel form.
- Glass and solid door.



CHILLER

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Shelves	Shelf size (mm)	Coolant	40"loading Quantity
R200	600*635*835	99	0~8	2+1	U: 496*410 B: 496*270	R600a	162
R200 SS	600*635*835	99	0~8	2+1	U: 496*410 B: 496*270	R600a	162
R400	600*639*1875	267	0~8	4+1	U: 496*410 B: 496*210	R600a	57
R400 SS	600*639*1875	267	0~8	4+1	U: 496*410 B: 496*210	R600a	57
R600	775*744*1900	473	0~8	4+1	U: 668*525 B: 668*210	R600a	42
R600 SS	775*744*1900	473	0~8	4+1	U: 668*525 B: 668*210	R600a	42

DISPLAY COOLER

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Shelves	Shelf size (mm)	Coolant	40"loading Quantity
R200G	600*673*835	99	0~8	2+1	U: 496*410 B: 496*270	R600a	162
R200G SS	600*673*835	99	0~8	2+1	U: 496*410 B: 496*270	R600a	162
R400G	600*677*1875	267	0~8	4+1	U: 496*410 B: 496*210	R600a	57
R400G SS	600*677*1875	267	0~8	4+1	U: 496*410 B: 496*210	R600a	57
R600G	775*782*1900	473	0~8	4+1	U: 668*525 B: 668*210	R600a	42
R600G SS	775*782*1900	473	0~8	4+1	U: 668*525 B: 668*210	R600a	42

STATIC FREEZER

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Shelves	Shelf size (mm)	Coolant	40"loading Quantity
F200	600*635*835	97	-23~-18	2	425*412	R600a	162
F200 SS	600*635*835	97	-23~-18	2	425*412	R600a	162
F200G	600*673*835	97	-23~-18	2	425*412	R290	162
F200G SS	600*673*835	97	-23~-18	2	425*412	R290	162
F400	600*639*1875	249	-23~-18	6	425*412	R290	57
F400 SS	600*639*1875	249	-23~-18	6	425*412	R290	57
F600	775*744*1900	411	-23~-18	6	588*496	R290	42
F600 SS	775*744*1900	411	-23~-18	6	588*496	R290	42





SR/SF LINE UPRIGHT CHILLER/FREEZER



Standard Features:

- European standard white prepainted solid door upright chiller and freezer.
- Digital thermostat.
- Revisable self-closing door.
- Shelves with narrow distance between wires for better goods stability.
- 7 layer of evaporator as shelves for freezer.
- With Interior light.

Optional:

- White and stainless steel form.
- Glass and solid door.



Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SR20VDG	600*620*900	147	2~8	Jiaxipera	Honker	R600a	114
SR20V-2D	595*615*870	128	2~8	Jiaxipera	Honker	R600a	114

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SR20	595*653*870	170	0~+8	ZEL	Carel	R600a	108
SR20G	595*653*870	170	0~+8	ZEL	Carel	R600a	108
SR20S	595*653*870	170	0~+8	ZEL	Carel	R600a	108
SR20GS	595*653*870	170	0~+8	ZEL	Carel	R600a	108
SF20	595*653*870	170	-18~-22	ZEL	Carel	R600a	108
SF20G	595*653*870	170	-18~-22	ZEL	Carel	R600a	108
SF20S	595*653*870	170	-18~-22	ZEL	Carel	R600a	108

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SR40	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40G	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40S	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40GS	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40V	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40VG	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40VS	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SR40VGS	595*653*1840	380	0~+8	ZEL	Carel	R600a	54
SF40V	595*653*1840	380	-18~-22	ZEL	Carel	R290	54
SF40VG	595*653*1840	380	-18~-22	ZEL	Carel	R290	54
SF40VS	595*653*1840	380	-18~-22	ZEL	Carel	R290	54
SF40VGS	595*653*1840	380	-18~-22	ZEL	Carel	R290	54

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SR60	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60G	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60S	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60GS	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60V	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60VG	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60VS	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SR60VGS	775*723*1840	590	0~+8	ZEL	Carel	R600a	42
SF60V	775*723*1840	590	-18~-22	HUAYI	Carel	R290	42
SF60VS	775*723*1840	590	-18~-22	HUAYI	Carel	R290	42
SF60VG	775*723*1840	590	-18~-22	HUAYI	Carel	R290	42
SF60VGS	775*723*1840	590	-18~-22	HUAYI	Carel	R290	42

MEAT AGER





STEAK AGER

Standard Features:



Stainless steel shelf with LED light
Stronger and big capacity




Accurate temperature control



Elegant door handle with touch screen



Food grade material



Accurate humidification system



Glass door selection



GD-60SA

GD-120SA

GD-180SA

GD-300SA

Meat Ager


Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Humidity Range	N.W/G.W (kg)	40HQ load capacity
GD-40SA	485*600*820	535*680*885	88	1~25	60-85%	37/42	219
GD-46SA	595*570*820	660*655*885	98	1~25	60-85%	44/47	162
GD-60SA	605*600*870	655*680*920	107	1~25	60-85%	45/48	108
GD-120SA	595*710*1270	645*780*1440	233	1~25	60-85%	71/75	54
GD-180SA	595*710*1720	645*780*1890	352	1~25	60-85%	92/97	54
GD-300SA	750*720*2015	795*805*2175	620	1~25	60-85%	123/141	42



WINE COOLER



WINE COOLER



LED touch pad control



Wooden shelf



Wine cooler							
Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Shelf.No	Bottle Capacity	40HQ load capacity
GD-32RS	485*499*827	610*620*885	90	5~20	5	30	171
GD-32RDT	485*499*827	610*620*885	85	5~20	4	26	171
GD-42S	485*640*827	605*760*885	125	5~20	5	46	171

Wine cooler							
Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Shelf.No	Bottle Capacity	40HQ load capacity
GD-55RS	528*481*1446	580*570*1495	173	5~20	10	60	108
GD-55RDT	528*481*1446	580*570*1495	170	5~20	9	60	108

Wine cooler							
Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Shelf.No	Bottle Capacity	40HQ load capacity
GD-70RS	528*481*1596	580*570*1645	194	5~20	12	70	108
GD-70RDT	528*481*1596	580*570*1645	190	5~20	11	70	108

Wine cooler							
Model no	Dimensions (mm)	Packing Size (mm)	Product Capacity(L)	Temp.Range (°C)	Shelf.No	Bottle Capacity	40HQ load capacity
GD-172-2D	939*541*1821	1060*665*2020	490	5~20	32	172	34