

DRINKS





HEATPIPE MINIBAR



Standard Features:

- Advance peltier cooling.
- Work with heat pipe.
- Interior led light, shelves and door racks.

Optional:

- Different color.
- Lock and key.



Model no	Dimensions (mm)	Temp.(°C)	Capacity (L)	Noise (db)	N/W	40"loading Quantity
HP-28A	475*385*390	6~12	28	0	10.1	652
HP-30A	475*385*455	6~12	30	0	10.8	626
HP-40A	560*400*425	6~12	40	0	12.5	508

Glass door

Standard Features:

- Advance peltier cooling.
- Work with heat pipe.
- Interior led light, shelves and door racks.

Optional:

- Different color.
- Lock and key.



Model no	Dimensions (mm)	Temp.(°C)	Capacity (L)	Noise (db)	N/W	40"loading Quantity
HP-28BM	475*385*390	6~12	28	0	10.1	652
HP-30BM	475*385*455	6~12	30	0	10.8	626
HP-40BM	560*400*425	6~12	40	0	12.5	508

ABSORPTION MINIBAR



Standard Features:

- Super silent operation.
- Auto defrost.
- LED lamp.
- Adjustable shelves.

Optional:

- Different color.
- Lock and key.
- Reversible door.



Model no	Dimensions (mm)	Temp.(°C)	Capacity (L)	Noise (db)	N/W	40"loading Quantity
AB-30	402*420*500	3~12	30	0	13.5	600
AB-40	402*455*560	3~12	40	0	15.5	484
AB-50	402*455*670	3~12	50	0	17.5	438

Glass door

Standard Features:

- Advance peltier cooling.
- Work with heat pipe.
- Interior led light, shelves and door racks.

Optional:

- Different color.
- Lock and key.



Model no	Dimensions (mm)	Temp.(°C)	Capacity (L)	Noise (db)	N/W	40"loading Quantity
AB-30TE	402*420*500	4~12	30	0	14.5	600
AB-40TE	402*455*560	4~12	40	0	15.5	484
AB-50TE	402*455*670	4~12	50	0	16.5	438



BACKBAR WITH HINGED DOOR



Standard Features:

- Automatic self-closing hinged door.
- Double layers tempered glass.
- Removable digital thermostat.
- 2 adjustable shelves per door.
- Interior LED light.
- Fan assisted cooling.
- Replaceable door gasket.
- Lock and key.



Hinged door with 84mm Height

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BBS-128H	600*520*840	128	0~+8	ZEL	Carel	R600a	216
BBD-198H	900*520*840	198	0~+8	ZEL	Carel	R600a	144
BBT-320H	1350*520*840	320	0~+8	ZEL	Carel	R600a	99

Hinged door with 90mm Height

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BBS-130H	600*520*900	138	0~+8	ZEL	Carel	R600a	144
BBD-230H	900*520*900	208	0~+8	ZEL	Carel	R600a	96
BBT-350H	1350*520*900	330	0~+8	ZEL	Carel	R600a	66

BACKBAR WITH SLINDING DOOR



Standard Features:

- Automatic self-closing sliding door.
- Double layers tempered glass.
- Removable digital thermostat.
- 2 adjustable shelves per door.
- Interior LED light.
- Fan assisted cooling.
- Replaceable door gasket.
- Lock and key.



Sliding door with 84mm Height

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BBD-198S	900*520*840	198	0~+8	ZEL	Carel	R600a	144
BBT-320S	1350*520*840	320	0~+8	ZEL	Carel	R600a	99

Hinged door with 90mm Height

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
BBD-230S	900*520*900	208	0~+8	ZEL	Carel	R600a	96
BBT-350S	1350*520*900	330	0~+8	ZEL	Carel	R600a	66





BACKBAR COUNTER



Standard Features:

- Exterior material : Black powder painted steel.
- Interior material of cabinet :Embossed aluminium.
- Interior material of drawer: SUS 201.
- Reversible self-closing door.
- Copper tube and aluminum finned evaporator.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3,GN2/3,GN1/2 drawers.
- Interior lighting LED.



2 doors

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC210	1465*520*840	280	2~+8	Embraco	Carel	R290	54

1 door + 2 * GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC220	1465*520*840	280	2~+8	Embraco	Carel	R290	54

4 * GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC240	1465*520*840	280	2~+8	Embraco	Carel	R290	54



Standard Features:

- Exterior material : Black powder painted steel.
- Interior material of cabinet :Embossed aluminium.
- Interior material of drawer: SUS 201.
- Reversible self-closing door.
- Copper tube and aluminum finned evaporator.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3,GN2/3,GN1/2 drawers.
- Interior lighting LED.



3 doors

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC310	2005*520*840	425	2~+8	Embraco	Carel	R290	43



2 doors + 2 * GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC320	2005*520*840	425	2~+8	Embraco	Carel	R290	43



1 door + 2 * GN1/2 drawers + 3*GN1/3 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC350	2005*520*840	425	2~+8	Embraco	Carel	R290	43



6 * GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC360	2005*520*840	425	2~+8	Embraco	Carel	R290	43




BACKBAR COUNTER

Standard Features:

- Exterior material : Black powder painted steel.
- Interior material of cabinet :Embossed aluminium.
- Interior material of drawer: SUS 201.
- Reversible self-closing door.
- Copper tube and aluminum finned evaporator.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.

Optional:

- Adjustable feet or castors.
- With GN1/3,GN2/3,GN1/2 drawers.
- Interior lighting LED.



4 doors

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC410	2545*520*840	600	2~+8	Embraco	Carel	R290	34



3 doors + 2* GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC420	2545*520*840	600	2~+8	Embraco	Carel	R290	34



2 doors + 4* GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC440	2545*520*840	600	2~+8	Embraco	Carel	R290	34



1 door + 6* GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC460	2545*520*840	600	2~+8	Embraco	Carel	R290	34



8* GN1/2 drawers

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC480	2545*520*840	600	2~+8	Embraco	Carel	R290	34



BACKBAR COUNTER

GLASS DOOR



Standard Features:

- Exterior material : Black powder painted steel.
- Interior material of cabinet :Embossed aluminium.
- Reversible self-closing door.
- Copper tube and aluminum finned evaporator.
- Digital thermostat.
- Ventilated cooling.
- Automatic defrost.


Optional:

- Adjustable feet or castors.
- Interior lighting LED.
- Stainless steel shelf.
- Touch screen.



Glass Door

Model no	Dimensions (mm)	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
DC210G	1465*520*840	280	2~+8	Embraco	Carel	R290	54
DC310G	2005*520*840	425	2~+8	Embraco	Carel	R290	43
DC410G	2545*520*840	600	2~+8	Embraco	Carel	R290	34





BEVERAGE COOLER

WITH CANOPY

Standard Features:

- Exterior black PCM, interior white pre-painted aluminium sheet.
- Vertical interior lighting LED.
- Adjustable wire shelves.
- Door frame in black plastic.
- Door made of double layer tempered glass.
- Temperature controller (1 to 7 °C).
- Lock & Key.

Optional:

- Additional wire shelf available.
- Digital thermostat available.
- Automatic door closing available.
- Condensation fan on bottom available.
- Advertising stickers/serigraphy on light boxes/cabinet sides available.
- Universal wheel with brake available.



LC-150



LC-230

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-150	500*535*1310	124	2~8	3	38/41	166
LC-200	500*535*1650	180	2~8	3	45/49	111
LC-230	550*535*1675	207	2~8	3	50/54	102
LC-260	550*535*1775	226	2~8	3	51/55	101



LC-360

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-320	600*572*1825	290	2~8	4	61/67	77
LC-360	600*572*1915	310	2~8	4	62/68	76
LC-480	600*572*2040	466	2~8	4	65/73	69



BEVERAGE COOLER

WITHOUT CANOPY

Standard Features:

- Exterior black PCM, interior white pre-painted aluminium sheet.
- Vertical interior lighting LED.
- Adjustable wire shelves.
- Door frame in black plastic.
- Door made of double layer tempered glass.
- Temperature controller (1 to 7 °C).
- Lock & Key.

Optional:

- Additional wire shelf available.
- Digital thermostat available.
- Automatic door closing available.
- Condensation fan on bottom available.
- Advertising stickers/serigraphy on light boxes/cabinet sides available.
- Universal wheel with brake available.



LC-150N



LC-230N

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-150N	500*535*1135	124	2~8	3	38/41	168
LC-200N	500*535*1460	180	2~8	3	45/49	140
LC-230N	550*535*1490	207	2~8	3	50/54	105
LC-260N	550*535*1590	226	2~8	3	51/55	104



LC-480N



LC-580N

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-320N	600*572*1640	290	2~8	4	61/67	77
LC-360N	600*572*1730	310	2~8	4	62/68	76
LC-480N	610*724*1845	466	2~8	4	65/73	69
LC-580N	700*730*1890	548	2~8	4	68/76	45





BEVERAGE COOLER

Standard Features:

- Exterior black PCM, interior white pre-painted aluminium sheet.
- Vertical interior lighting LED.
- Adjustable wire shelves.
- Door frame in black plastic.
- Door made of double layer tempered glass.
- Temperature controller (1 to 7 °C).
- Lock & Key.

Optional:

- Additional wire shelf available.
- Digital thermostat available.
- Automatic door closing available.
- Condensation fan on bottom available.
- Advertising stickers/serigraphy on light boxes/cabinet sides available.
- Universal wheel with brake available.



LC-600N



LC-600

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-600NB	972*572*1660	483	2~8	8	80/87	55
LC-600	972*572*1845	483	2~8	8	87/94	54



LC-800



LC-1200

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-800	1050*660*1995	680	2~8	8	120/130	32
LC-1200	1220*720*2040	1090	2~8	8	167/170	27



Standard Features:

- Exterior black PCM, interior white pre-painted aluminium sheet.
- Vertical interior lighting LED.
- Adjustable wire shelves.
- Door frame in black plastic.
- Door made of double layer tempered glass.
- Temperature controller (1 to 7 °C).
- Lock & Key.

Optional:

- Additional wire shelf available.
- Digital thermostat available.
- Automatic door closing available.
- Condensation fan on bottom available.
- Advertising stickers/serigraphy on light boxes/cabinet sides available.
- Universal wheel with brake available.



LC-600

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-360D	600*572*1915	310	2~8	4	66/72	76

COUNTERTOP BEVERAGE COOLER

Standard Features:

- Adjustable wire shelves.
- Ventilation fan inside.
- Temperature controller (1 to 7).
- Elegant LED light box.
- Double layer tempered glass door.
- Consolidating spray painting metal cabinet design.
- Perfect temperature for beer storage (-3~8°C).

Optional:

- Additional wire shelves available.
- Universal wheel with brake available.
- Numerical temperature display available.
- Automatic door closing available.
- Multiple colors available.
- External handle available.
- Lock and key.
- Advertising stickers/serigraphy.



LC-120B



LC-150B



LC-200B

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	N.W/G.W (kg)	40HQ load capacity
LC-120B	500*530*840	95	2~8	2	32/34	218
LC-150B	500*535*1070	124	2~8	3	33/36	168
LC-200B	500*535*1395	180	2~8	3	40/44	146



BEVERAGE COOLER

CLASSIC LINE

Standard Features:

- Self-evaporating water tray.
- LED vertical lighting + canopy LED light.
- Double glass and self-closing door.
- With lock and key.
- With black plastic handle and plastic door frame.
- Interior made of painted aluminium.

Optional:

- Additional wire shelf available.
- Promotional stickers/serigraphy available.
- Universal wheel with brake available.



GD-P160SH



GD-P338SH

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	Package Dimensions (mm)	40HQ load capacity
GD-P160SH	390*475*1880	160	0~10	4	450*530*1950	139
GD-P338SH	578*605*1980	338	0~10	4	624*630*2025	75
GD-P338VH	578*605*1980	338	0~10	4	624*630*2025	75



GD-P1000VS



GD-P1500VH

Model no	Product Dimensions (mm)	Product Capacity (L)	Temp.Range (°C)	Shelf.No	Package Dimensions (mm)	40HQ load capacity
GD-P1000VH	1130*700*2023	1000	0~10	8	1180*750*2100	30
GD-P1000VS	1130*720*2023	1000	0~10	8	1180*770*2100	30
GD-P1500VH	1710*720*2063	1500	0~10	15	1760*770*2140	15

BEVERAGE COOLER FREEZER




Standard Features:

- Material: black pre-coated steel.
- Cooler with two layers of tempered glass.
- Freezer with three layers of tempered glass, coated with heater.
- The ventilated system with high-efficiency compressor.
- Automatic defrost.
- LED lighting.
- Low energy framless doors.
- High impact display area.
- Mobile and versatile.
- Available as a fridge or freezer.

Optional:

- White pre-coated steel.



1 Door | 600mm

Model no	Dimensions (mm)	Capacity (L)	Temp.Range (°C)	Coolant	Shelf.No	Packing Size (mm)	40"loading Quantity
BR60CP	600*760*2000	255	+2 ~ +8	R290	4	670*830*2150	42
BF60CP	600*760*2000	255	-18~-22	R290	4	670*830*2150	42

2 Doors | 1200mm

Model no	Dimensions (mm)	Capacity (L)	Temp.Range (°C)	Coolant	Shelf.No	Packing Size (mm)	40"loading Quantity
BR120CP	1200*760*2000	582	+2 ~ +8	R290	8	1270*830*2150	23
BF120CP	1200*760*2000	582	-18~-22	R290	8	1270*830*2150	23

3 Doors | 1800mm

Model no	Dimensions (mm)	Capacity (L)	Temp.Range (°C)	Coolant	Shelf.No	Packing Size (mm)	40"loading Quantity
BR180CP	1800*760*2000	907	+2 ~ +8	R290	12	1870*830*2150	14
BF180CP	1800*760*2000	907	-18~-22	R290	12	1870*830*2150	14



BEVERAGE COOLER

Standard Features:

- Double layers tempered glass door.
- Cabinet LED light + canopy LED light.
- Self-evaporating water tray.
- 4 casters + 2 adjustable feet at the front.
- Digital controller.
- Self-closing door with lock & key.



Beverage Cooler

Model no	Dimensions	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
LSC-420SFA	600*655*1985	390	1-10°C	Donper	Kerda	R290	71
LSC-720SFA	1100*620*1985	690	1-10°C	Donper	Kerda	R290	41
LSC-1120SFA	1650*620*1985	1070	1-10°C	Donper	Kerda	R290	20

Beverage Cooler

Model no	Dimensions	Net capacity (L)	Temperature (°C)	Compressor	Thermostat	Coolant	40"loading Quantity
SC-571L	750*760*1980	570	1-10°C	Huayi	Kerda	R290	42
SC-791L	1100*600*1985	711	1-10°C	Huayi	Kerda	R290	41
SC-1121L	1610*600*1985	1020	1-10°C	Huayi	Kerda	R290	20
SC-870PL	1090*760*1980	870	1-10°C	Huayi	Kerda	R290	30
SC-1040PL	1280*760*1980	1040	1-10°C	Huayi	Kerda	R290	27



FOUR SIDE GLASS SHOWCASE



Standard Features :

- Material: Plastic + Glass or AL.
- Colour: White and Black.
- Type of glass : Double glazing.
- Cooling: Circulating air.
- Coolant: R600a.
- Temperature range: 2°C to 12°C.
- Climate class : 4.
- Drip Water evaporation.
- Automatic defrosting fuction.
- 4 Vertical Led light.
- Plastic coated height adjustable intermediate shelves.
- Voltage/Hz : 220~240V 50Hz.



GDSC-38B



GDSC-58B



GDSC-78B



GDSC-98B



GDSC-128B



GDSC-158B



GDSC-188B



GDSC-218B

Model no	External W x D x H (mm)	Internal W x D x H (mm)	Packaging W x D x H (mm)	Shelves	Net weight (kg)	Gross weight (kg)	Loading Qty 20'/40'/40HQ
GDSC-38W/GDSC-38B	434*398*714	370*330*340	485*443*755	1	32	34	189/387/387
GDSC-58W/GDSC-58B	434*398*854	370*330*480	485*443*895	2	37	39	126/258/360
GDSC-78W/GDSC-78B	434*398*1004	370*330*630	485*443*1045	2	42	45	126/258/258
GDSC-98W/GDSC-98B	434*398*1154	370*330*780	485*443*1195	3	48	51	126/258/258

Model no	External W x D x H (mm)	Internal W x D x H (mm)	Packaging W x D x H (mm)	Shelves	Net weight (kg)	Gross weight (kg)	Loading Qty 20'/40'/40HQ
GDSC-128W/GDSC-128B	515*553*1100	449*486*617	566*598*1145	2	59	62	76/164/164
GDSC-158W/GDSC-158B	515*553*1230	449*486*747	566*598*1275	3	62	66	38/82/164
GDSC-188W/GDSC-188B	515*553*1323	449*486*840	566*598*1368	2	68	73	38/82/82
GDSC-218W/GDSC-218B	515*553*1500	449*486*1017	566*598*1545	3	73	78	38/82/82



FOUR SIDE GLASS SHOWCASE



Standard Features :

- Material: Plastic + Glass or AL.
- Colour: White and Black.
- Type of glass : Double glazing.
- Cooling: Circulating air.
- Coolant: R600a.
- Temperature range: 2°C to 12°C.
- Climate class : 4.
- Drip Water evaporation.
- Automatic defrosting fuction.
- 4 Vertical Led light.
- Plastic coated height adjustable intermediate shelves.
- Voltage/Hz : 220~240V 50Hz.



GDSC-238B



GDSC-258B




GDSC-278B

Model no	External W x D x H (mm)	Internal W x D x H (mm)	Packaging W x D x H (mm)	Shelves	Net weight (kg)	Gross weight (kg)	Loading Qty 20'/40'/40HQ
GDSC-238W/GDSC-238B	515*553*1600	449*486*1117	566*598*1645	4	76	81	38/82/82
GDSC-258W/GDSC-258B	515*553*1700	449*486*1217	566*598*1745	5	80	85	38/82/82
GDSC-278W/GDSC-278B	515*553*1800	449*486*1317	566*598*1845	5	86	91	38/82/82



Standard Features :

- Material: Plastic + Glass or AL.
- Colour: White and Black.
- Type of glass : Double glazing.
- Cooling: Circulating air.
- Coolant: R600a.
- Temperature range: 2°C to 12°C.
- Climate class : 4.
- Drip Water evaporation.
- Automatic defrosting fuction.
- 4 Vertical Led light.
- Plastic coated height adjustable intermediate shelves.
- Voltage/Hz : 220~240V 50Hz.
- With front and back two doors.



GDSC-103FW



GDSC-63FW



GDSC-83FW

Model no	External W x D x H (mm)	Internal W x D x H (mm)	Packaging W x D x H (mm)	Shelves	Net weight (kg)	Gross weight (kg)	Loading Qty 20'/40'/40HQ
GDSC-63FW/GDSC-63FB	434*446*854	370*356*486	485*356*895	2	39	41	100/200/300
GDSC-83FW/GDSC-83FB	434*446*1004	370*356*636	485*356*1045	3	44	46	100/200/200
GDSC-103FW/GDSC-103FB	434*446*1154	370*356*786	485*356*1195	4	51	54	100/200/200



MILK REFRIGERATOR WITH CUP WARMER



Standard Features:

- Digital temperature controller.
- Touch panel operation and digital display.
- Milk cooling with cup warmer on top.
- Independent selection of internal light control.
- Glass door with hidden handle.
- Reserved opening for milk shake machine straw.
- Tempered glass and stainless steel.




Static cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
RW-15	300*525*640	15	2~8	4	R134a/ R600a	35

DISPLAY SHOWCASE

Standard Features:

- Brilliant internal LED illumination on sides.
- Digital temperature controller and display.
- Cooling system on top.
- 4 adjustable chrome plated shelves.
- Front flat glass door.
- 4 sides triple glass.
- 4 castors, 2 with brakes.
- Automatic defrost.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
DC-400L-2	656*653*1892	400	2~8	4	R290	181

WINE COOLER



Standard Features:

- Brilliant Internal LED illumination on sides.
- Digital temperature controller and display.
- Cooling system on top.
- Wine shelf.
- 4 sides triple glass.
- 4 Castors, 2 with brakes.
- Automatic defrost.

Optional:

- Front flat glass door or curved glass door.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
WN-400L-2	656*653*1892	81 pcs	5~18	4	R290	181

Standard Features:

- Internal LED illumination.
- Digital temperature controller and display.
- Automatic return door.
- 8K mirror surface stainless steel.
- Automatic water evaporation.
- Tempered glass.
- Black titanium material.
- Stainless Steel win shelves.

Optional:

- Adjustable shelves.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
WN-645L	1070*550*2400	645L	8~15	4	R290	300
WN-1005L	1600*550*2400	1005L	8~15	4	R290	380



DISPLAY SHOWCASE



Standard Features:

- Brilliant internal LED illumination on sides.
- Digital temperature controller and display.
- Adjustable chrome plated shelves.
- Front flat glass door.
- 4 sides triple glass.
- 4 castors, 2 with brakes.
- Automatic defrost.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
DS-270L	650*650*1500	270	0~12	4	R134a/R290	130
DS-350L	850*650*1500	350	0~12	4	R134a/R290	152
DS-400L	650*650*1908	400	0~12	4	R134a/R290	161
DS-550L	850*650*1908	550	0~12	4	R134a/R290	192

FREEZER SHOWCASE

Standard Features:

- Brilliant Internal LED illumination on sides.
- Digital temperature controller and display.
- Adjustable chrome plated shelves.
- 4 Sides three layers glass.
- Ventilated cooling system.
- Automatic defrost.
- Adjustable base feet.



Ventilated cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
FS-270L	650*650*1500	270	-13~-22	4	R404a	167
FS-350L	850*650*1500	350	-13~-22	4	R404a	192
FS-400L	650*650*1908	400	-13~-22	4	R404a	210
FS-550L	850*650*1908	550	-13~-22	4	R404a	225

ICE CREAM DISPLAY



Standard Features:

- Digital temperature controller and display.
- 4x5L pan or 8x1/6 pan.
- Automatic defrost.
- Floding flat / curved glass cover.
- On/off switch.
- Adjustable feet.



Static cooling system

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Climate	Coolant	N.W (kg)
GD-67L	805*666*356	67	-18~-25	4	R134a/R290	34.5
GD-77L	805*666*305	77	-18~-25	4	R134a/R290	38
GD-77L-2	805*666*358	77	-18~-25	4	R134a/R290	28
GD-87L	867*735*373	87	-18~-25	4	R290	45



CHOCOLATE SHOWCASE



Standard Features:

- Hermetic compressor, high refrigeration capacity, low consumption and low noise levels.
- Ventilated cooling system, cooling fast, ensure the internal temperature stable.
- Automatic defrosting system, short defrosting time, to ensure the stable taste of the inside ice cream.
- Double hollow tempered glass with heating element, works well in high humidity environment.
- Right angle modeling, top glass can be placed menu, cups and other items.



Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Coolant	Pan	Power (w)
GN-6RV	1260*740*1373	160	-18~-22	R404a	6	1100
GN-7RV	1435*740*1373	175	-18~-22	R404a	7	1160
GN-8RV	1610*740*1373	195	-18~-22	R404a	8	1180
GN-9RV	1785*740*1373	215	-18~-22	R404a	9	1200
GN-12RV	1260*1045*1373	300	-18~-22	R404a	12	1200
GN-14RV	1435*1045*1373	349	-18~-22	R404a	14	1260
GN-16RV	1610*1045*1373	382	-18~-22	R404a	16	1280
GN-18RV	1785*1045*1373	425	-18~-22	R404a	18	1300

CHOCOLATE SHOWCASE

Standard Features:

- Fast defogging speed, effective removal of fog, to maintain a clear view inside the display cabinet.
- Panoramic design, can increase the display of goods.
- Microcomputer precise temperature control.
- High-strength double-layer hollow glass, strong and durable.
- Full copper tube evaporator.
- High efficiency of heat dissipation.

Optional:

- Other colors / steel.
- Customizable.



Ventilated system | Sliding door

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Coolant	Drawers	Doors
900XD-CT	900*850*1175	480	2~8	R290	2	2
1000XD-CT	1000*850*1175	535	2~8	R290	2	2
1200XD-CT	1200*850*1175	650	2~8	R290	3	2
1500XD-CT	1500*850*1175	815	2~8	R290	3	2
1800XD-CT	1800*850*1175	985	2~8	R290	4	2

CAKE SHOWCASE



Standard Features:

- Adjustable shelves * 2 layers / 3 layers.
- Brand compressor.
- Digital controller.
- Insulating glass.
- Black pre-painted steel base.
- Led light inside.
- Integrated black door frame.



GN-900R2-J



GN-900R3-J

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Coolant	Shelves	Power (w)
GN-900R2-J	900*660*1200	150	2~8	R290	2	445
GN-1000R2-J	1000*660*1200	170	2~8	R290	2	455
GN-1200R2-J	1200*660*1200	200	2~8	R290	2	465
GN-1500R2-J	1500*660*1200	255	2~8	R290	2	625
GN-1800R2-J	1800*660*1200	310	2~8	R290	2	715
GN-900R3-J	900*660*1200	165	2~8	R290	3	460
GN-1000R3-J	1000*660*1200	185	2~8	R290	3	470
GN-1200R3-J	1200*660*1300	220	2~8	R290	3	480
GN-1500R3-J	1500*660*1200	270	2~8	R290	3	640
GN-1800R3-J	1800*660*1200	330	2~8	R290	3	730



GN-900C2-J



GN-900C3-J

Model no	Dimensions (mm)	Capacity (L)	Temp.(°C)	Coolant	Shelves	Power (w)
GN-900C2-J	900*660*1200	145	2~8	R290	2	445
GN-1000C2-J	1000*660*1200	165	2~8	R290	2	455
GN-1200C2-J	1200*660*1200	195	2~8	R290	2	465
GN-1500C2-J	1500*660*1200	250	2~8	R290	2	625
GN-1800C2-J	1800*660*1200	305	2~8	R290	2	715
GN-900C3-J	900*660*1300	160	2~8	R290	3	460
GN-1000C3-J	1000*660*1300	180	2~8	R290	3	470
GN-1200C3-J	1200*660*1300	215	2~8	R290	3	480
GN-1500C3-J	1500*660*1300	265	2~8	R290	3	640
GN-1800C3-J	1800*660*1300	325	2~8	R290	3	730



SLUSH MACHINE | 10 LITER



Standard Features:

- 10 Liter machine guarantee the production and distribution of frozen drinks quickly at surprisingly low cost.
- These machine represent the best solution for slush, sher. bet, yogurt, cappuccino, and frozen drinks.
- Compact and luxurious in design.
- Frozen and liquid drinks 2 in 1 machine.
- Night mode to keep the drinks fresh over night.
- Two large 10 liter hoppers for optimum cooling and serving capacity.
- High quality in compressor and wonderful working perfor-mance.
- LED light in illumination on top of the machine, to make the drinks more attractive.
- R304 stainless steel and ABS body panel for your choice.
- Food-grade high density polycarbonate bowl, health and environmental protection.
- Bowl and faucet easy to disassemble for quick cleaning and utmost hygiene.



XRJ10Lx1N



XRJ10Lx2N



XRJ10Lx3N

Model no	Dimensions (mm)	Voltage (v)	Frequency (Hz)	Hot Power (w)	Temperature Range (°C)	N.W (kg)	W.G (kg)
XRJ10Lx1N	270*580*790	220V-240V 110V-120V	50HZ/60HZ	300	-2~-3°C	28	40
XRJ10Lx2N	470*580*790	220V-240V 110V-120V	50HZ/60HZ	400	-2~-3°C	44	59
XRJ10Lx3N	660*580*790	220V-240V 110V-120V	50HZ/60HZ	500	-2~-3°C	61	80

SLUSH MACHINE | 12 LITER



Standard Features:

- 12 Liter machine guarantee the production and distribution of frozen drinks quickly at surprisingly low cost.
- These machine represent the best solution for slush, sher. bet, yogurt, cappuccino, and frozen drinks.
- Compact and luxurious in design.
- Frozen and liquid drinks 2 in 1 machine.
- Night mode to keep the drinks fresh over night.
- Two large 12 liter hoppers for optimum cooling and serving capacity.
- High quality in compressor and wonderful working perfor-mance.
- LED light in illumination on top of the machine, to make the drinks more attractive.
- R304 stainless steel and ABS body panel for your choice.
- Food-grade high density polycarbonate bowl, health and environmental protection.
- Bowl and faucet easy to disassemble for quick cleaning and utmost hygiene.



XRJ12Lx1T



XRJ12Lx2T



XRJ12Lx3T

Model no	Dimensions (mm)	Voltage (v)	Frequency (Hz)	Hot Power (w)	Temperature Range (°C)	N.W (kg)	W.G (kg)
XRJ12Lx1T	220*510*770	220V-240V 110V-120V	50HZ/60HZ	500	-2~-3°C	29	40
XRJ12Lx2T	430*510*770	220V-240V 110V-120V	50HZ/60HZ	600	-2~-3°C	44	56
XRJ12Lx3T	610*510*770	220V-240V 110V-120V	50HZ/60HZ	800	-2~-3°C	63	76



SLUSH MACHINE



Standard Features:

- Compact and luxurious in design.
- Advanced electronic temperature controller with a digital display that indicated the temperature of the beverages.
- Frozen and liquid drinks 2 in 1 machine.
- Night mode to keep the drinks fresh over night.
- Very simple to program and run with touch pad display which also guides cleaning and preventive maintenance.
- Lighted displays for merchant graphics.
- Internally monitored refrigeration system to ensure long lasting performance.
- High quality in compressor and wonderful working performance.
- LED light in illumination.
- Food-grade high density polycarbonate bowl, health and environmental protection.
- Bowl and faucet easy to disassemble for quick cleaning and utmost hygiene.



NANO3Lx2

XRJ12Lx2M

Model no	Dimensions (mm)	Voltage (v)	Frequency (Hz)	Hot Power (w)	Temperature Range (°C)	N.W (kg)	W.G (kg)
NANO3Lx2	370*330*430	220V-240V 110V-120V	50HZ/60HZ	380	-2~-3°C	22	27
XRJ12Lx2M	380*620*760	220V-240V 110V-120V	50HZ/60HZ	600	-2~-3°C	64	78

MINI ICE CREAM MACHINE



Standard Features:

- Soft ice cream and Slush Juice 3 in 1 machine.



ICE8L-Digital



ICE8Lx2-Digital

Model no	Dimensions (mm)	Voltage (v)	Frequency (Hz)	Hot Power (w)	Temperature Range (°C)	N.W (kg)	W.G (kg)
ICE8L-Digital	260*420*740	220V-240V 110V-120V	50HZ	600	-3~-8°C	30	40
ICE8Lx2-Digital	470*420*740	220V-240V 110V-120V	50HZ	900	-3~-8°C	43	54

HOT CHOCOLATE MACHINE

Standard Features:

- Varied kinds of hot drinks can be served by this lovely product.
- such as hot chocolate, tea, coffee, milk, soup and mulled wine, etc.
- Sleek and compact design, easy for operation.
- Electronic heating system with a wide controller range of temperature 30 °C to 90 °C.
- LED screen with Press-button, which show the heat temperature very clear at a glance.
- Super stronger mixing paddle, drives the liquid uniformly and no-stick.
- All plastics parts made of food grade polycarbonate which was unbreakable and easy for clean.
- Food grade #304 stainless steel base plate with thermal protector.



CH5L



CH10L

Model no	Dimension (mm)	Voltage (v)	Frequency (Hz)	Hot Power (w)	Motor Power (w)	Temperature Range (°C)	N.W (kg)	W.G (kg)
CH5L	400*320*470	220V-240V 110V-115V	50-60	400	40	30-90	6	9
CH10L	400*320*570	220V-240V 110V-115V	50-60	400	40	30-90	7	10



JUICE DISPENSER | 9L



LSJ9LX1



LSJ9LX2



LSJ9LX3



LSJ9LX4

Model no	Dimensions (mm)	Voltage (v)	Frequency (Hz)	Cold Power (w)	Cold Temperature Range (°C)	Hot Power (w)	Temperature Range (°C)	N.W (kg)	W.G (kg)
LSJ9LX1	390*210*670	220V-240V 110V-120V	50HZ/60HZ	180	7~12°C	360	52~58°C	13	15
LSJ9LX2	390*330*670	220V-240V 110V-120V	50HZ/60HZ	280	7~12°C	800	52~58°C	21	23
LSJ9LX3	390*410*670	220V-240V 110V-120V	50HZ/60HZ	280	7~12°C	800	52~58°C	27	29
LSJ9LX4	390*530*670	220V-240V 110V-120V	50HZ/60HZ	380	7~12°C	1200	52~58°C	30	33

JUICE DISPENSER | 12L



LSJ12LX1



LSJ12LX2



LSJ12LX3



LSJ12LX4

Model no	Dimensions (mm)	Voltage (v)	Frequency (Hz)	Cold Power (w)	Cold Temperature Range (°C)	Hot Power (w)	Temperature Range (°C)	N.W (kg)	W.G (kg)
LSJ12LX1	410*350*660	220V-240V 110V-120V	50HZ/60HZ	180	7~12°C	440	52~58°C	21	24
LSJ12LX2	410*410*660	220V-240V 110V-120V	50HZ/60HZ	280	7~12°C	900	52~58°C	25	28
LSJ12LX3	600*410*660	220V-240V 110V-120V	50HZ/60HZ	320	7~12°C	1200	52~58°C	33	36
LSJ12LX4	780*410*660	220V-240V 110V-120V	50HZ/60HZ	380	7~12°C	1500	52~58°C	40	43



JUICE DISPENSER | 18L



LSJ18LX1



LSJ18LX2



LSJ18LX3

Model no	Dimensions (mm)	Voltage (v)	Frequency (Hz)	Cold Power (w)	Cold Temperature Range (°C)	Hot Power (w)	Temperature Range (°C)	N.W (kg)	W.G (kg)
LSJ18LX1N	430*350*740	220V-240V 110V-120V	50HZ/60HZ	180	7~12°C	600	52~-58°C	24	25
LSJ18LX2N	480*460*740	220V-240V 110V-120V	50HZ/60HZ	280	7~12°C	600	52~-58°C	29	31
LSJ18LX3N	700*430*740	220V-240V 110V-120V	50HZ/60HZ	380	7~12°C	600	52~-58°C	37	39

JUICE DISPENSER | 25L



LSJ25L



LSJ25LS



LSJ25LX2S

Model no	Dimensions (mm)	Voltage (v)	Frequency (Hz)	Cold Power (w)	Cold Temperature Range (°C)	Hot Power (w)	Temperature Range (°C)	N.W (kg)	W.G (kg)
LSJ25L	380*420*740	220V-240V 110V-120V	50HZ/60HZ	240	7~12°C	800	52~-58°C	19	22
LSJ25LS	380*420*740	220V-240V 110V-120V	50HZ/60HZ	240	7~12°C	800	52~-58°C	19	22
LSJ25LX2S	380*650*740	220V-240V 110V-120V	50HZ/60HZ	350	7~12°C	/	/	27	30

FREEZER





CHEST FREEZER



Standard Features:

- European super low energy consumption.
- 70mm thickness insulation for BD105 - BD255.
- 75mm thickness insulation for BD350 - BD650.
- Suitable for wide climate, SN/T.
- Adjustable thermostat.
- Main power indicator.
- Defrost water drain hole.
- Recess handle on front side.
- Adjustable feet.
- Environmentally friendly coolant.
- Available in white or silver body color.

Optional:

- Interior LED light.
- Full baskets / digital thermometer.
- Top S/S lid.
- Outside condensor.
- Casters.



BD-105

Static system | 70mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
BD-105	580*560*840	97	ST	≤-18	1	R600a	223
BD-155	775*560*840	148	ST	≤-18	1	R600a	168
BD-205	960*560*840	197	ST	≤-18	1	R600a	138
BD-255	1164*560*840	247	ST	≤-18	1	R600a	109

Static system | 75mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
BD-350	1030*765*840	280	ST	≤-18	1	R600a	96
BD-450	1270*765*840	370	ST	≤-18	2	R600a	79
BD-550	1530*765*840	465	ST	≤-18	2	R600a	65
BD-650	1810*765*840	568	ST	≤-18	2	R600a	56

Standard Features:

- 80 mm thickness insulation.
- Two lids as standard.
- Adjustable thermostat.
- Main power indicator.
- Defrost water drain hole.
- External handle with lock.
- Two baskets inside.
- Adjustable feet.
- Environmentally friendly coolant.

Optional:

- Interior LED light.
- Full baskets / digital thermometer.
- Top S/S lid.
- Outside condensor.
- Casters.



BD-700D

Static system | 80mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
BD-700D	2000*740*850	670	ST	≤-18	2	R290	51
BD-900D	1930*895*910	850	ST	≤-18	2	R290	24
BD-1000D	2280*895*910	945	ST	≤-18	2	R290	24



CHEST FREEZER

FLAT GLASS TOP

Standard Features:

- Easily open from Front or back side.
- Adjustable thermostat.
- Main power indicator.
- Defrost water drain hole.
- Sandblasting oxidation surface.
- treatment PVC frame.
- Three-dimensional electronic thermostat, accurate temperature control, highlighting the generousness.
- Adjustable feet.
- Environmentally friendly coolant.

Optional:

- Wheels/ Full baskets/ digital thermometer.



SD-100



SD-320P



CHEST FREEZER

SLIDING CURVED GLASS LID

Standard Features:

- New style curved sliding glass lid.
- Exterior white finish.
- Door Frame (two sides): Dark grey plastic.
- Door Frame (Middle up and bottom) : silver aluminum.
- Inside cabin walls: white PCM aluminum.
- Adjustable thermostat.
- Main power indicator.
- Defrost water drain hole.
- Full basket as standard.
- Interior LED light as standard.
- Four caster wheels.
- Environmentally friendly coolant.



SD-320Q



SD-620Q



Static system | 70mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
SD-100	585*525*840	97	ST	≤-18	1	R600a	223
SD-200	960*525*840	197	ST	≤-18	1	R600a	135

Static system | 75mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
SD-320P	1030*680*850	273	N/ST	≤-18	3	R290	98
SD-420P	1270*680*850	355	N/ST	≤-18	4	R290	79
SD-520P	1530*680*850	445	N/ST	≤-18	5	R290	65
SD-620P	1810*680*850	545	N/ST	≤-18	6	R290	56

Static system | 70mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
SD-220Q	740*680*850	180	N/ST	≤-18	2	R290	134
SD-320Q	1030*680*850	273	N/ST	≤-18	3	R290	97
SD-420Q	1270*680*850	355	N/ST	≤-18	4	R290	79
SD-520Q	1530*680*850	445	N/ST	≤-18	5	R290	65
SD-620Q	1810*680*850	545	N/ST	≤-18	6	R290	56
SD-720Q	2000*680*850	615	N/ST	≤-18	7	R290	50



CHEST FREEZER

SINGLE CURVED SLIDING GLASS TOP WITH DRAWERS

Standard Features:

- High COP compressor for non-CFC refrigerant.
- Superior cooling performance of -25°C below the loading line.
- Dual evaporator system.
- Unique drawer design, for the easy recycle of the merchandise from the drawer to the cabinet.
- Electronic temperature control.
- Removable compressor base for easy maintenance.
- 2 pieces curved tempered glass lid with low-E, left and right sliding, for easy access to the inside merchandise.
- Standard interior illumination of 1 piece LED strip.
- Precoated galvanized steel exterior liner.
- 6 wheels, front 2 wheels with brake, back 4 swivel wheels.



FS-750

Static system | 70mm foaming thickness


Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
FS-750	1996*750*850	635	4	≤-25	7	R404a/R290	26

CHEST FREEZER

DOUBLE CURVED SLIDING GLASS TOP WITH DRAWERS

Standard Features:

- High COP compressor for non-CFC refrigerant.
- Superior cooling performance of -25°C below the loading line.
- Dual evaporator system.
- Unique drawer design, for the easy recycle of the merchandise from the drawer to the cabinet.
- Electronic temperature control.
- Removable compressor base for easy maintenance.
- 6 pieces curved tempered glass lid with low-E, up and down sliding, for easy access to the inside merchandise.
- Standard interior illumination of 1 piece LED strip.
- 6 wheels, front 2 wheels with brake, back 4 swivel wheels.



FS-700

Static system | 65mm foaming thickness


Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
FS-700	1750*800*925	630	4	≤-25	14	R404a/R290	26
FS-800	2000*800*925	740	4	≤-25	16	R404a/R290	26

CHEST FREEZER

FLAT GLASS TOP WITH DRAWERS

Standard Features:

- High COP compressor for non-CFC refrigerant.
- Superior cooling performance of -25°C below the loading line
- Dual evaporator system.
- Unique drawer design, for the easy recycle of the merchandise from the drawer to the cabinet.
- Electronic temperature control.
- Removable compressor base for easy maintenance.
- 2 pieces curved tempered glass lid with low-E, left and right sliding, for easy access to the inside merchandise.
- Standard interior illumination of 1 piece LED strip.
- Precoated galvanized steel exterior liner.



FS-850

Static system | 63mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
FS-850	2000*800*860	660	4	≤-25	7	R404a/R290	26

CHEST FREEZER

DOUBLE SIDES SLIDING GLASS TOP

Standard Features:

- High COP compressor & Non-CFC refrigerant.
- Electronic temperature control.
- Free from maintenance ventilated motor fan for condenser& compressor.
- 4 pieces curved tempered glass lids with low-E, dounle sides left and right sliding.
- Standard interior LED illumination.
- White precoated galvanized steel exterior liner.
- Embossed aluminum interior liner.
- Integrated plastic cabinet frame.



SDQ-1100

Static system | 70mm foaming thickness

Model no	Dimensions (mm)	Net capacity (L)	Climate	Temp.(°C)	Baskets No.	Coolant	40"loading Quantity
SDQ-1100	2000*1000*850	945	4 (30°C / 55%)	≤-18	7	R290 / R404a	20

ICE MAKER





BULLET ICE MAKER



BIM-20



BIM-26/BIM-50

Model no	Dimensions (mm)	Output/ 24h (kg)	Ice Storage (kg)	Power (w)	G.W (kg)
BIM-20	330*503*607	24	5	220	28
BIM-26	398*542*682	28	7	240	31
BIM-50	398*542*682	50	7	380	31



CIM-30/CIM-40



CIM-50

Model no	Dimensions (mm)	Output/ 24h (kg)	Ice Storage (kg)	Power (w)	G.W (kg)
CIM-30	378*420*615	30	10	150	22
CIM-40	378*420*615	40	10	190	22
CIM-50	398*546*720	50	15	285	29



BIM-25C/BIM-35C



BIM-55C/BIM-75C



Model no	Dimensions (mm)	Output/ 24h (kg)	Ice Storage (kg)	Power (w)	G.W (kg)
BIM-25C	375*553*762	25	15	330	43
BIM-35C	375*553*762	35	15	350	43
BIM-55C	666*637*775	55	30	500	71
BIM-75C	666*637*775	75	30	670	72



Model no	Dimensions (mm)	Output/ 24h (kg)	Ice Storage (kg)	Power (w)	G.W (kg)
CIM-50B	666*637*775	50	30	465	50
CIM-80B	666*637*775	80	30	610	65
CIM-100B	666*637*775	100	30	640	67



CUBE ICE MACHINE

Vertical Type



Model no	Dimension (inch)	Output/ 24h (lbs)	Ice Storage (lbs)	Power (w)	G.W (lbs)
IM-89S	19.69*17.72*33.46	80	33	350	88
IM-129S	19.69*23.23*35.43	120	40	446	110
IM-169S	25.99*27.83*38.18	160	80	451	143
IM-219S	25.99*27.83*38.18	210	80	526	145
IM-289S	25.99*27.83*38.18	180	80	726	147

Modular Type



Model no	Dimension (inch)	Output/ 24h (lbs)	Ice Storage (lbs)	Power (w)	G.W (lbs)
IM-329	22.05*32.76*67.52	350	275	790	205
IM-529	22.05*32.76*67.52	500	375	1113	264



ICE & WATER DISPENSER

DISPENSES EITHER ICE OR WATER OR BOTH

Standard Features:

- Produces individual crystal clear ice cube without dimple.
- Trouble free operation with a choice of ice, water and ice or just water.
- Up to 14/24kg production per day.
- Up to 2/3kg storage capacity.
- Stainless steel body with reinforced industrial grade plastic.
- Intelligence with multi electromechanic functionality controls.
- Superior energy efficiency.
- Automatic water cleaning.
- Hygienic design with minimal risk of contamination.
- Removable and washable air filter.
- Adjustable and removable legs.
- Complete with water & drain hoses.
- CFC-free Refrigerant.



GDZBY15



GDZBY25

Model no	Ice production 24h (kg)	Storage capacity (kg)	Average power consumption (w)	Dimension (mm)	N.G (kg)	W.G (kg)	40"loading Quantity
GDZBY15	15	2	180	550*230*680	28	30	456
GDZBY25	25	3	240	550*350*680	28	30	324

COMPACT ICE MAKER



GDZB28



GDZBF20

Model no	Ice production 24h (kg)	Storage capacity (kg)	Average power consumption (w)	Dimension (mm)	N.G (kg)	W.G (kg)	40"loading Quantity
GDZB28	6	11	90	380*450*625	23	25	512
GDZBF20	20	6	140	380*470*600	28	30	512

CATALOG

2025-2026

COTTURA
b b b g r o u p

C**b**TTURA
C**b**TTURA
C**b**TTURA





CONTENTS

STAINLESS STEEL FURNITURE

Work table	113
Work cabinet	117
Wall cabinet	121
Bill holder	122
Storage rack	122
Wall shelf	123
Tableware cabinet	125
Drawer set	126
Serving trolley	127
Tray trolley	131
Heavy duty wire shelving	135
Stainless steel sinks	143
Sink accessories	146
Hand washbasin	153
Garbage bin	154
Gastronorm pan	155
PC pan	167
Condiment center	171
Accessories	177
Kitchen tools	179



STAINLESS STEEL WORK TABLE



Work table without backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDATS66-1	600 x 850	GDATS67-1	600 x 850
GDATS76-1	700 x 850	GDATS77-1	700 x 850
GDATS86-1	800 x 850	GDATS87-1	800 x 850
GDATS106-1	1000 x 850	GDATS107-1	1000 x 850
GDATS126-1	1200 x 850	GDATS127-1	1200 x 850
GDATS146-1	1400 x 850	GDATS147-1	1400 x 850
GDATS156-1	1500 x 850	GDATS157-1	1500 x 850
GDATS166-1	1600 x 850	GDATS167-1	1600 x 850
GDATS186-1	1800 x 850	GDATS187-1	1800 x 850
GDATS206-1	2000 x 850	GDATS207-1	2000 x 850



Work table without backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDATS66	600 x 850	GDATS67	600 x 850
GDATS76	700 x 850	GDATS77	700 x 850
GDATS86	800 x 850	GDATS87	800 x 850
GDATS106	1000 x 850	GDATS107	1000 x 850
GDATS126	1200 x 850	GDATS127	1200 x 850
GDATS146	1400 x 850	GDATS147	1400 x 850
GDATS156	1500 x 850	GDATS157	1500 x 850
GDATS166	1600 x 850	GDATS167	1600 x 850
GDATS186	1800 x 850	GDATS187	1800 x 850
GDATS206	2000 x 850	GDATS207	2000 x 850



Work table with backsplash



600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDATS66A-1	600 x 950	GDATS67A-1	600 x 950
GDATS76A-1	700 x 950	GDATS77A-1	700 x 950
GDATS86A-1	800 x 950	GDATS87A-1	800 x 950
GDATS106A-1	1000 x 950	GDATS107A-1	1000 x 950
GDATS126A-1	1200 x 950	GDATS127A-1	1200 x 950
GDATS146A-1	1400 x 950	GDATS147A-1	1400 x 950
GDATS156A-1	1500 x 950	GDATS157A-1	1500 x 950
GDATS166A-1	1600 x 950	GDATS167A-1	1600 x 950
GDATS186A-1	1800 x 950	GDATS187A-1	1800 x 950
GDATS206A-1	2000 x 950	GDATS207A-1	2000 x 950



Work table with backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDATS66A	600 x 950	GDATS67A	600 x 950
GDATS76A	700 x 950	GDATS77A	700 x 950
GDATS86A	800 x 950	GDATS87A	800 x 950
GDATS106A	1000 x 950	GDATS107A	1000 x 950
GDATS126A	1200 x 950	GDATS127A	1200 x 950
GDATS146A	1400 x 950	GDATS147A	1400 x 950
GDATS156A	1500 x 950	GDATS157A	1500 x 950
GDATS166A	1600 x 950	GDATS167A	1600 x 950
GDATS186A	1800 x 950	GDATS187A	1800 x 950
GDATS206A	2000 x 950	GDATS207A	2000 x 950

CORNER WORK TABLE



Work table without backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x W x H mm	Model no	L x W x H mm
GDATC66	1000 x 600 x 850	GDATC66	1000 x 700 x 850

Work table with backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x W x H mm	Model no	L x W x H mm
GDATC66A	1000 x 600 x 950	GDATS67A-1	1000 x 700 x 950

FOLDING WORK TABLE




Work table without backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x W x H mm	Model no	L x W x H mm
GDFWT86	800 x 600 x 850	GDFWT87	800 x 700 x 850
GDFWT106	1000 x 600 x 850	GDFWT107	1000 x 700 x 850
GDFWT126	1200 x 600 x 850	GDFWT127	1200 x 700 x 850
GDFWT146	1400 x 600 x 850	GDFWT147	1400 x 700 x 850
GDFWT156	1500 x 600 x 850	GDFWT157	1500 x 700 x 850

ACCESSORIES



Set of casters for work tables
• 1 set with 4 wheels, 2 with brake



Intermediate shelf for work table
• Width: 600mm and 700mm
• Length from 600mm to 2000mm



STAINLESS STEEL WORK TABLE



Standard series work table

18 Gauge 430 stainless steel top with galvanized undershelf & galvanized legs.

24 inch WIDTH		30 inch WIDTH	
Model no	L x W x H inch	Model no	L x W x H inch
UWTF-2424	24"x24"x34"	UWTF-3024	24"x30"x34"
UWTF-2430	30"x24"x34"	UWTF-3030	30"x30"x34"
UWTF-2436	36"x24"x34"	UWTF-3036	36"x30"x34"
UWTF-2448	48"x24"x34"	UWTF-3048	48"x30"x34"
UWTF-2460	60"x24"x34"	UWTF-3060	60"x30"x34"
UWTF-2472	72"x24"x34"	UWTF-3072	72"x30"x34"



Standard series work table with casters

18 Gauge 430 stainless steel top with galvanized undershelf & galvanized legs.

24 inch WIDTH		30 inch WIDTH	
Model no	L x W x H inch	Model no	L x W x H inch
UWTFC-2424	24"x24"x34"	UWTFC-3024	24"x30"x34"
UWTFC-2430	30"x24"x34"	UWTFC-3030	30"x30"x34"
UWTFC-2436	36"x24"x34"	UWTFC-3036	36"x30"x34"
UWTFC-2448	48"x24"x34"	UWTFC-3048	48"x30"x34"
UWTFC-2460	60"x24"x34"	UWTFC-3060	60"x30"x34"
UWTFC-2472	72"x24"x34"	UWTFC-3072	72"x30"x34"

84" and 96" with 6 legs



Standard series work table with backplash

18 Gauge 430 stainless steel top with galvanized undershelf & galvanized legs.

24 inch WIDTH		30 inch WIDTH	
Model no	L x W x H inch	Model no	L x W x H inch
UWTB-2424	24"x24"x34"	UWTB-3024	24"x30"x34"
UWTB-2430	30"x24"x34"	UWTB-3030	30"x30"x34"
UWTB-2436	36"x24"x34"	UWTB-3036	36"x30"x34"
UWTB-2448	48"x24"x34"	UWTB-3048	48"x30"x34"
UWTB-2460	60"x24"x34"	UWTB-3060	60"x30"x34"
UWTB-2472	72"x24"x34"	UWTB-3072	72"x30"x34"



Standard series work table with backplash & Casters

18 Gauge 430 stainless steel top with galvanized undershelf & galvanized legs.

24 inch WIDTH		30 inch WIDTH	
Model no	L x W x H inch	Model no	L x W x H inch
UWTBC-2424	24"x24"x34"	UWTBC-3024	24"x30"x34"
UWTBC-2430	30"x24"x34"	UWTBC-3030	30"x30"x34"
UWTBC-2436	36"x24"x34"	UWTBC-3036	36"x30"x34"
UWTBC-2448	48"x24"x34"	UWTBC-3048	48"x30"x34"
UWTBC-2460	60"x24"x34"	UWTBC-3060	60"x30"x34"
UWTBC-2472	72"x24"x34"	UWTBC-3072	72"x30"x34"

STAINLESS STEEL FILLER TABLE



Stainless steel filler table

18 Gauge 430 stainless steel top with galvanized undershelf & galvanized legs.

24 inch WIDTH		30 inch WIDTH	
Model no	L x W x H inch	Model no	L x W x H inch
UFT-2412	12"x24"x34"	UFT-3012	12"x30"x34"
UFT-2415	15"x24"x34"	UFT-3015	15"x30"x34"
UFT-2418	18"x24"x34"	UFT-3018	18"x30"x34"
UFT-2424	24"x24"x34"	UFT-3024	24"x30"x34"



Stainless steel filler table with open base

18 Gauge 430 stainless steel top with galvanized undershelf & galvanized legs.

24 inch WIDTH		30 inch WIDTH	
Model no	L x W x H inch	Model no	L x W x H inch
UFTO-2412	12"x24"x34"	UFTO-3012	12"x30"x34"
UFTO-2415	15"x24"x34"	UFTO-3015	15"x30"x34"
UFTO-2418	18"x24"x34"	UFTO-3018	18"x30"x34"
UFTO-2424	24"x24"x34"	UFTO-3024	24"x30"x34"



Stainless steel equipment stands

18 Gauge 430 stainless steel.

24 inch WIDTH		30 inch WIDTH	
Model no	L x W x H inch	Model no	L x W x H inch
UES-2424	24"x24"x24"	UES-3024	24"x30"x24"
UES-2436	36"x24"x24"	UES-3036	36"x30"x24"
UES-2448	48"x24"x24"	UES-3048	48"x30"x24"
UES-2460	60"x24"x24"	UES-3060	60"x30"x24"
UES-2472	72"x24"x24"	UES-3072	72"x30"x24"

72" with 6 legs



Standard series work table

18 Gauge 430 stainless steel top with galvanized undershelf & galvanized legs.

24 inch WIDTH		30 inch WIDTH	
Model no	L x W x H inch	Model no	L x W x H inch
UWTF-2484	84"x24"x34"	UWTF-3084	84"x30"x34"
UWTF-2496	96"x24"x34"	UWTF-3096	96"x30"x34"



SLINDING DOOR WORK CABINET



Sliding door work cabinet without backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDASR66	600 x 850	GDASR67	600 x 850
GDASR86	800 x 850	GDASR87	800 x 850
GDASR106	1000 x 850	GDASR107	1000 x 850
GDASR126	1200 x 850	GDASR127	1200 x 850
GDASR146	1400 x 850	GDASR147	1400 x 850
GDASR156	1500 x 850	GDASR157	1500 x 850
GDASR166	1600 x 850	GDASR167	1600 x 850
GDASR186	1800 x 850	GDASR187	1800 x 850
GDASR206	2000 x 850	GDASR207	2000 x 850



Sliding door work cabinet with backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDASR66A	600 x 950	GDASR67A	600 x 950
GDASR86A	800 x 950	GDASR87A	800 x 950
GDASR106A	1000 x 950	GDASR107A	1000 x 950
GDASR126A	1200 x 950	GDASR127A	1200 x 950
GDASR146A	1400 x 950	GDASR147A	1400 x 950
GDASR156A	1500 x 950	GDASR157A	1500 x 950
GDASR166A	1600 x 950	GDASR167A	1600 x 950
GDASR186A	1800 x 950	GDASR187A	1800 x 950
GDASR206A	2000 x 950	GDASR207A	2000 x 950

HINGED DOOR WORK CABINET



Hinged door work cabinet without backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDAHR66	600 x 850	GDAHR67	600 x 850
GDAHR86	800 x 850	GDAHR87	800 x 850
GDAHR106	1000 x 850	GDAHR107	1000 x 850
GDAHR126	1200 x 850	GDAHR127	1200 x 850
GDAHR146	1400 x 850	GDAHR147	1400 x 850
GDAHR156	1500 x 850	GDAHR157	1500 x 850
GDAHR166	1600 x 850	GDAHR167	1600 x 850
GDAHR186	1800 x 850	GDAHR187	1800 x 850
GDAHR206	2000 x 850	GDAHR207	2000 x 850



Hinged door work cabinet with backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDAHR66A	600 x 950	GDAHR67A	600 x 950
GDAHR86A	800 x 950	GDAHR87A	800 x 950
GDAHR106A	1000 x 950	GDAHR107A	1000 x 950
GDAHR126A	1200 x 950	GDAHR127A	1200 x 950
GDAHR146A	1400 x 950	GDAHR147A	1400 x 950
GDAHR156A	1500 x 950	GDAHR157A	1500 x 950
GDAHR166A	1600 x 950	GDAHR167A	1600 x 950
GDAHR186A	1800 x 950	GDAHR187A	1800 x 950
GDAHR206A	2000 x 950	GDAHR207A	2000 x 950

WORK CABINET WITH HAND DRAWERS



Work cabinet with right hand drawers

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDASRRD146	1400 x 850	GDASRRD147	1400 x 850
GDASRRD156	1500 x 850	GDASRRD157	1500 x 850
GDASRRD166	1600 x 850	GDASRRD167	1600 x 850
GDASRRD186	1800 x 850	GDASRRD187	1800 x 850
GDASRRD206	2000 x 850	GDASRRD207	2000 x 850
GDASRRD226	2200 x 850	GDASRRD227	2200 x 850
GDASRRD246	2400 x 850	GDASRRD247	2400 x 850



Work cabinet with right hand drawers and backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDASRRD146A	1400 x 950	GDASRRD147A	1400 x 950
GDASRRD156A	1500 x 950	GDASRRD157A	1500 x 950
GDASRRD166A	1600 x 950	GDASRRD167A	1600 x 950
GDASRRD186A	1800 x 950	GDASRRD187A	1800 x 950
GDASRRD206A	2000 x 950	GDASRRD207A	2000 x 950
GDASRRD226A	2200 x 950	GDASRRD227A	2200 x 950
GDASRRD246A	2400 x 950	GDASRRD247A	2400 x 950



Work cabinet with left hand drawers

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDASRLD146	1400 x 850	GDASRLD147	1400 x 850
GDASRLD156	1500 x 850	GDASRLD157	1500 x 850
GDASRLD166	1600 x 850	GDASRLD167	1600 x 850
GDASRLD186	1800 x 850	GDASRLD187	1800 x 850
GDASRLD206	2000 x 850	GDASRLD207	2000 x 850
GDASRLD226	2200 x 850	GDASRLD227	2200 x 850
GDASRLD246	2400 x 850	GDASRLD247	2400 x 850



Hinged door work cabinet with backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDASRLD146A	1400 x 950	GDASRLD147A	1400 x 950
GDASRLD156A	1500 x 950	GDASRLD157A	1500 x 950
GDASRLD166A	1600 x 950	GDASRLD167A	1600 x 950
GDASRLD186A	1800 x 950	GDASRLD187A	1800 x 950
GDASRLD206A	2000 x 950	GDASRLD207A	2000 x 950
GDASRLD226A	2200 x 950	GDASRLD227A	2200 x 950
GDASRLD246A	2400 x 950	GDASRLD247A	2400 x 950



OPEN DESIGN WORK CABINET



Open design work cabinet without backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDASO66	600 x 850	GDASO67	600 x 850
GDASO86	800 x 850	GDASO87	800 x 850
GDASO106	1000 x 850	GDASO107	1000 x 850
GDASO126	1200 x 850	GDASO127	1200 x 850
GDASO146	1400 x 850	GDASO147	1400 x 850
GDASO156	1500 x 850	GDASO157	1500 x 850
GDASO166	1600 x 850	GDASO167	1600 x 850
GDASO186	1800 x 850	GDASO187	1800 x 850
GDASO206	2000 x 850	GDASO207	2000 x 850



Open design work cabinet with backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDASO66A	600 x 950	GDASO67A	600 x 950
GDASO86A	800 x 950	GDASO87A	800 x 950
GDASO106A	1000 x 950	GDASO107A	1000 x 950
GDASO126A	1200 x 950	GDASO127A	1200 x 950
GDASO146A	1400 x 950	GDASO147A	1400 x 950
GDASO156A	1500 x 950	GDASO157A	1500 x 950
GDASO166A	1600 x 950	GDASO167A	1600 x 950
GDASO186A	1800 x 950	GDASO187A	1800 x 950
GDASO206A	2000 x 950	GDASO207A	2000 x 950

PASS-THROUGH CABINET WITH SLIDING DOORS



Pass-through cabinet without backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDARD106	1000 x 850	GDARD107	1000 x 850
GDARD126	1200 x 850	GDARD127	1200 x 850
GDARD146	1400 x 850	GDARD147	1400 x 850
GDARD156	1500 x 850	GDARD157	1500 x 850
GDARD166	1600 x 850	GDARD167	1600 x 850
GDARD186	1800 x 850	GDARD187	1800 x 850
GDARD206	2000 x 850	GDARD207	2000 x 850

HEATING CABINET



Heating cabinet

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDHCA106	1000 x 950	GDHCA107	1000 x 950
GDHCA126	1200 x 950	GDHCA127	1200 x 950
GDHCA146	1400 x 950	GDHCA147	1400 x 950
GDHCA156	1500 x 950	GDHCA157	1500 x 950
GDHCA166	1600 x 950	GDHCA167	1600 x 950
GDHCA186	1800 x 950	GDHCA187	1800 x 950
GDHCA206	2000 x 950	GDHCA207	2000 x 950

CORNER CABINET



Corner cabinet without backsplash

600 mm WIDTH	
Model no	L x W x H mm
GDARC66	1000 x 1000 x 600 x 600 x 850

700 mm WIDTH	
Model no	L x W x H mm
GDATC77	1000 x 1000 x 700 x 700 x 850




Corner cabinet with backsplash

600 mm WIDTH	
Model no	L x W x H mm
GDARC66A	1000 x 1000 x 600 x 600 x 950

700 mm WIDTH	
Model no	L x W x H mm
GDATC77A	1000 x 1000 x 700 x 700 x 950

CORNER WALL-MOUNTED CABINET



Corner wall-mounted cabinet

600 mm WIDTH	
Model no	L x W x H mm
GDWCC66	600 x 600 x 400 x 400 x 600

700 mm WIDTH	
Model no	L x W x H mm
GDWCC77	700 x 700 x 400 x 400 x 600



WALL-MOUNTED CABINET



Wall cabinet with open design

400 mm WIDTH		
Model no	L x W x H mm	
GDWOS64	600 x 400 x 600	
GDWOS84	800 x 400 x 600	
GDWOS104	1000 x 400 x 600	
GDWOS124	1200 x 400 x 600	
GDWOS144	1400 x 400 x 600	
GDWOS154	1500 x 400 x 600	
GDWOS164	1600 x 400 x 600	
GDWOS184	1800 x 400 x 600	
GDWOS204	2000 x 400 x 600	



Wall cabinet with sliding door design

400 mm WIDTH		
Model no	L x W x H mm	
GDWCS64	600 x 400 x 600	
GDWCS84	800 x 400 x 600	
GDWCS104	1000 x 400 x 600	
GDWCS124	1200 x 400 x 600	
GDWCS144	1400 x 400 x 600	
GDWCS154	1500 x 400 x 600	
GDWCS164	1600 x 400 x 600	
GDWCS184	1800 x 400 x 600	
GDWCS204	2000 x 400 x 600	

TABLE TOP RACK



One layer work table top rack

350 mm WIDTH		
Model no	L x W x H mm	
GDTTR64	600 x 350 x 400	
GDTTR84	800 x 350 x 400	
GDTTR104	1000 x 350 x 400	
GDTTR124	1200 x 350 x 400	
GDTTR144	1400 x 350 x 400	
GDTTR164	1600 x 350 x 400	
GDTTR184	1800 x 350 x 400	
GDTTR204	2000 x 350 x 400	



Two layer work table top rack

350 mm WIDTH		
Model no	L x W x H mm	
GDTTR67	600 x 350 x 700	
GDTTR87	800 x 350 x 700	
GDTTR107	1000 x 350 x 700	
GDTTR127	1200 x 350 x 700	
GDTTR147	1400 x 350 x 700	
GDTTR167	1600 x 350 x 700	
GDTTR187	1800 x 350 x 700	
GDTTR207	2000 x 350 x 700	

BILL HOLDER



Model no	Dimension (mm)
BH360	360 x 58
BH450	450 x 58
BH600	600 x 58
BH900	900 x 58
BH1000	1000 x 58
BH1200	1200 x 58

STORAGE RACK



Stainless steel plate storage rack

500 mm / 600mm WIDTH		
Model no	L x W x H mm	
GDRGB-125	1200 x 500 x 1550	
GDRGB-155	1500 x 500 x 1550	
GDRGB-185	1800 x 500 x 1550	
GDRGB-126	1200 x 600 x 1550	
GDRGB-156	1500 x 600 x 1550	
GDRGB-186	1800 x 600 x 1550	



Stainless steel plate perforated storage rack

500 mm / 600mm WIDTH		
Model no	L x W x H mm	
GDRGBC-125	1200 x 500 x 1550	
GDRGBC-155	1500 x 500 x 1550	
GDRGBC-185	1800 x 500 x 1550	
GDRGBC-126	1200 x 600 x 1550	
GDRGBC-156	1500 x 600 x 1550	
GDRGBC-186	1800 x 600 x 1550	



Stainless steel ladder storage rack

500 mm / 600mm WIDTH		
Model no	L x W x H mm	
GDRGBL-125	1200 x 500 x 1550	
GDRGBL-155	1500 x 500 x 1550	
GDRGBL-185	1800 x 500 x 1550	
GDRGBL-126	1200 x 600 x 1550	
GDRGBL-156	1500 x 600 x 1550	
GDRGBL-186	1800 x 600 x 1550	



WALL SHELF



Wall mounted shelf

300 mm WIDTH		
Model no	L x W x H mm	
GDFWS63	600 x 300 x 400	
GDFWS83	800 x 300 x 400	
GDFWS103	1000 x 300 x 400	
GDFWS123	1200 x 300 x 400	
GDFWS143	1400 x 300 x 400	
GDFWS163	1600 x 300 x 400	
GDFWS183	1800 x 300 x 400	
GDFWS203	2000 x 300 x 400	



Wall mounted shelf

300 mm WIDTH		
Model no	L x W x H mm	
GDFWS63A	600 x 300	
GDFWS83A	800 x 300	
GDFWS103A	1000 x 300	
GDFWS123A	1200 x 300	
GDFWS143A	1400 x 300	



One layer adjustable wall shelf

300 mm WIDTH		
Model no	L x W x H mm	
GD1AWS63	600 x 300 x 400	
GD1AWS83	800 x 300 x 400	
GD1AWS103	1000 x 300 x 400	
GD1AWS123	1200 x 300 x 400	
GD1AWS143	1400 x 300 x 400	
GD1AWS163	1600 x 300 x 400	
GD1AWS183	1800 x 300 x 400	
GD1AWS203	2000 x 300 x 400	



Wall mounted shelf

300 mm WIDTH		
Model no	L x W x H mm	
GDFWS63B	600 x 300	
GDFWS83B	800 x 300	
GDFWS103B	1000 x 300	
GDFWS123B	1200 x 300	
GDFWS143B	1400 x 300	



Two layers adjustable wall shelves

300 mm WIDTH		
Model no	L x W x H mm	
GD2AWS63	600 x 300 x 700	
GD2AWS83	800 x 300 x 700	
GD2AWS103	1000 x 300 x 700	
GD2AWS123	1200 x 300 x 700	
GD2AWS143	1400 x 300 x 700	
GD2AWS163	1600 x 300 x 700	
GD2AWS183	1800 x 300 x 700	
GD2AWS203	2000 x 300 x 700	



Spice wall shelf with GN container stopper

200 mm WIDTH		
Model no	L x W x H mm	
GDWSG82	800 x 200 - 4 x 1/6 GN	
GDWSG102	1000 x 200 - 5 x 1/6 GN	
GDWSG122	1200 x 200 - 6 x 1/6 GN	
GDWSG142	1400 x 200 - 7 x 1/6 GN	



Wall mounted shelf

300 mm WIDTH		
Model no	L x W x H mm	
GDFWS63A	600 x 300	
GDFWS83A	800 x 300	
GDFWS103A	1000 x 300	
GDFWS123A	1200 x 300	
GDFWS143A	1400 x 300	



Spice wall shelf with GN container stopper

200 mm WIDTH		
Model no	L x W x H mm	
GDWSG82A	800 x 200 - 4 x 1/6 GN	
GDWSG102A	1000 x 200 - 5 x 1/6 GN	
GDWSG122A	1200 x 200 - 6 x 1/6 GN	
GDWSG142A	1400 x 200 - 7 x 1/6 GN	



TABLEWARE CABINETS



One door stainless steel tableware cabinet

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDTC066	600 x 1800	GDTC067	600 x 1800
GDTC086	800 x 1800	GDTC087	800 x 1800



Hinged door stainless steel tableware cabinet

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDTCH106	1000 x 1800	GDTCH107	1000 x 1800
GDTCH126	1200 x 1800	GDTCH127	1200 x 1800
GDTCH146	1400 x 1800	GDTCH147	1400 x 1800
GDTCH166	1600 x 1800	GDTCH167	1600 x 1800



Sliding door stainless steel tableware cabinet

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDTCS106	1000 x 1800	GDTCS107	1000 x 1800
GDTCS126	1200 x 1800	GDTCS127	1200 x 1800
GDTCS146	1400 x 1800	GDTCS147	1400 x 1800
GDTCS166	1600 x 1800	GDTCS167	1600 x 1800

DRAWER SET



2 x GN 1/2 drawer set

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDSS2R56	500 x 850	GDSS2R57	500 x 850



2 x GN 1/2 drawer set with backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDSS2R56A	500 x 950	GDSS2R57A	500 x 950



3 x GN 1/3 drawer set

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDSS3R56	500 x 850	GDSS3R57	500 x 850



3 x GN 1/3 drawer set with backsplash

600 mm WIDTH		700 mm WIDTH	
Model no	L x H mm	Model no	L x H mm
GDSS3R56A	500 x 950	GDSS3R57A	500 x 950



STAINLESS STEEL SERVING TROLLEY



European style 2-layer dinning cart

Model no	L x W x H mm	Layers
GD-M2	810 x 460 x 850	2
GD-L2	860 x 540 x 940	2



European style 3-layer dinning cart

Model no	L x W x H mm	Layers
GD-M3	810 x 460 x 850	3
GD-L3	860 x 540 x 940	3



European style 4-layer dinning cart

Model no	L x W x H mm	Layers
GD-L4	860 x 540 x 1250	4



European style 5-layer dinning cart

Model no	L x W x H mm	Layers
GD-L5	860 x 540 x 1250	5



Stainless steel flat cart

Model no	L x W x H mm
GD-FTA	900 x 550 x 870
GD-FTD	1000 x 600 x 870



Stainless steel folding cart

Model no	L x W x H mm
GD-FTB	820 x 520 x 970



Platform cart

Model no	L x W x H mm
GD-ST46	920 x 590 x 865
GD-ST47	700 x 450 x 830



Stainless steel flour cart

Model no	L x W x H mm
GD-FCL	600 x 600 x 600
GD-FCM	500 x 500 x 600



STAINLESS STEEL SERVING TROLLEY



Stainless steel dish collecting cart round tube

Model no	L x W x H mm	Remark
RTC-5A	900 x 460 x 950	Knock-down design
RTC-5B	850 x 450 x 900	Knock-down design



Stainless steel dish collecting cart square tube

Model no	L x W x H mm	Remark
RTD-5A	850 x 450 x 900	Knock-down design
RTD-5B	770 x 435 x 900	Knock-down design



Garbage bin / small bin

Model no	L x W x H mm	Color
ST-29C	330 x 240 x 260	Black / Grey
ST-29D	330 x 233 x 180	Black / Grey



Utility Cart

Model no	L x W x H mm	Color
ST-48	1030 x 505 x 935	Black / Grey
ST-49	820 x 430 x 920	Black / Grey



Cuttlery trolley with dishes

Model no	L x W x H mm	Remark
CCT-L3	630 x 400 x 940	Knock-down design



Cuttlery boxes

Model no	L x W x H mm	Remark
B-39	500 x 360 x 90	White / Grey



Stainless steel quadrate laundry cart

Model no	L x W x H mm	Remark
LC-Q	910 x 560 x 920	Knock-down design



Stainless steel cone-shaped laundry cart

Model no	L x W x H mm	Remark
LC-C	900 x 650 x 850	Knock-down design



STAINLESS STEEL TRAY TROLLEY



Stainless steel single-line tray trolley with table

Model no	L x W x H mm	Remarks
TR-6AT	380 x 550 x 1000	For GN1/1 PAN 6 Pans
TR-6DT	595 x 665 x 1000	For GN2/1 PAN 6 Pans
TR-7AT	380 x 550 x 1000	For GN1/1 PAN 7 Pans
TR-7DT	595 x 665 x 1000	For GN2/1 PAN 7 Pans

Stainless steel single-line tray trolley

Model no	L x W x H mm	Remarks
TR-6A	380 x 550 x 1000	For GN1/1 PAN 6 Pans
TR-15A	380 x 550 x 1700	For GN1/1 PAN 15 Pans
TR-16A	380 x 550 x 1700	For GN1/1 PAN 16 Pans
TR-6D	590 x 670 x 1000	For GN2/1 PAN 6 Pans
TR-15D	590 x 670 x 1700	For GN2/1 PAN 15 Pans
TR-16D	590 x 670 x 1700	For GN2/1 PAN 16 Pans



Stainless steel double line tray trolley

Model no	L x W x H mm	Remarks
TR2-6A	740 x 550 x 1000	For GN1/1 PAN 12 Pans
TR2-15A	740 x 550 x 1700	For GN1/1 PAN 30 Pans
TR2-16A	740 x 550 x 1700	For GN1/1 PAN 32 Pans
TR2-18A	740 x 550 x 1700	For GN1/1 PAN 36 Pans



Stainless steel rack trolley

Model no	L x W x H mm	Remarks
TR-15AL	380 x 555 x 1480	15 LAYERS FOR 1/1GNPAN
TR-20AL	380 x 555 x 1860	20 LAYERS FOR 1/1GN PAN
TR-15DL	585 x 675 x 1480	15 LAYERS FOR 2/1GN PAN
TR-20DL	585 x 675 x 1860	20 LAYERS FOR 2/1GN PAN
LR-15L	460 x 630 x 1860	15 LAYERS FOR 60X40CM
LR-20L	460 x 630 x 1860	20 LAYERS FOR 60X40CM

Stainless steel rack trolley for GN 1/1 and 60 x 40 cm

Model no	L x W x H mm	Remarks
L/TR-15A	470 x 620 x 1700	GN1/1 PAN&60X40CM
L/TR-16A	470 x 620 x 1700	GN1/1 PAN&60X40CM
L/TR-18A	470 x 620 x 1700	GN1/1 PAN&60X40CM



Stainless steel rack trolley

Model no	L x W x H mm	Remarks
TR-18A	380 x 550 x 1700	For GN1/1 PAN 18 Pans
TR-20A	380 x 550 x 1000	For GN1/1 PAN 20 Pans
LR-18W	455 x 600 x 1700	18 LAYERFor 40X60 cm
LR-20W	455 x 600 x 1700	20 LAYERFor 40X60 cm





STAINLESS STEEL TRAY TROLLEY



Stainless steel single-line tray trolley

Model no	L x W x H mm	Remarks
LR-6A	470 x 620 x 1000	6 PANS (L shape)
LR-10A	470 x 620 x 1300	10 PANS (L shape)
LR-15A	470 x 620 x 1700	15 PANS (L shape)
LR-16A	470 x 620 x 1700	16 PANS (L shape)

Stainless steel double-line tray trolley

Model no	L x W x H mm	Remarks
LR2-6A	920 x 620 x 1000	12 PANS (L shape)
LR2-10A	920 x 620 x 1300	20 PANS (L shape)
LR2-15A	920 x 620 x 1700	30 PANS (L shape)
LR2-16A	920 x 620 x 1700	32 PANS (L shape)



Rack trolley for dishwasher basket

Model no	L x W x H mm	Remarks
RWR-4	560 x 510 x 1000	Dishwasher basket
RWR-7	560 x 510 x 1700	Dishwasher basket



STAINLESS STEEL TRAY TROLLEY ACCESSORIES



Aluminium high whiter cake pan

Model no	L x W x H mm	Remarks
GDAHW-4060H	600 x 400 x 50	0.4/0.6/0.7/0.8/1.0/1.2/1.4




Aluminium Low Wither Cake Pan

Model no	L x W x H mm	Remarks
GDAHW-4060L	600 x 400 x 30	0.4/0.6/0.7/0.8/1.0/1.2/1.4



France baker pan

Model no	L x W x H mm	Remarks
GDFT68S	600 x 400	1.2 stainless steel
GDT46AH	600 x 400	1.5 aluminium
GDT46A	600 x 400	1.2 aluminium



Baker Grill

Model no	L x W mm	Remarks
GR-1/1	325 x 530	Φ5/Φ2
GR-46	400 x 600	Φ5/Φ2
GR-68	600 x 800	Φ5/Φ2



HEAVY DUTY WIRE SHELVING



Chrome Plating



Epoxy Coating



HEAVY DUTY WIRE SHELVING

MATERIAL AND SURFACE TREATMENT

Stainless Steel 304

Containing 8% Nickel, which is the highest grade in Stainless Steel 304, with electropolishing. Addresses the most aggressive applications and environments. applications. Exists for high temperature automated cart wash and autoclave.

Colored Epoxy Coating

Epoxy finish is phosphatized before epoxy coating for dry, low humidity environments, with a variety of colors, such as green, silver and black etc. Extra antimicrobial additive could be built to the finish to keep the product clean. Extra Zinc undercoating could be made before epoxy coating to achieve a corrosion resistant finish for wet or high humidity environments with a 10-year warranty against rust and corrosion.

Zinc Undercoated with Clear Epoxy Coating

Economical, Zinc plating finish, with a protective clear epoxy coating, for high humidity or low temperature environments with a 10-year warranty against rust and corrosion.

Chrome Plating

The Copper-Nickel-Chrome finishes for dry, low humidity environments.





HEAVY DUTY WIRE SHELVING

4 SHELF WIRE SHELVING KITS

Standard Features:

- Includes 4 wire shelves & 4 x 74" (1890mm)posts.



Chrome plating



Zinc w / epoxy



Zinc w / Clear epoxy



SS304

Deep	Shelf (inch)	Shelf (mm)	Chrome	Zinc w/ epoxy	Zinc w/ clear epoxy	SS304
	w x l	w x l	model no	model no	model no	model no
14"(355mm) deep	14" x 24"	355 x 610	GDWS1424C	GDWS1424ZE	GDWS1424ZCE	GDWS1424SS
	14" x 30"	355 x 760	GDWS1430C	GDWS1430ZE	GDWS1430ZCE	GDWS1430SS
	14" x 36"	355 x 910	GDWS1436C	GDWS1436ZE	GDWS1436ZCE	GDWS1436SS
	14" x 42"	355 x 1070	GDWS1442C	GDWS1442ZE	GDWS1442ZCE	GDWS1442SS
	14" x 48"	355 x 1220	GDWS1448C	GDWS1448ZE	GDWS1448ZCE	GDWS1448SS
	14" x 54"	355 x 1370	GDWS1454C	GDWS1454ZE	GDWS1454ZCE	GDWS1454SS
	14" x 60"	355 x 1520	GDWS1460C	GDWS1460ZE	GDWS1460ZCE	GDWS1460SS
	14" x 72"	355 x 1830	GDWS1472C	GDWS1472ZE	GDWS1472ZCE	GDWS1472SS
18"(455mm) deep	18" x 24"	455 x 610	GDWS1824C	GDWS1824ZE	GDWS1824ZCE	GDWS1824SS
	18" x 30"	455 x 760	GDWS1830C	GDWS1830ZE	GDWS1830ZCE	GDWS1830SS
	18" x 36"	455 x 910	GDWS1836C	GDWS1836ZE	GDWS1836ZCE	GDWS1836SS
	18" x 42"	455 x 1070	GDWS1842C	GDWS1842ZE	GDWS1842ZCE	GDWS1842SS
	18" x 48"	455 x 1220	GDWS1848C	GDWS1848ZE	GDWS1848ZCE	GDWS1848SS
	18" x 54"	455 x 1370	GDWS1854C	GDWS1854ZE	GDWS1854ZCE	GDWS1854SS
	18" x 60"	455 x 1520	GDWS1860C	GDWS1860ZE	GDWS1860ZCE	GDWS1860SS
	18" x 72"	455 x 1830	GDWS1872C	GDWS1872ZE	GDWS1872ZCE	GDWS1872SS
21"(535mm) deep	21" x 24"	535 x 610	GDWS2124C	GDWS2124ZE	GDWS2124ZCE	GDWS2124SS
	21" x 30"	535 x 760	GDWS2130C	GDWS2130ZE	GDWS2130ZCE	GDWS2130SS
	21" x 36"	535 x 910	GDWS2136C	GDWS2136ZE	GDWS2136ZCE	GDWS2136SS
	21" x 42"	535 x 1070	GDWS2142C	GDWS2142ZE	GDWS2142ZCE	GDWS2142SS
	21" x 48"	535 x 1220	GDWS2148C	GDWS2148ZE	GDWS2148ZCE	GDWS2148SS
	21" x 54"	535 x 1370	GDWS2154C	GDWS2154ZE	GDWS2154ZCE	GDWS2154SS
	21" x 60"	535 x 1520	GDWS2160C	GDWS2160ZE	GDWS2160ZCE	GDWS2160SS
	21" x 72"	535 x 1830	GDWS2172C	GDWS2172ZE	GDWS2172ZCE	GDWS2172SS
24"(610mm) deep	24" x 24"	610 x 610	GDWS2424C	GDWS2424ZE	GDWS2424ZCE	GDWS2424SS
	24" x 30"	610 x 760	GDWS2430C	GDWS2430ZE	GDWS2430ZCE	GDWS2430SS
	24" x 36"	610 x 910	GDWS2436C	GDWS2436ZE	GDWS2436ZCE	GDWS2436SS
	24" x 42"	610 x 1070	GDWS2442C	GDWS2442ZE	GDWS2442ZCE	GDWS2442SS
	24" x 48"	610 x 1220	GDWS2448C	GDWS2448ZE	GDWS2448ZCE	GDWS2448SS
	24" x 54"	610 x 1370	GDWS2454C	GDWS2454ZE	GDWS2454ZCE	GDWS2454SS
	24" x 60"	610 x 1520	GDWS2460C	GDWS2460ZE	GDWS2460ZCE	GDWS2460SS
	24" x 72"	610 x 1830	GDWS2472C	GDWS2472ZE	GDWS2472ZCE	GDWS2472SS

HEAVY DUTY WIRE SHELVING

4 SHELF WIRE SHELVING ADD-ON UNIT

Standard Features:

- Includes 4 wire shelves , 2 x 74" (1890mm)posts & Fixings.



Metallic Grey



Black

Deep	Shelf (inch)	Shelf (mm)	Chrome	Zinc w/ epoxy	Zinc w/ clear epoxy	SS304
	w x l	w x l	model no	model no	model no	model no
14"(355mm) deep	14" x 24"	355 x 610	GDWSA1424C	GDWSA1424ZE	GDWSA1424ZCE	GDWSA1424SS
	14" x 30"	355 x 760	GDWSA1430C	GDWSA1430ZE	GDWSA1430ZCE	GDWSA1430SS
	14" x 36"	355 x 910	GDWSA1436C	GDWSA1436ZE	GDWSA1436ZCE	GDWSA1436SS
	14" x 42"	355 x 1070	GDWSA1442C	GDWSA1442ZE	GDWSA1442ZCE	GDWSA1442SS
	14" x 48"	355 x 1220	GDWSA1448C	GDWSA1448ZE	GDWSA1448ZCE	GDWSA1448SS
	14" x 54"	355 x 1370	GDWSA1454C	GDWSA1454ZE	GDWSA1454ZCE	GDWSA1454SS
	14" x 60"	355 x 1520	GDWSA1460C	GDWSA1460ZE	GDWSA1460ZCE	GDWSA1460SS
	14" x 72"	355 x 1830	GDWSA1472C	GDWSA1472ZE	GDWSA1472ZCE	GDWSA1472SS
18"(455mm) deep	18" x 24"	455 x 610	GDWSA1824C	GDWSA1824ZE	GDWSA1824ZCE	GDWSA1824SS
	18" x 30"	455 x 760	GDWSA1830C	GDWSA1830ZE	GDWSA1830ZCE	GDWSA1830SS
	18" x 36"	455 x 910	GDWSA1836C	GDWSA1836ZE	GDWSA1836ZCE	GDWSA1836SS
	18" x 42"	455 x 1070	GDWSA1842C	GDWSA1842ZE	GDWSA1842ZCE	GDWSA1842SS
	18" x 48"	455 x 1220	GDWSA1848C	GDWSA1848ZE	GDWSA1848ZCE	GDWSA1848SS
	18" x 54"	455 x 1370	GDWSA1854C	GDWSA1854ZE	GDWSA1854ZCE	GDWSA1854SS
	18" x 60"	455 x 1520	GDWSA1860C	GDWSA1860ZE	GDWSA1860ZCE	GDWSA1860SS
	18" x 72"	455 x 1830	GDWSA1872C	GDWSA1872ZE	GDWSA1872ZCE	GDWSA1872SS
21"(535mm) deep	21" x 24"	535 x 610	GDWSA2124C	GDWSA2124ZE	GDWSA2124ZCE	GDWSA2124SS
	21" x 30"	535 x 760	GDWSA2130C	GDWSA2130ZE	GDWSA2130ZCE	GDWSA2130SS
	21" x 36"	535 x 910	GDWSA2136C	GDWSA2136ZE	GDWSA2136ZCE	GDWSA2136SS
	21" x 42"	535 x 1070	GDWSA2142C	GDWSA2142ZE	GDWSA2142ZCE	GDWSA2142SS
	21" x 48"	535 x 1220	GDWSA2148C	GDWSA2148ZE	GDWSA2148ZCE	GDWSA2148SS
	21" x 54"	535 x 1370	GDWSA2154C	GDWSA2154ZE	GDWSA2154ZCE	GDWSA2154SS
	21" x 60"	535 x 1520	GDWSA2160C	GDWSA2160ZE	GDWSA2160ZCE	GDWSA2160SS
	21" x 72"	535 x 1830	GDWSA2172C	GDWSA2172ZE	GDWSA2172ZCE	GDWSA2172SS
24"(610mm) deep	24" x 24"	610 x 610	GDWSA2424C	GDWSA2424ZE	GDWSA2424ZCE	GDWSA2424SS
	24" x 30"	610 x 760	GDWSA2430C	GDWSA2430ZE	GDWSA2430ZCE	GDWSA2430SS
	24" x 36"	610 x 910	GDWSA2436C	GDWSA2436ZE	GDWSA2436ZCE	GDWSA2436SS
	24" x 42"	610 x 1070	GDWSA2442C	GDWSA2442ZE	GDWSA2442ZCE	GDWSA2442SS
	24" x 48"	610 x 1220	GDWSA2448C	GDWSA2448ZE	GDWSA2448ZCE	GDWSA2448SS
	24" x 54"	610 x 1370	GDWSA2454C	GDWSA2454ZE	GDWSA2454ZCE	GDWSA2454SS
	24" x 60"	610 x 1520	GDWSA2460C	GDWSA2460ZE	GDWSA2460ZCE	GDWSA2460SS
	24" x 72"	610 x 1830	GDWSA2472C	GDWSA2472ZE	GDWSA2472ZCE	GDWSA2472SS



UTILITY CART WITH WIRE SHELVES



Standard Features:

- 3 pcs of Heavy Duty Wire Shelves.
- 2 pcs of one-piece U Handles.
- 1 set of 5" Rubber Casters (2 with brake, 2 without brake).
- 4 pcs of Rubber Donut Bumpers.
- Center shelf can be positioned at any height in 1 in. (2.5cm) increments.
- The weight capacity of the trolley is determined by the casters.
- Total unit capacity ranges from 600-800 lbs(272-363 kg).



one-piece U handle



side view



casters

Utility Trolley		Chrome Finish	Epoxy Finish	SS 304
w x l x h (inch)	w x l x h (mm)	model no	model no	model no
18" x 30" x 33"	460 x 760 x 840	GD1830C	GD1830E	GD1830SS
18" x 36" x 33"	460 x 901 x 840	GD1836C	GD1836E	GD1836SS
18" x 48" x 33"	460 x 1220 x 840	GD1848C	GD1848E	GD1848SS

WALL BRACKETS

NON-ADJUSTABLE WALL BRACKETS




Single Components [qty]

- 2 PCS Single Non-adjustable Wall Brackets, separately packed in 2 poly bags.
- 4 PCS Chrome Collar Plugs.

Double Components [qty]

- 1 PCS Double Non-adjustable Wall Bracket, packed in 1 poly bag.
- 4 PCS Chrome Collar Plugs.



Non-adjustable wall brackets	Size (inch)	Chrome	Epoxy
Single	14"	GDSB14C	GDSB14E
	18"	GDSB18C	GDSB18E
	21"	GDSB21C	GDSB21E
	24"	GDSB24C	GDSB24E

Non-adjustable wall brackets	Size (inch)	Chrome	Epoxy
Double	14"	GDDB14C	GDDB14E
	18"	GDDB18C	GDDB18E
	21"	GDDB21C	GDDB21E
	24"	GDDB24C	GDDB24E

Adjustable Wall Brackets

Single Components [qty]

- 2 PCS Single adjustable Wall Brackets, separately packed in 2 poly bags.
- 4 PCS Chrome Collar Plugs.

Double Components [qty]

- 1 PCS Double adjustable Wall Bracket, packed in 1 poly bag.
- 4 PCS Chrome Collar Plugs.



Adjustable wall brackets	Size (inch)	Chrome	Epoxy
Single	14"	GDASB14C	GDASB14E
	18"	GDASB18C	GDASB18E
	21"	GDASB21C	GDASB21E
	24"	GDASB24C	GDASB24E

Non-adjustable wall brackets	Size (inch)	Chrome	Epoxy
Double	14"	GDADB14C	GDADB14E
	18"	GDADB18C	GDADB18E
	21"	GDADB21C	GDADB21E
	24"	GDADB24C	GDADB24E



PARTS & ACCESSORIES

SHELF DIVIDERS

Standard Features:

- Install easily without the use of bolts, nuts or clips.
- Attaches at any point along shelf. 8" high. Chrome or Epoxy finish.




Shelf dividers		Chrome	Epoxy
w x h (inch)	w x h (mm)	model no	model no
14" x 8"	355 x 200	GDAD14C	GDAD14E
18" x 8"	455 x 200	GDAD18C	GDAD18E
21" x 8"	535 x 200	GDAD21C	GDAD21E
24" x 8"	610 x 200	GDAD24C	GDAD24E

SHELF LEDGES

Standard Features:

- Snaps onto perimeter of shelf 4" high retaining ledge.

Ledges		Epoxy Finish	SS 304
w x h (inch)	w x h (mm)	model no	model no
14" x 4"	355 x 100	GDAL414C	GDAL414E
18" x 4"	455 x 100	GDAL418C	GDAL418E
21" x 4"	535 x 100	GDAL421C	GDAL421E
24" x 4"	610 x 100	GDAL424C	GDAL424E
30" x 4"	760 x 100	GDAL430C	GDAL430E
36" x 5"	910 x 100	GDAL436C	GDAL436E
42" x 4"	1070 x 100	GDAL442C	GDAL442E
48" x 4"	1220 x 100	GDAL448C	GDAL448E
54" x 4"	1370 x 100	GDAL454C	GDAL454E
60" x 4"	1520 x 100	GDAL460C	GDAL460E
72" x 4"	1830 x 100	GDAL472C	GDAL472E



LABEL HOLDER : GDABM3



S HOOK : GDAS



POST CLAMP:GDAC



WALL MOUNT FOOD PREP AND DRYING STATION



Model no: GDWMTGRID

- Organized, convenient, sanitary.
- Grid system maximizes workstation by using vertical wall space.
- Increase efficiency and storage by keeping everything close at hand.
- Heavy duty commercial grade zinc undercoated with epoxy coating grids and components, besides some stainless steel 304 components.
- Versatile – all components fit on one grid or both.
- Mount grids horizontally or vertically to maximize wall space.



COMPONENTS




8 pcs SS 304
wall mounting brackets



6 pcs SS304 "J" hooks



6 pcs Zinc w/ Epoxy
coated peg hooks



2 pcs Zinc w/Epoxy
coated 24"x24"grids



1 pcs Zinc w/ Epoxy coated
13.5"x5"x7"basket



1 pcs Zinc w/ Epoxy coated
17.5"x5"x7"basket



STAINLESS STEEL SINKS



Work table without backsplash

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD66BM1	600 x 950	400 x 400 x 250	
GD76BM1	700 x 950	500 x 400 x 250	
GD86BM1	800 x 950	600 x 500 x 250	
700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD67BM1	600 x 950	400 x 400 x 250	400 x 400 x 250
GD77BM1	700 x 950	500 x 400 x 250	500 x 400 x 250
GD87BM1	800 x 950	600 x 500 x 250	600 x 500 x 300



Sink with 1 left basin + 1 right storage surface

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD106BL1	1000 x 950	400 x 400 x 250	
GD126BL1	1200 x 950	500 x 400 x 250	
700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD107BL1	1000 x 950	500 x 400 x 250	500 x 400 x 250
GD127BL1	1200 x 950	500 x 500 x 250	500 x 500 x 300
GD147BL1	1400 x 950	600 x 500 x 250	600 x 500 x 300



Sink with 1 right basin + 1 left storage surface

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD106BR1	1000 x 950	400 x 400 x 250	
GD126BR1	1200 x 950	500 x 400 x 250	
700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD107BR1	1000 x 950	500 x 400 x 250	500 x 400 x 250
GD127BR1	1200 x 950	500 x 500 x 250	500 x 500 x 300
GD147BR1	1400 x 950	600 x 500 x 250	600 x 500 x 300



Sink with 2 left basin + 1 right storage surface

600 mm WIDTH		
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304
GD146BL2	1400 x 950	400 x 400 x 250
GD166BL2	1600 x 950	500 x 400 x 250
GD186BL2	1800 x 950	500 x 400 x 250
700 mm WIDTH		
Model no	L x H mm	Bowl dimension mm
		In aisi 201 In aisi 304
GD167BL2	1600 x 950	500 x 500 x 250 500 x 500 x 300
GD187BL2	1800 x 950	500 x 500 x 250 500 x 500 x 300



Sink with 2 right basin + 1 left storage surface

600 mm WIDTH		
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304
GD146BR2	1400 x 950	400 x 400 x 250
GD166BR2	1600 x 950	500 x 400 x 250
GD186BR2	1800 x 950	500 x 400 x 250
700 mm WIDTH		
Model no	L x H mm	Bowl dimension mm
		In aisi 201 In aisi 304
GD167BR2	1600 x 950	500 x 500 x 250 500 x 500 x 300
GD187BR2	1800 x 950	500 x 500 x 250 500 x 500 x 300



2 sinks in center

600 mm WIDTH		
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304
GD106BM2	1000 x 950	400 x 400 x 250
GD126BM2	1200 x 950	500 x 400 x 250
GD146BM2	1400 x 950	500 x 400 x 250
700 mm WIDTH		
Model no	L x H mm	Bowl dimension mm
		In aisi 201 In aisi 304
GD107BM2	1000 x 950	500 x 400 x 250 500 x 400 x 250
GD127BM2	1200 x 950	500 x 500 x 250 500 x 500 x 300
GD147BM2	1400 x 950	600 x 500 x 250 600 x 500 x 300



DISHWASHER SINK UNITS



Dishwasher sink unit with 1 left basin + 1 right storage surface

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD126BL1D	1200 x 950	400 x 400 x 250	
GD146BL1D	1400 x 950	500 x 400 x 250	
700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD127BL1D	1200 x 950	500 x 400 x 250	500 x 400 x 250
GD147BL1D	1400 x 950	600 x 500 x 250	600 x 500 x 300



Dishwasher sink unit with 1 right basin + 1 left storage surface

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD126BR1D	1200 x 950	400 x 400 x 250	
GD146BR1D	1400 x 950	500 x 400 x 250	
700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD127BR1D	1200 x 950	500 x 400 x 250	500 x 400 x 250
GD147BR1D	1400 x 950	600 x 500 x 250	600 x 500 x 300



Dishwasher sink unit with 2 left basins + 1 right storage surface

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD166BL2D	1600 x 950	400 x 400 x 250	
GD186BL2D	1800 x 950	500 x 400 x 250	
700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD167BL2D	1200 x 950	500 x 400 x 250	500 x 400 x 250
GD187BL2D	1400 x 950	500 x 500 x 250	500 x 500 x 300



Dishwasher sink unit with 2 right basins + 1 left storage surface

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD166BR2D	1600 x 950	400 x 400 x 250	
GD186BR2D	1800 x 950	500 x 400 x 250	
700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD167BR2D	1200 x 950	500 x 400 x 250	500 x 400 x 250
GD187BR2D	1400 x 950	500 x 500 x 250	500 x 500 x 300

SINK ACCESSORIES



Overflow drainer

Model no	Dimensions (mm)	Material	Remarks
STD-01	φ67 x 250 (tube 230mm)	201	suitable for 250 mm basin
STD-02	φ67 x 280 (tube 260mm)	201	suitable for 300 mm basin
STD-03	φ67 x 250 (tube 230mm)	304	suitable for 250 mm basin
STD-04	φ67 x 280 (tube 260mm)	304	suitable for 300 mm basin



SINKS UNITS WITH CABINET



1 basin in center stainless steel sink with cabinet

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD86BMC1	800 x 950	500 x 400 x 250	

700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD87BMC1	800 x 950	600 x 500 x 250	600 x 500 x 300



2 basins in center stainless steel sink with cabinet

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD106BMC2	1000 x 950	400 x 400 x 250	
GD126BMC2	1200 x 950	500 x 400 x 250	
GD146BMC2	1400 x 950	500 x 400 x 250	

700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD107BMC2	1000 x 950	400 x 500 x 250	400 x 500 x 250
GD127BMC2	1200 x 950	500 x 500 x 250	500 x 500 x 300
GD147BMC2	1400 x 950	600 x 500 x 250	600 x 500 x 300



1 left basin sink with cabinet

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD106BLC1	1000 x 950	500 x 400 x 250	
GD126BLC1	1200 x 950	500 x 400 x 250	
GD146BLC1	1400 x 950	500 x 400 x 250	

700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD107BLC1	1000 x 950	500 x 500 x 250	500 x 500 x 250
GD127BLC1	1200 x 950	500 x 500 x 250	500 x 500 x 300
GD147BLC1	1400 x 950	600 x 500 x 250	600 x 500 x 300



2 left basins stainless steel sink with cabinet

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD146BLC2	1400 x 950	400 x 400 x 250	
GD166BLC2	1600 x 950	500 x 400 x 250	
GD186BLC2	1800 x 950	500 x 400 x 250	
GD206BLC2	2000 x 950	500 x 400 x 250	

700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD147BLC2	1400 x 950	400 x 500 x 250	400 x 500 x 250
GD167BLC2	1600 x 950	500 x 500 x 250	500 x 500 x 300
GD187BLC2	1800 x 950	500 x 500 x 250	500 x 500 x 300
GD207BLC2	2000 x 950	600 x 500 x 250	600 x 500 x 300



1 right basin sink with cabinet

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD106BRC1	1000 x 950	500 x 400 x 250	
GD126BRC1	1200 x 950	500 x 400 x 250	
GD146BRC1	1400 x 950	500 x 400 x 250	

700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD107BRC1	1000 x 950	500 x 500 x 250	500 x 500 x 250
GD127BRC1	1200 x 950	500 x 500 x 250	500 x 500 x 300
GD147BRC1	1400 x 950	600 x 500 x 250	600 x 500 x 300



2 right basins stainless steel sink with cabinet

600 mm WIDTH			
Model no	L x H mm	Bowl dimension mm in aisi 201 / 304	
GD146BRC2	1400 x 950	400 x 400 x 250	
GD166BRC2	1600 x 950	500 x 400 x 250	
GD186BRC2	1800 x 950	500 x 400 x 250	
GD206BRC2	2000 x 950	500 x 400 x 250	


700 mm WIDTH			
Model no	L x H mm	Bowl dimension mm	
		In aisi 201	In aisi 304
GD147BRC2	1400 x 950	400 x 500 x 250	400 x 500 x 250
GD167BRC2	1600 x 950	500 x 500 x 250	500 x 500 x 300
GD187BRC2	1800 x 950	500 x 500 x 250	500 x 500 x 300
GD207BRC2	2000 x 950	600 x 500 x 250	600 x 500 x 300



EUROPEAN KITCHEN FAUCET


56061

Single Hole Mixer




56067

Single Hole Mixer




56A067

Single Hole Mixer




56001

Single Hole Mixer




55071

Single Hole Mixer



55093

Two Hole Mixer






EUROPEAN KITCHEN FAUCET


56091

Single Hole Spray Assembly With Faucet




56A91

Single Hole Spray Assembly




56093

Two Hole Spray Assembly With Faucet




56A93

Two Hole Spray Assembly




56071

Single Hole Spray Assembly With Faucet



56A71

Single Hole Spray Assembly





HAND WASHBASIN



Knee operated hand washbasin

Model no	L x W x H mm	Remarks
GDLVB1	380 x 300 x 190	Knee action lever valve, inlet pipe

Knee operated hand washbasin

Model no	L x W x H mm	Remarks
GDLVB2	400 x 335 x 550	Knee action lever valve, inlet pipe



Knee operated hand washbasin

Model no	L x W x H mm	Remarks
GDLVB3	400 x 400 x 240	Knee action lever valve, inlet pipe



Knee operated hand washbasin

Model no	L x W x H mm	Remarks
GDLVB8	480 x 350 x 260	Knee action lever valve, inlet pipe



Stainless steel janitorial sink

Model no	L x W x H mm	Remarks
GDLVB4	690 x 500 x 850	/
GDLVB5	590 x 500 x 850	/



STAINLESS STEEL GARBAGE BIN



Stainless steel garbage bin

Model no	L x W x H mm	Remarks
GB100-OF	370 x 560 x 890	100L
GB70-OF	500 x 515 x 774	70L

Stainless steel garbage bin

Model no	L x W x H mm	Capacity
GB-50	Φ 350 x 600	50L
GB-100	Φ 450 x 700	100L



Stainless steel garbage bin

Model no	L x W x H mm	Capacity
GB-50W	Φ 350 x 600	50L
GB-100W	Φ 450 x 700	100L



Stainless steel garbage bin

Model no	L x W x H mm	Capacity
GB-50S	Φ 350 x 600	50L
GB-100S	Φ 450 x 700	100L



Stainless steel garbage bin

Model no	L x W x H mm	Capacity
GBH-130	420 x 580 x 960	110~130L

