




COMMERCIAL COOKTOP SERIES

COTTURA

COMMERCIAL COOKTOP SERIES

E500E

5000W 380-400V 3N~ 50-60 Hz

NEW



■ **DIMENSION (L X W X H)**
39 X 49 X 14 CM

■ **SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Without The Plug
Adjust the Power or Temperature by Knob
Electronic Overheating Protection

Touch Control, LED Display
1-10 Power Levels (500-5000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 380-400V 3N~ 50-60Hz, 5000W

■ **CERTIFICATION**
CE EMC ERP REACH RoHS

E500F

5000W 380-400V 3N~ 50-60 Hz

NEW



■ **DIMENSION (L X W X H)**
39 X 49 X 14 CM

■ **SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Without The Plug
Touch Control with Safety lock
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-5000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 380-400V 3N~ 50-60Hz, 5000W

■ **CERTIFICATION**
CE EMC ERP REACH RoHS

E500K

5000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
46 X 56 X 13 CM

■ SPECIFICATION

Stainless Steel Body / Metal feet / With Filter on the Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Touch Control / Safety Lock
Suitable for Very Big Cookware
Electronic Overheating Protection
1-10 Power Levels (500-5000W)

■ CERTIFICATION

CE EMC ERP REACH RoHS

E500G

5000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
46 X 56 X 13 CM

■ SPECIFICATION

Stainless Steel Body / Metal feet / With Filter on the Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Touch Control / Adjust the Power By Knob
Suitable for Very Big Cookware
Electronic Overheating Protection
1-10 Power Levels (500-5000W)

■ CERTIFICATION

CE EMC ERP REACH RoHS (240V~60Hz, 3500W)

E500D3

5000W 380-400V 3N~ 50-60 Hz



■ DIMENSION (L X W X H)
40.2 X 52.5 X 18.2 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Touch Control / Adjust the Power By Knob
Electronic Overheating Protection
1-10 Power Levels (500-5000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

E500D4

5000W 380-400V 3N~ 50-60 Hz



■ DIMENSION (L X W X H)
40.2 X 52.5 X 19.4 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Without the Plug
Touch Control / Adjust the Power By Knob
Electronic Overheating Protection
1-10 Power Levels (500-5000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

BT-500C

5000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

39.8 X 51.5 X 16.8 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
LED Display
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 220-240V~ 50-60Hz, 5000W

■ CERTIFICATION

015

BT-500C2

5000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

39.8 X 51.5 X 18.3 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Without the Plug
LED Display
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 220-240V~ 50-60Hz, 5000W

■ CERTIFICATION

BT-500E

5000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

39.8 X 51.5 X 16.8 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

0-6 Power Levels (500-5000W)
Power: 220-240V~ 50-60Hz, 5000W

■ CERTIFICATION

016

BT-500E1

5000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

39.8 X 51.5 X 18.3 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

0-6 Power Levels (500-5000W)
Power: 220-240V~ 50-60Hz, 5000W

■ CERTIFICATION

E500A

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 16.8 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
LED Display
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 380-400V 3N~50-60Hz,5000W

■ CERTIFICATION

E500C1

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 16.8 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

0-6 Power Levels (500-5000W)
Power: 380-400V 3N~50-60Hz,5000W

■ CERTIFICATION

E500B

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 18.3 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Without the Plug
LED Display
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 380-400V 3N~50-60Hz,5000W

■ CERTIFICATION

E500C2

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 18.3 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

0-6 Power Levels (500-5000W)
Power: 380-400V 3N~50-60Hz,5000W

■ CERTIFICATION

E800A

8000W 380-400V 3N~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
44 X 54 X 14.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Without The Plug
Adjust the Power or Temperature by Knob
4pcs metal feet
Electronic Overheating Protection
Touch Control, LED Display
1-10 Power Levels (500-8000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 380-400V 3N~ 50-60Hz, 8000W

■ CERTIFICATION

CE EMC ERP REACH RoHS

019

E800B

8000W 380-400V 3N~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
44 X 54 X 14.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Without The Plug
4pcs metal feet
Electronic Overheating Protection
Touch Control, LED Display
1-10 Power Levels (500-8000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 380-400V 3N~ 50-60Hz, 8000W

■ CERTIFICATION

CE EMC ERP REACH RoHS

BT-800A

8000W 380-400V 3N~ 50-60 Hz



■ DIMENSION (L X W X H)
50 X 54 X 21 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection
1-12 Power Levels (500-8000W)
Power: 380-400V 3N~50-60Hz, 8000W

■ CERTIFICATION

CE EMC ERP REACH RoHS

020

BT-800B

8000W 380-400V 3N~ 50-60 Hz



■ DIMENSION (L X W X H)
50.6 X 58.5 X 29.3 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction
Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection
1-12 Power Levels (500-8000W)
Power: 380-400V 3N~50-60Hz, 8000W

■ CERTIFICATION

CE EMC ERP REACH RoHS

HBE350A

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

38.9 X 49 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob/Schott Ceran Hob/Eurokera France Hob

Two Blue LED Display
Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, 0-180 minute
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

021

HBE350B

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

44 X 54 X 13 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob/Schott Ceran Hob/Eurokera France Hob

Two Blue LED Display
Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, 0-180 minute
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HB350A

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control, LCD Display
Adjust the Power or Temperature by Knob
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

022

HB350A-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control, LCD Display
Adjust the Power or Temperature by Knob
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HB350C

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob/Schott Ceran Hob/Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LCD Display (0-180 minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

023

HB350C-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LCD Display (0-180 minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HB350KCT

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

024

HBC35

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

HBE35

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

025

HBE35-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control / Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HB350A2

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

026

HB350A2-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HB350A4

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180 minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HB350A4-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180 minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HB350A4-2

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180 minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HB350ET-2

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180 minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HB350ET

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180 minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

029

HB350ET-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

34 X 43.2 X 12.5 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

HBEP350A

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

38.3 X 46 X 9 CM

■ SPECIFICATION

Stainless Steel Body / Metal Feet
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Two LED Display
With Filter on the Bottom
Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

030

HBE350D

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

38.3 X 46 X 9 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Two Blue LED Display, Touch Control with Safety Lock
Metal Feet, Double Sensor
With Filter on the Bottom
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180 minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

HBE350C

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)

33.8 X 41.8 X 8 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (240V~60Hz, 3500W)

HBE350K

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)

33.8 X 41.8 X 8.4 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (240V~60Hz, 3500W)

HBE350F

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

33.8 X 41.8 X 8.4 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (240V~60Hz, 3500W)

HBE350I

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

33.8 X 41.8 X 8.4 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (240V~60Hz, 3500W)

HBEB350C

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)
33.8 X 41.8 X 8 CM

■ SPECIFICATION
Stainless Steel Body
NEG Glass
Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION
CE EMC ERP REACH RoHS

033

HBEB350C

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)
33.8 X 41.8 X 8 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION
CE EMC ERP REACH RoHS

E350G

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
44 X 54 X 13 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control
Adjust the Power or Temperature by Knob
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION
CE EMC ERP REACH RoHS

034

E350J

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
44 X 54 X 13 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control with Safety Lock
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION
CE EMC ERP REACH RoHS

E350M

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

33.9 X 43 X 11.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

035

E350M

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

33.9 X 43 X 11.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

SM-351W-CRT

3000W/3500W 220-240V~ 50-60 Hz

■ DIMENSION (L X W X H)

37.1 X 48.5 X 14.4 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Adjust the Power By Knob
Electronic Overheating Protection

LED Display
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

036

SM-351W-CR

3000W/3500W 220-240V~ 50-60 Hz

■ DIMENSION (L X W X H)

37.1 X 48.5 X 14.4 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control / Adjust the Power By Knob
Electronic Overheating Protection

LED Display
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208-240V~50/60Hz, 3500W)

E350A

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
38.9 X 49 X 12.5 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Suitable for Max Dia. 32cm Cookware
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION
CE EMC ERP REACH RoHS

037

E350B

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
44 X 54 X 13 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Suitable for Max Dia. 36cm Cookware
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION
CE EMC ERP REACH RoHS (240V~60Hz, 3500W)

D350A

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
34X 43 X 12.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC

038

D350B

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
34X 43 X 12.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC

D350C

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
34X 43 X 12.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC

D350E

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
34X 43 X 12.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC

D350D

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
34X 43 X 12.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Adjust the Power By Knob
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC

D350F

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
34X 43 X 12.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC

D350G

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
34X 43 X 12.3 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

041

D350H

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
34X 43 X 12.3 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

D350I

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
34 X 43X 13.5 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

042

BT-350K-2

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
33 X 42.5 X 10.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Adjust the Power By Knob
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-350K2-E

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

33 X 42.5 X 10.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

043

BT-350K4-E

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

33 X 42.5 X 10.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-350K5-E

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

33 X 42.5 X 10.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

044

BT-350K6-E

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

33 X 42.5 X 10.5 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-350KCT-2-A

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 43X 13.5 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

- CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-350K9-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
35.5 X 43.2 X 10.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

- CERTIFICATION
CE EMC ERP REACH RoHS FC

BT-350K8-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
35.5 X 43.2 X 10.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

- CERTIFICATION
CE EMC ERP REACH RoHS FC

BT-350K10-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
35.5 X 43.2 X 13.1 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

- CERTIFICATION
CE EMC ERP REACH RoHS FC

BT-500A

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

33.8 X 39.5 X 11.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

BT-500B

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

33.8 X 39.5 X 11.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-500D

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

33.8 X 39.5 X 12.7 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

S/S WOK

■ SPECIFICATION

Suitable for Commercial Wok Induction

3-Ply Wok with or Without Lid

Dia.36cm

Thickness: 304SS, 0.4mm

AL, 1.6mm

430, 0.5mm

Lid: 304SS, 1.0mm

Weight: 3.27kg



■ CERTIFICATION

LFGB

BT-350A

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

34 X 43.2 X 11.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

049

BT-350B

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

34 X 43 X 11.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer, LED Display (0-120minute)
1-15 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

050

BT-350A3

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

34 X 44.5 X 11.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
Power: 220-240V~ 50-60Hz, 3500W

■ CERTIFICATION

CE EMC ERP REACH RoHS

BT-350D

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

34 X 43 X 11.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer, LED Display (0-120minute)
1-15 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

BT-350B-A

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

34 X 43.2 X 11.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

051

BT-350B-A WOK

■ DIMENSION (L X W X H)

34 X 44.5 X 12.7 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

BT-350KC

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

34 X 44 X 12.3 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

052

BT-350KC-1

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

34 X 43.3 X 12.7 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

BT-350KCT

3000W/3500W 220-240V 50/60 Hz



■ DIMENSION (L X W X H)

34 X 43.3 X 12.3 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

053

BT-350KCT-1

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

33.9 X 43.3 X 12.7 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

E300L

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

32.7 X 42 X 10 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208V~60Hz, 1800W)

054

E350H

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

35.5 X 43.7 X 16.5 CM

■ SPECIFICATION

Stainless Steel Body
Wok Induction

Touch Control with Safety Lock
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

BT-A35

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
32.7 X 42 X 10 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-350K

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
32.7 X 42 X 10 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-C35

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
32.7 X 42 X 10 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LCD Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

BT-350K-1

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
32.7 X 42 X 10 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-3500W)

■ CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

BT-350K-W

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
32.7 X 42 X 10 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-270B-H2

2700W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
32 X 39.1 X 10.6 CM

■ SPECIFICATION
Stainless Steel Body / Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

BT-270K-H

2700W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
33.8 X 42.2 X 7.5 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

E270C

2700W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
32 X 36.8 X 8.4 CM

■ SPECIFICATION
Stainless Steel Body / Plastic Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-270A

2700W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

32 X 36.8 X 10.6 CM

■ SPECIFICATION

Stainless Steel Body / Plastic Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

SA3600

3600W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

33 X 72.4 X 13.3 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

LED Display
Button Control / Adjust the Power By Knob
Double Plate-Separately Controllable
Electronic Overheating Protection

Timer, Setting(0-175min)
Temperature Range: 120°F-500°F

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-270B

2700W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

32 X 36.8 X 8.4 CM

■ SPECIFICATION

Stainless Steel Body / Plastic Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-700K8-E

7000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

68.3 X 43 X 11 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Button Control
Electronic Overheating Protection\

Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W*2)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

ET700A

7000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69.7 X 34.8 X 11 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Control Box Moveable
Touch Control / Adjust the Power By Knob
Double Plate-Separately Controllable
Electronic Overheating Protection

LED Display
Temperature Range: 60°C-240°C
Power: 220-240V~50-60Hz,3500W+3500W

■ CERTIFICATION
CE EMC ERP REACH RoHS

061

ET700C

7000W 380-400V 3N~ 50-60 Hz



■ DIMENSION (L X W X H)
71.2 X 38.8 X 11 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Control Box Moveable
Touch Control / Adjust the Power By Knob
With Power Share Function
Double Plate-Separately Controllable
Electronic Overheating Protection

Timer, LED Display (0-180minute)
Temperature Range: 60°C-240°C
Power: 380-400V 3N ~50-60Hz,3500W+3500W
Max Power of the Left Zone is 5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

ET700B

7000W 380-400V 3N~ 50-60 Hz



■ DIMENSION (L X W X H)
40 X 69.5 X 14.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Adjust the Power By Knob
With Power Share Function
Double Plate-Separately Controllable
Electronic Overheating Protection

Power: 380-400V 3N ~50-60Hz,3500W+3500W
Max Power of the Front Zone is 5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

062

BT-700A8

7000W 380-400V 3N~ 50-60 Hz



■ DIMENSION (L X W X H)
40.7 X 70.1 X 14.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Adjust the Power By Knob
With Power Share Function
Double Plate-Separately Controllable
Electronic Overheating Protection

Power: 380-400V 3N ~50-60Hz,3500W+3500W
Max Power of the Front Zone is 5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-700D3(T)

7000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
39 X 71.3 X 12.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Touch Control
Double Plate-Separately Controllable
Electronic Overheating Protection

Power: 220-240V~50-60Hz,3500W+3500W

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-700D3

7000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
39 X 71.3 X 12.3 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Adjust the Power By Knob
Double Plate-Separately Controllable
Electronic Overheating Protection

Power: 220-240V~50-60Hz,3500W+3500W

■ CERTIFICATION
CE EMC ERP REACH RoHS

E100A

1000W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
23 X 18 X 6.8 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
1-9 Temperature Levels
Electronic Overheating Protection

Power: 220-240V~ 50-60Hz,1000W

E100B

1000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
32 X 37 X 7.2 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
1-6 Temperature Levels
For Keep Warm Use
Electronic Overheating Protection

Temperature Range: 50°C-100°C
Power: 220-240V~ 50-60Hz,1000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

E100B2

1000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
32 X 37 X 7.2 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-1000W)
1-6 Temperature Setting
Temperature Range: 50°C-100°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

065

BT-500T

5000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
48 X 48 X 20 CM

■ SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-5000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

E310G

300W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
32 X 34 X 10.5 CM

■ SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-5 Temperature Setting
Temperature Range: 55°C, 65°C, 75°C, 85°C, 95°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

066

E3500T

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
30 X 30 X 10 CM

■ SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

D350N

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
32 X 34 X 9.8 CM

■ SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control
Electronic Overheating Protection
1-10 Power Levels (500-3500W)
Power: 220-240V~ 50-60Hz, 3500W

■ CERTIFICATION
CE EMC ERP REACH RoHS

067

BT-350T

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
36 X 38 X 12 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Adjust the Power By Knob
Electronic Overheating Protection
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-350T2

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
37 X 39 X 12 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Adjust the Power By Knob
Electronic Overheating Protection
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

068

AP-F35

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
36 X 38 X 12 CM

■ SPECIFICATION
Stainless Steel Body
Wok Induction
Adjust the Power By Knob
Electronic Overheating Protection
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-100T

800/1000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
φ24.5 X 6.8 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

1-6 Power Levels
Power: 220-240V~50-60Hz, 800W or 1000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

069

BT-180T

1800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
φ29.8 X 8 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-1800W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W

■ CERTIFICATION
CE RoHS

BT-180T1

1800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
29.7 X 29.7 X 8 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch control
Electronic Overheating Protection

1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W

■ CERTIFICATION
CE EMC ERP REACH RoHS

070

BF100A

1000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
46.2 X 33.5 X 6.1 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Temperature By Knob
Especially for Keeping Warm Use
Temperature Display on the Right Corner of the Glassplate
Electronic Overheating Protection

Temperature Range: 40°C-100°C
Power: 220-240V~ 50-60Hz, 1000W

■ CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 600W)

BF100B

1000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

53 X 33.5 X 6.1 CM

■ SPECIFICATION

Stainless Steel Body With Two Stainless Steel Handles
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Temperature By Knob
Especially for Keeping Warm Use
Temperature Display on the Right Corner of the Glassplate
Electronic Overheating Protection

Temperature Range: 40°C-100°C
Power: 220-240V~ 50-60Hz, 1000W

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 600W)

BF100C

1000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

53 X 32.5 X 6.4 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Temperature By Knob
Especially for Keeping Warm Use
Temperature Display on the Right Corner of the Glassplate
Electronic Overheating Protection

Temperature Range: 40°C-100°C
Power: 220-240V~ 50-60Hz, 1000W

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 600W)

BF100A-B

1000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

53 X 32.5 X 6.1 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Especially for Keeping Warm Use
Electronic Overheating Protection

Temperature Range: 40°C-100°C
Power: 220-240V~ 50-60Hz, 1000W

■ CERTIFICATION

CE EMC ERP REACH RoHS

BF100T

1000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

49 X 34.5 X 6.05 CM

■ SPECIFICATION

Stainless Steel Body / Built in Design
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch control
Especially for Keeping Warm Use
Temperature Display on the Right Corner of the Glassplate
Electronic Overheating Protection

Temperature Range: 40°C-100°C
Power: 220-240V~ 50-60Hz, 1000W

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 600W)

EWP110A WARMING TRAY

110W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
47 X 26.6 X 5.2 CM
- SPECIFICATION
Stainless Steel Body
Toughened Glass

Temperature Range: 60°C-105°C
Power: 220-240V~50-60Hz,0-110W

■ CERTIFICATION
CE EMC ERP REACH RoHS

EWP250C WARMING TRAY

230W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
38 X 55 X 2.5 CM
- SPECIFICATION
Aluminum frame / metal bottom
Toughened glass

Temperature Range: 65°C-105°C
Power: 220-240V~50-60Hz , 230W

■ CERTIFICATION
CE EMC ERP REACH RoHS

EWP250A WARMING TRAY

250W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
61.5 X 36.3 X 5.2 CM
- SPECIFICATION
Stainless Steel Body
Toughened Glass

Temperature Range: 60°C-105°C
Power: 220-240V~50-60Hz,0-250W

■ CERTIFICATION
CE EMC ERP REACH RoHS

EWP500A WARMING TRAY


500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
72 X 54.8 X 5.2 CM
- SPECIFICATION
Stainless Steel Body
Toughened Glass

Temperature Range: 60°C-105°C
Power: 220-240V~50-60Hz,0-500W

■ CERTIFICATION
CE EMC ERP REACH RoHS



INDUCTION DEEP FRYER SERIES

COTTURA

INDUCTION DEEP FRYER SERIES

E350Z8C

3000W/3500W 220-240V~ 50-60 Hz



■ **DIMENSION (L X W X H)**
28.8 X 47.8 X 41 CM

■ **SPECIFICATION**
Stainless Steel Body

Adjust Power By Knob
Electronic Overheating Protection

Capacity: 8L
Temperature Setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ **CERTIFICATION**
CE EMC ERP REACH RoHS   (208V~60Hz, 3000W)

E350Z8C2

3000W+3000W/3500W+3500W 220-240V~ 50-60 Hz



■ **DIMENSION (L X W X H)**
57.6 X 47.8 X 41 CM

■ **SPECIFICATION**
Stainless Steel Body

Two plug cord
Adjust Power By Knob
Electronic Overheating Protection

Capacity: 8L+8L
Temperature Setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ **CERTIFICATION**
CE EMC ERP REACH RoHS   (208V~60Hz, 3000W)

E350Z8D

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.8 X 47.8 X 41 CM

■ SPECIFICATION

Stainless Steel Body

Touch Control
Electronic Overheating ProtectionCapacity: 8L
Timer, LED Display (0-120min)
Temperature setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208V~60Hz, 3000W)

077

E350Z8E

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.8 X 47.8 X 41 CM

■ SPECIFICATION

Stainless Steel Body

Adjust Power By Knob
Electronic Overheating ProtectionCapacity: 8L
Temperature Setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208V~60Hz, 3000W)

078

E350Z8D2

3000W+3000W/3500W+3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

57.6 X 47.8 X 41 CM

■ SPECIFICATION

Stainless Steel Body

Touch Control
Two plug cord
Electronic Overheating ProtectionCapacity: 8L+8L
Timer, LED Display (0-120min)
Temperature setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208V~60Hz, 3000W)

E350Z8E2

3000W+3000W/3500W+3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

57.6 X 47.8 X 41 CM

■ SPECIFICATION

Stainless Steel Body

Two plug cord
Adjust Power By Knob
Electronic Overheating ProtectionCapacity: 8L+8L
Temperature Setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208V~60Hz, 3000W)

E350Z8F

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.8 X 47.8 X 41 CM

■ SPECIFICATION

Stainless Steel Body

Touch Control
Electronic Overheating ProtectionCapacity: 8L
Timer, LED Display (0-120min)
Temperature setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208V~60Hz, 3000W)

079

E350Z8G

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.8 X 47.8 X 41 CM

■ SPECIFICATION

Stainless Steel Body

Adjust Power By Knob
Electronic Overheating ProtectionCapacity: 8L
Temperature Setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208V~60Hz, 3000W)

080

E350Z8F2

3000W+3000W/3500W+3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

57.6 X 47.8 X 41 CM

■ SPECIFICATION

Stainless Steel Body

Touch Control
Two plug cord
Electronic Overheating ProtectionCapacity: 8L+8L
Timer, LED Display (0-120min)
Temperature setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208V~60Hz, 3000W)

E350Z8G2

3000W+3000W/3500W+3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

57.6 X 47.8 X 41 CM


■ SPECIFICATION

Stainless Steel Body

Two plug cord
Adjust Power By Knob
Electronic Overheating ProtectionCapacity: 8L+8L
Temperature Setting: 60°C, 80°C, 100°C, 120°C, 130°C,
140°C, 150°C, 160°C, 170°C, 180°C, 190°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (208V~60Hz, 3000W)



BUILT-IN TROLLEY SERIES

COTTURA

BUILT-IN TROLLEY SERIES

BT-T200T1

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

Glass Plate Size: 30.2x37.2 CM
Trolley Size: 85.5X53.5X93 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Movable
Induction Cooker Built-In The Trolley
Electronic Overheating Protection

Timer, LED display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

BT-T310T3

3100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

Glass Plate Size: 51x29 CM
Trolley Size: 85.5X53.5X93 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Movable
Induction Cooker Built-In The Trolley
Double plate-separately controllable
Electronic Overheating Protection

Front: 220-240V~ 50-60Hz, 500-1800W, 0-99 minute timer
Rear: 220-240V~50-60Hz, 500-1300W, 0-99 minute timer

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

BT-TK35

3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

Glass Plate Size: 60x38.8 CM
Trolley Size: 85.5X53.5X93 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera Franca Hob

Movable
Induction Cooker Built-In The Trolley
Double plate-separately controllable
Electronic Overheating Protection

Left: 600W-2000W, 0-180 minute, 60°C-240°C
Right: 500W-1500W, 0-180 minute, 60°C-240°C
Power: 220-240V~50-60Hz, 2000W+1500W


■ CERTIFICATION

CE CB EMC ERP REACH RoHS

083



084



SINGLE HOB COOKTOP SERIES

COTTURA

SINGLE HOB COOKTOP SERIES

EB210A

2100W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

37.4 X 29.4 X 5.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
External sensor can control the temperature accurately
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2100W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

EB210K

2100W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

37.4 X 29.4 X 5.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
External sensor can control the temperature accurately
Electronic Overheating Protection

Timer, LED display (0-180minute)
1-10 Power Levels (500-2100W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

EB210I

2100W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

37.4 X 29.4 X 5.6 CM

■ SPECIFICATION

Stainless Steel Body
NEG GlassTouch Control / Safety Lock
External sensor can control the temperature accurately
Electronic Overheating ProtectionTimer, LED Display (0-180minute)
1-10 Power Levels (500-2100W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

EB210I2

2100W 220-240V 50/60 Hz

NEW



■ DIMENSION (L X W X H)

37.4 X 29.4 X 5.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France HobTouch Control / Safety Lock
External sensor can control the temperature accurately
Electronic Overheating ProtectionTimer, LED display (0-180minute)
1-10 Power Levels (500-2100W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

E200A

2000W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)

37.4 X 29.4 X 5.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France HobTouch Control / Safety Lock
Electronic Overheating ProtectionTimer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

E200K

2000W 220-240V~ 50-60 Hz

■ DIMENSION (L X W X H)

37.4 X 29.4 X 5.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France HobTouch Control / Safety Lock
Electronic Overheating ProtectionTimer, LED display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

E200F

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

37.4 X 29.4 X 5.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

089

E200I

2000W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)

37.4 X 29.4 X 5.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

EB210J

2100W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)

37.4 X 29.4 X 5.6 CM

■ SPECIFICATION

Plastic Body
NEG Glass

Touch Control / Safety Lock
External sensor can control the temperature accurately
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2100W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

090

KRI-N2000

2000W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

32 X 46 X 8.7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

0-99 minute timer
1-9 Power Levels (500-2000W)

■ CERTIFICATION

CB

E220B

2100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29.5 X 36 X 4.4 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Special suspend key
Touch Control with Safety Lock
Electronic Overheating Protection

Timer, LED display (0-180minute)
1-10 Power Levels (500-2100W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

E200J

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28 X 35 X 5.2 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Special Suspend Key
Touch Control with Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS

E210A

2100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28 X 36 X 6.8 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Function: HOT POT, SOUP, BOIL, MILK, BBQ, FRY
Electronic Overheating Protection

Timer, LED display (0-180minute)
1-10 Power Levels (500-2100W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

E210C

2100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28 X 36 X 6.8 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Function: HOT POT, SOUP, BOIL, MILK, BBQ, FRY
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2100W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

E210C2

2100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
28 X 36 X 6.8 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-2100W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

KG21

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
28 X 36 X 6.8 CM

■ SPECIFICATION
Plastic body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED Display (0-3 hours)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION
CE RoHS

KG20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
27.7 X 34.8 X 6.4 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Function: WARM,SOUP,STEAM,QUICK-FRY,HOT POT
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE RoHS

KG22

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
28 X 36 X 6.8 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Special Suspend Key
Function: HOT,SOUP,STEAM,BOIL,MILK,BBQ,FRY
Electronic Overheating Protection

Timer,LED Display (0-3 hours)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION
CE RoHS

KG23

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.9 X 35.5 X 5 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-3 hours)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE RoHS

095

KG25

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29 X 37 X 4.3 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-3 hours)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE RoHS

E200C

2000W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)

29.5 X 37 X 4.5 CM

■ SPECIFICATION

Plastic Body with Stainless Steel Frame
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED display (0-180min)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

096

E200D

2000W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)

29.9 X 36.9 X 4.5 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180min)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

E200G

2000W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)

28.9 X 35.5 X 5 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180min)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

BT-Q20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29.2 X 35 X 6 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180min)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

BT-B18

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.5 X 34 X 6.5 CM

■ SPECIFICATION

Plastic body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED display (0-180min)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

(120V~60Hz, 1800W)

BT-Q20-1

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29.3 X 35 X 6 CM

■ SPECIFICATION

Plastic body or Stainless steel body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

(120V~60Hz, 1800W)

BT-G20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.8 X 35.5 X 6.3 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

(120V~60Hz, 1800W)

BT-C20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29 X 37 X 4.3 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

(120V~60Hz, 1800W)

BT-B20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.5 X 34 X 6.5 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

(120V~60Hz, 1800W)

BT-G20-1

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29.3 X 35 X 6.5 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

(120V~60Hz, 1800W)

BT-M20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29 X 35.7 X 6.5 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-S20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

30 X 35 X 4.5 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

SA-200K

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

30.7 X 34.8 X 7 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-200E-S

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

32.8 X 38.3 X 6.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch and Slide Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

BT-200B

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29.8 X 36.2 X 6.5 CM

■ SPECIFICATION

Plastic Body Silver Colour
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Temperature by Knob
Electronic Overheating Protection

1-10 Temperature Levels
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-200A

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.5 X 33.7 X 6.5 CM

■ SPECIFICATION

Plastic Body Silver Colour
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-200C

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

28.5 X 33.8 X 6.5 CM

■ SPECIFICATION

Plastic Body Black Colour Or Silver Colour
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-E20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

31 X 39 X 5.7 CM

■ SPECIFICATION

Plastic Body Silver Colour
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-200D

2000W 220-240V 50/60 Hz



■ DIMENSION (L X W X H)
29X 35.5 X 6.2 CM

■ SPECIFICATION
Plastic Body Silver Colour
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-200D1

2000W 220-240V 50/60 Hz



■ DIMENSION (L X W X H)
29X 35.5 X 6.2 CM

■ SPECIFICATION
Plastic Body Silver Colour
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, VFD Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

BT-200D3

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
29X 35.5 X 6.2 CM

■ SPECIFICATION
Plastic Body Silver Colour
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LCD display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

BT-200D9

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
33.3 X 34 X 6.4 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION
CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-200E

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

32.8 X 38.3 X 6.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-N20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

30 X 36.2 X 6.5 CM

■ SPECIFICATION

Plastic Body Silver Colour
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LCD Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-180B

1800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

32 X 38.5 X 6.5 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED display (0-180minute)
1-10 Power Levels (500-1800W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-180C

1800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

30 X 35.7 X 6.7 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-1800W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

BT-180E

1800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29.8 X 36.8 X 6.2 CM

■ SPECIFICATION

Plastic Body White Colour
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-6 Power Levels (500-1800W)
1-6 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

RoHS  (120V~60Hz, 1800W)

BT-180G3

1800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29 X 33 X 6.7 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-1800W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

     
(120V~60Hz, 1800W)

BT-180G6

1800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29.5 X 35.7 X 7.2 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED display (0-180minute)
1-10 Power Levels (500-1800W)
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

     
(120V~60Hz, 1800W)

BT-180K

1800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

32 X 34.4 X 7 CM

■ SPECIFICATION

Plastic body Or Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels
1-10 Temperature Setting
Temperature range: 60°C-240°C

■ CERTIFICATION

     
(120V~60Hz, 1800W)

BT-K20

2000W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)
27.5 X 31 X 7 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control
Electronic Overheating Protection
1-10 Power Levels (500-2000W)

■ CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

BT-J20

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
38 X 45 X 7.7 CM

■ SPECIFICATION
Metal bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control / Safety Lock
Electronic Overheating Protection
Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

BT-200T1

2000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
30.2 X 37.2 X 7.7 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control / Safety Lock
Electronic Overheating Protection
Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE CB EMC ERP REACH RoHS
(120V~60Hz, 1800W)

EB210T

2000W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
30.2 X 37.2 X 5.1 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control / Safety Lock
Electronic Overheating Protection
Timer, LED Display (0-180minute)
1-10 Power Levels (500-2000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CB

EB210T1

2000W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
30.2 X 37.2 X 5.1 CM
- SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED display (0-99minute)
1-9 Power Levels (500-2000W)
Temperature Range: 60°C-240°C

- CERTIFICATION
CB

E280T

2800W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
31 X 43 X 9.3 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Grade 2 Energy Efficiency
Touch Control / Safety Lock
Electronic Overheating Protection

0-99 minute timer
1-9 Power Levels (500-2500W)
Boost function: Maximum power 2800W

- CERTIFICATION
CE EMC ERP REACH RoHS

E280G

2800W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
29.2 X 51.5 X 9.2 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Grade 2 Energy Efficiency
Touch Control / Safety Lock
Electronic Overheating Protection

0-99 minute timer
1-9 Power Levels (500-2500W)
Boost function: Maximum power 2800W

- CERTIFICATION
CE EMC ERP REACH RoHS

POT



Model: POT16A
Size: Φ16(CM)
Thickness: 0.5(MM)



Model: POT20A
Size: Φ20(CM)
Thickness: 0.5(MM)



Model: POT24A
Size: Φ24(CM)
Thickness: 0.4(MM)



Model: POT26A
Size: Φ26(CM)




Model: POT26B
Size: Φ26(CM)



Model: POT26C
Size: Φ26(CM)



COTTURA



DOUBLE-HOB COOKTOP SERIES

COTTURA

DOUBLE-HOB COOKTOP SERIES

EB290T

2900W 220-240V~ 50-60 Hz

NEW



DIMENSION (L X W X H)
29 X 51 X 5.1 CM

SPECIFICATION
Plastic body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Double Plate-Separately Controllable
Electronic Overheating Protection

Front: 220-240V~ 50-60Hz, 500-1800W, 0-99 minute timer
Rear: 220-240V~50-60Hz, 500-1100W, 0-99 minute timer

CERTIFICATION
CB

EB290T1

2900W 220-240V~ 50-60 Hz

NEW



DIMENSION (L X W X H)
29 X 51 X 5.1 CM

SPECIFICATION
Plastic body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Front: 220-240V~ 50-60Hz, 500-1800W, 0-99 minute timer
Rear: 220-240V~50-60Hz, 500-1100W, 0-99 minute timer

CERTIFICATION
CB

BT-310T2

3100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
29 X 51 X 9.2 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Front: 220-240V~ 50-60Hz, 500-1800W, 0-99 minute timer
Rear: 220-240V~50-60Hz, 500-1300W, 0-99 minute timer

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

BT-310T3

3100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
29 X 51 X 8.3CM

■ SPECIFICATION
Plastic body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Front: 220-240V~ 50-60Hz, 500-1800W, 0-99 minute timer
Rear: 220-240V~50-60Hz, 500-1300W, 0-99 minute timer

■ CERTIFICATION
CE CB EMC ERP REACH RoHS
FC (208-240V~60Hz,3100W)

ET350B

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)
60.8 X 37 X 5.6 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

With boost function
Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute,60°C-240°C,1800W(or 1500W for UK plug)
Right: 0-180 minute,60°C-240°C,1700W(or 1500W for UK plug)
Boost state:
left 2000W+right 1500W or left 2000W+right 1000W for Uk plug

■ CERTIFICATION
CE EMC ERP REACH RoHS

ET350B

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



■ DIMENSION (L X W X H)
60.8 X 37 X 5.6 CM

■ SPECIFICATION
Stainless Steel Body
NEG Glass

With boost function
Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute,60°C-240°C,1800W(or 1500W for UK plug)
Right: 0-180 minute,60°C-240°C,1700W(or 1500W for UK plug)
Boost state:
left 2000W+right 1500W or left 2000W+right 1000W for Uk plug

■ CERTIFICATION
CE EMC ERP REACH RoHS

ET350I

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

60.8 X 37 X 5.6 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

LCD Display
With boost function
Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C, 1800W (or 1500W for UK plug)
Right: 0-180 minute, 60°C-240°C, 1700W (or 1500W for UK plug)
Boost state:
Left 2000W+Right 1500W or Left 2000W+Right 1000W for UK plug

■ CERTIFICATION

CE EMC ERP REACH RoHS

ET350C

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29.9 X 58.1 X 6.4 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Front: 220-240V~50-60Hz, 500-1800W, 0-180 minute timer
Rear: 220-240V~50-60Hz, 500-1700W, 0-180 minute timer

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

ET350C

3000W/3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

29.9 X 58.1 X 6.4 CM

■ SPECIFICATION

Stainless Steel Body
NEG Glass

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Front: 220-240V~50-60Hz, 500-1800W, 0-180 minute timer
Rear: 220-240V~50-60Hz, 500-1700W, 0-180 minute timer

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

ET350H

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)

29.9 X 58.1 X 6.4 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Front: 220-240V~50-60Hz, 500-1800W, 0-180 minute timer
Rear: 220-240V~50-60Hz, 500-1700W, 0-180 minute timer

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

ET350K

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
29.9 X 58.1 X 6.4 CM
- SPEOIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Front: 220-240V~50-60Hz,500-1800W,0-180 minute timer
Rear: 220-240V~50-60Hz,500-1700W,0- 180 minute timer

- CERTIFICATION**
CE CB EMC ERP REACH RoHS

ET350D

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
60 X 35 X 5.2 CM
- SPECIFICATION**
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Special Suspend Key
Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute,60°C-240°C,1800W(or 1800W for UK plug)
Right: 0-180 minute,60°C-240°C,1700W(or 1200W for UK plug)

- CERTIFICATION**
CE CB EMC ERP REACH RoHS

KG35

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
58.5 X 35.5 X 5.2 CM
- SPECIFICATION**
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute,60°C-240°C
Right: 0-180 minute,60°C-240°C
Power: 220-240V~50-60Hz,1800W+1700W

- CERTIFICATION**
CE RoHS

EB350B

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
62.5 X 38.7 X 4 CM
- SPECIFICATION**
Plastic body
NEG Glass

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Front: 220-240V~ 50-60Hz, 500-1800W, 0-99 minute timer
Rear: 220-240V~50-60Hz, 500-1700W, 0-99 minute timer

- CERTIFICATION**
CE (120V~60Hz, 1800W)

ET350Y

3500W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
60 X 36 X 7.3 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Double Plate-Separately Controllable
Electronic Overheating Protection

Timer: 0-180 minute
Power: 220-240V~ 50-60Hz, 2000W+1500W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

BT-B35

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
62.5 X 38.7 X 4 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C, 500-1800W
Right: 0-180 minute, 60°C-240°C, 500-1700W

■ CERTIFICATION
CE EMC ERP REACH RoHS

ET350G

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
60.8 X 37 X 5.6 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1700W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

ET350M

3000W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
60 X 36 X 6.5 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

LCD Display
Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1700W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS (120V~60Hz, 1800W)

BT-K35-LCD

1800W 120V~ 60 Hz

NEW



■ DIMENSION (L X W X H)
60 X 33.8 X 7.3 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
With power share function
Electronic Overheating Protection

Left: 10 hours timer, 100°F-460°F, Max power: 1800W
Right: 10 hours timer, 100°F-460°F, Max power: 1000W
Power: 120V, 60Hz, total Max Power: 1800W

■ CERTIFICATION


BT-K35

3100W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
60 X 33.8 X 7.3 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C, Max Power :2500W
Right: 0-180 minute, 60°C-240°C, Max Power :1500W
Power: 220-240V~ 50-60Hz, total Max Power: 3500W

■ CERTIFICATION
      CB EMC ERP REACH RoHS

BT-2800K

2800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
73 X 46 X 8.8 CM

■ SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 2800W

■ CERTIFICATION
CE REACH RoHS Energy efficiency grade 2

BT-2800KS

2800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
70 X 41 X 6.5 CM

■ SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 2800W

■ CERTIFICATION
CE REACH RoHS Energy efficiency grade 2

EB400KW

4000W 220-240V~ 50-60 Hz

NEW

- DIMENSION (L X W X H)
73 X 46 X 8.8 CM
- SPECIFICATION
Metal Bottom
NEG Glass
Domestic Heating Elements

Touch Control with Safety Lock
Electronic Overheating Protection

Timer,LED Display(0-180min)
Power: 220-240V~50-60Hz,
2000W(Induction,Left)+2000W(Induction,Right)



HL-400C1

3100W 220-240V~ 50-60 Hz

- DIMENSION (L X W X H)
69 X 42 X 8 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Electronic Overheating Protection

Timer,LED Display(0-180min)
Power: 220-240V~50-60Hz,
1300W(Induction,Left)+1800W(Induction,Right)



- CERTIFICATION
CE EMC ERP REACH RoHS

HL-400KT

4000W 220-240V~ 50-60 Hz

NEW

- DIMENSION (L X W X H)
69 X 42 X 8 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch and Slide Control
Electronic Overheating Protection

Timer,LED Display(0-180min)
Power: 220-240V~50-60Hz,
2000W(Induction,Left)+2000W(Induction,Right)



HL-400C1-SL

3500W 220-240V~ 50-60 Hz

- DIMENSION (L X W X H)
69 X 42 X 8 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control and Slide Control
Electronic Overheating Protection

Timer,LED Display(0-180min)
Power: 220-240V~50-60Hz,
1500W(Induction,Left)+2000W(Induction,Right)



HL-400C1-SLF

3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69 X 42 X 8 CM

■ SPECIFICATION

Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
With Steel Frame (Golden Color)

Touch Control and Slide Control
Electronic Overheating Protection

Timer, LED Display (0-180min)
Power: 220-240V~50-60Hz,
1500W(Induction, Left)+2000W(Induction, Right)

BT-310C2-1

3100W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
73.5 X 43 X 6.7 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1300W
Or Power: 220-240V~ 50-60Hz, 2000W+1500W

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

BT-350A6

3100W/3500W 220-240V~ 50-60 Hz

FREE ZONE



■ DIMENSION (L X W X H)
69 X 42 X 8.7 CM

■ SPECIFICATION

Free Zone/Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180min)
Power: 220-240V~ 50-60Hz, Max Power: 3500W

■ CERTIFICATION

CE EMC ERP REACH RoHS

BT-310C2-2

3100W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
73.5 X 43 X 6.5 CM

■ SPECIFICATION

Plastic Body with the Steel Ring
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1300W
Or Power: 220-240V~ 50-60Hz, 2000W+1500W

■ CERTIFICATION

CE CB EMC ERP REACH RoHS

BT-310K

3100W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69 X 42 X 6.5 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1300W
Or Power: 220-240V~ 50-60Hz, 2000W+1500W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

BT-310K2-1

3100W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69 X 42 X 6.5 CM

■ SPECIFICATION
Plastic Body with the Steel Ring
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1300W
Or Power: 220-240V~ 50-60Hz, 2000W+1500W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

BT-350D1

3100W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
60.5 X 36 X 6.5 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1300W
Or Power: 220-240V~ 50-60Hz, 2000W+1500W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

BT-350D2

3100W/3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
60.5 X 36 X 6.3 CM

■ SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1300W
Or Power: 220-240V~ 50-60Hz, 2000W+1500W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS (120V-60Hz, 1800W)

BT-350D3

3100W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
60.5 X 36 X 6.3 CM
- SPECIFICATION**
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1300W
Or Power: 220-240V~ 50-60Hz, 2000W+1500W
- CERTIFICATION**
CE CB EMC ERP REACH RoHS

BT-310K6

3100W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
69 X 42 X 6.5 CM
- SPECIFICATION**
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1300W
Or Power: 220-240V~ 50-60Hz, 2000W+1500W
- CERTIFICATION**
CE REACH RoHS

BT-310B

3100W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
67 X 40 X 6.7 CM
- SPECIFICATION**
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: 0-180 minute, 60°C-240°C
Right: 0-180 minute, 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W+1300W
Or Power: 220-240V~ 50-60Hz, 2000W+1500W
- CERTIFICATION**
CE CB EMC ERP REACH RoHS (120V~60Hz, 1800W)

BT-310K-H


3100W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
71 X 43.5 X 6.5 CM
- SPECIFICATION**
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Double Plate-Separately Controllable
Electronic Overheating Protection

Left: Induction cooker, 0-180 minute, 60°C-240°C, 500-1500W
Right: Halogen cooker, 0-180 minute, 60°C-240°C, 500-1600W
- CERTIFICATION**
CE REACH RoHS



MULTI HOB COOKTOP SERIES


COTTURA

MULTI HOB COOKTOP SERIES

ET340A

3400W 220-240V~ 50-60 Hz

NEW



DIMENSION (L X W X H)
51 X 48.4 X 7 CM

SPECIFICATION
Plastic body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
With Power Share Function
Three Plate-Separately Controllable
Electronic Overheating Protection


Timer, LED Display (0-180minute)
Power: 220-240V~ 50/60Hz, 3400W

CERTIFICATION
CE CB EMC ERP REACH RoHS

ET340B

3400W 220-240V~ 50-60 Hz

NEW



DIMENSION (L X W X H)
59 X 52 X 7.8 CM

SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Special Suspend Key
Residual Heating Light
Touch and slide Control / Safety Lock
With Power Share Function
Three Plate-Separately Controllable
Electronic Overheating Protection


Timer, LED Display (0-180minute)
Power: 220-240V~ 50/60Hz, 3400W

CERTIFICATION
CE CB EMC ERP REACH RoHS

ET340C

3400W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
59 X 52 X 7.8 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Special Suspend Key
Residual Heating Light
Touch and slide Control / Safety Lock
With Power Share Function
Three Plate-Separately Controllable
Electronic Overheating Protection


Timer,LED Display (0-180minute)
Power:220-240V~ 50/60Hz,3400W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

ET340D

3400W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
59 X 52 X 7.8 CM

■ SPECIFICATION
Stainless Steel Body
NEG Glass

Special Suspend Key
Touch and slide Control / Safety Lock
With Power Share Function
Three Plate-Separately Controllable
Electronic Overheating Protection



Timer,LED Display (0-180minute)
Power:220-240V~ 50-60Hz,3400W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

ET340D

3400W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
59 X 52 X 7.8 CM

■ SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Special Suspend Key
Touch and slide Control / Safety Lock
With Power Share Function
Three Plate-Separately Controllable
Electronic Overheating Protection


Timer,LED Display (0-180minute)
Power:220-240V~ 50/60Hz,3400W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS

HL-700KT

7000W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
59 X 52 X 8.2 CM

■ SPECIFICATION
Metal bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch and slide Control / Safety Lock
With Boost Function
Three Plate-Separately Controllable
Electronic Overheating Protection

Timer,LED Display (0-180minute)
Power:220-240V~ 50/60Hz,7000W

E630B

6300W 220-240V~ 50-60 Hz




- DIMENSION (L X W X H)
59 X 52 X 8.2 CM
- SPECIFICATION
Metal bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
With Power Share Function
Three Plate-Separately Controllable
Electronic Overheating Protection

Timer,LED Display (0-99minute)
Power:220-240V~ 50/60Hz,6300W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS



E760B

7600W 220-240V~ 50-60 Hz




- DIMENSION (L X W X H)
59 X 52 X 8.2 CM
- SPECIFICATION
Metal bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
With Power Share Function
Four Plate-Separately Controllable
Electronic Overheating Protection

Timer,LED Display (0-99minute)
Power:220-240V~ 50/60Hz,7600W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS



BT-680B

6800W 220-240V~ 50-60 Hz





- DIMENSION (L X W X H)
59 X 52 X 8.3 CM
- SPECIFICATION
Plastic body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
With power share function
Four plate-separately controllable
Electronic Overheating Protection

Timer,LED display (0-99minute)
Power:220-240V~ 50/60Hz,6800W

■ CERTIFICATION
CE CB EMC ERP REACH RoHS





RADIANT COOKTOP SERIES

COTTURA

RADIANT COOKTOP SERIES

EH200A

2200W 220-240V~ 50-60 Hz

NEW



DIMENSION (L X W X H)

29.2 X 36.2 X 6.1 CM

SPECIFICATION

Aluminium Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Special Suspend Key
Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2200W

CERTIFICATION

CE EMC ERP REACH RoHS

FB-200B

2000W 220-240V~ 50-60 Hz

NEW



DIMENSION (L X W X H)

29.2 X 36.2 X 6.1 CM

SPECIFICATION

Aluminium Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2000W

CERTIFICATION

CB

HL-180E

2200W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

29.4 X 37.2 X 6.8 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Special Suspend Key
Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2200W

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

HL-180D

2000W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

29.4 X 37.2 X 6.8 CM

■ SPECIFICATION

Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2000W

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

HL-200E

2200W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

29.5 X 37.3 X 6.8 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Special Suspend Key
Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2200W

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

HL-200K

2200W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)

29.5 X 37.3 X 6.8 CM

■ SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Residual Heating Light
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2200W

■ CERTIFICATION

CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

HL-180I

2000W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
29.4 X 37.2 X 6.8 CM
- SPECIFICATION**
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2000W

CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

HL-180J

2000W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
29.4 X 37.2 X 6.8 CM
- SPECIFICATION**
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2000W

CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

HL-180C

1800W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
29.4 X 37.2 X 6.8 CM
- SPECIFICATION**
Plastic body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Electronic Overheating Protection

Timer,LED Display(0-180min)
Power: 220-240V~50-60Hz,1800W

CERTIFICATION
CB

HL-180H

1800W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
27 X 28.2 X 8.5 CM
- SPECIFICATION**
Metal body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the power by knob
Electronic Overheating Protection

Power: 220-240V~50-60Hz,1800W

CERTIFICATION
CB

HL-180G

1800W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
36.5 X 33.4 X 6.6 CM
- SPECIFICATION
Plastic Body
Schott Ceran Hob / EGO (Made in Germany) Heating Elements

Button control
Electronic Overheating Protection

Timer, LED Display (0-180min)
Power: 220-240V~50-60Hz, 1800W

- CERTIFICATION
CE EMC ERP REACH RoHS

HL-220C

2200W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
30 X 40 X 8 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Residual Heating Light
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 220-240V~50-60Hz, 2200W

- CERTIFICATION
CB

HL-300T3

3000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
29 X 51 X 9.5 CM
- SPECIFICATION
Metal Bottom
Schott Ceran Hob / Eurokera France Hob
EGO (Made in Germany) Heating Elements

Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz, 1800+1200W

- CERTIFICATION
CB

HL-300T5

3000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
29 X 51 X 9.5 CM
- SPECIFICATION
Metal Bottom
Schott Ceran Hob / Eurokera France Hob
EGO (Made in Germany) Heating Elements

Adjust the Power By Knob
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz, 1800+1200W

- CERTIFICATION
CE EMC ERP REACH RoHS

HL-2800

2800W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
71 X 41 X 8.8 CM

■ SPECIFICATION

Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Domestic Heating Elements

Touch Control with Safety Lock
Electronic Overheating Protection

With power share function
Timer, LED Display (0-180min)
Power: 220-240V~50-60Hz,
Max: 2800W (Induction, Left), 2600W (Hilight, Right)

■ CERTIFICATION
CE

HL-2800S

2800W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
71 X 41 X 8.8 CM

■ SPECIFICATION

Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Domestic Heating Elements

Touch Control with Safety Lock
Electronic Overheating Protection

With power share function
Timer, LED Display (0-180min)
Power: 220-240V~50-60Hz,
Max: 2800W (Induction, Left), 2600W (Hilight, Right)

■ CERTIFICATION
CE

HL-2800K

5400W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
69 X 42 X 8.7 CM

■ SPECIFICATION

Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Domestic Heating Elements

Touch Control with Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180min)
Power: 220-240V~50-60Hz,
2800W (Induction, Left) + 2600W (Hilight, Right)

■ CERTIFICATION
CE

HL-2800K2

5400W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
69 X 42 X 8.7 CM

■ SPECIFICATION

Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Domestic Heating Elements

Touch Control with Safety Lock
Electronic Overheating Protection

Timer, LED Display (0-180min)
Power: 220-240V~50-60Hz,
2800W (Induction, Left) + 2600W (Hilight, Right)

■ CERTIFICATION
CE

HL-K35

1800W 120V~ 60 Hz

NEW



■ DIMENSION (L X W X H)
60 X 34 X 7.6 CM

■ SPECIFICATION

Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Electronic Overheating Protection

With power share function
LED display
Left: Induction cooker, 0-180 minutes timer, 100°F-460°F,
Max power: 1800W
Right: Ceramic cooker, 0-180 minutes timer,
Max power: 1600W
Power: 120V~ , 60Hz, total Max Power: 1800W

■ CERTIFICATION



HL-400E1

3100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69 X 42 X 8 CM

■ SPECIFICATION

Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Domestic Heating Elements

Touch Control with Safety Lock
Electronic Overheating Protection

Timer, LED Display(0-180min)
Power: 220-240~50-60Hz,
1300W(Induction, Left)+1800W(Hilight, Right)

■ CERTIFICATION

CB

HL-400D1

3100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69 X 42 X 8 CM

■ SPECIFICATION

Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Domestic Heating Elements

Touch Control with Safety Lock
Electronic Overheating Protection

Timer, LED Display(0-180min)
Power: 220-240~50-60Hz,
1300W(Hilight, Left)+1800W(Hilight, Right)

■ CERTIFICATION

CB

HL-400E1-SL

3500W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69 X 42 X 8 CM

■ SPECIFICATION

Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control and Slide Control
Electronic Overheating Protection


Timer, LED Display(0-180min)
Power: 220-240V~50-60Hz,
1500W(Induction, Left)+2000W(Hilight, Right)

■ CERTIFICATION

CB

HL-400K

4000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69 X 42 X 8 CM

■ SPECIFICATION
Metal Bottom
Schott Ceran Hob / Eurokera France Hob
EGO (Made in Germany) Heating Elements


Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2200+1800W

■ CERTIFICATION
CB

HL-440K

4400W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
73 X 42 X 9 CM

■ SPECIFICATION
Metal Bottom
Schott Ceran Hob / Eurokera France Hob
EGO (Made in Germany) Heating Elements


Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,2200+2200W

■ CERTIFICATION
CB

HL-400K2

3100W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69 X 42 X 10 CM

■ SPECIFICATION
Metal Bottomkera France Hob
EGO (Made in Germany) Heating Elements


Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,3100W,
1800W(Hilight)+1300W(Induction)

■ CERTIFICATION
CB

HL-440K2

4400W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
69 X 42 X 10 CM

■ SPECIFICATION
Metal Bottom
Schott Ceran Hob / Eurokera France Hob
EGO (Made in Germany) Heating Elements

Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,4400W,
2200W(Hilight)+2200W(Induction)

■ CERTIFICATION
CB

HL-560A

5300W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
62.2 X 52.5 X 9.5 CM

■ SPECIFICATION
Metal Bottom
Schott Ceran Hob / Eurokera France Hob
EGO (Made in Germany) Heating Elements

Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz, 5300W,
2200W(Hilight)+1800W(Induction)+1300W(Induction)

■ CERTIFICATION
CB

157

HL-580

5800W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
59 X 52 X 7.5 CM

■ SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob
With Steel Frame (Golden Color)

Without Plug
Touch Control and Slide Control
Electronic Overheating Protection

Power: 220-240V~50-60Hz, 5800W,
1500W(Induction)+1800W(Induction)+2500W(Hilight)

HL-580A

3000W 220-240V~ 50-60 Hz

NEW



■ DIMENSION (L X W X H)
59 X 52 X 7.5 CM

■ SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

With Plug
Touch Control and Slide Control
Electronic Overheating Protection

With power share function
Power: 220-240V~ 50-60Hz, 3000W
Max power for each burner: 2000W

158

E600B

6000W 220-240V~ 50-60 Hz



■ DIMENSION (L X W X H)
59 X 52 X 8.2 CM

■ SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

With Power Share Function
Touch Control with Safety Lock
Three Plate-Separately Controllable
Electronic Overheating Protection

Timer, LED Display (0-99minute)
Power: 220-240V~50-60Hz, 6000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

HL-6000

6000W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
60 X 51 X 7.1 CM
- SPECIFICATION
Metal Bottom
Schott Ceran Hob / Eurokera France Hob
EGO (Made in Germany) Heating Elements

Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,6000W
(1100W+1800W+2000W+1100W)

HL-640A

6000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
60 X 51 X 8.5 CM
- SPECIFICATION
Metal Bottom
Schott Ceran Hob / Eurokera France Hob
EGO (Made in Germany) Heating Elements

Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,6000W
(1800W+1200W+1800W+1200W)
- CERTIFICATION
CE CB RoHS

HL-640B

6000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
63 X 53 X 8.5 CM
- SPECIFICATION
Metal Bottom
Schott Ceran Hob / Eurokera France Hob
EGO (Made in Germany) Heating Elements

Touch Control with Safety Lock
Residual Heating Light
Electronic Overheating Protection

Power: 220-240V~50-60Hz,6000W,
(1800W+1200W+1800W+1200W)
- CERTIFICATION
CB

