

**fresko**


Q I N G D A O



## MINI PROMOTIONAL BEVERAGE CABINET



BLF-706



### Features

- Digital controller
- Finned evaporator
- Automatic defrost
- LED light for every shelf
- With night curtain
- Adjustable shelves
- With price label setting
- Automatic drain water

### Options

- Various color for the part
- LED light or ordinary light
- Side wall material


Product Model	BLF-706
Unit dimensions (W/D/H mm)	750*740*1500
Packing dimensions (W/D/H mm)	780*845*1660
Effective Volume (M3)	0.16
Display area (M2)	0.52
Kind of coolant	R404a/R290
Temperature (°C)	3M2
Compressor	Embraco/Secop
Digital thermostat	Dixell
Light	LED light
40° HC Container load	45

## MINI PROMOTIONAL BEVERAGE CABINET



### Features

- Digital controller
- Finned evaporator
- Automatic defrost
- LED light for every shelf
- With night curtain
- Adjustable shelves
- With price label setting
- Automatic drain water



BLF-706A

Product Model	BLF-706A
Unit dimensions (W/D/H mm)	660*700*1460
Packing dimensions (W/D/H mm)	740*760*1600
Effective Volume (M3)	0.165
Display area (M2)	1.4
Kind of coolant	R404a/R290
Temperature (°C)	3M2
Compressor	Embraco/Secop
Digital thermostat	Dixell
Light	LED light
40° HC Container load	45

## MINI PROMOTIONAL BEVERAGE CABINET




### Features

- Digital controller
- Finned evaporator
- Automatic defrost
- LED light for every shelf
- With night curtain
- Adjustable shelves
- With price label setting
- Automatic drain water




BLF-706B



Product Model	BLF-706B
Unit dimensions (W/D/H mm)	660*700*1460
Packing dimensions (W/D/H mm)	780*800*1660
Effective Volume (M3)	0.165
Display area (M2)	1.4
Kind of coolant	R404a/R290
Temperature (°C)	3M2
Compressor	Embraco/Secop
Digital thermostat	Dixell
Light	LED light
40' HC Container load	42

## MINI PROMOTIONAL BEVERAGE CABINET



### Features

- Triple pan evaporation system
- Cassette system for easy maintenance and service
- Night blind to reduce energy consumption
- At-front product presentation without door
- Energy efficient
- Energy saving management
- Automatic defrost and condensate evaporation
- Four adjustable shelves plus bottom shelf
- Shelf supports can be fixed in inclined position
- Space keeper in the back
- 4 wheels
- Two side LED light
- Top LED light
- All options on demand



BLF-926

Product Model	BLF-926
Unit dimensions (W/D/H mm)	896*717*2040
Packing dimensions (W/D/H mm)	1010*850*2120
Effective Volume (M3)	0.42
Display area (M2)	1.24
Kind of coolant	R404A
Temperature (°C)	3M2
Compressor	Embraco
Digital thermostat	Dixell
Light	LED light
40' HC Container load	28

## PROME COOLER



BLF-406P(Carton Cabinet)



### Features

- The Promo Cooler is a compact cardboard chiller .
- Yet performance is comparable to conventional units.
- Interchangeable sleeves are made from disposable biodegradable cardboard.
- Sleeves are easy to swap, so you can tie your promo cooler in to seasonal short run promotions, special offers or local trends, etc.
- LED lighting

Product Model	BLF-406G	BLF-406P
Unit dimensions(W/D/H mm)	450*450*1475	450*450*1475
Packing dimensions (W/D/H mm)	540*540*695	540*540*695
Cooling system	No Frost	No Frost
Net capacity	90	45
Display Area (M2)	0.12	0.14
Kind of coolant	R134a/R290	R134a/R290
Temperature range (°C)	+2~+10	+2~+10
Compressor	Embraco/Secop	Embraco/Secop
Thermostat	Dixell	Dixell
40' Container load	264	264

## PROMOTION CABINET



STP-1310



STP-1310G

### Features

- Ventilated cooling
- Danfoss expansion Valve(R404a)
- Hot gas pipe for auto condensate water
- Copper-aluminium fin evaporator+Fan
- Automatic defrosting
- 4 Adjustable feet
- More display area

### Options


- Glass door
- Sliding

Product Model	STP-1310	STP-1310G
Unit dimensions(W/D/H mm)	1370*1080*935mm	1370*1080*900mm
Packing dimensions (W/D/H mm)	1450*1150*1100mm	1450*1150*1100mm
Cooling system	No Frost	No Frost
Net capacity	190	190
Display Area (M2)	2.12	2.12
Kind of coolant	R404a/R290	R404a/R290
Temperature range (°C)	3M2	3M1
Compressor	Embraco/Secop	Embraco/Secop
Thermostat	Dixell	Dixell
40' Container load	32(2 Layer)	32(2 Layer)

## MULTIDECK-PLUG IN 660MM DEPTH WITH NIGHT CURTAIN



BLF-2066



### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With night curtain
- Without door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A
- Side double tempered glass

### Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- with plexiglass door
- Side wall material

**fresko**  
QINGDAO

## MULTIDECK-PLUG IN 787MM DEPTH NIGHT CURTAIN




### Features


- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With night curtain
- Without door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A
- Side double tempered glass

### Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- with plexiglass door
- Side wall material



BLF-1280



Product Model	BLF-1066	BLF-1366	BLF-1566	BLF-2066
Unit Dimension (W/D/H mm)	1000*660*2000	1430*660*2000	1500*660*2000	1940*660*2000
Packing Dimension (W/D/H mm)	1120*780*2155	1450*780*2155	1640*780*2155	2080*780*2155
Effective Volume (M <sup>3</sup> )	0.36	0.47	0.54	0.72
Display Area (M <sup>2</sup> )	1.24	1.65	1.9	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light
Temperature (°C)	3M2	3M2	3M2	3M2
Compressor	Embraco	Embraco	Embraco	Embraco
Kind of Coolant	R404a	R404a	R404a	R404a
40 GP Container Loading (Pcs)	30	24	21	16

Product Model	BLF-1080	BLF-1380	BLF-1580	BLF-2080
Unit Dimension (W/D/H mm)	997*787*2000	1310*787*2000	1500*787*2000	1935*787*2000
Packing Dimension (W/D/H mm)	1120*900*2150	1430*900*2155	1620*960*2155	2075*920*2155
Effective Volume (M <sup>3</sup> )	0.42	0.55	0.63	0.84
Display Area (M <sup>2</sup> )	1.24	1.65	1.9	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light
Temperature (°C)	3M2	3M2	3M2	3M2
Compressor	Embraco	Embraco	Embraco	Embraco
Kind of Coolant	R404a	R404a	R404a	R404a
40 GP Container Loading (Pcs)	26	21	14	13


## MULTIDECK-PLUG IN 690MM DEPTH NIGHT CURTAIN

### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With night curtain
- Without door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A
- Side double tempered glass
- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- with plexiglass door
- Side wall material

### Options

- Various color or the part
- Thickness and material of the steel
- LED light or ordinary light
- with plexiglass door
- Side wall material



BLF-1369


## MULTIDECK-PLUG IN 865MM DEPTH WITH NIGHT CURTAIN

### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With night curtain
- Without door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A
- Side double tempered glass
- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- with plexiglass door
- Side wall material

### Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- with plexiglass door
- Side wall material



BLF-2087

Product Model	BLF-1069	BLF-1369	BLF-1569
Unit Dimension (W/D/H mm)	997*690*2030	1310*690*2030	1560*90*2030
Packing Dimension (W/D/H mm)	1119*790*2220	1432*790*2220	1682*790*2220
Display Area	1.2	1.6	1.92
Effective Volume	0.384	0.512	0.615
Cooling System	Ventilated	Ventilated	Ventilated
Temperature range	3M2	3M2	3M2
Kind of Refrigerant	R404A	R404A	R404A
Compressor	embraco	embraco	embraco
Evaporator Fan Brand	EBM	EBM	EBM
Controller Brand	DIXELL	DIXELL	DIXELL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40 Container Loading (Pcs)	30	23	15

Product Model	BLF-1087	BLF-1387	BLF-1587	BLF-2087
Unit Dimension (W/D/H mm)	1000*865*1930	1310*865*1930	1500*865*1930	1940*865*1930
Packing Dimension (W/D/H mm)	1150*1050*2130	1450*1050*2130	1650*1050*2130	2070*1050*2130
Display Area	1.25	1.65	2.13	2.78
Effective Volume	0.59	0.83	0.86	1.12
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M2	3M2	3M2	3M2
Kind of Refrigerant	R404A	R404A	R404A	R404A
Compressor	embraco	CRSS(SANYO)	CRSS(SANYO)	CRSS(SANYO)
Evaporator Fan Brand	EBM	EBM	EBM	EBM
Controller Brand	DIXELL	DIXELL	DIXELL	DIXELL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 Container Loading (Pcs)	22	16	14	11

## MULTIDECK-PLUG IN 660MM DEPTH WITH SINGLE TEMPERED GLASS DOOR



BLF-1566GA

BLF-1066GA

### Features

- Inner temperature: M1
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With tempered door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A

### Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material
- Only available for outside Europe



## MULTIDECK-PLUG IN 787MM DEPTH WITH SINGLE TEMPERED GLASS DOOR



BLF-2080GA

BLF-1080GA

### Features

- Inner temperature: M1
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With tempered door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A

### Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material
- Only available for outside Europe



Product Model	BLF-1066GA	BLF-1366GA	BLF-1566GA	BLF-2066GA
Unit Dimension (W/D/H mm)	1000*660*2000	1430*660*2000	1500*660*2000	1940*660*2000
Packing Dimension (W/D/H mm)	1120*780*2155	1450*780*2155	1640*780*2155	2080*780*2155
Effective Volume (M <sup>3</sup> )	0.36	0.47	0.54	0.72
Display Area (M <sup>2</sup> )	1.24	1.65	1.9	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light
Temperature (°C)	3M1	3M1	3M1	3M1
Compressor	Embraco	Embraco	Embraco	Embraco
Kind of Coolant	R404a	R404a	R404a	R404a
40 GP Container Loading (Pcs)	30	24	21	16

Product Model	BLF-1080GA	BLF-1380GA	BLF-1580GA	BLF-2080GA
Unit Dimension (W/D/H mm)	997*787*2000	1310*787*2000	1500*787*2000	1935*787*2000
Packing Dimension (W/D/H mm)	1120*900*2150	1430*900*2155	1620*960*2155	2075*920*2155
Effective Volume (M <sup>3</sup> )	0.42	0.55	0.63	0.84
Display Area (M <sup>2</sup> )	1.24	1.65	1.9	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light
Temperature (°C)	3M1	3M1	3M1	3M1
Compressor	Embraco	Embraco	Embraco	Embraco
Kind of Coolant	R404a	R404a	R404a	R404a
40 GP Container Loading (Pcs)	26	21	14	13

## MULTIDECK-PLUG IN 660MM DEPTH WITH DOUBLE GLASS DOOR AND NONE FRAME




### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A
- Side double tempered glass

### Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material



BLF-2066GB



Product Model	BLF-1366GB	BLF-2066GB	BLF-2566GB
Unit Dimension (W/D/H mm)	1310*660*2000	1940*660*2000	2560*660*2000
Packing Dimension (W/D/H mm)	1450*780*2155	2080*780*2155	2700*780*2155
Effective Volume (M <sup>3</sup> )	0.53	0.82	0.98
Display Area (M <sup>2</sup> )	1.66	2.48	3.31
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light
Glass Door No.	2	3	4
Temperature (°C)	3M1	3M1	3M1
Compressor	Embraco	Embraco	Embraco
Kind of Coolant	R404a	R404a	R404a
40 GP Container Loading (Pcs)	24	16	12

## MULTIDECK-PLUG IN 787MM DEPTH WITH DOUBLE GLASS DOOR AND NONE FRAME




### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A

### Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material



BLF-1080GB



Product Model	BLF-1380GB	BLF-2080GB	BLF-2580GB
Unit Dimension (W/D/H mm)	1310*787*2000	1935*787*2000	2000*920*2155
Packing Dimension (W/D/H mm)	1450*920*2155	2075*920*2155	2560*787*2000
Effective Volume (M <sup>3</sup> )	0.62	0.95	1.14
Display Area (M <sup>2</sup> )	1.66	2.48	3.31
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light
Glass Door No.	2	3	4
Temperature (°C)	3M1	3M1	3M1
Compressor	Embraco	Embraco	Embraco
Kind of Coolant	R404a	R404a	R404a
40 GP Container Loading (Pcs)	16	13	9

## MULTIDECK-PLUG IN 660MM DEPTH WITH DOUBLE VACUUM GLASS DOOR AND ALLOY FRAME



BLF-2566GC

### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A

### Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material

## MULTIDECK-PLUG IN 787MM DEPTH WITH DOUBLE GLASS DOOR AND ALLOY FRAME




### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light
- With night curtain
- Without plexiglass door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A

### Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material




BLF-1380GC

Product Model	BLF-1366GC	BLF-2066GC	BLF-2566GC
Unit Dimension (W/D/H mm)	1310*660*2000	1940*660*2000	2560*660*2000
Packing Dimension (W/D/H mm)	1450*780*2155	2080*780*2155	2700*780*2155
Effective Volume (M <sup>3</sup> )	0.53	0.82	0.98
Display Area (M <sup>2</sup> )	1.66	2.48	3.31
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light
Glass Door No.	2	3	4
Temperature (°C)	3M1	3M1	3M1
Compressor	Embraco	Embraco	Embraco
Kind of Coolant	R404a	R404a	R404a
40 GP Container Loading (Pcs)	24	16	12

Product Model	BLF-1380GC	BLF-2080GC	BLF-2580GC
Unit Dimension (W/D/H mm)	1310*787*2000	1935*787*2000	2560*787*2000
Packing Dimension (W/D/H mm)	1450*920*2155	2075*920*2155	2000*920*2155
Effective Volume (M <sup>3</sup> )	0.62	0.95	1.14
Display Area (M <sup>2</sup> )	1.66	2.48	3.31
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light
Glass Door No.	2	3	4
Temperature (°C)	3M1	3M1	3M1
Compressor	Embraco	Embraco	Embraco
Kind of Coolant	R404a	R404a	R404a
40 GP Container Loading (Pcs)	16	13	9

## MULTIDECK-PLUG IN COOLER WITH DOUBLE GLASS DOOR & FREEZER WITH TRIPLE GLASS DOOR




### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A



Product Model	BLG-1265C	BLG-1265F	BLG-1865C	BLG-1865F
Unit Dimension (W/D/H mm)	1220*650*1930	1220*650*1930	1830*650*1930	1830*650*1930
Packing Dimension (W/D/H mm)	1400*780*2100	1400*780*2100	1980*780*2100	1980*780*2100
Effective Volume (M <sup>3</sup> )	0.76	0.76	1.17	1.17
Display Area (M <sup>2</sup> )	1.75	1.75	2.62	2.62
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED	LED	LED	LED
Glass Door No.	2	2	3	3
Temperature (°C)	3M1/3E2	3L1	3M1/3E2	3L1
Compressor	SECOP	CRSS	SECOP	CRSS
Kind of Coolant	R404A/R290	R404A/R290	R404A/R290	R404A/R290
40 GP Container Loading (Pcs)	24	24	18	18

## MULTIDECK-REMOTE COOLER WITH DOUBLE GLASS DOOR




### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A



Product Model	BLG-1265C	BLG-1865C
Unit Dimension (W/D/H mm)	1220*650*1930	1830*650*1930
Packing Dimension (W/D/H mm)	1980*790*2100	1980*790*2100
Effective Volume (M <sup>3</sup> )	0.83	1.28
Display Area (M <sup>2</sup> )	1.92	2.88
Cooling System	Ventilated Cooling	Ventilated Cooling
Light	LED	LED
Glass Door No.	2	3
Temperature (°C)	3M1/3E2	3M1/3E2
Kind of Coolant	R404A	R404A
40 GP Container Loading (Pcs)	24	18

## MULTIDECK-REMOTE 675&735MMDEPTHWITHNIGHT CURTAIN




### Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- Designedly a solenoid valve in each cabinet, in front of which a filter is installed with the purpose of guarding against blockage, reducing difficulty and time of installation.
- Huge open space, low front edge, all maximize display effect.
- More volume is achieved by maximizing shelf depth in a certain freezer width.
- To make the most of the depth of display rack, this gives a larger effective volume.
- LED top lamp, with shelves LED light and non-lamp for optional.
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Top tubing design makes construction easier.
- Off-cycle defrost reduces energy consumption.
- Glass gable and solid gable for optional.



Product Model	CLF-1368	CLF-1374	CLF-2068	CLF-2074	CLF-2568	CLF-2574
Unit Dimension (W/D/H mm)	1310*675*1930	1310*735*1930	1935*675*1930	1935*735*1930	2560*675*1930	2560*735*1930
Packing dimensions (W / D / H mm)	1484*775*2090	1484*845*2090	2109*775*2090	2109*845*2090	2734*775*2090	2734*845*2090
Display Area(M2)	1.97	1.97	2.96	2.96	3.94	3.94
Effective Volume	0.69	0.71	1.03	1.06	1.46	1.5
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M2	3M2	3M2	3M2	3M2	3M2
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	1550	1755	2325	2600	3100	3470
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	24	22	16	14	8	8

## MULTIDECK-REMOTE 675&785MMDEPTHWITHDOUBLE GLASS DOOR




### Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- Designedly a solenoid valve in each cabinet, in front of which a filter is installed with the purpose of guarding against blockage, reducing difficulty and time of installation.
- Huge open space, low front edge, all maximize display effect.
- More volume is achieved by maximizing shelf depth in a certain freezer width.
- To make the most of the depth of display rack, this gives a larger effective volume.
- LED top lamp, with shelves LED light and non-lamp for optional.
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Top tubing design makes construction easier.
- Off-cycle defrost reduces energy consumption.
- Glass gable and solid gable for optional.



Product Model	CLF-1368G	CLF-1374G	CLF-2068G	CLF-2074G	CLF-2568G	CLF-2574G
Unit Dimension (W/D/H mm)	1310*735*1930	1310*735*1930	1935*735*1930	1935*735*1930	2560*735*1930	2560*735*1930
Packing dimensions (W / D / H mm)	1484*775*2090	1484*845*2090	2109*775*2090	2109*845*2090	2734*775*2090	2734*845*2090
Display Area(M2)	1.35	1.35	2.03	2.03	2.71	2.71
Effective Volume (L)	0.69	0.71	1.03	1.06	1.46	1.5
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	775	867	1165	1303	1550	1734
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	22	22	14	14	8	8

## MULTIDECK-REMOTE 870MM DEPTH WITH NIGHT CURTAIN




### Features

- R404a/R744 refrigerant
- For the purpose of high efficiency and low energy consumption, increase the heat transfer, we use efficient evaporator to increase the evaporation temperature and exchange amount.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Low front edge with huge open space maximizes the food display effect.
- Maximize the shelf depth with in a limited freezer width to provide more effective volume
- Optional high efficiency fan and LED lamps can be selected according to customers' requirement
- Top tubing design makes construction easier
- Ultra wide high quality night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces the energy consumption.



Product Model	CLF-1387	CLF-2087	CLF-2587	CLF-3787
Unit Dimension (W/D/H mm)	1250*870*2000	1875*870*2000	2500*870*2000	3750*870*2000
Packing dimensions (W / D/ H mm)	1500*960*2250	2100*960*2250	2700*960*2250	3950*960*2250
Display Area(M2) Effective Volume	3.03	4.29	6.08	8.65
Cooling system Temperature range	1.12	1.42	1.79	2.65
Kind of Refrigerant Cooling	Ventilated	Ventilated	Ventilated	Ventilated
Capacity Evaporator Fans brand	3M2	3M2	3M2	3M2
Controller Brand Light 40	R404A	R404A	R404A	R404A
Container load	1500	2200	2900	4200
	EBM	EBM	EBM	EBM
	DIXELL	DIXELL	DIXELL	DIXELL
	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
	15	12	8	6

## MULTIDECK-REMOTE 870MM DEPTH WITH DOUBLE GLASS DOOR



### Features

- R404a/R744 refrigerant
- For the purpose of high efficiency and low energy consumption, increase the heat transfer, we use efficient evaporator to increase the evaporation temperature and exchange amount.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Low front edge with huge open space maximizes the food display effect.
- Maximize the shelf depth with in a limited freezer width to provide more effective volume
- Optional high efficiency fan and LED lamps can be selected according to customers' requirement
- Top tubing design makes construction easier
- Ultra wide high quality night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces the energy consumption.




Product Model	CLF-1387G	CLF-2087G	CLF-2587G	CLF-3787G
Unit Dimension (W/D/H mm)	1250*870*2000	1875*870*2000	2500*870*2000	3750*870*2000
Packing dimensions (W / D/ H mm)	1500*960*2250	2100*960*2250	2700*960*2250	3950*960*2250
Display Area(M2) Effective Volume	3.03	4.29	6.08	8.65
Cooling system Temperature range	1.12	1.42	1.79	2.65
Kind of Refrigerant Cooling	Ventilated	Ventilated	Ventilated	Ventilated
Capacity Evaporator Fans brand	3M2	3M2	3M2	3M2
Controller Brand Light 40	R404A	R404A	R404A	R404A
Container load	1200	1700	2100	3400
	EBM	EBM	EBM	EBM
	DIXELL	DIXELL	DIXELL	DIXELL
	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
	15	12	8	6

## MULTIDECK-REMOTE 918MM DEPTH WITH NIGHT CURTAIN



### Features

- R404a/R744 refrigerant
- For the purpose of high efficiency and low energy consumption, increase the heat transfer, we use efficient evaporator to increase the evaporation temperature and exchange amount.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Low front edge with huge open space maximizes the food display effect.
- Maximize the shelf depth with in a limited freezer width to provide more effective volume
- Optional high efficiency fan and LED lamps can be selected according to customers' requirement
- Top tubing design makes construction easier
- Ultra wide high quality night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces the energy consumption.



Product Model	CLF-2092	CLF-2092H	CLF-2592	CLF-2592H	CLF-3892	CLF-3892H
Unit Dimension (W/D/H mm)	1935*918*2030	1935*918*2180	2560*918*2030	2560*918*2180	3810*918*2030	3810*918*2180
Packing dimensions (W / D / H mm)	2120*1100*2200	2120*1100*2200	2820*1100*2200	2820*1100*2200	4170*1100*2200	4170*1100*2200
Display Area(M2)	2.94	3.22	3.92	4.29	5.88	6.44
Effective Volume (L)	1.6	1.74	2.14	2.33	3.21	3.49
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	3070	3530	3900	4480	5840	6720
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	11	11	8	8	4	4

## MULTIDECK-REMOTE 918MM DEPTH WITH DOUBLE GALSS DOOR



### Features


- R404a/R744 refrigerant
- For the purpose of high efficiency and low energy consumption, increase the heat transfer, we use efficient evaporator to increase the evaporation temperature and exchange amount.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Low front edge with huge open space maximizes the food display effect.
- Maximize the shelf depth with in a limited freezer width to provide more effective volume
- Optional high efficiency fan and LED lamps can be selected according to customers' requirement
- Top tubing design makes construction easier
- Ultra wide high quality night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces the energy consumption.



Product Model	CLF-2092G	CLF-2092HG	CLF-2592G	CLF-2592HG	CLF-3892G	CLF-3892HG
Unit Dimension (W/D/H mm)	1935*918*2030	1935*918*2180	2560*918*2030	2560*918*2180	3810*918*2030	3810*918*2180
Packing dimensions (W / D / H mm)	2120*1100*2200	2120*1100*2350	2820*1100*2200	2820*1100*2350	4170*1100*2200	4170*1100*2350
Display Area(M2)	2.10	2.38	2.80	3.18	4.20	4.76
Effective Volume (L)	1.6	1.74	2.14	2.33	3.21	3.49
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	1500	1765	1950	2240	2920	3360
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	11	11	8	8	4	4

## MULTIDECK-REMOTE

### 1060MM DEPTH WITH NIGHT CURTAIN



#### Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With night curtain
- With plexiglass door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A
- Side double tempered glass

Product Model	CLF-19110	CLF-25110	CLF-38110
Unit dimensions (W/D/H mm)	1875x1060x2050	2500x1060x2050	3750x1060x2050
Packing dimensions (W/D/H mm)	2175x1220x2250	2780x1220x2250	3950x1220x2250
Display Area(m2)	5.05	7.15	10.18
Effective Volume (m3)	1.67	2.11	3.12
Cooling system	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A
Cooling Capacity	2800	3200	4700
Evaporator Fans brand	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	9	4	3

## MULTIDECK-REMOTE

### 1060MM DEPTH WITH DOUBLE GLASS DOOR



#### Features

- Suitable for dairy products, meat, fruits and vegetables and drink
- Efficient anti-fog glass door
- LED lighting, energy saving province electricity
- Danfoss valves, EBM fan
- Around the revolving door/sliding door is optional


Product Model	CLF-19110G	CLF-25110G	CLF-38110G
Unit dimensions (W/D/H mm)	1875x1060x2050	2500x1060x2050	3750x1060x2050
Packing dimensions (W/D/H mm)	2175x1220x2250	2780x1220x2250	3950x1220x2250
Display Area(m2)	5.05	7.15	10.18
Effective Volume (m3)	1.67	2.11	3.12
Cooling system	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A
Cooling Capacity	2200	2500	3900
Evaporator Fans brand	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	9	4	3

## MULTIDECK-REMOTE 918MMDEPTHFREEZERWITH NIGHT CURTAIN




### Features

- R404a/R744 refrigerant.
- To reduce energy consumption, increase cooling capability, we use efficient evaporator, increases the evaporation temperature to -30 degree.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Low front edge with huge open space maximizes the food display effect.
- The glass door frame uses integrated structure, easy for assembling. It has high intensity and luxury appearance.
- According to customer's requirement, anti-mist film can be used to provide a better display effect.
- Optional high efficiency fan and LED lamps can be selected according to customer's requirement.
- Top tubing design makes construction easier.
- Plastic divider is a standard configuration. It separates the space between each door, effectively prevent cold air leak, making it more energy saving.



Product Model	CLG-2392F	CLG-2392FH	CLG-3092F	CLG-3092FH	CLG-3892F	CLG-3892FH
Unit Dimension (W/D/H mm)	2350*918*2030	2350*918*2180	3100*918*2030	3100*918*2180	3850*918*2030	3850*918*2180
Packing Dimensions (W / D/ H mm)	2500*1035*2177	2500*1035*2327	3250*1035*2177	3250*1035*2327	4000*1035*2177	4000*1035*2327
Display Area(M2)	2.57	2.81	3.42	3.74	4.28	4.68
Effective Volume (L)	1.86	2.05	2.54	2.8	3.17	3.5
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3L1	3L1	3L1	3L1	3L1	3L1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	1600	1760	2000	2200	2400	2640
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	8	8	6	6	4	4

## MULTIDECK-PLUG IN 735MM DEPTH WITH NIGHT CURTAIN



### Features

- R404a refrigerant
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- The product is equipped with internationally famed brand compressors with high refrigeration efficiency, plug and play, easy for operation.
- Huge open space, low front edge, all maximize display effect.
- Incline shelves design, easy for display.
- Suitable size baskets, convenient for loading goods.
- LED lamp.
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces energy consumption.




Product Model	BLF-1374V	BLF-2074V	BLF-2674V
UNIT Dimensions (W / D/ H mm)	1310*735*1930	1935*735*1930	2560*735*1930
Packing Dimensions (W / D/ H mm)	1484*845*2090	2109*845*2090	2734*845*2090
Display Area(M2) Effective Volume (L)	1.65	2.47	3.3
(L) Cooling System Temperature range	600	900	1200
Kind of Refrigerant	Ventilated	Ventilated	Ventilated
Compressor brand Evaporator Fans brand	3H1	3H1	3H1
Controller Brand Light	R404A	R404A	R404A
Container load	CRSS	CRSS	CRSS
	EBM	EBM	EBM
	CAREL	CAREL	CAREL
	LED LIGHT	LED LIGHT	LED LIGHT
	22	14	8

## MULTIDECK-REMOTE 735MM DEPTH WITH NIGHT CURTAIN



### Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- Designedly a solenoid valve in each cabinet, in front of which a filter is installed with the purpose of guarding against blockage, reducing difficulty and time of installation.
- Smaller depth for space saving.
- Huge open space, low front edge, all maximize display effect.
- Incline shelves design, easy for display.
- Suitable size baskets, convenient for loading goods.
- LED lamp
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Top tubing design makes construction easier.
- Off-cycle defrost reduces energy consumption.
- Glass gable and solid gable for optional.




Product Model	CLF-1374V	CLF-2074V	CLF-2674V
Unit Dimension (W/D/H mm)	1310*735*1930	1935*735*1930	2560*735*1930
Packing Dimensions (W / D / H mm)	1484*845*2090	2109*845*2090	2734*845*2090
Display Area(M2)	1.97	2.96	3.94
Effective Volume (L)	0.82	1.23	1.64
Cooling system	Ventilated	Ventilated	Ventilated
Temperature range	3H1	3H1	3H1
Kind of Refrigerant	R404A	R404A	R404A
Cooling Capacity	1755	2600	3470
Evaporator Fans brand	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	22	14	8

## MULTIDECK-REMOTE 918MM DEPTH WITH NIGHT CURTAIN




### Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- The product is equipped with internationally famed brand compressors with high refrigeration efficiency, plug and play, easy for operation.
- Huge open space, low front edge, all maximize display effect.
- Incline shelves design, easy for display.
- Suitable size baskets, convenient for loading goods.
- LED lamp.
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces energy consumption.



Product Model	CLF-1392V	CLF-2092VH	CLF-2592V	CLF-2592VH	CLF-3892V	CLF-3892VH
Unit Dimension (W/D/H mm)	1935*918*2030	1935*918*2180	2560*918*2030	2560*918*2180	3810*918*2030	3810*918*2180
Packing Dimensions (W / D / H mm)	2120*1100*2200	2120*1100*2200	2820*1100*2200	2820*1100*2200	4170*1100*2200	4170*1100*2200
Display Area(M2)	2.94	3.22	3.92	4.29	5.88	6.44
Effective Volume (L)	1.6	1.74	2.14	2.33	3.21	3.49
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3HI	3HI	3HI	3HI	3HI	3HI
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	3070	3530	3900	4480	5840	6720
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	11	11	8	8	4	4

## MULTIDECK PLUG-IN SEMI CABINET



### Features

- The unique design of anti-fog glass door can keep the goods can be clearly seen
- All handles barrier-free design, to meet different customer needs
- Frozen food and ice cream is suitable for exhibition
- LED lamp, energy saving province electricity




Product Model	BSF-1880	BSF-2480
Unit Dimensions(W/D/H mm)	1830*825*1460	2430*825*1460
Packing Dimensions(W/D/H mm)	1980*930*1660	2580*930*1660
Effective Volume(L)	380	520
Display area(m <sup>2</sup> )	2.81	3.77
Temperature range(°C)	-2~-2(25°C,60%RH)	-2~-2(25°C,60%RH)
Inside shelf	3	3
Compressor	BOYANG	BOYANG
Refrigerant	R404A	R404A
Temperature control	DIXELL	DIXELL
LED lighting	LED	LED
40GP CONTAINER	12	8

## MULTIDECK PLUG-IN 735MM DEEP SEMI CABINET




### Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- The product is equipped with internationally famed brand compressors with high refrigeration efficiency, plug and play, easy for operation.
- Huge open space, low front edge, all maximize display effect.
- More volume is achieved by maximizing shelf depth in a certain freezer width.
- LED lamp.
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces energy consumption.
- Impact in size, easy to move.



Product Model	BSF-1374	BSF-2074	BSF-2674
UNIT Dimensions (W/D/H mm)	1310*735*1600	1935*735*1600	2560*735*1600
Packing Dimensions(W/D/H mm)	1484*845*1730	2109*845*1730	2734*845*1730
Display Area(m <sup>2</sup> )	1.29	1.93	2.50
Volume(L)	390.00	590	770
Cooling System	Ventilated	Ventilated	Ventilated
Temperature range	Kind of		
Refrigerant	Compressor brand	M1/M2	M1/M2
Evaporator	Fans brand	R404A	R404A
Controller	Brand	CRSS	CRSS
Light	40		
Container load		EBM	EBM
		CAREL	CAREL
		LED LIGHT	LED LIGHT
		22	14
			8

## MULTIDECK PLUG-IN 900MM DEEP SEMI CABINET



### Features

- Suitable with the fruits and vegetables, deli meat, dairy products, packaging
- High-performance evaporator design, high efficient air curtain technology
- The machine one-piece, convenient put, mobile


Product Model	BSF-15110	BSF-20110	BSF-27110
UNIT Dimensions (W / D/ H mm)	1500*1060*1500	2035*1060*1500	2660*1060*1500
Packing Dimensions (W / D/ H mm)	1800*1220*1700	2250*1220*1700	2800*1220*1700
Display Area(m2)	1.41	2.15	2.89
Effective Volume(L)	0.49	0.72	0.95
Cooling system	Ventilated	Ventilated	Ventilated
Temperature range	3M2	3M2	3M2
Kind of Refrigerant	R404A	R404A	R404A
Compressor	CRSS(SANYANG)	CRSS(SANYANG)	CRSS(SANYANG)
Evaporator Fans brand	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	9	9	4

## MULTIDECK-REMOTE 918MM DEEP SEMI CABINET



### Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- Designedly a solenoid valve in each cabinet, in front of which a filter is installed with the purpose of guarding against blockage, reducing difficulty and time of installation.
- Smaller depth for space saving.
- Huge open space, low front edge, all maximize display effect.
- Incline shelves design, easy for display.
- Suitable size baskets, convenient for loading goods.
- LED lamp
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Top tubing design makes construction easier.
- Off-cycle defrost reduces energy consumption.
- Glass gable and solid gable for optional.



Product Model	CSF-1892	CSF-1892L	CSF-2592	CSF-2592L	CSF-3792	CSF-3792L
Unit Dimension (W/D/H mm)	1935*918*1600	1935*918*1300	2560*918*1600	2560*918*1300	3810*918*1600	3810*918*1300
Packing Dimensions (W / D/ H mm)	2120*1100*2200	2110*995*1480	2820*1100*2200	2735*995*1480	4170*1100*2200	4005*995*1480
Display Area(M2)	2.47	1.91	3.29	2.54	4.94	3.81
Effective Volume (L)	0.97	0.72	1.3	0.96	1.94	1.44
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	10	10	8	8	6	6


## MULTIDECK-PLUG IN AND REMOTE MINI RING CABINET



BRF-1712(RM)



BRF-1712(PI)



### Features

- Frozen food surround type were displayed
- Completely transparent glass partition
- Streamline design
- LED lighting


Product Model	BRF-1712(RM)	BRF-1712(PI)
Unit Dimension (W/D/H mm)	1680*1160*1450	1680*1160*1450
Packing Dimensions (W / D/ H mm)	1880*1320*1650	1880*1320*1650
Display Area(M2) Effective Volume	3.5	3.15
(L) Cooling system Temperature range Kind of Refrigerant	0.91 Ventilated	0.82 Ventilated
Compressor brand	3M2	3M2
Evaporator Fans brand Controller	R404A	R404A
Brand Light 40 ' Container load	Without	CRSS(SANYANG)
	EBM	EBM
	CAREL	CAREL
	LED LIGHT	LED LIGHT
	9	9

## MULTIDECK-REMOTE RINGCABINET



### Features

- The unique design of anti-fog glass door can keep the goods can be clearly seen
- All handles barrier-free design, to meet different customer needs
- Frozen food and ice cream is suitable for exhibition
- LED lamp, energy saving province electricity



Product Model	CRF-22110D	CRF-19110	CRF-25110	CRF-38110
Unit Dimension (W/D/H mm)	2120*1060*1500	1875*1060*1500	2500*1060*1500	3750*1060*1500
Packing Dimensions (W / D/ H mm)	2220*1160*1700	2075*1160*1700	2780*1160*1700	3950*1160*1700
Display Area(M2) Effective Volume	4.43	3.68	5.22	7.46
(L) Cooling system Temperature range Kind of Refrigerant	0.62 Ventilated	0.71 Ventilated	0.94 Ventilated	1.49 Ventilated
Compressor brand	3M2	3M2	3M2	3M2
Evaporator Fans brand Controller	R404A	R404A	R404A	R404A
Brand Light 40 ' Container load	2200	1900	2200	3300
	EBM	EBM	EBM	EBM
	CAREL	CAREL	CAREL	CAREL
	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
	10	11	8	6

## MULTIDECK-REMOTE SEMI CABINET





### Features

- A more transparent display
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A
- Side double tempered glass



**fresko**  
QINGDAO





Product Model	RSG-2018	RSG-2618	RSG-3818	RSG-2009	RSG-2609	RSG-3809
Unit Dimension (W/D/H mm)	1963*1815*1450	2588*1815*1450	3838*1815*1450	1963*950*1450	2588*950*1450	3838*950*1450
Packing Dimension (W/D/H mm)	2063*1915*1550	2688*1915*1550	3938*1915*1550	2063*1050*1550	2688*1050*1550	3938*1050*1550
Effective Volume(M3)	4.12	5.49	8.24	2.06	2.75	4.12
Display Area(M2)	12	16	24	6	8	12
Cooling System	VENTILATED	VENTILATED	VENTILATED	VENTILATED	VENTILATED	VENTILATED
Light	Vertical LED light	Vertical LED light	Vertical LED light	Vertical LED light	Vertical LED light	Vertical LED light
Glass Door No.	6	8	10	3	4	5
Temperature (OC)	≤ -18	≤ -18	≤ -18	≤ -18	≤ -18	≤ -18
Kind of Coolant	R404a	R404a	R404a	R404a	R404a	R404a
40 GP Container Loading (Pcs)	6	4	3	11	9	6

## MULTIDECK-PLUG IN



## Features

- A more transparent display
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A
- Side double tempered glass



Product Model	PSG-106	PSG-108	PSGW-06	PSGW-08	PSGW-12
Unit Dimension (W/D/H mm)	1963*1815*1450	2588*1815*1450	1963*950*1450	2588*950*1450	3838*950*1450
Packing Dimension (W/D/H mm)	2063*1915*1550	2688*1915*1550	2063*1050*1550	2688*1050*1550	3938*1050*1550
Cooling system	VENTILATED	VENTILATED	VENTILATED	VENTILATED	VENTILATED
Effective Volume(M3)	1.23	1.64	0.62	0.82	1.23
Display Area(M2)	3.3	4.4	1.65	2.2	3.3
Kind of coolant	R404A	R404A	R404A	R404A	R404A
Temperature (0C)	≤ -18	≤ -18	≤ -18	≤ -18	≤ -18
Number of door	6	8	3	4	5
Light	Vertical LED light	Vertical LED light	Vertical LED light	Vertical LED light	Vertical LED light
40 GP Container Loading (Pcs)	6	4	11	9	6



QINGDAO SANTA INTERNATIONAL CO.,LTD

## COMBINED ISLAND FREEZER



CQH-22L





### Features

- Super size straight line Island freezer
- Exterior material: white pre-coated steel, Interior white pre-painted aluminium sheet
- Top curved sliding glass lid with low-E film
- Automatic hot gas defrost
- Condensing with fan
- High quality danfoss compressor
- Italian brand Eliwell/Dixell digital thermostat
- Interior LED light
- Full Basket with dividers

### Options

- Front side protection pole
- Adjustable feet
- Caster wheels



Product Model	CQH-19D	CQH-19L	CQH-22L
Unit Dimensions (W / D/ H mm)	1915x900x855	1905x900x935	2205x900x935
Pack Dimensions (W / D/ H mm)	2025x995x885	2025x995x965	2325x995x965
Net capacity (L)	685	800	955
Defrost system	Automatic	Automatic	Automatic
Temperature (°C)	3L1	3L1	3L1
Baskets divider	2+1	2+1	3+1
Interior light	LED Light	LED Light	LED Light
Compressor	Secop	Secop	Secop
Digital thermostat	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech
Kind of coolant	R290	R290	R290
40' Container loading	36	24	24

## COMBINED ISLAND FREEZER DOUBLE CIRCULAR ARC

CE




SDC-500

### Features

- Super size straight line Island freezer.
- Exterior material: white pre-coated steel, Interior white prepainted aluminium sheet.
- Top curved sliding glass lid with low-E fl m.
- Automatic hot gas defrost.
- Condensing with fan.
- High quality danfoss compressor.
- Italian brand Eliwell/Dixell digital thermostat.
- Interior LED light.
- Full Basket with dividers.

### Options

- Front side protection pole
- Adjustable feet
- Caster wheels





Product Model	SDC-500
Unit Dimensions (W / D/ H)mm	1500*880*980
Packing Dimensions (W / D/ H)mm	1560*980*1150
Net capacity (L)	340
Defrost system	Automatic
Temperature (°C)	3L1
Baskets divider	2+1
Interior light	LED Light
Compressor	Secop
Digital thermostat	Dixell/Elitech
Kind of coolant	R404A/R290
40 ' Container loading	30

## COMBINED ISLAND FREEZER DOUBLE CIRCULAR ARC

CE



SDC-1400



### Features

- Super size straight line Island freezer.
- Exterior material: white pre-coated steel, Interior white prepainted aluminium sheet.
- Top curved sliding glass lid with low-E fl m.
- Automatic hot gas defrost.
- Condensing with fan.
- High quality danfoss compressor.
- Italian brand Eliwell/Dixell digital thermostat.
- Interior LED light.
- Full Basket with dividers.

### Options

- Front side protection pole
- Adjustable feet
- Caster wheels

Product Model	SDC-1400
Unit Dimensions (W / D/ H)mm	2200x1500x980
Packing Dimensions (W / D/ H)mm	2320x1620x1150
Net capacity (L)	1255
Defrost system	Automatic
Temperature (°C)	3L1
Baskets divider	3+1
Interior light	LED Light
Compressor	Secop*2
Digital thermostat	Dixell/Elitech
Kind of coolant	R404A/R290
40 ' Container loading	14

## COMBINED ISLAND FREEZER DOUBLE CIRCULAR ARC


CE



SDC-760R

### Features

- Exterior material: white pre-coated steel, Interior white prepainted aluminium sheet
- Top curved sliding glass lid with low-E film
- Automatic hot gas defrost
- Condensing with fan
- High quality compressor
- Italian brand Eliwell/Dixell digital thermostat
- Interior double LED lights
- Full Basket with dividers
- Front side protection pole
- Adjustable feet



Product Model	SDC-760R
Unit Dimensions (W / D/ H)mm	1900*980*835
Packing Dimensions (W / D/ H)mm	2000*1080*870
Total net capacity (L)	580
Defrosting	Automatic
Kind of coolant	R404a/R290
Compressor	Embraco/Secop
Temperature (°C)	3L1
Water collector	Hot gas pipe for auto condensate water
Interior light	2 Sides LED light
Digital thermostat	Dixell/Eliwell
40 ° Container load	33

## COMBINED ISLAND FREEZER DOUBLE CIRCULAR ARC


CE



SDC-780R

### Features

- Exterior material: white pre-coated steel, Interior white prepainted aluminium sheet
- Top curved sliding glass lid with low-E film
- Automatic hot gas defrost
- Condensing with fan
- High quality compressor
- Italian brand Eliwell/Dixell digital thermostat
- Interior double LED lights
- Full Basket with dividers
- Front side protection pole
- Adjustable feet



Product Model	SDC-780R
Unit Dimensions (W / D/ H)mm	1900*980*835
Packing Dimensions (W / D/ H)mm	2000*1080*870
Total net capacity (L)	580
Defrosting	Automatic
Kind of coolant	R404a/R290
Compressor	Embraco/Secop
Temperature (°C)	3L1
Water collector	Hot gas pipe for auto condensate water
Interior light	2 Sides LED light
Digital thermostat	Dixell/Eliwell
40 ° Container load	33


## COMBINED ISLAND FREEZER WITH SLIDING GLASS TOP (UP-DOWN)



CQZ-21L



CQZ-18D



### Features

- Super size straight line Island freezer
- Exterior material: white pre-coated steel, Interior white pre-painted aluminium sheet
- Top curved sliding glass lid with low-E fi lm
- Automatic hot gas defrost
- Condensing with fan
- High quality danfoss compressor
- Italian brand Eliwell/Dixell digital thermostat
- Interior LED light
- Full Basket with dividers
- Front side protection pole
- Adjustable feet
- Casterwheels

Product Model	CQZ-18D	CQZ-21L	CQZ-25L
Unit Dimensions (W / D/ H mm)	1850*854*785	2105*875*835	2505*854*835
Pack Dimensions (W / D/ H mm)	1940*1040*870	2280*1040*870	2680*1040*870
Net capacity (L)	400	460	540
Defrost system	Automatic	Automatic	Automatic
Temperature (°C)	3L1	3L1	3L1
Baskets divider	3+1	4+1	5+1
Interior light	LED Light	LED Light	LED Light
Compressor	Secop/Embraco	Secop/Embraco	Secop/Embraco
Digital thermostat	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech
Kind of coolant	R404A/R290	R404A/R290	R404A/R290
40 ' Container loading	35	33	24


## COMBINED ISLAND FREEZER WITH SLIDING GLASS TOP (LEFT-RIGHT)



CQS-18D



CQS-21L



### Features

- Super size straight line Island freezer
- Exterior material: white pre-coated steel, Interior white pre-painted aluminium sheet
- Top curved sliding glass lid with low-E fi lm
- Automatic hot gas defrost
- Condensing with fan
- High quality danfoss compressor
- Italian brand Eliwell/Dixell digital thermostat
- Interior LED light
- Full Basket with dividers
- Front side protection pole
- Adjustable feet
- Caster wheels

Product Model	CQS-18D	CQS-21L	CQS-25L
Unit Dimensions (W/D/H mm)	1860*854*835	2105*875*835	2505*854*835
Pack Dimensions (W / D/ H mm)	1940*1040*870	2280*1040*870	2680*1040*870
Net capacity (L)	400	460	540
Defrost system	Automatic	Automatic	Automatic
Temperature (°C)	3L1	3L1	3L1
Baskets divider	3+1	4+1	5+1
Interior light	LED Light	LED Light	LED Light
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop
Digital thermostat	Eliwell/Dixell	Eliwell/Dixell	Eliwell/Dixell
Kind of coolant	R404A/R290	R404A/R290	R404A/R290
40 ' Container loading	35	33	24

## ISLAND FREEZER



LD-236

## Features

- Island freezer
- 236L
- Store frozen food and ice cream
- Top double layer sliding tempered glass lid
- Ext white pre-painted steel, int embossed AL
- Bottom engine room with fan-assisted
- Caster wheels



Product Model	LD-236	LD-358	LD-426	LD-528
Unit Dimensions(W/D/H mm)	1340*655*765	1505*715*870	1785*735*825	1895*850*870
Net capacity(L)	236	358	426	528
Cooling system	static	static	static	static
Temperature (°C)	≤-15	≤-15	≤-15	≤-15
Basket No.	2	4	3	6
Defrosting	Manual	Manual	Manual	Manual
Compressor	LG	LG	LG	LG
Kind of coolant	R134a	R134a	R134a	R134a
40°Container loading	75(40HQ)	44	36	24

## ISLAND FREEZER



SDG-2.0

## Features

- Island freezer
- 588L
- Store frozen food and ice cream
- Top double layer sliding tempered glass lid
- Ext white pre-painted steel, int embossed AL
- Bottom engine room with fan-assisted
- Caster wheels



Product Model	SDG-2.0	SDG-2.2	SDG-2.5	SCD-316	SCD-386
Unit Dimensions (W/D/H mm)	2030*780*910	2000*1000*865	2530*995*865	1850*810*760	1960*960*760
Net capacity(L)	588	718	878	316	386
Cooling system	static	static	static	static	static
Temperature (°C)	≤-15	≤-15	≤-15	-6~12	-6~12
Basket No.	6	6	9	3	3
Defrosting	Manual	Manual	Manual	Manual	Manual
Compressor	LG	LG	LG	LG	LG
Kind of coolant	R134a	R134a	R134a	R134a	R134a
40°Container loading	26	22	18	24	24

## ISLAND FREEZER



SD-900

### Features

- Island freezer
- Store frozen food and ice cream
- Top double layer sliding tempered glass lid
- Ext white prepainted steel, int embossed AL
- Bottom engine room with fan assisted
- Caster wheels



Product Model	SD-700	SD-900
Unit Dimensions (W / D/ H mm)	1750×810×840	1900×900×840
Packing Dimensions (W / D/ H mm)	1830×890×890	1980×970×890
Cooling system	Static	Static
Climate class	ST	ST
Total net capacity	710L	885L
Compressor	Wansheng	Wansheng
Kind of coolant	R290	R290
Temperature Control Range	≤18°C	≤18°C
Insulation	65mm	65mm
Glass Door (lid) Number	2	3
40' HC Container load	39EA	36EA

## ISLAND FREEZER DOUBLE TEMPERATURE & VENTILATED FREEZER



### Features

- The operation temperature of 3M1,3L2 two temperature zone, used for display and sales of refrigerated seafood, meat and so on; for display and sale of frozen fish, frozen meat and frozen food.
- the use of international brand-name SECOP compressor, high cooling efficiency, plug and play, easy to use
- low temperature dual temperature dual control, users can adjust according to demand
- polyurethane cavity integral foaming process to reduce cold consumption and reduce energy consumption
- ultra-thin large area high-performance evaporator, cooling fast, effective volume
- installation of self evaporation water receiver, convenient to use, save worry

### Options

- with door


Product Model	DII-240	DII-320	DII-410
Unit Dimensions (W / D/ H mm)	1530*995*950	2030*995*950	2530*995*950
Packing Dimensions (W / D/ H mm)	1630*1100*1050	2130*1100*1050	2630*1100*1050
Display area(m2)	1.03	1.4	1.78
Defrost	Automatic	Automatic	Automatic
Total net capacity(L)	260	350	440
Kind of coolant	R404a	R404a	R404a
Cooling system	VENTILATDE	VENTILATDE	VENTILATDE
Temperature Control Range	3M1&3L1	3M1&3L1	3M1&3L1
Thermostat	CAREL	CAREL	CAREL
Compressor	SECOP	SECOP	SECOP
Light	no	no	no
40' HC Container load	28	20	16

## ISLAND FREEZER SINGLE VENTILATED



### Features

- The unique evaporator coil design energy efficiency
- Efficient extrusion air curtain design
- Island cabinet glass door can choose push or pull up and down or so push-pull




Product Model	SV-1910	SV-2510	SV-3810
Unit Dimension (W/D/H mm)	1875*960*850	2500*960*850	3750*960*850
Packing Dimensions (W / D/ H mm)	2170*1100*1050	2800*1100*1050	3950*1100*1050
Display Area(M2)	2.01	2.71	4.06
Effective Volume (L)	650	820	1420
Cooling system	Ventilated	Ventilated	Ventilated
Temperature range	3L1	3L1	3L1
Kind of Refrigerant	R404A	R404A	R404A
Cooling Capacity	800	1100	1600
Evaporator Fans brand	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	10	16	12

## ISLAND FREEZER DOUBLE VENTILATED



### Features

- The unique evaporator coil design energy efficiency
- Efficient extrusion air curtain design
- Island cabinet glass door can choose push or pull up and down or so push-pull
- The cold shelve optional
- Different width of 1550 mm and 1800 mm optional



Product Model	DV-1918	BV-2518	DV-3818	DV-1810D	DV-1916	BV-2516	DV-3816	DV-1610D
Unit Dimension (W/D/H mm)	1875*1800*850	2500*1800*850	3750*1800*850	1800*960*850	1875*1550*850	2500*1550*850	3750*1550*850	1550*960*850
Packing Dimensions (W / D/ H mm)	2170*2000*1050	2800*2000*1050	3950*2000*1050	2000*1100*1050	2170*1700*1050	2800*1700*1050	3950*1700*1050	1700*1100*1050
Display Area(M2)	3.81	5.08	7.63	1.96	3.38	4.52	6.78	1.73
Effective Volume (L)	870	1180	1790	340	620	1050	1580	200
Cooling system	Ventilated							
Temperature range	3L1							
Kind of Refrigerant	R404A							
Cooling Capacity	1200	1600	2400	800	1100	1400	2100	700
Evaporator Fans brand	EBM							
Controller Brand	CAREL							
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	12	8	6	24	14	8	6	28


## COMBINET CABINET

UP-1200F



## Features

- Temperature: -18~-21°C.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Digital thermostat
- Inside LED lamp.
- Good display effect
- Suspension structure to save space
- Adjustable shelves



SD-420Q

Product Model	UP-1200C	UP-1200F	SD-420Q
Unit Dimension (W/D/H mm)	1275*532*1162	1275*532*1162	1270*680*850
Packing Dimension (W/D/H mm)	1380*760*1320	1380*760*1320	1320*780*890
Effective Volume(M3)	250	250	355
Display Area(M2)	0.47	0.47	/
Cooling System	Ventilated	Ventilated	STATIC
Light	LED LIGHT	LED LIGHT	LED
Glass Door No.	2	2	4
Temperature (°C)	M1	L1	-18~-21°C
Compressor	SECOP/EMBRACO	SECOP/EMBRACO	ZEL
Kind of Coolant	R290/R404A	R290/R404A	R290
40 GP Container Loading (Pcs)	52	52	79


## COMBINET CABINET

UP-2100F



## Features

- Temperature: -18~-21°C.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Digital thermostat
- Inside LED lamp.
- Good display effect
- Suspension structure to save space
- Adjustable shelves



CQS-21L

Product Model	UP-2100F	CQS-21L
Unit Dimension (W/D/H mm)	2160*560*1460	2105*875*835
Packing Dimension (W/D/H mm)	1380*760*1320	2280*1040*870
Effective Volume(M3)	1200	460
Display Area(M2)	0.56	1.84
Cooling System	Ventilated	STATIC
Light	LED LIGHT	LED LIGHT
Temperature (°C)	L1/L2	L1/L2
Glass Door No.	3	2
Compressor	SECOP/EMBRACO	SECOP/EMBRACO
Kind of Coolant	R290/R404A	R290/R404A
40 GP Container Loading (Pcs)	17	33

## SERVICE OVER COUNTER PLUG-IN

CE




### Features

- Stylish serve over counters for display of a variety of foodstuff s, dairy products,sausages,packaged meats & poultry and delicatessens
- Ensures maximum visibility to the products presented
- Front glass can be opened



BSS-2090SG



Product Model	BSS-1290SG	BSS-1590SG	BSS-2090SG	BSS-2590SG
Unit Dimensions (W/D/H mm)	1340*918*1230	1590*918*1230	1965*918*1230	2590*918*1230
Packing Dimensions (W/D/H mm)	1440*982*1277	1690*980*1300	2085*980*1300	2710*980*1300
Display Area (m2)	1.25	1.51	1.89	2.52
Cooling system	Ventilated cooling	Ventilated cooling	Ventilated cooling	Ventilated cooling
Digital thermostat	DIXCELL	DIXELL	DIXELL	DIXELL
Light	LED	LED	LED	LED
Effective Volume (L)	110	130	158	208
Temperature (°C)	-2~-2	-2~+2	-2~+2	-2~+2
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40' Container loading	32	28	24	16

## SERVICE OVER COUNTER PLUG-IN

CE




BSS-2090RG

### Features

- Exterior material pre-coated plate, interior stainless steel
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand
- Dixell, Carel, Eliwell
- High quality famous compressor: Secop
- Internal LED light

### Features

- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors
- Special various front panel design according to customer request




Product Model	BSS-1590RG	BSS-1590RG	BSS-2090RG	BSS-2590RG
Unit Dimensions (W/D/H mm)	1340*902*1230	1590*902*1230	1965*902*1230	2590*902*1230
Packing Dimensions (W/D/H mm)	1440*982*1287	1690*980*1300	2085*980*1300	2710*980*1300
Display Area (m2)	1.25	1.51	1.89	2.52
Cooling system	Ventilated cooling	Ventilated cooling	Ventilated cooling	Ventilated cooling
Digital thermostat	DIXCELL	DIXCELL	DIXCELL	DIXCELL
Light	LED	LED	LED	LED
Effective Volume (L)	110	130	158	208
Temperature (°C)	-2~-2	-2~-2	-2~-2	-2~-2
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40' Container loading	32	28	24	16

## SERVICE OVER COUNTER PLUG-IN&REMOTE



### Features

- The appearance looks nice and elegant, the display effect is excellent
- R404a/R744 refrigerant.
- Off-cycle defrost, reduces the energy consumption.
- The product uses high efficient evaporator, it increases the heat exchange rate, the refrigeration power is large.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Optional high efficiency fan can be selected according to customers' requirement.
- The glass lifting structure with damping air pump spring, glass can be stopped at any angle. It's a convenient design for retail and other daily work.




Product Model	BSS-2011SGA/ CSS-2011SGA	BSS-2511SGA/ CSS-2511SGA	BSS-3811SGA/ CSS-3811SGA
Unit Dimension (W/D/H mm)	1875*1103*1145	2500*1103*1145	3750*1103*1600
Packing Dimensions (W / D / H mm)	2075*1250*1280	2700*1250*1280	3950*1250*1280
Display Area(M2)	1.38	1.84	2.76
Effective Volume (L) Cooling system	330	440	670
Temperature range	Ventilated	Ventilated	Ventilated
Kind of Refrigerant	3M1	3M1	3M1
Compressor brand	R404A	R404A	R404A
Compressor	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR
Evaporator Fans brand	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	18	8	6

## SELF SERVICE COUNTER PLUG-IN&REMOTE



### Features


- The appearance looks nice and elegant, the display effect is excellent
- R404a/R744 refrigerant.
- Off-cycle defrost, reduces the energy consumption.
- The product uses high efficient evaporator, it increases the heat exchange rate, the refrigeration power is large.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Optional high efficiency fan can be selected according to customers' requirement.
- The display effect is good, easy to get or restock products.



Product Model	BSM-2011SA/ CSM-2011SA	BSM-2511SA/ CSM-2511SA	BSM-3811SA/ CSM-3811SA
Unit Dimension (W/D/H mm)	1935*1103*842	2560*1103*842	3810*1103*842
Packing Dimensions (W / D / H mm)	2075*1250*980	2700*1250*980	3950*1250*980
Display Area(M2)	1.73	2.30	3.46
Effective Volume (L) Cooling system	330	440	670
Temperature range	Ventilated	Ventilated	Ventilated
Kind of Refrigerant	3M1	3M1	3M1
Compressor brand	R404A	R404A	R404A
Compressor	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR
Evaporator Fans brand	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	18	8	6

## SERVICE OVER COUNTER PLUG-IN&REMOTE

CE




### Features

- Stylish serve over counters for display of a variety of foodstuffs,dairy products,sausages,packaged meats & poultry and delicatessens.
- Ensures maximum visibility to the products presented
- Special air curtain technology,keeping food fresh ,not damage.
- Front glass can be closed.
- BSS type with compressor.
- CSS type without compressor.

Product Model	BSS-1311RGA/ CSS-1311RGA	BSS-1811RGA/ CSS-1811RGA	BSS-2511RGA/ CSS-2511RGA	BSS-3811RGA/ CSS-3811RGA
Unit Dimension (W/D/H mm)	1350*1100*1240	1980*1100*1240	2600*1100*1240	3850*1100*1240
Packing Dimensions (W /D/H mm)	1550*1160*1400	2180*1160*1400	2800*1160*1400	4050*1160*1400
Display Area(M2)	1.1	1.6	2.12	3.08
Effective Volume (L)	290	410	520	710
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A
Compressor brand	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR
Evaporator Fans brand	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	14	10	8	6

## SERVICE OVER COUNTER PLUG-IN&REMOTE

CE



### Features

- Stylish serve over counters for display of a variety of foodstuffs,dairy products,sausages,packaged meats&poultry and delicatessens.
- Ensures maximum visibility to the products presented.
- Special air curtain technology,keeping food fresh,notdamage.
- Front glass can be pushable.
- BSS type with compressor.
- CSS type without compressor.


Product Model	BSS-1311RGB/ CSS-1311RGB	BSS-1811RGB/ CSS-1811RGB	BSS-2511RGB/ CSS-2511RGB	BSS-3811RGB/ CSS-3811RGB
Unit Dimension (W/D/H mm)	1350*1100*1240	1980*1100*1240	2600*1100*1240	3850*1100*1240
Packing Dimensions (W /D/H mm)	1550*1160*1400	2180*1160*1400	2800*1160*1400	4050*1160*1400
Display Area(M2)	1.1	1.6	2.12	3.08
Effective Volume (L)	290	410	520	710
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A
Compressor brand	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR
Evaporator Fans brand	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	14	10	8	6

## SERVICE OVER COUNTER PLUG-IN&REMOTE



CSS-2511RGC

CE



### Features


- Stylish serve over counters for display of a variety of foodstuffs,dairy products,sausages,packaged meats & poultry and delicatessens.
- Ensures maximum visibility to the products presented
- Special air curtain technology,keeping food fresh ,not dam.age.
- Front glass can be opened.
- BSS type with compressor.
- CSS type without compressor.

Product Model	BSS-1311RGC/ CSS-1311RGC	BSS-1811RGC/ CSS-1811RGC	BSS-2511RGC/ CSS-2511RGC	BSS-3811RGC/ CSS-3811RGC
Unit Dimension (W/D/H mm)	1336*1160*1200	1960*1160*1200	2560*1160*1200	3836*1160*1200
Packing Dimensions (W /D/ H mm)	1450*1260*1400	2070*1260*1400	2710*1260*1400	3950*1260*1400
Display Area(M2) Effective Volume	1.1	1.6	2.12	3.08
(L) Cooling system Temperature range	320	390	530	750
Kind of Refrigerant	Ventilated	Ventilated	Ventilated	Ventilated
Compressor brand	3M1	3M1	3M1	3M1
Evaporator	R404A	R404A	R404A	R404A
Fans brand				
Controller Brand	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR
Light	EBM	EBM	EBM	EBM
40 ' Container load	CAREL	CAREL	CAREL	CAREL
	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
	9	9	4	3

## SELF SERVICE COUNTER PLUG-IN&REMOTE



CE



### Features

- Suitable for cold fresh meat, vegetables products.
- Dafoss valves, import compressor.
- Ark of straight stitching, roundabout splicing.
- Stainless steel shelf, clean, health, easy to clean.


Product Model	BSM-1311RC/ CSM-1311RC	BSM-2011RC/ CSM-2011RC	BSM-2511RC/ CSM-2511RC	BSM-3811RC/ CSM-3811RC
Unit Dimension (W/D/H mm)	1336*1160*900	1960*1160*900	2580*1160*900	3836*1160*900
Packing Dimensions (W / D/ H mm)	1500*1260*1100	2100*1260*1100	2700*1260*1100	3950*1260*1100
Display Area(M2) Effective Volume	1.1	1.6	2.12	3.08
(L) Cooling system Temperature range	290	410	530	750
Kind of Refrigerant	Ventilated	Ventilated	Ventilated	Ventilated
Compressor brand	3M1	3M1	3M1	3M1
Evaporator Fans	R404A	R404A	R404A	R404A
brand				
Controller Brand	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR
Light	EBM	EBM	EBM	EBM
40 ' Container load	CAREL	CAREL	CAREL	CAREL
	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
	18	18	8	6

## SERVICE OVER COUNTER PLUG-IN&REMOTE



### Features

- The appearance looks nice and elegant, the display effect is excellent
- R404a/R744 refrigerant.
- Off-cycle defrost, reduces the energy consumption.
- The product uses high efficient evaporator, it increases the heat exchange rate, the refrigeration power is large.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Optional high efficiency fan can be selected according to customers' requirement.
- The display effect is good, easy to get or restock products.




Product Model	BSM-1311RA/ CSM-1311RA	BSM-2011RA/ CSM-2011RA	BSM-2511RA/ CSM-2511RA	BSM-3811RA/ CSM-3811RA
Unit Dimension (W/D/H mm)	1350*1100*910	1980*1100*910	2600*1100*910	3850*1100*910
Packing Dimensions (W / D/ H mm)	1450*1160*1100	2100*1160*1100	2700*1160*1100	3950*1160*1100
Display Area(M2) Effective Volume	1.08	1.56	2.02	3.08
(L) Cooling system Temperature range Kind of Refrigerant	290	410	530	750
Compressor brand Evaporator Fans	Ventilated	Ventilated	Ventilated	Ventilated
brand	3M1 R404A	3M1 R404A	3M1 R404A	3M1 R404A
Controller Brand	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR
Light	EBM	EBM	EBM	EBM
40' Container load	CAREL	CAREL	CAREL	CAREL
	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
	32	20	16	12



## STAINLESS STEEL FISH COUNTER



SMF-25L




### Features

- Interior and exterior stainless steel AISI304 material for high level product
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- Adjustable feet or caster wheels
- High quality compressor: Danfoss, Embraco
- Germany Well-known brand EBM fans
- Finned evaporator
- Thermostatic expansion valve
- R404A



Product Model	SMF-25L
Unit Dimension (W/D/H mm)	2510*1018*1195
Packing Dimensions (W / D/ H mm)	2600*1140*1250
Effective Volume (L) Display Area(M2)	180
Cooling system	1.80
Temperature range Glass Door No.	Static
Compressor brand	-4~0
Kind of Refrigerant	3
40' Container load	SECOP/EMBRACO
	R290/R404A
	16

## THE COUNTER CABINET HANGING MEAT CABINET



### Features

- Appropriate exhibition put cold fresh meat
- Large capacity, large exhibition space
- Clised design, danfoss valves


Product Model	HMC-1975
Unit Dimension (W/D/H mm)	1880*750*2290
Packing Dimensions (W / D/ H mm)	2100*900*2400
Display Area(M2)	1.88
Effective Volume (L)	1680
Cooling system	Ventilated
Temperature range	3M1
Kind of Refrigerant	R404A
Compressor brand	BOYANG
Compressor brand	EBM
Evaporator Fans brand	CAREL
Controller Brand Light	LED LIGHT
40' Container load	13

## THE COUNTER CABINET FREEZER CABINET



### Features


- Transparent design, fully display effect
- Refrigerant R404A, green pollution-free
- Refrigeration and freezing all can meet
- The whole machine, optional



Product Model	CF-2011	CF-2611
Unit Dimension (W/D/H mm)	2000*1100*930	2620*1100*930
Packing Dimensions (W / D/ H mm)	2200*1200*1230	2800*1200*1230
Display Area(M2)	1.62	2.18
Effective Volume (L)	410	520
Cooling system	Ventilated	Ventilated
Temperature range	3L1	3L1
Kind of Refrigerant	R404A	R404A
Compressor brand	CRSS(SANYANG)	CRSS(SANYANG)
Evaporator Fans brand	EBM	EBM
Controller Brand	CAREL	CAREL
Light	LED LIGHT	LED LIGHT
40' Container load	18	8



## UPRIGHT ICE CREAM SHOWCASES



1:10



### Features

- Temperature:-18~-15°C.
- Four sides toughened glass of three layers.
- Adjustable shelf.
- 4 universal wheels with adjustable feet.
- The door opens and the fan closes at once, reduce the loss of cold capacity
- Glass defrosting switch .The user can switch off the defrosting switch at night or in a dry environment, and save energy.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Micro channel condenser.
- Digital thermostat italian famous brand :dixell eliwell.
- Inside four corners with LED vertical lamp.
- Germany well-known brand EBM fans.




FD-430S



FD-430R

Product Model	FD-430S	FD-430R
Unit dimensions(W / D/ H mm)	650*650*1950	650*650*1950
Packing dimensions (W / D/ H mm)	720*760*2212	720*760*2212
Cooling system	No Frost	No Frost m
Effective Volume(M3)	0.4	0.4
Display Area(M2)	2.4	2.4
Kind of coolant	R290	R290
Temperature range	-18~-15°C	-18~-15°C
Light	LED	LED
40 ' Container load	48	48

## UPRIGHT CAKE SHOWCASES



FC-430S



FC-430R

### Features

- Temperature: 2~10°C.
- Four sides toughened glass .
- Adjustable shelf.
- 4 universal wheels with adjustable feet.
- The door opens and the fan closes at once, reduce the loss of cold capacity
- Glass defrosting switch .The user can switch off the defrosting switch at night or In a dry environment, and save energy.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Micro channel condenser.
- Digital thermostat italian famous brand :dixell /eliwell.
- Inside four corners with LED vertical lamp.
- Germany well-known brand EBM fans.

Product Model	FC-430S	FC-430R
Unit dimensions (W / D/ H mm)	650*650*1950	650*650*1950
Packing dimensions (W / D/ H mm)	720*760*2212	720*760*2212
Cooling system	No Frost	No Frost
Effective Volume(M3)	0.4	0.4
Display Area(M2)	2.4	2.4
Kind of coolant	R290	R290
Temperature range	2~8°C	2~8°C
Light	LED	LED
40' Container load	48	48

## CAKE SHOWCASES



FC500RA



FC500SA

### Features

- Temperature: 2~8°C
- toughened glass
- Adjustable shelf.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Digital thermostat
- InsideLED lamp



Product Model	FC-400RA/SA	FC-500RA/SA	FC-600RA/SA	FC-700RA/SA
Unit dimensions (W / D/ H mm)	900*660*1200	1200*660*1200	1500*660*1200	1800*660*1200
Packing dimensions(W / D/ H mm)	1000*760*1300	1300*760*1300	1600*760*1300	1900*760*1300
Cooling system	No Fros	No Frost	No Frost	No Frost
Climate class	4	4	4	4
Effective Volume(L)	340/360	450/480	560/595	680/724
Display Area(M2)	0.78/0.79	0.98/1	1.27/1.3	1.54/1.58
Kind of coolant	R134a	R134a	R134a	R134a
Temperature range	2~8°C	2~8°C	2~8°C	2~8°C
Shelves	2	2	2	2
Light	LED	LED	LED	LED
Digital thermostat	KAIDE	KAIDE	KAIDE	KAIDE
40 ' Container load	70	54	44	24

## ECONOMIC CAKE SHOWCASES



RC500RB



FC500SB

### Features

- Temperature: 2~8°C.
- toughened glass .
- Adjustable shelf.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Digital thermostat
- InsideLED lamp



Product Model	FC-400RB/SB	FC-500RB/SB	FC-600RB/SB	FC-700RA/SB
Unit dimensions (W / D/ H mm)	900*660*1200	1200*660*1200	1500*660*1200	1800*660*1200
Packing dimensions(W / D/ H mm)	1000*760*1300	1300*760*1300	1600*760*1300	1900*760*1300
Cooling system	No Frost	No Frost	No Frost	No Frost
Climate class	4	4	4	4
Effective Volume(L)	340/360	450/480	560/595	680/714
Display Area(M2)	0.78/0.79	0.98/1	1.27/1.3	1.54/1.58
Kind of coolant	R134a	R134a	R134a	R134a
Temperature range	2~8°C	2~8°C	2~8°C	2~8°C
Shelves	2	2	2	2
Light	LED	LED	LED	LED
Digital thermostat	KAIDE	KAIDE	KAIDE	KAIDE
40 ' Container load	70	54	44	24