

# COTTURA

• FRÍGIDO •




## Production Line



## Showroom



## Certificate





KITCHEN  
REFRIGERATION

## CABINET VENTILATE DG N650 SERIES



GN-650TN

### Features

- European Fashionable style upright cabinet chiller
- Interior and exterior stainless steel AISI304 material for high level product
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell

- High quality compressor: Danfoss, Embraco
- LED light
- Germany Well-known brand EBM fans
- Compatible for GN2/1 Shelves
- Automatic defrost cooling system
- Replaceable door center sill with heating elements
- CFC free with 60mm super thickness
- Three layers of gray coated shelves per door as standard

### Options

- Adjustable feet or Caster wheels

## CABINET VENTILATED GN650 SERIES



GN-650TNG



GN-650BTM



| Product Model              | GN-650TN/TNG | GN-650BT/BTG | GN-650TNM/TNMG | GN-650BTM/BTMG |
|----------------------------|--------------|--------------|----------------|----------------|
| Unit dimensions (W/D/H mm) | 740*830*2010 | 740*830*2010 | 740*830*2010   | 740*830*2010   |
| Net capacity (L)           | 650          | 650          | 638            | 638            |
| Cooling system             | Ventilated   | Ventilated   | Ventilated     | Ventilated     |
| Temperature (°C)           | -2~+10       | -18~-22      | -2~+10         | -18~-22        |
| Shelves No.                | 3            | 3            | 3              | 3              |
| Interior light             | LED light    | LED light    | LED light      | LED light      |
| Compressor                 | Secop/Secop  | Secop/Secop  | Secop/Secop    | Secop/Secop    |
| Digital thermostat         | Dixell       | Dixell       | Dixell         | Dixell         |
| Kind of coolant            | R134a/R290   | R404A/R290   | R134a/R290     | R404A/R290     |
| 40 ' Container loading     | 40           | 40           | 40             | 40             |



## CABINET

### VENTILATED GN1410 SERIES



GN-1410BT

#### Features

- Two full size S/S door cabinet freezer
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- 6 adjustable GN2/1 Shelves
- CFC free foaming

#### Options

- Adjustable feet or Caster wheels



## CABINET

### VENTILATED GN1410 SERIES



GN-1410TNM



GN-1410TNG

| Product Model              | GN-1410TN/TNG | GN-1410BT/BTG | GN-1410TNM/TNMG | GN-1410BTM/BTMG |
|----------------------------|---------------|---------------|-----------------|-----------------|
| Unit dimensions (W/D/H mm) | 1480*830*2010 | 1480*830*2010 | 1480*830*2010   | 1480*830*2010   |
| Net capacity (L)           | 1300          | 1300          | 1276            | 1276            |
| Cooling system             | Ventilated    | Ventilated    | Ventilated      | Ventilated      |
| Temperature (°C)           | -2~+10        | -18~-22       | -2~+10          | -18~-22         |
| Shelves No.                | 6             | 6             | 6               | 6               |
| Interior light             | LED light     | LED light     | LED light       | LED light       |
| Compressor                 | Secop/Secop   | Embraco       | Secop/Secop     | Embraco         |
| Digital thermostat         | Dixell        | Dixell        | Dixell          | Dixell          |
| Kind of coolant            | R134a/R290    | R404A         | R134a/R290      | R404A           |
| 40" Container loading      | 15            | 15            | 15              | 15              |

## CABINET

### VENTILATED 700mm DEPTH



GN-580TN

#### Features

- European Fashionable style upright cabinet chiller
- Interior and exterior stainless steel AISI304 material for high level product
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality compressor: Danfoss, Embraco
- LED light
- Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Replaceable door center sill with heating elements
- CFC free with 60mm super thickness
- Three layers of gray coated shelves per door as standard

#### Options

- Adjustable feet or Caster wheels

| Product Model              | GN-580TN     | GN-580BT     |
|----------------------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 740*730*2010 | 740*730*2010 |
| Net capacity (L)           | 580          | 580          |
| Cooling system             | Ventilated   | Ventilated   |
| Temperature (°C)           | -2~+10       | -18~-22      |
| Shelves No.                | 3            | 3            |
| Interior light             | LED light    | LED light    |
| Compressor                 | Secop/Secop  | Secop/Secop  |
| Digital thermostat         | Dixell       | Dixell       |
| Kind of coolant            | R134a/R290   | R404A/R290   |
| 40' Container loading      | 45           | 45           |

## CABINET

### VENTILATED 700mm DEPTH



GN-1180BT

#### Features

- Two full size S/S door cabinet freezer
- Int&Ext material stainless steel
- Reversible self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- 6 adjustable Shelves
- CFC free foaming

#### Options

- Adjustable feet or Caster wheels

| Product Model              | GN-1180TN     | GN-1310TN     | GN-1180BT     | GN-1310BT     |
|----------------------------|---------------|---------------|---------------|---------------|
| Unit dimensions (W/D/H mm) | 1480*730*2010 | 1480*810*2010 | 1480*730*2010 | 1480*810*2010 |
| Net capacity (L)           | 1180          | 1236          | 1180          | 1236          |
| Cooling system             | Ventilated    | Ventilated    | Ventilated    | Ventilated    |
| Temperature (°C)           | -2~+10        | -2~+10        | -18~-22       | -18~-22       |
| Shelves No.                | 6             | 6             | 6             | 6             |
| Interior light             | LED light     | LED light     | LED light     | LED light     |
| Compressor                 | Secop/Secop   | Embraco/Secop | Secop         | Embraco/Secop |
| Digital thermostat         | Dixell        | Dixell        | Dixell        | Dixell        |
| Kind of coolant            | R134a/R290    | R134a/R290    | R404A         | R404A         |
| 40' Container loading      | 22            | 22            | 22            | 22            |

## CABINET VENTILATED FISH COOLER



GN-600TNF

### Features

- One full size S/S solid door Cabinet fish cooler
- Int&Ext material stainless steel
- Reversible self-closing door
- Full length stainless steel handle
- Digital thermostat • With lock and key • LED light • Fan cooling system • 7 layers of pan inside • CFC free foaming • 60mm insulation thickness

### Options

- Adjustable feet or Caster wheels
- Heating element for door frame



| Product Model              | GN-600TNF               | GN-600TNV FISH  | GN-600TNGV FISH |
|----------------------------|-------------------------|-----------------|-----------------|
| Unit dimensions (W/D/H mm) | 680*810*2010            | 680*810*2010    | 680*810*2010    |
| Net capacity (L)           | 600                     | 600             | 600             |
| Cooling system             | Static with fan cooling | Ventilated      | Ventilated      |
| Temperature (°C)           | 0~+10                   | 0~+10           | 0~+10           |
| Shelves No.                | 7 layers of pan         | 7 layers of pan | 7 layers of pan |
| Interior light             | LED light               | LED light       | LED light       |
| Compressor                 | ZEL/ZEL                 | ZEL/ZEL         | ZEL/ZEL         |
| Digital thermostat         | Eliwell/Dixell          | Eliwell/Dixell  | Eliwell/Dixell  |
| Kind of coolant            | R134a/R600a             | R134a/R600a     | R134a/R600a     |
| 40' Container loading      | 42                      | 42              | 42              |

## CABINET GN600 SERIES



GN-600TN



GN-600TNG

### Features

- Int&Ext material stainless steel
- Reversible self-closing door
- Full length stainless steel handle
- Digital thermostat • With lock and key • LED light • Fan cooling system • 3 adjustable GN2/1 Shelves
- CFC free foaming

### Options

- Adjustable feet or Caster wheels
- Heating element for door frame

| Product Model              | GN-600TN                | GN-600TNM               | GN-600TNGM              | GN-600TNG               |
|----------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Unit dimensions (W/D/H mm) | 680*810*2010            | 680*810*2010            | 680*810*2010            | 680*810*2010            |
| Net capacity (L)           | 600                     | 600                     | 600                     | 600                     |
| Cooling system             | Static with fan cooling | Static with fan cooling | Static with fan cooling | Static with fan cooling |
| Temperature (°C)           | 0~+10                   | 0~+10                   | 0~+10                   | 0~+10                   |
| Shelves No.                | 3                       | 3                       | 3                       | 3                       |
| Interior light             | LED light               | LED light               | LED light               | LED light               |
| Compressor                 | ZEL/ZEL                 | ZEL/ZEL                 | ZEL/ZEL                 | ZEL/ZEL                 |
| Digital thermostat         | Dixell                  | Dixell                  | Dixell                  | Dixell                  |
| Kind of coolant            | R134a/R600a             | R134a/R600a             | R134a/R600a             | R134a/R600a             |
| 40' Container loading      | 42                      | 42                      | 42                      | 42                      |

## CABINET

### VENTILATED GN600 SERIES



GN-600TNV

GN-600BTMV

#### Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat • With lock and key • LED light • Ventilated cooling • Automatic defrost • 3 adjustable GN2/1 Shelves
- CFC free foaming

#### Options

- Adjustable feet or Caster wheels

| Product Model              | GN-600TNV/<br>GN-600TNGV | GN-600BTV     | GN-600TNMV   | GN-600BTMV    |
|----------------------------|--------------------------|---------------|--------------|---------------|
| Unit dimensions (W/D/H mm) | 680*810*2010             | 680*810*2010  | 680*810*2010 | 680*810*2010  |
| Net capacity (L)           | 600                      | 600           | 600          | 600           |
| Cooling system             | Ventilated               | Ventilated    | Ventilated   | Ventilated    |
| Temperature (°C)           | -2~+10                   | -18~-22       | -2~+10       | -18~-22       |
| Shelves No.                | 3                        | 3             | 3            | 3             |
| Interior light             | LED light                | LED light     | LED light    | LED light     |
| Compressor                 | ZEL/ZEL                  | Embraco/Secop | ZEL/ZEL      | Embraco/Secop |
| Digital thermostat         | Dixell                   | Dixell        | Dixell       | Dixell        |
| Kind of coolant            | R134a/R600a              | R404A/R290    | R134a/R600a  | R404A/R290    |
| 40' Container loading      | 42                       | 42            | 42           | 42            |

## CABINET

### GN1200 SERIES



GN-1200TN

GN-1200BTG

#### Features

- Int&Ext material stainless steel • Digital thermostat • With lock and key • LED light • Fan cooling system • 6 adjustable GN2/1 Shelves • CFC free foaming • Auto defrosting and evaporation of condensation • Self-closing door

#### Options

- Adjustable feet or Caster wheels

| Product Model              | GN-1200TN               | GN-1200TNM              | GN-1200TNG              |
|----------------------------|-------------------------|-------------------------|-------------------------|
| Unit dimensions (W/D/H mm) | 1340*810*2010           | 1340*810*2010           | 1340*810*2010           |
| Net capacity (L)           | 1200                    | 1200                    | 1200                    |
| Cooling system             | Static with fan cooling | Static with fan cooling | Static with fan cooling |
| Temperature (°C)           | 0~+10                   | 0~+10                   | 0~+10                   |
| Shelves No.                | 6                       | 6                       | 6                       |
| Interior light             | LED light               | LED light               | LED light               |
| Compressor                 | Secop/Secop             | Secop/Secop             | Secop/Secop             |
| Digital thermostat         | Dixell                  | Dixell                  | Eliwell/Dixell          |
| Kind of coolant            | R134a/R290              | R134a/R290              | R134a/R290              |
| 40' Container loading      | 22                      | 22                      | 22                      |



## CABINET

### VENTILATED GN1200 SERIES



GN-1200TNV



GN-1200TNMV

#### Features

- Int&Ext material stainless steel • Full length stainless steel handle • Digital thermostat • With lock and key • LED light • Ventilated cooling • Automatic defrost • 6 adjustable GN2/1 Shelves • CFC free foaming • Auto defrosting and evaporation of condensation • Self-closing door

#### Options

- Adjustable feet or Caster wheels

| Product Model              | GN-1200TNV    | GN-1200BTV    | GN-1200TNMV   | GN-1200BTMV   |
|----------------------------|---------------|---------------|---------------|---------------|
| Unit dimensions (W/D/H mm) | 1340*810*2010 | 1340*810*2010 | 1340*810*2010 | 1340*810*2010 |
| Net capacity (L)           | 1200          | 1200          | 1200          | 1200          |
| Cooling system             | Ventilated    | Ventilated    | Ventilated    | Ventilated    |
| Temperature (°C)           | -2~+10        | -18~-22       | -2~+10        | -18~-22       |
| Shelves No.                | 6             | 6             | 6             | 6             |
| Interior light             | LED light     | LED light     | LED light     | LED light     |
| Compressor                 | Secop/Secop   | Secop         | Secop/Secop   | Secop         |
| Digital thermostat         | Dixell        | Dixell        | Dixell        | Dixell        |
| Kind of coolant            | R134a/R290    | R404A         | R134a/R290    | R404A         |
| 40' Container loading      | 22            | 22            | 22            | 22            |

## CABINET

### SNACK 400 SERIES



SNACK-400TN



SNACK-400BTM

#### Features

- Int&Ext material stainless steel • Full length stainless steel handle • Digital thermostat • With lock and key • LED light • Fan cooling system • CFC free foaming • 60mm insulation thickness • Self-closing door

#### Options

- Adjustable feet or Caster wheels

| Product Model              | SNACK-400TN             | SNACK-400TNM            |
|----------------------------|-------------------------|-------------------------|
| Unit dimensions (W/D/H mm) | 680*710*2010            | 680*710*2010            |
| Net capacity (L)           | 429                     | 429                     |
| Cooling system             | Static with fan cooling | Static with fan cooling |
| Temperature (°C)           | 0~+10                   | 0~+10                   |
| Shelves No.                | 3                       | 3                       |
| Interior light             | LED light               | LED light               |
| Compressor                 | ZEL/ZEL                 | ZEL/ZEL                 |
| Digital thermostat         | Dixell                  | Dixell                  |
| Kind of coolant            | R134a/R600a             | R134a/R600a             |
| 40' Container loading      | 48                      | 48                      |

## CABINET

### SNACK 400S SERIES



SNACK-400STN



SNACK-400STNG

#### Features

- Bottom Engine Room
- Int&Ext material stainless steel
- Revisable self-closing door
- Digital thermostat • With lock and key • LED light • Fan cooling system • CFC free foaming • 60mm insulation thickness
- Auto defrosting and evaporation of condensation
- Self-closing door

#### Options

- Adjustable feet or Caster wheels
- Heating element for door frame

| Product Model              | SNACK-400STN            | SNACK-400STNG           |
|----------------------------|-------------------------|-------------------------|
| Unit dimensions (W/D/H mm) | 680*710*2010            | 680*710*2010            |
| Net capacity (L)           | 429                     | 429                     |
| Cooling system             | Static with fan cooling | Static with fan cooling |
| Temperature (°C)           | 0~+10                   | 0~+10                   |
| Shelves No.                | 3                       | 3                       |
| Interior light             | LED light               | LED light               |
| Compressor                 | ZEL/ZEL                 | ZEL/ZEL                 |
| Digital thermostat         | Dixell                  | Dixell                  |
| Kind of coolant            | R134a/R600a             | R134a/R600a             |
| 40' Container loading      | 48                      | 48                      |

## CABINET

### VENTILATED SNACK 400 SERIES



SNACK-400TNV



SNACK-400BTMV

#### Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat • With lock and key • LED light • Ventilated cooling • Automatic defrost • CFC free foaming • 60mm insulation thickness • Self-closing door

#### Options

- Adjustable feet or Caster wheels

| Product Model              | SNACK-400TNV/<br>SNACK-400TNGV | SNACK-<br>400BTV | SNACK-<br>400TNMV | SNACK-<br>400BTMV |
|----------------------------|--------------------------------|------------------|-------------------|-------------------|
| Unit dimensions (W/D/H mm) | 680*710*2010                   | 680*710*2010     | 680*710*2010      | 680*710*2010      |
| Net capacity (L)           | 429                            | 429              | 429               | 429               |
| Cooling system             | Ventilated                     | Ventilated       | Ventilated        | Ventilated        |
| Temperature (°C)           | -2~+10                         | -18~-22          | -2~+10            | -18~-22           |
| Shelves No.                | 3                              | 3                | 3                 | 3                 |
| Interior light             | LED light                      | LED light        | LED light         | LED light         |
| Compressor                 | ZEL/ZEL                        | Embraco/Secop    | ZEL/ZEL           | Embraco/Secop     |
| Digital thermostat         | Dixell                         | Dixell           | Dixell            | Dixell            |
| Kind of coolant            | R134a/R600a                    | R404A/R290       | R134a/R600a       | R404A/R290        |
| 40' Container loading      | 48                             | 48               | 48                | 48                |

## CABINET

### SNACK 800 SERIES



SNACK-800TN

SNACK-800BTG

#### Features

- Int&Ext material stainless steel
- Revisable self-closing door
- With Temper glass door
- Digital thermostat
- With lock and key
- LED light
- Fan cooling system
- CFC free foaming
- 60mm insulation thickness

#### Options

- Adjustable feet or Caster wheels

| Product Model              | SNACK-800TN             | SNACK-800TNG            |
|----------------------------|-------------------------|-------------------------|
| Unit dimensions (W/D/H mm) | 1340*710*2010           | 1340*710*2010           |
| Net capacity (L)           | 1065                    | 1065                    |
| Cooling system             | Static with fan cooling | Static with fan cooling |
| Temperature (°C)           | 0~+10                   | 0~+10                   |
| Shelves No.                | 6                       | 6                       |
| Interior light             | LED light               | LED light               |
| Compressor                 | Secop/Secop             | Secop/Secop             |
| Digital thermostat         | Dixell                  | Dixell                  |
| Kind of coolant            | R134a/R290              | R134a/R290              |
| 40' Container loading      | 25                      | 25                      |

## CABINET

### VENTILATED SNACK 800 SERIES



SNACK-800TNV

SNACK-800TNMV

#### Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- CFC free foaming
- 60mm insulation thickness

#### Options

- Adjustable feet or Caster wheels
- Defrost heating tube for evaporator

| Product Model              | SNACK-800TNV  | SNACK-800BTV  | SNACK-800TNMV | SNACK-800BTMV |
|----------------------------|---------------|---------------|---------------|---------------|
| Unit dimensions (W/D/H mm) | 1340*710*2010 | 1340*710*2010 | 1340*710*2010 | 1340*710*2010 |
| Net capacity (L)           | 1065          | 1065          | 1065          | 1065          |
| Cooling system             | Ventilated    | Ventilated    | Ventilated    | Ventilated    |
| Temperature (°C)           | -2~+10        | -18~-22       | -2~+10        | -18~-22       |
| Shelves No.                | 6             | 6             | 6             | 6             |
| Interior light             | LED light     | LED light     | LED light     | LED light     |
| Compressor                 | Secop/Secop   | Secop         | Secop/Secop   | Secop         |
| Digital thermostat         | Dixell        | Dixell        | Dixell        | Dixell        |
| Kind of coolant            | R134a/R290    | R404A         | R134a/R290    | R404A         |
| 40' Container loading      | 25            | 25            | 25            | 25            |

## CABINET VENTILATED BAKERY SERIES



PA-800TN

### Features

- One full size S/S solid door bakery cabinet chiller
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat • With lock and key • LED light • Ventilated cooling • Automatic defrost • 10 adjustable Bakery

- 600\*800 pan Support
- CFC free foaming
- 60mm insulation thickness

### Options

- Adjustable feet or Caster wheels

| Product Model              | PA-800TN     | PA-800BT     |
|----------------------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 740*990*2010 | 740*990*2010 |
| Net capacity (L)           | 737          | 737          |
| Cooling system             | Ventilated   | Ventilated   |
| Temperature (°C)           | -2~+10       | -18~-22      |
| Interior light             | LED light    | LED light    |
| Compressor                 | Secop/Secop  | Secop        |
| Digital thermostat         | Dixell       | Dixell       |
| Kind of coolant            | R134a/R290   | R404A        |
| 40 ' Container loading     | 33           | 33           |

## CABINET VENTILATED BAKERY SERIES



GE-800BT

### Features

- One full size S/S solid door bakery cabinet freezer
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat • With lock and key • LED light • Ventilated cooling • Automatic defrost • 10 adjustable Bakery

- 600\*800 Shelves, no GN pans
- CFC free foaming
- 60mm insulation thickness

### Options

- Adjustable feet or Caster wheels

| Product Model              | GE-800TN     | GE-800BT     |
|----------------------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 740*990*2010 | 740*990*2010 |
| Net capacity (L)           | 737          | 737          |
| Cooling system             | Ventilated   | Ventilated   |
| Temperature (°C)           | -2~+10       | -18~-22      |
| Shelves No.                | /            | 10           |
| Interior light             | LED light    | LED light    |
| Compressor                 | Secop/Secop  | Secop        |
| Digital thermostat         | Dixell       | Dixell       |
| Kind of coolant            | R134a/R290   | R404A        |
| 40 ' Container loading     | 33           | 33           |

## COUNTER

CE



GN-4180TN

### Features

- European Fashionable style counter chiller/freezer
- Inside and outside stainless steel 304 material for high level product
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Eliwell, Dixell, Carel
- High quality famous compressor: Danfoss, Embraco,
- Fans: Germany Well-known brand EBM fans
- Compatible for GN1/1 Shelves
- Automatic defrost cooling system
- Replaceable door center sill with heating elements
- CFC free with 60mm super thickness
- One layer of gray coated shelves per door as standard
- Adjustable stainless steel feet or lockable castors
- Special various front panel design according to customer request
- Optional glass doors/with GN1/3, GN2/3, GN1/2 Drawers/ SS 201 material/lock and key / internal

light/engine room drawer/with splashback



## COUNTER VENTILATED GN SERIES

CE



GN-2100TN



GN-3100TN



GN-4100BT

### Features

- Int&Ext material stainless steel
- Reversible self-closing door
- Full length stainless steel handle
- Digital thermostat • Ventilated cooling • Automatic defrost

### Options

- Adjustable feet or Caster wheels
- With GN1/3, GN2/3, GN1/2 Drawers
- Internal LED light

| Product Model              | GN-2100TN    | GN-2100BT    | GN-3100TN    | GN-3100BT    | GN-4100TN    | GN-4100BT    |
|----------------------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 1360*700*850 | 1360*700*850 | 1795*700*850 | 1795*700*850 | 2230*700*850 | 2230*700*850 |
| Net capacity (L)           | 282          | 282          | 417          | 417          | 553          | 553          |
| Cooling system             | Ventilated   | Ventilated   | Ventilated   | Ventilated   | Ventilated   | Ventilated   |
| Temperature (°C)           | -2~+10       | -18~-22      | -2~+10       | -18~-22      | -2~+10       | -18~-22      |
| Shelves No.                | 2            | 2            | 3            | 3            | 4            | 4            |
| Interior light             | Option       | Option       | Option       | Option       | Option       | Option       |
| Compressor                 | ZEL/ZEL      | Secop/Secop  | ZEL/ZEL      | Secop/Secop  | Secop/Secop  | Secop/Secop  |
| Digital thermostat         | Dixell       | Dixell       | Dixell       | Dixell       | Dixell       | Dixell       |
| Kind of coolant            | R134a/R600a  | R404a/R290   | R134a/R600a  | R404a/R290   | R134a/R290   | R404a/R290   |
| 40' Container loading      | 48           | 48           | 38           | 38           | 32           | 32           |



## COUNTER VENTILATED GN SERIES



GN-4200BT



GN-2200TN

### Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat •
- Ventilated cooling •
- Automatic defrost

### Options

- Adjustable feet or Caster wheels
- with GN1/3, GN2/3, GN1/2 Drawers
- Internal LED light

| Product Model              | GN-2200TN    | GN-2200BT    | GN-3200TN    | GN-3200BT    | GN-4200TN    | GN-4200BT    |
|----------------------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 1360*700*950 | 1360*700*950 | 1795*700*950 | 1795*700*950 | 2230*700*950 | 2230*700*950 |
| Net capacity (L)           | 282          | 282          | 417          | 417          | 553          | 553          |
| Cooling system             | Ventilated   | Ventilated   | Ventilated   | Ventilated   | Ventilated   | Ventilated   |
| Temperature (°C)           | -2~+10       | -18~-22      | -2~+10       | -18~-22      | -2~+10       | -18~-22      |
| Shelves No.                | 2            | 2            | 3            | 3            | 4            | 4            |
| Interior light             | Option       | Option       | Option       | Option       | Option       | Option       |
| Compressor                 | ZEL/ZEL      | Secop/Secop  | ZEL/ZEL      | Secop/Secop  | Secop/Secop  | Secop/Secop  |
| Digital thermostat         | Dixell       | Dixell       | Dixell       | Dixell       | Dixell       | Dixell       |
| Kind of coolant            | R134a/R600a  | R404A/R290   | R134a/R600a  | R404A/R290   | R134a/R290   | R404A/R290   |
| 40' Container loading      | 48           | 48           | 38           | 38           | 32           | 32           |

## COUNTER VENTILATED GN SERIES



GN-2100TNG



GN-3100TNG



GN-4200BTG

### Features

- Int&Ext material stainless steel
- Revisable self-closing door • Full length stainless steel handle •
- Digital thermostat • Interior light •
- Ventilated cooling • Automatic defrost

### Options

- Adjustable feet or Caster wheels
- with GN1/3, GN2/3, GN1/2 Drawers
- Internal LED light

| Product Model              | GN-2100TNG   | GN-2100BTG   | GN-3100TNG   | GN-3100BTG   | GN-4100TNG   | GN-4100BTG   |
|----------------------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 1360*700*850 | 1360*700*850 | 1795*700*850 | 1795*700*850 | 2230*700*850 | 2230*700*850 |
| Net capacity (L)           | 282          | 282          | 417          | 417          | 553          | 553          |
| Cooling system             | Ventilated   | Ventilated   | Ventilated   | Ventilated   | Ventilated   | Ventilated   |
| Temperature (°C)           | -2~+10       | -18~-22      | -2~+10       | -18~-22      | -2~+10       | -18~-22      |
| Shelves No.                | 2            | 2            | 3            | 3            | 4            | 4            |
| Interior light             | Yes          | Yes          | Yes          | Yes          | Yes          | Yes          |
| Compressor                 | ZEL/ZEL      | Secop/Secop  | ZEL/ZEL      | Secop/Secop  | Secop/Secop  | Secop/Secop  |
| Digital thermostat         | Dixell       | Dixell       | Dixell       | Dixell       | Dixell       | Dixell       |
| Kind of coolant            | Dixell       | Dixell       | Dixell       | R404A/R290   | Dixell       | R404A/R290   |
| 40' Container loading      | R134a/R600a  | R404A/R290   | R134a/R600a  | 38           | R134a/R290   | 32           |
|                            | 48           | 48           | 38           |              | 32           |              |

## COUNTER VENTILATED SNACK SERIES

COTTURA  
• FRÍGIDO •



SNACK-2100TN



SNACK-3100TN



SNACK-4100BT

### Features

- Snackcounter with 600mm depth •
- Int&Ext material stainless steel •
- Revisable self-closing door • Full length stainless steel handle •
- Digital thermostat • Ventilated cooling • Automatic defrost

### Options

- Adjustable feet or Caster wheels
- with GN1/3, GN2/3, GN1/2 Drawers
- Internal LED light

| Product Model              | SNACK-2100TN | SNACK-2100BT | SNACK-3100TN | SNACK-3100BT | SNACK-4100TN | SNACK-4100BT |
|----------------------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 1360*600*850 | 1360*600*850 | 1795*600*850 | 1795*600*850 | 2230*600*850 | 2230*600*850 |
| Net capacity (L)           | 228          | 228          | 339          | 339          | 449          | 449          |
| Cooling system             | Ventilated   | Ventilated   | Ventilated   | Ventilated   | Ventilated   | Ventilated   |
| Temperature (°C)           | -2~+10       | -18~-22      | -2~+10       | -18~-22      | -2~+10       | -18~-22      |
| Shelves No.                | 2            | 2            | 3            | 3            | 4            | 4            |
| Interior light             | Option       | Option       | Option       | Option       | Option       | Option       |
| Compressor                 | ZEL/ZEL      | Secop/Secop  | ZEL/ZEL      | Secop/Secop  | Secop/Secop  | Secop/Secop  |
| Digital thermostat         | Dixell       | Dixell       | Dixell       | Dixell       | Dixell       | Dixell       |
| Kind of coolant            | R134a/R600a  | R404a/R290   | R134a/R600a  | R404a/R290   | R134a/R290   | R404a/R290   |
| 40 ' Container loading     | 48           | 48           | 38           | 38           | 32           | 32           |

## COUNTER VENTILATED SNACK SERIES



SNACK-2100TNG



SNACK-3100TNG



SNACK-4100TNG

### Features

- Snackcounter with 600mm depth •
- Int&Ext material stainless steel •
- Revisable self-closing door • Full length stainless steel handle •
- Digital thermostat • Interior light •
- Ventilated cooling • Automatic defrost

### Options

- Adjustable feet or Caster wheels
- with GN1/3, GN2/3, GN1/2 Drawers
- Internal LED light
- Lock and key
- With Splashback

| Product Model              | SNACK-2100TNG | SNACK-3100TNG | SNACK-4100TNG |
|----------------------------|---------------|---------------|---------------|
| Unit dimensions (W/D/H mm) | 1360*600*850  | 1795*600*850  | 2230*600*850  |
| Net capacity (L)           | 228           | 339           | 449           |
| Cooling system             | Ventilated    | Ventilated    | Ventilated    |
| Temperature (°C)           | -2~+10        | -2~+10        | -2~+10        |
| Shelves No.                | 2             | 3             | 4             |
| Interior light             | Yes           | Yes           | Yes           |
| Compressor                 | ZEL/ZEL       | ZEL/ZEL       | Secop/Secop   |
| Digital thermostat         | Dixell        | Dixell        | Dixell        |
| Kind of coolant            | R134a/R600a   | R134a/R600a   | R404a/R290    |
| 40 ' Container loading     | 48            | 38            | 32            |

## UNDERCOUNTER VENTILATED UNDER COUNTER



U-GN4100TN



U-GN3160TN

### Features

- Undercounter with 650mm height
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

### Options

- Adjustable feet or Caster wheels

| Product Model              | U-GN2100TN   | U-GN3100TN   | U-GN4100TN   |
|----------------------------|--------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 1360*700*650 | 1795*700*650 | 2230*700*650 |
| Net capacity (L)           | 214          | 317          | 420          |
| Cooling system             | Ventilated   | Ventilated   | Ventilated   |
| Temperature (°C)           | -2~+10       | -2~+10       | -2~+10       |
| Shelves No.                | 2            | 3            | 4            |
| Interior light             | Option       | Option       | Option       |
| Compressor                 | ZEL/ZEL      | ZEL/ZEL      | Secop/Secop  |
| Digital thermostat         | Dixell       | Dixell       | Dixell       |
| Kind of coolant            | R134a/R600a  | R134a/R600a  | R404A/R290   |
| 40 ' Container loading     | 72           | 54           | 48           |

## UNDERCOUNTER VENTILATED UNDER COUNTER



U-GN4100BT



U-GN3160BT

### Features

- Undercounter with 650mm height
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

### Options

- Adjustable feet or Caster wheels

| Product Model              | U-GN2100BT   | U-GN3100BT   | U-GN4100BT   |
|----------------------------|--------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 1360*700*650 | 1795*700*650 | 2230*700*650 |
| Net capacity (L)           | 214          | 317          | 420          |
| Cooling system             | Ventilated   | Ventilated   | Ventilated   |
| Temperature (°C)           | -18~-22      | -18~-22      | -18~-22      |
| Shelves No.                | 2            | 3            | 4            |
| Interior light             | Option       | Option       | Option       |
| Compressor                 | ZEL/ZEL      | ZEL/ZEL      | Secop/Secop  |
| Digital thermostat         | Dixell       | Dixell       | Dixell       |
| Kind of coolant            | R134a/R600a  | R134a/R600a  | R404A/R290   |
| 40 ' Container loading     | 72           | 54           | 48           |

## COUNTER VENTILATED TOP GLASS SERIES



GN-3100SALGC

### Features

- Three S/S solid door counter chiller
- Open top with curved glass door cover
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost
- 3 adjustable GN1/1 Shelves
- CFC free foaming
- R134a refrigerant
- 230V 50HZ

### Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key



| Product Model              | GN-2100SALGC  | GN-3100SALGC  | GN-4100SALGC  |
|----------------------------|---------------|---------------|---------------|
| Unit dimensions (W/D/H mm) | 1360*740*1365 | 1795*740*1365 | 2230*740*1365 |
| Net capacity (L)           | 314           | 465           | 616           |
| Cooling system             | Ventilated    | Ventilated    | Ventilated    |
| Temperature (°C)           | +4~+10        | +4~+10        | +4~+10        |
| Shelves No.                | 2             | 3             | 4             |
| Interior light             | Option        | Option        | Option        |
| Compressor                 | ZEL/ZEL       | ZEL/ZEL       | Secop/Secop   |
| Digital thermostat         | Dixell        | Dixell        | Dixell        |
| Kind of coolant            | R134a/R600a   | R134a/R600a   | R404A/R290    |
| 40 ' Container loading     | 48            | 38            | 32            |

## COUNTER VENTILATED TOP GLASS SERIES



GN-3100SALSQ

### Features

- Three S/S solid door counter chiller
- Open top with flat glass door cover
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost
- 3 adjustable GN1/1 Shelves
- CFC free foaming
- R134a refrigerant
- 230V 50HZ

### Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key



| Product Model              | GN-2100SALSQ  | GN-3100SALSQ  | GN-4100SALSQ  |
|----------------------------|---------------|---------------|---------------|
| Unit dimensions (W/D/H mm) | 1360*740*1365 | 1795*740*1365 | 2230*740*1365 |
| Net capacity (L)           | 314           | 465           | 616           |
| Cooling system             | Ventilated    | Ventilated    | Ventilated    |
| Temperature (°C)           | +4~+10        | +4~+10        | +4~+10        |
| Shelves No.                | 2             | 3             | 4             |
| Interior light             | Option        | Option        | Option        |
| Compressor                 | ZEL/ZEL       | ZEL/ZEL       | Secop/Secop   |
| Digital thermostat         | Dixell        | Dixell        | Dixell        |
| Kind of coolant            | R134a/R600a   | R134a/R600a   | R404A/R290    |
| 40 ' Container loading     | 48            | 38            | 32            |



## COUNTER VENTILATED BAKERY COUNTER



PA-2100TN

### Features

- Two S/S solid door PA counter chiller
- PA BakeryCounter with 800mm depth
- Int&Ext material stainless steel • Revisable self-closing door • Full length stainless steel handle • Digital thermostat • Ventilated cooling • Automatic defrost • 2 adjustable Shelves

### Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key



PA-3100TN

| Product Model              | PA-2100TN    | PA-3100TN    |
|----------------------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 1510*800*850 | 2020*800*850 |
| Net capacity (L)           | 390          | 580          |
| Cooling system             | Ventilated   | Ventilated   |
| Temperature (°C)           | -2~+10       | -2~+10       |
| Shelves No.                | 2            | 3            |
| Interior light             | Option       | Option       |
| Compressor                 | ZEL/ZEL      | Secop/Secop  |
| Digital thermostat         | Dixell       | Dixell       |
| Kind of coolant            | R134a/R600a  | R134a/R290   |
| 40 ' Container loading     | 30           | 28           |

## COUNTER VENTILATED BAKERY COUNTER



SH-2000/700

### Features

- Counter chiller with 700mm depth
- Compatible 7\*GN1/3 pans on Prep-top
- Int&Ext material stainless steel
- Revisable self-closing door • Full length stainless steel handle • Digital thermostat
- Ventilated cooling • Automatic defrost

### Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key
- GN1/4, GN1/6 Top



SH-3000/800



| Product Model              | SH-2000/700   | SH-2000/800   | SH-3000/700   | SH-3000/800   |
|----------------------------|---------------|---------------|---------------|---------------|
| Unit dimensions (W/D/H mm) | 1360*700*1085 | 1510*800*1085 | 1795*700*1085 | 2020*800*1085 |
| Net capacity (L)           | 282           | 390           | 417           | 580           |
| Cooling system             | Ventilated    | Ventilated    | Ventilated    | Ventilated    |
| Temperature (°C)           | -2~+10        | -2~+10        | -2~+10        | -2~+10        |
| Shelves No.                | 2             | 2             | 3             | 3             |
| Interior light             | Option        | Option        | Option        | Option        |
| Compressor                 | ZEL/ZEL       | ZEL/ZEL       | Secop/Secop   | Secop/Secop   |
| Digital thermostat         | Dixell        | Dixell        | Dixell        | Dixell        |
| Kind of coolant            | R134a/R600a   | R134a/R600a   | R134a/R290    | R134a/R290    |
| 40 ' Container loading     | 48(HQ)        | 30(HQ)        | 38(HQ)        | 28(HQ)        |



## COUNTER VENTILATED PIZZA COUNTER



PZ-2600TN+VRX1500/380



PZ-1610TN+VRX1500/380

### Features

- Pizza counter with VRX on the top
- Granite table top
- With 7 multi functional set of guides
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

### Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key

| Product Model                  | PZ-2600TN     | VRX-1500/380    | PZ-1610TN     | VRX-1500/380    |
|--------------------------------|---------------|-----------------|---------------|-----------------|
| Unit dimensions (W / D / H mm) | 1510*800*1000 | 1500*395*435    | 1510*800*1000 | 1500*395*435    |
| Net capacity (L)               | 390           | GN1/3*5+GN1/2*1 | 390           | GN1/3*5+GN1/2*1 |
| Cooling system                 | Ventilated    | Static          | Ventilated    | Static          |
| Temperature (°C)               | -2~+10        | 0~+10           | -2~+10        | 0~+10           |
| Shelves No.                    | 2             | /               | 2             | /               |
| Interior light                 | Option        | /               | Option        | /               |
| Compressor                     | ZEL/ZEL       | ZEL/ZEL         | ZEL/ZEL       | ZEL/ZEL         |
| Digital thermostat             | Dixell        | Dixell          | Dixell        | Dixell          |
| Kind of coolant                | R134a/R600a   | R134a/R600a     | R134a/R600a   | R134a/R600a     |
| 40' Container loading          | 30            | 261             | 30            | 261             |

## COUNTER VENTILATED PIZZA COUNTER



PZ-2610TN+VRX2000/380



PZ-3600TN+VRX2000/380

### Features

- Pizza counter with VRX on the top
- Granite table top
- With 7 drawers for storage
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

### Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key

| Product Model                  | PZ-3600TN     | VRX-2000/380 | PZ-2610TN     | VRX-2000/380 |
|--------------------------------|---------------|--------------|---------------|--------------|
| Unit dimensions (W / D / H mm) | 2020*800*1000 | 2000*395*435 | 2025*800*1000 | 2000*395*435 |
| Net capacity (L)               | 580           | GN1/3*9      | 580           | GN1/3*9      |
| Cooling system                 | Ventilated    | Static       | Ventilated    | Static       |
| Temperature (°C)               | -2~+10        | 0~+10        | -2~+10        | 0~+10        |
| Shelves No.                    | 3             | /            | 2             | /            |
| Interior light                 | Option        | /            | Option        | /            |
| Compressor                     | Secop/Secop   | ZEL/ZEL      | Secop/Secop   | ZEL/ZEL      |
| Digital thermostat             | Dixell        | Dixell       | Dixell        | Dixell       |
| Kind of coolant                | R134a/R290    | R134a/R600a  | R134a/R290    | R134a/R600a  |
| 40' Container loading          | 28            | 196          | 28            | 196          |

## SALADETTE



S-900SQ

### Features

- European standard two door saladette
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove
- Without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- Compatible for 2\*GN1/1 pans and 3\*gn1/6 pans
- 2\*GN1/1 shelves
- Fan cooling system
- Ventilated cooling
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels



S-900

### Options

- Ventilated cooling system/ glass doors/ SS 201 material



S-903 6D

## SALADETTE VENTILATED COOLING



SF-900



SF-903

### Features

- New Ventilated cooling Saladette
- Finned Evaporator with assisted fan inside the inner box
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- GN1/1 shelves
- Fan assisted cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels

### Options

- Ventilated cooling system/ glass doors/ SS 201 material

| Product Model                  | SF-900      | SF-903       |
|--------------------------------|-------------|--------------|
| Unit dimensions (W / D / H mm) | 900*740*850 | 1365*740*850 |
| Net capacity (L)               | 240         | 368          |
| Cooling system                 | Ventilated  | Ventilated   |
| Temperature (°C)               | +4~+10      | +4~+10       |
| Shelves No.                    | 2           | 3            |
| Compressor                     | ZEL/ZEL     | Secop/Secop  |
| Digital thermostat             | Dixell      | Dixell       |
| Kind of coolant                | R134a/R600a | R134a/R290   |
| 40 ' Container loading         | 72          | 48           |

## SALADETTE



S-450



S-900



S-903

### Features

- European standard saladette
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- Compatible for GN1/1 pans and GN1/6 pans
- GN1/1 shelves
- Fan cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels

### Options

- Ventilated cooling system/glass doors/ SS 201 material

| Product Model                 | S-450                   | S-900                   | S-903                   |
|-------------------------------|-------------------------|-------------------------|-------------------------|
| Unit dimensions (W / D/ H mm) | 450*700*850             | 900*700*850             | 1365*700*850            |
| Net capacity (L)              | 108                     | 240                     | 368                     |
| Cooling system                | Static with fan cooling | Static with fan cooling | Static with fan cooling |
| Temperature (°C)              | 0~+10                   | 0~+10                   | 0~+10                   |
| Shelves No.                   | 1                       | 2                       | 3                       |
| Compressor                    | ZEL                     | ZEL/ZEL                 | Secop/Secop             |
| Digital thermostat            | Dixell                  | Dixell                  | Dixell                  |
| Kind of coolant               | R600a                   | R134a/R600a             | R134a/R290              |
| 40 ' Container loading        | 150                     | 72                      | 48                      |

## SALADETTE



S-901



S-901 2D



S-901 4D

### Features

- Saladette with stainless steel table top with GN1/2 Drawer
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- GN1/1 Shelves+ GN1/2 Drawer
- Fan assisted cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels

### Options

- Ventilated cooling system/glass doors/ SS 201 material

| Product Model                 | S-901                   | S-901-2D                | S-901-4D                |
|-------------------------------|-------------------------|-------------------------|-------------------------|
| Unit dimensions (W / D/ H mm) | 900*700*850             | 900*700*850             | 900*700*850             |
| Net capacity (L)              | 240                     | 230                     | 220                     |
| Cooling system                | Static with fan cooling | Static with fan cooling | Static with fan cooling |
| Temperature (°C)              | 0~+10                   | 0~+10                   | 0~+10                   |
| Shelves No.                   | 2                       | 1 plus 2 Drawers GN1/2  | 4 Drawers GN1/2         |
| Compressor                    | ZEL/ZEL                 | ZEL/ZEL                 | ZEL/ZEL                 |
| Digital thermostat            | Dixell                  | Dixell                  | Dixell                  |
| Kind of coolant               | R134a/R600a             | R134a/R600a             | R134a/R600a             |
| 40 ' Container loading        | 72                      | 72                      | 72                      |



## SALADETTE



S-903S/S TOP

### Features

- Three s/s solid door Saladette with stainless steel table top
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3\*GN1/1 shelves
- Fan assisted cooling system

### Options

- Ventilated cooling system/glass doors/ SS 201 material/R290 New Refrigerant



S-903 6D

### Features

- Saladette with stainless steel table top with 6\*GN1/2 Drawer
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 6\*GN1/2 Drawer
- Fan assisted cooling system

### Options

- Ventilated cooling system/glass doors/ SS 201 material

| Product Model                  | S-903 S/S TOP           | S-903-6D                |
|--------------------------------|-------------------------|-------------------------|
| Unit dimensions (W / D / H mm) | 1365*700*850            | 1365*700*850            |
| Net capacity (L)               | 368                     | 368                     |
| Cooling system                 | Static with fan cooling | Static with fan cooling |
| Temperature (°C)               | 0~+10                   | 0~+10                   |
| Shelves No.                    | 3                       | 6 Drawers GN1/2         |
| Compressor                     | Secop/Secop             | Secop/Secop             |
| Digital thermostat             | Dixell                  | Dixell                  |
| Kind of coolant                | R134a/R290              | R134a/R290              |
| 40' Container loading          | 48                      | 48                      |

## SALADETTE



PS-200

### Features

- Two s/s solid door Saladette with Pre- top • Refrigerated topping well for 5\*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 2\*GN1/1 shelves
- Fan assisted cooling system

### Options

- Ventilated cooling system/glass doors/ SS 201 material/R290 New Refrigerant



PS-300

### Features

- Three s/s solid door Saladette with Pre- top
- Refrigerated topping well for 8\*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3\*GN1/1 shelves
- Fan assisted cooling system

### Options

- Ventilated cooling system/glass doors/ SS 201 material

| Product Model                  | PS-200                  | PS-300                  |
|--------------------------------|-------------------------|-------------------------|
| Unit dimensions (W / D / H mm) | 900*700*970             | 1365*700*970            |
| Net capacity (L)               | 240                     | 392                     |
| Cooling system                 | Static with fan cooling | Static with fan cooling |
| Temperature (°C)               | 0~+10                   | 0~+10                   |
| Shelves No.                    | 2                       | 3                       |
| Compressor                     | ZEL/ZEL                 | Secop/Secop             |
| Digital thermostat             | Dixell                  | Dixell                  |
| Kind of coolant                | R134a/R600a             | R134a/R290              |
| 40' Container loading          | 72                      | 48                      |



## SALADETTE



PS-900

### Features

- Two s/s solid door Saladette with Granite top
- Refrigerated topping well for 5\*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 2\*GN1/1 shelves
- Fan assisted cooling system

### Options

- Ventilated cooling system/ glass doors/ SS 201 material/ R290 New Refrigerant



PS-903

### Features

- Three s/s solid door Saladette with Granite top
- Refrigerated topping well for 8\*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3\*GN1/1 shelves
- Fan assisted cooling system

### Options

- Ventilated cooling system/ glass doors/ SS 201 material

| Product Model              | PS-900                  | PS-903                  |
|----------------------------|-------------------------|-------------------------|
| Unit dimensions (W/D/H mm) | 900*700*1075            | 1365*700*1075           |
| Net capacity (L)           | 240                     | 402                     |
| Cooling system             | Static with fan cooling | Static with fan cooling |
| Temperature (°C)           | 0~+10                   | 0~+10                   |
| Shelves No.                | 2                       | 3                       |
| Compressor                 | ZEL/ZEL                 | Secop/Secop             |
| Digital thermostat         | Dixell                  | Dixell                  |
| Kind of coolant            | R134a/R600a             | R134a/R290              |
| 40' Container loading      | 72                      | 48(HQ)                  |


## SALADETTE



S-903 PZ+VRX1400/330

### Features

- Three s/s solid door Saladette with Granite top
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3\*GN1/1 shelves
- Fan assisted cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels



### Options

- Ventilated cooling system/ glass doors/ SS 201 material

| Product Model              | S-903PZ                 | VRX-1400/330 |
|----------------------------|-------------------------|--------------|
| Unit dimensions (W/D/H mm) | 1400*700*1020           | 1400*335*435 |
| Net capacity (L)           | 368                     | GN1/4*6      |
| Cooling system             | Static with fan cooling | Static       |
| Temperature (°C)           | 0~+10                   | 0~+10        |
| Shelves No.                | 3                       | 2            |
| Compressor                 | Secop/Secop             | ZEL/ZEL      |
| Digital thermostat         | Eliwell/Dixell          | Dixell       |
| Kind of coolant            | R134a/R290              | R134a/R600a  |
| 40' Container loading      | 48(HQ)                  | 343          |

## SALADETTE



S-900CG

### Features

- Two s/s solid door Saladette with curved glass cover
- Open top suitable for 2\*GN1/1 pans and 3\*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 2\*GN1/1 shelves
- Fan assisted cooling system

### Options

- Ventilated cooling system/ glass doors/ SS 201 material/ R290 New Refrigerant



## SALADETTE



S-902

### Features

- Two s/s solid door saladette with top compatible for 3\*GN1/1 Pan
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 2\*GN1/1 Shelves
- Fan assisted cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels

### Options

- Ventilated cooling system/glass doors/ SS 201 material/R290 New Refrigerant



S-903SQ

### Features

- Three s/s solid door saladette with squared glass cover
- Open top suitable for 4\*GN1/1 pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3\*GN1/1 shelves
- Fan assisted cooling system
- CFC free foaming

### Options

- Ventilated cooling system/ glass doors/ SS 201 material/ R290 New Refrigerant



| Product Model              | S-900SQ                 | S-903SQ                 | S-900CG                 | S-903CG                 |
|----------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Unit dimensions (W/D/H mm) | 900*700*850             | 1365*700*850            | 900*700*850             | 1365*700*850            |
| Net capacity (L)           | 240                     | 368                     | 240                     | 368                     |
| Cooling system             | Static with fan cooling | Static with fan cooling | Static with fan cooling | Static with fan cooling |
| Temperature (°C)           | 0~+10                   | 0~+10                   | 0~+10                   | 0~+10                   |
| Shelves No.                | 2                       | 3                       | 2                       | 3                       |
| Compressor                 | ZEL/ZEL                 | Secop/Secop             | ZEL/ZEL                 | Secop/Secop             |
| Digital thermostat         | Dixell                  | Dixell                  | Dixell                  | Dixell                  |
| Kind of coolant            | R134a/R600a             | R134a/R290              | R134a/R600a             | R134a/R290              |
| 40 ' Container loading     | 72                      | 48                      | 72                      | 48                      |

| Product Model              | S-902                   |
|----------------------------|-------------------------|
| Unit dimensions (W/D/H mm) | 1045*700*850            |
| Net capacity (L)           | 302                     |
| Cooling system             | Static with fan cooling |
| Temperature (°C)           | 0~+10                   |
| Shelves No.                | 2                       |
| Compressor                 | ZEL/ZEL                 |
| Digital thermostat         | Dixell                  |
| Kind of coolant            | R134a/R600a             |
| 40 ' Container loading     | 60                      |

## REFRIGERATED TOPPING UNIT



VRX-2000/330



VRX-2000/380S/LID


| Product Model              | VRX-1200/330 | VRX-1400/330 | VRX-1500/330 | VRX-1600/330 | VRX-1800/330 |
|----------------------------|--------------|--------------|--------------|--------------|--------------|
| Unit dimensions (W/D/H mm) | 1200*335*435 | 1400*335*435 | 1500*335*435 | 1600*335*435 | 1800*335*435 |
| Net capacity (L)           | GN1/4*5      | GN1/4*6      | GN1/4*7      | GN1/4*8      | GN1/4*9      |
| Cooling system             | Static       | Static       | Static       | Static       | Static       |
| Temperature (°C)           | 0~+10        | 0~+10        | 0~+10        | 0~+10        | 0~+10        |
| Compressor                 | ZEL/ZEL      | ZEL/ZEL      | ZEL/ZEL      | ZEL/ZEL      | ZEL/ZEL      |
| Digital thermostat         | Dixell       | Dixell       | Dixell       | Dixell       | Dixell       |
| Kind of coolant            | R134a/R600a  | R134a/R600a  | R134a/R600a  | R134a/R600a  | R134a/R600a  |
| 40° Container loading      | 386          | 336          | 310          | 294          | 260          |

## REFRIGERATED TOPPING UNIT

### Features

- European standard refrigerated topping unit
- Interior and exterior stainless steel AISI304 material for high level product
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- Accept GN1/4 pans for 330 range and GN1/3 pans for 380 range
- CFC free foaming
- R134a/R600a
- Adjustable feet
- Optional: top stainless steel cover/ SS 201 material/R290 New Refrigerant

### 330 SERIES



### 380 SERIES





| VRX-2000/330 | VRX-1200/380        | VRX-1400/380        | VRX-1500/380        | VRX-1600/380 | VRX-1800/380 | VRX-2000/380 |
|--------------|---------------------|---------------------|---------------------|--------------|--------------|--------------|
| 2000*335*435 | 1200*395*435        | 1400*395*435        | 1500*395*435        | 1600*395*435 | 1800*395*435 | 2000*395*435 |
| GN1/4*10     | GN1/3*3+<br>GN1/2*1 | GN1/3*4+<br>GN1/2*1 | GN1/3*5+<br>GN1/2*1 | GN1/3*7      | GN1/3*8      | GN1/3*9      |
| Static       | Static              | Static              | Static              | Static       | Static       | Static       |
| 0~+10        | 0~+10               | 0~+10               | 0~+10               | 0~+10        | 0~+10        | 0~+10        |
| ZEL/ZEL      | ZEL/ZEL             | ZEL/ZEL             | ZEL/ZEL             | ZEL/ZEL      | ZEL/ZEL      | ZEL/ZEL      |
| Dixell       | Dixell              | Dixell              | Dixell              | Dixell       | Dixell       | Dixell       |
| R134a/R600a  | R134a/R600a         | R134a/R600a         | R134a/R600a         | R134a/R600a  | R134a/R600a  | R134a/R600a  |
| 242          | 323                 | 280                 | 261                 | 247          | 218          | 196          |

## REFRIGERATED TOPPING UNIT



### Features

- Interior and exterior stainless steel material for high level product
- High quality famous compressor: Zanussi
- Accept GN1/6 pans range
- CFC free foaming
- R134a/R600a
- Adjustable feet
- exclusive sales in the United States and Canada




| Product Model                            | RTR-4                 | RTR-8                 |
|------------------------------------------|-----------------------|-----------------------|
| Internal Dimension(W/D/H mm)             | 300*145*156           | 624*145*156           |
| External Dimension WITH WHEELS(W/D/H mm) | 379*656*236           | 699*656*236           |
| Packing Dimension(W/D/H mm)              | 450*715*380           | 770*715*380           |
| Refrigerant                              | R600a                 | R600a                 |
| Net Volume                               | GN1/6*4               | GN1/6*8               |
| Cooling system                           | static                | static                |
| Temperature Control                      | Mechanical thermostat | Mechanical thermostat |
| Compressor standard                      | ZEL                   | ZEL                   |
| Temperature(°C)                          | 0-10                  | 0-10                  |
| 40 ' Container loading                   | 560                   | 336                   |



## REACH-IN



ST-23BR




ST-23BR&amp;ST23BF

### Features

- American fashionable style upright cabinet chiller/freezer
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco
- Internal LED light




ST-49BR



ST-49BR&amp;ST49BF



ST-72BR




ST-72BR&amp;ST72BF

| Manufacturer Code              | ST-23BR         | ST-23BF         | ST-49BR         | ST-49BF         | ST-72BR           | ST-72BF           |
|--------------------------------|-----------------|-----------------|-----------------|-----------------|-------------------|-------------------|
| Unit dimensions (W/D/H inch)   | 27"×32"×83.5"   | 27"×32"×83.5"   | 54.1"×32"×83.5" | 54.1"×32"×83.5" | 81.2"×32.1"×83.3" | 81.2"×32.2"×83.3" |
| Packing imensions (W/D/H inch) | 28.3"×33"×84.6" | 28.3"×33"×84.6" | 55.7"×33"×84.6" | 55.7"×33"×84.6" | 82.3"×33"×84.6"   | 82.3"×33"×84.6"   |
| Net capacity (CFT)             | 23              | 23              | 49              | 49              | 72                | 72                |
| Cooling system                 | Ventilated      | Ventilated      | Ventilated      | Ventilated      | Ventilated        | Ventilated        |
| Climate class                  | N               | N               | N               | N               | N                 | N                 |
| Kind of coolant                | R134a/R290      | R404A/R290      | R134a/R290      | R404A/R290      | R134a/R290        | R404A/R290        |
| Voltage / frequency (V/Hz)     | 115/60          | 115/60          | 115/60          | 115/60          | 115/60            | 115/60            |
| Compressor                     | Embraco         | Embraco         | Embraco         | Embraco/ Secop  | Embraco/ Secop    | Embraco/ Secop    |
| Temperature (°F)               | +33~+41         | -10~+10         | 33~41           | -10~+10         | 33~41             | -10~+10           |
| Number of shelf                | 3               | 3               | 6               | 6               | 9                 | 9                 |
| Interior light                 | LED             | LED             | LED             | LED             | LED               | LED               |
| Digital thermostat             | Dixell/Eliwell  | Dixell/Eliwell  | Dixell/Eliwell  | Dixell/Eliwell  | Dixell/Eliwell    | Dixell/Eliwell    |
| 40 'HC Container load          | 39              | 39              | 21              | 21              | 13                | 13                |

## REACH-IN



ST-23BRG



ST-23BRG&amp;ST-23BFG




### Features

- American fashionable style upright cabinet chiller/freezer
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco
- Internal LED light




ST-49BRG



ST-49BRG&amp;ST-49BFG



ST-72BRG



ST-72BRG&amp;ST-72BFG

| Manufacturer Code            | ST-23BRG        | ST-23BFG        | ST-49BRG        | ST-49BFG        | ST-72BRG          | ST-72BFG          |
|------------------------------|-----------------|-----------------|-----------------|-----------------|-------------------|-------------------|
| Unit dimensions (W/D/H inch) | 27"*32"*83.5"   | 27"*32"*83.5"   | 54.1"*32"*83.5" | 54.1"*32"*83.5" | 81.2"*32.1"*83.3" | 81.2"*32.1"*83.3" |
| Packing ensions (W/D/H inch) | 28.3"*33"*84.6" | 28.3"*33"*84.6" | 55.7"*33"*84.6" | 55.7"*33"*84.6" | 82.3"*33"*84.6"   | 82.3"*33"*84.6"   |
| Door Type                    | Glass           | Glass           | Glass           | Glass           | Glass             | Glass             |
| Cooling system               | Ventilated      | Ventilated      | Ventilated      | Ventilated      | Ventilated        | Ventilated        |
| Climate class                | N               | N               | N               | N               | N                 | N                 |
| Voltage / frequency (V/Hz)   | 115/60          | 115/60          | 115/60          | 115/60          | 115/60            | 115/60            |
| Compressor                   | Embraco         | Embraco         | Embraco         | Embraco/ Secop  | Embraco/ Secop    | Embraco/ Secop    |
| Temperature (°F)             | 33~41           | -10~+10         | 33~41           | -10~+10         | 33~41             | -10~+10           |
| Interior light               | LED             | LED             | LED             | LED             | LED               | LED               |
| Digital thermostat           | Dixell/Eliwell  | Dixell/Eliwell  | Dixell/Eliwell  | Dixell/Eliwell  | Dixell/Eliwell    | Dixell/Eliwell    |
| Number of shelf              | 3               | 3               | 6               | 6               | 9                 | 9                 |
| Kind of coolant              | R134a/R290      | R404A/R290      | R134a/R290      | R404A/R290      | R134a/R290        | R404A/R290        |
| 40 °HC Container load        | 39              | 39              | 21              | 21              | 13                | 13                |


# UNDER-COUNTER




TUC-29R




TUC-60R




TUC-29R



TUC-48R



TUC-60R



TUC-72R

## Features

- American fashionable style counter
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco
- Internal LED light

## Options

- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors
- Special various front panel design according to customer request



| Product Model                   | TUC-29R         | TUC-48R         | TUC-60R         | TUC-72R         |
|---------------------------------|-----------------|-----------------|-----------------|-----------------|
| Unit dimensions (W/D/H inch)    | 29"×30.3"×38.3" | 48"×30.3"×38.3" | 61"×30.3"×38.3" | 72"×30.3"×38.3" |
| Packing dimensions (W/D/H inch) | 31"×33.9"×40.7" | 50"×33.9"×40.7" | 63"×33.9"×40.7" | 74"×33.9"×40.7" |
| Net volume cu ft                | 6.7ft3          | 11.1ft3         | 14.1ft3         | 16.6ft3         |
| Temperature (F)                 | 33~41           | 33~41           | 33~41           | 33~41           |
| Compressor                      | Secop           | Secop           | Secop           | Secop           |
| Refrigerant                     | R290            | R290            | R290            | R290            |
| Cooling system                  | Ventilated      | Ventilated      | Ventilated      | Ventilated      |
| Interior light                  | LED             | LED             | LED             | LED             |
| Digital thermostat              | Dixell          | Dixell          | Dixell          | Dixell          |
| Doors                           | 1               | 2               | 2               | 3               |
| Voltage/Frequency(V/Hz)         | 115/60          | 115/60          | 115/60          | 115/60          |
| Condenser fan                   | EBM             | EBM             | EBM             | EBM             |
| 40 'HC Container load           | 84              | 46              | 28              | 28              |


# UNDER-COUNTER




TUC-29F




TUC-60F




TUC-48F



TUC-60F



TUC-72F



TUC-29F

## Features

- American fashionable style counter
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco
- Internal LED light

## Options

- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors
- Special various front panel design according to customer request

| Product Model                   | TUC-29F         | TUC-48F         | TUC-60F         | TUC-72F         |
|---------------------------------|-----------------|-----------------|-----------------|-----------------|
| Unit dimensions (W/D/H inch)    | 29"×30.3"×38.3" | 48"×30.3"×38.3" | 61"×30.3"×38.3" | 72"×30.3"×38.3" |
| Packing dimensions (W/D/H inch) | 31"×33.9"×40.7" | 50"×33.9"×40.7" | 63"×33.9"×40.7" | 74"×33.9"×40.7" |
| Net volume cu ft                | 6.7ft3          | 11.1ft3         | 14.1ft3         | 16.6ft3         |
| Temperature (F)                 | -10~10          | -10~10          | -10~10          | -10~10          |
| Compressor                      | Secop           | Secop           | Secop           | Secop           |
| Refrigerant                     | R290            | R290            | R290            | R290            |
| Cooling system                  | Ventilated      | Ventilated      | Ventilated      | Ventilated      |
| Interior light                  | LED             | LED             | LED             | LED             |
| Digital thermostat              | Dixell          | Dixell          | Dixell          | Dixell          |
| Doors                           | 1               | 2               | 2               | 3               |
| Voltage/Frequency(V/Hz)         | 115/60          | 115/60          | 115/60          | 115/60          |
| Condenser fan                   | EBM             | EBM             | EBM             | EBM             |
| 40' HC Container load           | 84              | 46              | 28              | 28              |



## PREP TABLE




TPP-94

### Features


- American fashionable style Saladette
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco
- Internal LED light

### Options


- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors



TPP-47



TPP-67



TPP-94

| Product Model                   | TPP-47          | TPP-67          | TPP-94          |
|---------------------------------|-----------------|-----------------|-----------------|
| Unit Dimensions (W/D/H inch)    | 49"×38.2"×44.4" | 73"×38.2"×44.4" | 96"×38.2"×44.4" |
| Packing Dimensions (W/D/H inch) | 47"×34.6"×42"   | 71"×34.6"×42"   | 94"×34.6"×42"   |
| Net Volume cu ft                | 10.95ft3        | 20.91ft3        | 30.87ft3        |
| Temperature Range (F)           | 33~41           | 33~41           | 33~41           |
| Compressor                      | SECOP           | SECOP           | SECOP           |
| Refrigerant                     | R290            | R290            | R290            |
| Cooling System                  | Ventilated      | Ventilated      | Ventilated      |
| light                           | LED             | LED             | LED             |
| Digital thermostat              | Dixell          | Dixell          | Dixell          |
| Doors                           | 1               | 2               | 3               |
| Voltage/Frequency(V/Hz)         | 115/60          | 115/60          | 115/60          |
| Condenser Fan                   | EBM             | EBM             | EBM             |
| 40 'HC Container load           | 42              | 26              | 16              |


## SANDWICH TABLE



TSSU-72



TSSU-72




TSSU-29

### Features


- American fashionable style Saladette
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco
- Internal LED light

### Options


- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors



TSSU-48



TSSU-60



TSSU-72

| Product Model                   | TSSU-29         | TSSU-48           | TSSU-60           | TSSU-72         |
|---------------------------------|-----------------|-------------------|-------------------|-----------------|
| Unit dimensions (W/D/H inch)    | 29"×30.3"×45.4" | 48.4"×30.3"×45.4" | 61.2"×30.3"×45.4" | 72"×30.3"×45.4" |
| Packing dimensions (W/D/H inch) | 31"×33.9"×47.8" | 50.4"×33.9"×47.8" | 63"×33.9"×47.8"   | 74"×33.9"×47.8" |
| Net volume cu ft                | 7.59ft3         | 13.77ft3          | 17.83ft3          | 21.22ft3        |
| Temperature (F)                 | 33~41           | 33~41             | 33~41             | 33~41           |
| Compressor                      | SECOP           | SECOP             | SECOP             | SECOP           |
| Refrigerant                     | R290            | R290              | R290              | R290            |
| Cooling system                  | Ventilated      | Ventilated        | Ventilated        | Ventilated      |
| Interior light                  | LED             | LED               | LED               | LED             |
| Digital thermostat              | Dixell          | Dixell            | Dixell            | Dixell          |
| Doors                           | 1               | 1                 | 2                 | 3               |
| Voltage/Frequency(V/Hz)         | 115/60          | 115/60            | 115/60            | 115/60          |
| Condenser fan                   | EBM             | EBM               | EBM               | EBM             |
| 40 'HC Container load           | 84              | 46                | 28                | 28              |

## DIRECT BOTTLE COOLER



BC-15

### Features

- Roll-bond evaporator with internal fan
- Compressor cycle defrost
- Digital thermostat
- Suitable for tall bottles as wine or spirits
- Free standing or built-in possibility of use



| Product Model                 | BC-10                     | BC-15                     | BC-20                     |
|-------------------------------|---------------------------|---------------------------|---------------------------|
| Unit dimensions (W/D/H mm)    | 1000*577*850              | 1500*577*850              | 2000*577*850              |
| Packing dimensions (W/D/H mm) | 1040*607*1010             | 1540*607*1010             | 2040*607*1010             |
| Cooling system                | Static                    | Static                    | Static                    |
| Freezer Temperature           | 0~6°C                     | 0~6°C                     | 0~6°C                     |
| Total net capacity            | 248L                      | 410L                      | 560L                      |
| Defrosting                    | Manual                    | Manual                    | Manual                    |
| Kind of coolant               | R600a                     | R600a                     | R600a                     |
| Cooling system                | ZEL                       | ZEL                       | ZEL                       |
| Door (lid) Number             | 1 (fi xed)+<br>2(silding) | 1 (fi xed)+<br>3(silding) | 1 (fi xed)+<br>4(silding) |
| Divider                       | 1/Gray                    | 2Gray                     | 3/Gray                    |
| Defrost drain                 | with                      | with                      | with                      |
| Interior light                | Without                   | Without                   | Without                   |
| Adjustable thermostat         | digital(dixell)           | digital(dixell)           | digital(dixell)           |
| 40 ' Container load(pic)      | 82                        | 52                        | 38                        |

## ECONOMIC DIRECT BOTTLE COOLER



BD-300P

### Features

- Outside PCM, inside white prepainted aluminium sheet
- Super low energy consumption
- 60mm thickness insulation
- Suitable for wide climate, SN/T
- Defrost water drain hole
- Adjustable feet
- Environmentally friendly
- Available in white or silver body color



| Product Model                 | BD-300P                             |
|-------------------------------|-------------------------------------|
| Unit dimensions (W/D/H mm)    | 1035*680*855                        |
| Packing dimensions (W/D/H mm) | 1080*780*890                        |
| Cooling system                | Static                              |
| Climate class                 | N                                   |
| Freezer Temperature           | -5~8°C                              |
| Total net capacity            | 188L                                |
| Defrosting                    | Manual                              |
| Kind of coolant               | R600a                               |
| Compressor                    | LG                                  |
| Door (lid) Number             | 1 (fi xed)+2(silding)               |
| Number of shelves             | NO                                  |
| Adjustable thermostat         | Mechanical with digital thermometer |
| 40 ' HC Container load (pic)  | 96                                  |

## UPRIGHT CHILLER/FREEZER



SR-20S

SR-40

SR-60

### Features

- European standard white prepainted solid door upright chiller/freezer
- Digital Thermostat
- Lock and key
- Fan assisted cooling system
- Reversible self-closing door
- Roll bond plate with fan for chiller
- 7 layer of evaporator as shelves for freezer
- Two front adjustable feet, two rear wheels

### Options

- Outside stainless steel material or glass
- Eliwell / Dixell

| Product Model              | SR-20       | SR-40                   | SR-40V       | SR-60                   | SR-60V       |
|----------------------------|-------------|-------------------------|--------------|-------------------------|--------------|
| Unit dimensions (W/D/H mm) | 595*653*870 | 595*653*1840            | 595*653*1840 | 775*723*1840            | 775*723*1840 |
| Net capacity (L)           | 170         | 380                     | 380          | 590                     | 590          |
| Cooling system             | Static      | Static with fan cooling | Ventilated   | Static with fan cooling | Ventilated   |
| Temperature (°C)           | 0~+8        | 0~+8                    | 0~+8         | 0~+8                    | 0~+8         |
| Shelves No.                | 1+1         | 3+1                     | 3+1          | 3+1                     | 3+1          |
| Interior light             | Yes         | Yes                     | Yes          | Yes                     | Yes          |
| Compressor                 | ZEL/ZEL     | ZEL/ZEL                 | ZEL/ZEL      | ZEL/ZEL                 | ZEL/ZEL      |
| Digital thermostat         | Dixell      | Dixell                  | Dixell       | Dixell                  | Dixell       |
| Kind of coolant            | R134a/R600a | R134a/R600a             | R134a/R600a  | R134a/R600a             | R134a/R600a  |
| 40' Container loading      | 108         | 54                      | 54           | 42                      | 42           |

## UPRIGHT CHILLER/FREEZER



SF-20

SF-40VS

SF-40V

### Features

- European standard white prepainted solid door upright chiller/freezer
- Digital Thermostat
- Lock and key
- Fan assisted cooling system
- Reversible self-closing door
- Roll bond plate with fan for chiller
- 7 layer of evaporator as shelves for freezer
- Two front adjustable feet, two rear wheels

### Options

- Outside stainless steel material Eliwell / Dixell

| Product Model              | SF-20          | SF-40          | SF-40V         | SF-60          | SF-60V         |
|----------------------------|----------------|----------------|----------------|----------------|----------------|
| Unit dimensions (W/D/H mm) | 595*653*870    | 595*653*1840   | 595*653*1840   | 775*723*1840   | 775*723*1840   |
| Net capacity (L)           | 170            | 380            | 380            | 590            | 590            |
| Cooling system             | Static         | Ventilated     | Ventilated     | Ventilated     | Ventilated     |
| Temperature (°C)           | -18~-22        | -18~-22        | -18~-22        | -18~-22        | -18~-22        |
| Shelves No.                | 1+1            | 6+1            | 6+1            | 6+1            | 6+1            |
| Interior light             | Yes            | Yes            | Yes            | Yes            | Yes            |
| Compressor                 | ZEL/ZEL        | Embraco/ZEL    | Embraco/ZEL    | Embraco/ZEL    | Embraco/ZEL    |
| Digital thermostat         | Dixell/Elitech | Dixell/Elitech | Dixell/Elitech | Dixell/Elitech | Dixell/Elitech |
| Kind of coolant            | R134a/R600a    | R404a/R290     | R404a/R290     | R404a/R290     | R404a/R290     |
| 40' Container loading      | 108            | 54             | 54             | 42             | 42             |



## UPRIGHT CHILLER/FREEZER



SR-20G



SR-40G

### Features

- European standard glass door upright chiller
- Digital Thermostat
- Lock and key
- Fan assisted cooling system
- Reversible self-closing door
- Roll bond plate with fan
- Two front adjustable feet, two rear wheels

### Options

- Outside door stainless steel material or white prepainted steel
- Eliwell / Dixell

| Product Model              | SR-20G      | SF-40VG        | SR-40G                  | SR-40VG      |
|----------------------------|-------------|----------------|-------------------------|--------------|
| Unit dimensions (W/D/H mm) | 595*653*870 | 595*653*1840   | 595*653*1840            | 595*653*1840 |
| Net capacity (L)           | 170         | 380            | 380                     | 380          |
| Cooling system             | Static      | Ventilated     | Static with fan cooling | Ventilated   |
| Temperature (°C)           | 0~+8        | -18~-22        | 0~+8                    | 0~+8         |
| Shelves No.                | 1+1         | 6+1            | 3+1                     | 3+1          |
| Interior light             | Yes         | Yes            | Yes                     | Yes          |
| Compressor                 | ZEL/ZEL     | Embraco/ZEL    | ZEL/ZEL                 | ZEL/ZEL      |
| Digital thermostat         | Dixell      | Dixell/Elitech | Dixell                  | Dixell       |
| Kind of coolant            | R134a/R600a | R404a/R290     | R134a/R600a             | R134a/R600a  |
| 40 ' Container loading     | 108         | 54             | 54                      | 54           |

## UPRIGHT CHILLER/FREEZER



SR-60VG




### Features

- European standard glass door upright chiller
- Digital Thermostat
- Lock and key
- Fan assisted cooling system
- Reversible self-closing door
- Roll bond plate with fan
- Two front adjustable feet, two rear wheels

### Options

- Outside door stainless steel material or white prepainted steel
- Eliwell / Dixell

| Product Model              | SF-60VG        | SR-60G                  | SR-60VG      |
|----------------------------|----------------|-------------------------|--------------|
| Unit dimensions (W/D/H mm) | 775*723*1840   | 775*723*1840            | 775*723*1840 |
| Net capacity (L)           | 590            | 590                     | 590          |
| Cooling system             | Ventilated     | Static with fan cooling | Ventilated   |
| Temperature (°C)           | -18~-22        | 0~+8                    | 0~+8         |
| Shelves No.                | 6+1            | 3+1                     | 3+1          |
| Interior light             | Yes            | Yes                     | Yes          |
| Compressor                 | Embraco/ZEL    | ZEL/ZEL                 | ZEL/ZEL      |
| Digital thermostat         | Dixell/Elitech | Dixell                  | Dixell       |
| Kind of coolant            | R404a/R290     | R134a/R600a             | R134a/R600a  |
| 40 ' Container loading     | 42             | 42                      | 42           |



## BACKBAR

### FANCOOLING WITH HINGED DOOR



BBS-130



BBD-230



BBT-350

#### Features

- Automatic self-closing door
- Double layers tempered glass
- Fan assisted cooling
- Removable digital thermostat
- Interior LED light
- 2 adjustable shelves per door
- Exterior material: Black pre-coated steel, Interior material embossed aluminium

#### Options

- Horizontal or vertical handle
- Inner box white pre-painted steel
- Sliding door, for two door and three door model
- Door frame and body Stainless steel material

| Product Model              | BSS-130L                                 | BBD-230L                                 | BBT-350L                                 |
|----------------------------|------------------------------------------|------------------------------------------|------------------------------------------|
| Unit Dimensions (W/D/H mm) | 600*520*900                              | 900*520*900                              | 1350*520*900                             |
| Door Type                  | Hinged                                   | Hinged                                   | Hinged                                   |
| Material                   | Ext. pre-painted steel, Int. embossed AL | Ext. pre-painted steel, Int. embossed AL | Ext. pre-painted steel, Int. embossed AL |
| Net capacity (L)           | 138                                      | 208                                      | 320                                      |
| Cooling system             | Fan cooling                              | Fan cooling                              | Fan cooling                              |
| Temperature (°C)           | 0~+8                                     | 0~+8                                     | 0~+8                                     |
| Shelves No.                | 2                                        | 4                                        | 6                                        |
| Interior light             | LED Light                                | LED Light                                | LED Light                                |
| Compressor                 | Zanussi                                  | Zanussi                                  | Zanussi                                  |
| Digital thermostat         | Dixell                                   | Dixell                                   | Dixell                                   |
| Kind of coolant            | R134a/R600a                              | R134a/R600a                              | R134a/R600a                              |
| 40' Container loading      | 144                                      | 96                                       | 66                                       |

## BACKBAR

### FANCOOLING WITH SLIDING DOOR



BBD-230S



BBT-350S

#### Features

- Automatic self-closing door
- Double layers tempered glass
- Fan assisted cooling
- Removable digital thermostat
- Interior LED light
- 2 adjustable shelves per door
- Exterior material: Black pre-coated steel, Interior material embossed aluminium

#### Options

- Inner box white pre-painted steel



| Product Model              | BBD-230S                                 | BBT-350S                                 |
|----------------------------|------------------------------------------|------------------------------------------|
| Unit Dimensions (W/D/H mm) | 900*520*900                              | 1350*520*900                             |
| Door Type                  | Sliding                                  | Sliding                                  |
| Material                   | Ext. pre-painted steel, Int. embossed AL | Ext. pre-painted steel, Int. embossed AL |
| Net capacity (L)           | 208                                      | 320                                      |
| Cooling system             | Fan cooling                              | Fan cooling                              |
| Temperature (°C)           | 0~+8                                     | 0~+8                                     |
| Shelves No.                | 4                                        | 6                                        |
| Interior light             | LED Light                                | LED Light                                |
| Compressor                 | Zanussi                                  | Zanussi                                  |
| Digital thermostat         | Dixell                                   | Dixell                                   |
| Kind of coolant            | R134a/R600a                              | R134a/R600a                              |
| 40' Container loading      | 96                                       | 66                                       |

## BACKBAR


### FANCOOLINGWITH STAINLESS STEEL BODY




BBS-130LS




BBD-230LS



BBS-130L&amp;BBS-130LS



BBD-230L&amp;BBD-230S&amp;BBD-230LS



BBT-350L&amp;BBT-350S&amp;BBT-350LS

#### Features

- Automatic self-closing door
- Double layers tempered glass
- Fan assisted cooling
- Removable digital thermostat
- Interior LED light
- 2 adjustable shelves per door
- Exterior material : Stainless

steel, Interior material embossed  
aluminium

#### Options

- Horizontal or vertical handle
- Inner box white prepainted steel



| Product Model              | BBS-130LS                | BBD-230LS                | BBT-350LS                |
|----------------------------|--------------------------|--------------------------|--------------------------|
| Unit Dimensions (W/D/H mm) | 600*520*900              | 900*520*900              | 1350*520*900             |
| Door Type                  | Hinged                   | Hinged                   | Hinged                   |
| Material                   | Ext. SS, Int.embossed AL | Ext. SS, Int.embossed AL | Ext. SS, Int.embossed AL |
| Net capacity (L)           | 138                      | 208                      | 320                      |
| Cooling system             | Fan cooling              | Fan cooling              | Fan cooling              |
| Temperature (°C)           | 0~+8                     | 0~+8                     | 0~+8                     |
| Shelves No.                | 2                        | 4                        | 6                        |
| Interior light             | LED Light                | LED Light                | LED Light                |
| Compressor                 | Zanussi                  | Zanussi                  | Zanussi                  |
| Digital thermostat         | Dixell/Elitech           | Dixell/Elitech           | Dixell/Elitech           |
| Kind of coolant            | R134a/R600a              | R134a/R600a              | R134a/R600a              |
| 40' Container loading      | 144                      | 100                      | 66                       |



## BEVERAGE COOLER DIRECT COOLING



SC-110U





SC-60U

### Features

- One glass door upright chiller
- Ext. white prepainted sheet, int.white PS
- Int. roll bond plate for cooling
- Three layers of shelves
- Foaming agent:C-P
- With wheels
- R134a, 230V 50HZ

### Options

- R600a, 115V 60HZ
- Inner box black or white



SC-60&amp;SC-60U



| Product Model                 | SC-60U      | SC-110U      |
|-------------------------------|-------------|--------------|
| Unit Dimension (W/D/H mm)     | 475*517*746 | 475*517*1017 |
| Packing Dimensions (W/D/H mm) | 515*555*790 | 515*555*1060 |
| Net capacity (L)              | 60          | 100          |
| Cooling system                | Static      | Static       |
| Foaming thickness(mm)         | 45          | 45           |
| Climate                       | N/ST        | N/ST         |
| Temperature (°C)              | 0~10        | 0~10         |
| Shelves No.                   | 3           | 3            |
| Kind of coolant               | R134a/R600a | R134a/R600a  |
| 40 'HC Container loading      | 272         | 184          |

## BEVERAGE COOLER DIRECT COOLING



SC-110





SC-60

### Features

- One glass door upright chiller
- Ext. white prepainted sheet, int.white PS
- Int. roll bond plate for cooling
- Three layers of shelves
- Foaming agent:C-P
- With wheels
- R134a, 230V 50HZ

### Options

- R600a, 115V 60HZ



SC-110&amp;SC-110U



| Product Model                 | SC-60       | SC-110       |
|-------------------------------|-------------|--------------|
| Unit Dimension (W/D/H mm)     | 475*517*746 | 475*517*1017 |
| Packing Dimensions (W/D/H mm) | 515*555*790 | 515*555*1060 |
| Net capacity (L)              | 60          | 100          |
| Cooling system                | Static      | Static       |
| Foaming thickness(mm)         | 45          | 45           |
| Climate                       | N/ST        | N/ST         |
| Temperature (°C)              | 0~10        | 0~10         |
| Shelves No.                   | 3           | 3            |
| Kind of coolant               | R134a/R600a | R134a/R600a  |
| 40 'HC Container loading      | 272         | 184          |

## BEVERAGE COOLER DIRECT COOLING

CECB



SD-70 with canopy



SD-120

### Features

- Horizontal LED illumination on top
- Aluminum foot frame
- Adjustable temperature controller
- 3 Layer durable PVC coated shelves
- Triple layer tempered glass door with electrical heating
- Wire and tube condenser with fan assistant
- Self-Closing door
- Adjustable feet

### Options

- Lockable door
- Digital controller
- Sticker on side of cabinet
- With canopy +200mm height




| Product Model                 | SD-70       | SD-120      |
|-------------------------------|-------------|-------------|
| Unit Dimensions (W/D/H mm)    | 595*555*585 | 595*555*785 |
| Packing Dimensions (W/D/H mm) | 620*583*630 | 620*583*850 |
| Net capacity(L)               | 65          | 112         |
| Cooling system                | Static      | Static      |
| Foaming thickness(mm)         | 45          | 45          |
| Climate                       | N/ST        | N/ST        |
| Temperature (°C)              | ≤-18        | ≤-18        |
| Shelf NO.                     | 1           | 2           |
| Kind of coolant               | R134a/R600a | R134a/R600a |
| Led light                     | On the top  | On the top  |
| 40HC' container load          | 304         | 228         |

## BEVERAGE COOLER DIRECTCOOLING

CECB



SC-320



### Features

- One glass door upright slim cooler
- Outside PCM, inside white preprinted aluminium sheet
- Fan assisted cooling
- Interior vertical LED light
- Adjustable shelves
- Aluminium door frame
- Self-closing door
- Double layer glass, outside tempered
- Front two wheels, Rear two feet


| Product Model                 | SC-320            |
|-------------------------------|-------------------|
| Unit Dimensions (W/D/H mm)    | 440*718*1850      |
| Packing Dimensions (W/D/H mm) | 478*775*1990      |
| Climate class                 | 4                 |
| Gross capacity                | 311               |
| Cooling system                | rollbon           |
| Defrost                       | automatic         |
| Compresspr                    | ZEL               |
| Kind of coolant               | R600a             |
| Temperature range             | 2~8°C             |
| Inner light                   | vertical LED lamp |
| Thermostat                    | mechanical        |
| Shelf (wire ,white)           | 5 pcs             |
| 40HC' container load          | 75                |

## BEVERAGE COOLER DIRECT COOLING


# CE CB




SC-278



SC-278



SC-238



SC-350

### Features

- One glass door upright beverage cooler
- Outside White PCM, inside white prepainted aluminium sheet
- Fan assisted cooling
- Interior light
- Adjustable shelves
- White plastic door frame
- Lock and key
- Front two wheels, Rear two feet
- 230V 50HZ

### Options

- Door frame color black or any other color
- Digital thermostat
- Two side painting
- With Canopy




| Product Model                 | SC-238                           | SC-278                           | SC-350                           |
|-------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Unit Dimensions (W/D/H mm)    | 550*575*1780                     | 590*575*1905                     | 590*645*1905                     |
| Packing Dimensions (W/D/H mm) | 640*630*1835                     | 665*630*1970                     | 675*660*1975                     |
| Climate Class                 | ST                               | ST                               | ST                               |
| Net capacity (L)              | 238                              | 278                              | 320                              |
| Cooling system                | Static with fan assisted cooling | Static with fan assisted cooling | Static with fan assisted cooling |
| Interior light                | Top*1                            | Top*1                            | Vertical LED *1                  |
| Canopy                        | Yes                              | Yes                              | Option                           |
| Temperature (°C)              | 0~+10                            | 0~+10                            | 0~+10                            |
| Shelves No.                   | 3                                | 4                                | 4                                |
| Compressor                    | LG                               | LG                               | LG                               |
| Thermostat                    | Mechanical/Digital               | Mechanical/Digital               | Mechanical/Digital               |
| Kind of coolant               | R134a/R600a                      | R134a/R600a                      | R134a/R600a                      |
| Door Type                     | Hinged                           | Hinged                           | Hinged                           |
| 40 ' Container loading        | 54                               | 54                               | 54                               |

# BEVERAGE COOLER DIRECT COOLING


# CE CB




SC-708



SC-708



SC-508



SC-1008

## Features

- Two glass door no frost upright beverage cooler
- Outside White PCM, inside white prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Air blow up from bottom grill
- Interior Vertical light
- Adjustable shelves
- Black plastic door frame
- Double layer glass, outside tempered
- Bottom wire tube and fan assisted condensing
- Lock and key
- Four caster wheels
- 230V 50HZ

## Options

- Any other color door frame
- Digital thermostat
- Two side painting
- With Canopy




| Product Model                 | SC-508                           | SC-708                           | SC-1008                          |
|-------------------------------|----------------------------------|----------------------------------|----------------------------------|
| Unit Dimensions (W/D/H mm)    | 925*570*1945                     | 1295*570*1945                    | 1600*570*1945                    |
| Packing Dimensions (W/D/H mm) | 1010*640*2020                    | 1380*640*2020                    | 1685*640*2020                    |
| Climate Class                 | ST                               | ST                               | ST                               |
| Net capacity (L)              | 508                              | 708                              | 900                              |
| Cooling system                | Static with fan assisted cooling | Static with fan assisted cooling | Static with fan assisted cooling |
| Interior light                | Vertical LED *2                  | Vertical LED *2                  | Vertical LED *2                  |
| Canopy                        | Yes                              | Yes                              | Yes                              |
| Temperature (°C)              | 0~+10                            | 0~+10                            | 0~+10                            |
| Shelves No.                   | 8                                | 8                                | 12                               |
| Compressor                    | LG                               | LG                               | LG                               |
| Thermostat                    | Mechanical/Digital               | Mechanical/Digital               | Mechanical/Digital               |
| Kind of coolant               | R134a/R600a                      | R134a/R600a                      | R134a/R290                       |
| Door Type                     | Hinged                           | Hinged                           | Hinged                           |
| 40' Container loading         | 36                               | 26                               | 21                               |



## BEVERAGE COOLER VENTITALED COOLING



SC-278F



SC-238

SC-278

### Features

- One glass door upright beverage cooler
- Outside White PCM, inside white prepainted aluminium sheet
- Fan assisted cooling
- Interior light
- Adjustable shelves
- White plastic door frame
- With Canopy
- Lock and key
- Front two wheels, Rear two feet
- 230V 50HZ

### Options

- Door frame color black or any other color
- Digital thermostat • Two side painting



| Product Model                 | SC-238F            | SC-278F            |
|-------------------------------|--------------------|--------------------|
| Unit Dimensions (W/D/H mm)    | 550*605*1780       | 592*605*1900       |
| Packing Dimensions (W/D/H mm) | 645*630*1835       | 675*630*1970       |
| Climate Class                 | ST                 | ST                 |
| Net capacity (L)              | 238                | 278                |
| Cooling system                | Ventilated         | Ventilated         |
| Interior light                | Top*1              | Top*1              |
| Canopy                        | Yes                | Yes                |
| Temperature (°C)              | 0~+10              | 0~+10              |
| Shelves No.                   | 4                  | 4                  |
| Compressor                    | ZEL                | ZEL                |
| Thermostat                    | Mechanical/Digital | Mechanical/Digital |
| Kind of coolant               |                    |                    |
| Door Type                     | R134a              | R134a              |
| 40 ' Container loading        | Hinged             | Hinged             |
|                               | 54/73              | 54/72              |


## BEVERAGE COOLER VENTILATED COOLING



SC-350F



SC-350




SC-350

### Features


- One glass door no frost upright beverage cooler
- Outside White PCM, inside white prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Air blow up from bottom grill
- Interior Vertical light
- Adjustable shelves
- Black plastic door frame
- Double layer glass, outside tempered
- Bottom wire tube and fan assisted condensing
- Lock and key
- Front two wheels, Rear two feet
- 230V 50HZ

### Options

- Any other color door frame
- Digital thermostat
- Two side painting
- With Canopy



SC-280



SC-420

| Product Model                 | SC-280F            | SC-350F            | SC-420F            |
|-------------------------------|--------------------|--------------------|--------------------|
| Unit Dimensions (W/D/H mm)    | 590*635*1635       | 590*635*1915       | 660*665*1875       |
| Packing Dimensions (W/D/H mm) | 675*660*1700       | 675*660*1975       | 735*720*1940       |
| Climate Class                 | ST                 | ST                 | ST                 |
| Net capacity (L)              | 260                | 330                | 420                |
| Cooling system                | Ventilated         | No Frost           | No Frost           |
| Interior light                | Vertical LED *1    | Vertical LED *1    | Vertical LED *1    |
| Canopy                        | Option             | Option             | Option             |
| Temperature (°C)              | 0~+10              | 0~+10              | 0~+10              |
| Shelves No.                   | 4                  | 4                  | 4                  |
| Thermostat                    | Mechanical/Digital | Mechanical/Digital | Mechanical/Digital |
| Kind of coolant               | R134a              | R134a              | R134a              |
| Door Type                     | Hinged             | Hinged             | Hinged             |
| 40' Container loading         | 54/73              | 54                 | 48                 |



## BEVERAGE COOLER VENTILATED COOLING


**CE**





SC-630FH



SC-960



SC-630



SC-908

### Features

- Two glass door no frost upright beverage cooler
- With Hinged door
- Outside White PCM, inside white prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Interior two side Vertical light
- Adjustable shelves
- Black plastic door frame
- Double layer glass, outside tempered
- Digital thermostat
- Lock and key
- Four caster wheels
- 230V 50HZ

### Options

- White color or aluminium door frame
- Two side painting
- Sliding door



| Product Model                 | SC-630FH           | SC-630FS           | SC-908F            | SC-908FS           |
|-------------------------------|--------------------|--------------------|--------------------|--------------------|
| Unit Dimensions (W/D/H mm)    | 925*695*1990       | 925*695*1990       | 1295*695*1990      | 1295*695*1990      |
| Packing Dimensions (W/D/H mm) | 1000*760*2070      | 1000*760*2070      | 1370*760*2070      | 1370*760*2070      |
| Climate Class                 | ST/N               | ST/N               | ST/N               | ST/N               |
| Net capacity (L)              | 630                | 630                | 880                | 880                |
| Cooling system                | Ventilated         | Ventilated         | Ventilated         | Ventilated         |
| Interior light                | Vertical LED *2    | Vertical LED *2    | Vertical LED *2    | Vertical LED *2    |
| Canopy                        | Yes                | Yes                | Yes                | Yes                |
| Temperature (°C)              | 0~+10              | 0~+10              | 0~+10              | 0~+10              |
| Shelves No.                   | 8                  | 8                  | 8                  | 8                  |
| Thermostat                    | Mechanical/Digital | Mechanical/Digital | Mechanical/Digital | Mechanical/Digital |
| Kind of coolant               | R134a/R290         | R134a/R290         | R134a/R290         | R134a/R290         |
| Door Type                     | Hinged             | Sliding            | Hinged             | Sliding            |
| 40' Container loading         | 33                 | 33                 | 25                 | 25                 |


## BEVERAGE COOLER VENTILATED COOLING



SC-1030FA



SC-1030FB



SC-1030

### Features

- Double tempered glass door with Low-E film
- With hinged door
- Precoating sheet alumin, white
- Copper-aluminium fin evaporator+Fan
- No frost type
- Automatic defrost system
- Adjustable shelves
- Lock and key
- Interior two side vertical light
- 10 Adjustable shelves



### Options

- Carton box
- Two side painting

| Product Model                 | SC-1030FA       | SC-1030FB       |
|-------------------------------|-----------------|-----------------|
| Unit Dimensions (W/D/H mm)    | 1185*730*2000   | 1185*730*2000   |
| Packing Dimensions (W/D/H mm) | 1250*780*2100   | 1250*780*2100   |
| Cooling system                | No Frost        | No Frost        |
| Type of appliance             | Free standing   | Free standing   |
| Climate Class                 | ST              | ST              |
| Net capacity (L)              | 880             | 880             |
| Kind of coolant               | R134a           | R134a           |
| Interior light                | Vertical LED *2 | Vertical LED *2 |
| Temperature (°C)              | 0~+10           | 0~+10           |
| Digital thermostat            | Dixell          | Dixell          |
| Shelves No.                   | 10              | 10              |
| Compressor                    | Embraco         | Embraco         |
| 40 ' Container loading        | 27              | 27              |



## MERCHANDISER-COOLER




ST-23RGD



ST-72RGD

### Features

- Aluminum door frame
- Three layer glass, outside tempered with electrical heating
- Interior two side vertical light
- Automatic defrost system
- Copper-aluminium fin evaporator+Fan
- Lock and key
- No frost type



| Product Model                 | ST-23RGD        | ST-49RGD        | ST-72RGD        |
|-------------------------------|-----------------|-----------------|-----------------|
| Unit Dimensions (W/D/H mm)    | 686*850*2117    | 1375*850*2117   | 2062*850*2117   |
| Packing Dimensions (W/D/H mm) | 766*900*2160    | 1410*900*2160   | 2117*900*2160   |
| Cooling system                | No Frost        | No Frost        | No Frost        |
| Door Type                     | Hinged          | Hinged          | Hinged          |
| Climate Class                 | ST              | ST              | ST              |
| Net capacity (L)              | 650             | 1280            | 1945            |
| Kind of coolant               | R404a           | R404a           | R404a           |
| Interior light                | Vertical LED *1 | Vertical LED *2 | Vertical LED *1 |
| Temperature (°C)              | 0~7             | 0~7             | 0~7             |
| Digital thermostat            | Dixell          | Dixell          | Dixell          |
| Shelves No.                   | 3               | 6               | 9               |
| Compressor                    | Embraco         | Embraco         | Embraco         |
| 40' Container loading         | 39              | 21              | 13              |

## MERCHANDISER-FREEZER




ST-23FGD



ST-49FGD

### Features

- Aluminum door frame
- Three layer glass, outside tempered with electrical heating
- Interior two side vertical light
- Automatic defrost system
- Copper-aluminium fin evaporator+Fan
- Lock and key
- No frost type



| Product Model                 | ST-23FGD        | ST-49FGD        | ST-72FGD        |
|-------------------------------|-----------------|-----------------|-----------------|
| Unit Dimensions (W/D/H mm)    | 686*850*2117    | 1375*850*2117   | 2062*850*2117   |
| Packing Dimensions (W/D/H mm) | 766*900*2160    | 1410*900*2160   | 2117*900*2160   |
| Cooling system                | No Frost        | No Frost        | No Frost        |
| Door Type                     | Hinged          | Hinged          | Hinged          |
| Climate Class                 | ST              | ST              | ST              |
| Net capacity (L)              | 650             | 1280            | 1945            |
| Kind of coolant               | R404a           | R404a           | R404a           |
| Interior light                | Vertical LED *1 | Vertical LED *2 | Vertical LED *2 |
| Temperature (°C)              | -18~-22         | -18~-22         | -18~-22         |
| Digital thermostat            | Dixell          | Dixell          | Dixell          |
| Shelves No.                   | 3               | 6               | 9               |
| Compressor                    | Embraco         | Embraco         | Embraco         |
| 40' Container loading         | 39              | 21              | 13              |




## TOP CURVED SLIDING GLASS LID




SD-320Q




SD-620Q




SD-420Q




SD-520Q



SD-620Q



SD-220Q



SD-320Q

### Features

- New style curved sliding glass lid
- Fully Automatic operation
- 70 mm thickness insulation
- Exterior white finish
- Aluminum door frame
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Full basket as standard
- Interior LED light as standard
- Four castor wheels
- Environmentally friendly

### Options

- Digital thermometer



| Product Model                | SD-220Q     | SD-320Q      | SD-420Q      | SD-520Q      | SD-620Q      |
|------------------------------|-------------|--------------|--------------|--------------|--------------|
| Unit Dimensions (W/D/H mm)   | 740*680*850 | 1030*680*850 | 1270*680*850 | 1530*680*850 | 1810*680*850 |
| Packing Dimension (W/D/H mm) | 790*780*890 | 1080*780*890 | 1320*780*890 | 1580*780*890 | 1860*780*890 |
| Net capacity (L)             | 180         | 273          | 355          | 445          | 545          |
| Cooling system               | Static      | Static       | Static       | Static       | Static       |
| Climate                      | N/ST        | N/ST         | N/ST         | N/ST         | N/ST         |
| Temperature (°C)             | ≤-18        | ≤-18         | ≤-18         | ≤-18         | ≤-18         |
| Number of basket             | 2           | 3            | 4            | 5            | 6            |
| Controller                   | Mechanical  | Mechanical   | Mechanical   | Mechanical   | Mechanical   |
| Interior light               | LED         | LED          | LED          | LED          | LED          |
| Castor                       | With        | With         | With         | With         | With         |
| Kind of coolant              | R134a/R290  | R134a/R290   | R134a/R290   | R134a/R290   | R134a/R290   |
| 40'HC Container loading      | 134         | 97           | 79           | 65           | 56           |

## TOP FLAT GLASS LID SERIES



SD-220P


## Features

- New style fl at sliding glass lid
- Fully Automatic operation
- 75 mm thickness insulation
- Exterior white fi nish
- Aluminum door frame
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Full basket as standard
- Interior LED light as standard
- Four caster wheels
- Environmentally friendly




## Options


- Digital thermometer



SD-320P



SD-420P



SD-520P

| Product Model                | SD-320P      | SD-420P      | SD-520P      |
|------------------------------|--------------|--------------|--------------|
| Unit Dimensions (W/D/H mm)   | 1030*680*850 | 1270*680*850 | 1530*680*850 |
| Packing Dimension (W/D/H mm) | 1080*780*890 | 1320*780*890 | 1580*780*890 |
| Net capacity (L)             | 273          | 355          | 445          |
| Cooling system               | Static       | Static       | Static       |
| Climate                      | N/ST         | N/ST         | N/ST         |
| Temperature (°C)             | ≤-18         | ≤-18         | ≤-18         |
| Number of basket             | 3            | 4            | 5            |
| Controller                   | Mechanical   | Mechanical   | Mechanical   |
| Interior light               | LED          | LED          | LED          |
| Castor                       | With         | With         | With         |
| Kind of coolant              | R134a/R290   | R134a/R290   | R134a/R290   |
| 40HC Container loading       | 97           | 79           | 65           |



## TOP CURVED SLIDING GLASS LID


- New style curved sliding glass lid

### Features

- Fully Automatic operation
- 70 mm thickness insulation
- Exterior white finish
- Aluminum door frame
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Full basket as standard
- Interior LED light as standard
- Four caster wheels
- Digital thermometer
- Environmentally friendly



SD-420QIC



SD-420QIC

SD-520QIC

| Product Model               | SD-420QIC    | SD-520QIC    |
|-----------------------------|--------------|--------------|
| Unit Dimensions (W/D/H mm)  | 1270*680*850 | 1530*680*850 |
| Packing Dimension(W/D/H mm) | 1320*780*890 | 1580*780*890 |
| Net capacity (L)            | 355          | 445          |
| Cooling system              | Static       | Static       |
| Climate                     | N/ST         | N/ST         |
| Temperature (°C)            | ≤-18         | ≤-18         |
| Number of basket            | 4            | 5            |
| Controller Mechanical       | Mechanical   | Mechanical   |
| Interior light              | LED          | LED          |
| Castor                      | With         | With         |
| Kind of coolant             | R134a/R290   | R134a/R290   |
| 40'HC Container loading     | 79           | 65           |

## TOP CURVED SLIDING GLASS LID

### Features

- Top curved sliding glass lid
- Blue door frame
- 70mm thickness insulation
- suitable for wide climate, SN/T
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- External handle with lock
- Caster wheels
- Environmentally friendly

### Options


- Outside Condensor/ digital thermometer



SD-338with light box



SD-338 WITH STICKER



| Product Model                | SD-338       |
|------------------------------|--------------|
| Unit Dimensions (W/D/H mm)   | 1305*635*850 |
| Packing Dimension (W/D/H mm) | 1365*745*890 |
| Net capacity (L)             | 338          |
| Cooling system               | Static       |
| Foaming thickness(mm)        | 70           |
| Climate                      | N/ST         |
| Temperature (°C)             | -15~-25      |
| Baskets No.                  | 4            |
| Kind of coolant              | R134a/R290   |
| 40'HC Container loading      | 75           |

## TOP FLAT GLASS LID SERIES



SD-100


SD-200

### Features

- Easily open from Front or back side
- 70 mm thickness insulation
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Sandblasting oxidation surface treatment PVC frame
- Three-dimensional electronic thermostat, accurate temperature control, highlighting the generosity
- Adjustable feet
- Environmentally friendly

### Options

- Wheels/ full baskets/digital thermometer



SD-100

SD-200

| Product Model                | SD-100      | SD-200       |
|------------------------------|-------------|--------------|
| Unit Dimensions (W/D/H mm)   | 585*525*840 | 960*525*840  |
| Packing Dimension (W/D/H mm) | 620*585*880 | 1000*585*880 |
| Net capacity (L)             | 97          | 197          |
| Cooling system               | Static      | Static       |
| Climate                      | ST          | ST           |
| Temperature (°C)             | ≤-18        | ≤-18         |
| Basket No.                   | 1           | 1            |
| Kind of coolant              | R134a       | R134a        |
| 40 °C Container loading      | 223         | 135          |

## DOUBLE LAYER LID SERIES FOAMING DOOR + INSIDE GLASS DOOR



BD-500G

### Features

- Outside white foaming lid, inside sliding glass lid
- 65mm thickness insulation
- Suitable for wide climate, SN/T
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Handle with lock
- Adjustable feet
- Environmentally friendly

### Options

- Interior LED light/wheels/outside condensor/ full baskets/digital thermometer/top SS lid



| Product Model                | BD-300G      | BD-400G      | BD-500G      | BD-600G      |
|------------------------------|--------------|--------------|--------------|--------------|
| Unit Dimensions (W/D/H mm)   | 1052*715*855 | 1322*715*855 | 1612*715*855 | 1851*715*855 |
| Packing Dimension (W/D/H mm) | 1100*760*885 | 1370*760*885 | 1660*760*885 | 1900*760*885 |
| Net capacity (L)             | 282          | 376          | 476          | 540          |
| Cooling system               | Static       | Static       | Static       | Static       |
| Climate                      | ST           | ST           | ST           | ST           |
| Temperature (°C)             | ≤-18         | ≤-18         | ≤-18         | ≤-18         |
| Basket No.                   | 1            | 1            | 2            | 2            |
| Kind of coolant              | R134a/R600a  | R134a/R600a  | R134a/R600a  | R134a/R600a  |
| 40 °C Container loading      | 96           | 75           | 63           | 54           |

## CHEST FREEZER



BD-105


## Features

- European super low energy consumption A+
- 70mm thickness insulation
- Suitable for wide climate, SN/T
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Recess handle on front side
- Adjustable feet
- Environmentally friendly
- Available in white or silver body color




## Options


- Interior LED light/outside Condensor/wheels/ full baskets/digital thermometer/top SS lid




BD-105



BD-155



BD-205



BD-255

| Product Model                | BD-105      | BD-155      | BD-205       | BD-255       |
|------------------------------|-------------|-------------|--------------|--------------|
| Unit Dimension (W/D/H mm)    | 580*560*840 | 771*560*840 | 960*560*840  | 1164*560*840 |
| Packing Dimension (W/D/H mm) | 625*585*880 | 815*585*880 | 1005*585*880 | 1210*585*880 |
| Net capacity (L)             | 97          | 148         | 197          | 247          |
| Cooling system               | Static      | Static      | Static       | Static       |
| Foaming thickness (mm)       | 70          | 70          | 70           | 70           |
| Climate                      | SN/T        | SN/T        | SN/T         | SN/T         |
| Energy class                 | A+          | A+          | A+           | A+           |
| Temperature (°C)             | ≤-18        | ≤-18        | ≤-18         | ≤-18         |
| Basket No.                   | 1           | 1           | 1            | 1            |
| Kind of coolant              | R600a       | R600a       | R600a        | R600a        |
| 40 °HC Container loading     | 223         | 168         | 138          | 109          |

# CHEST FREEZER



BD-550A



BD-550SS




## Features


- European super low energy consumption A+
- 75mm thickness insulation
- Suitable for wide climate, SN/T
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- External handle with lock
- Adjustable feet
- Environmentally friendly
- Available in white or silver body color

## Options


- Interior LED light/outside Condensor/ Caster wheels/ full baskets/digital thermometer/top SS lid




BD-350



BD-450



BD-550



BD-650

| Product Model                | BD-350       | BD-450       | BD-550       | BD-650       |
|------------------------------|--------------|--------------|--------------|--------------|
| Unit Dimension (W/D/H mm)    | 1030*755*840 | 1270*755*840 | 1530*755*840 | 1810*755*840 |
| Packing Dimension (W/D/H mm) | 1080*780*890 | 1320*780*890 | 1580*780*890 | 1860*780*890 |
| Net capacity (L)             | 272          | 358          | 450          | 550          |
| Cooling system               | Static       | Static       | Static       | Static       |
| Foaming thickness (mm)       | 75           | 75           | 75           | 75           |
| Climate                      | SN/T         | SN/T         | SN/T         | SN/T         |
| Energy class                 | A+           | A+           | A+           | A+           |
| Temperature (°C)             | ≤-18         | ≤-18         | ≤-18         | ≤-18         |
| Basket No.                   | 1            | 1            | 2            | 2            |
| Kind of coolant              | R600a        | R600a        | R600a        | R600a        |
| 40 'HC Container loading     | 96           | 79           | 65           | 56           |



## SUPERSIZE SERIES

### Features


- Supersize Chest freezer
- 80 mm thickness insulation
- Two lids as standard
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- External handle with lock
- Two baskets inside
- Adjustable feet
- Environmentally friendly

### Options

- Interior LED light/outside Condensor/ Caster wheels/full baskets/digital thermometer/top SS lid



BD-900D



BD-700D

BD-900D

BD-1000D

| Product Model                | BD-700D      | BD-900D       | BD-1000D      |
|------------------------------|--------------|---------------|---------------|
| Unit dimension (W/D/H mm)    | 2000*740*850 | 1930*895*910  | 2280*895*910  |
| Packing dimension (W/D/H mm) | 2040*770*885 | 1985*960*1020 | 2320*960*1020 |
| Net capacity (L)             | 670          | 850           | 945           |
| Cooling system               | Static       | Static        | Static        |
| Foaming thickness(mm)        | 65           | 80            | 80            |
| Climate                      | ST           | ST            | ST            |
| Temperature (°C)             | -18          | ≤-18          | ≤-18          |
| Basket No.                   | 2            | 2             | 2             |
| Kind of coolant              | R134a/R290   | R134a/R600a   | R134a/R600a   |
| 40'HC Container loading      | 51           | 24            | 24            |

## DUAL TEMPERATURE SERIES



BCD-216

### Features

- Two separate cooling and freezing chambers to keep food fresh
- 70 mm thickness insulation
- Two lids as standard
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- External handle with lock
- Super silent performance
- Adjustable feet
- Environmentally friendly

### Options

- Interior LED light/outside Condensor/ Caster wheels/ full baskets/digital thermometer/top SS lid



| Product Model                | BCD-166                         | BCD-196                         | BCD-216                         | BCD-266                         |
|------------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Unit dimension (W/D/H mm)    | 841*630*815                     | 964*630*815                     | 964*630*865                     | 1184*630*865                    |
| Packing dimension (W/D/H mm) | 885*655*840                     | 1005*655*840                    | 1005*655*890                    | 1225*655*890                    |
| Net capacity (L)             | 96/57                           | 118/62                          | 129/71                          | 160/90                          |
| Cooling system               | Static                          | Static                          | Static                          | Static                          |
| Climate                      | ST                              | ST                              | ST                              | ST                              |
| Temperature (°C)             | Freezer: -15~-25;<br>Ref: -2~10 | Freezer: -15~-25;<br>Ref: -2~10 | Freezer: -15~-25;<br>Ref: -2~10 | Freezer: -15~-25;<br>Ref: -2~10 |
| Kind of coolant              | R134a/R600a                     | R134a/R600a                     | R134a/R600a                     | R134a/R600a                     |
| 40'HC Container loading      | 132                             | 123                             | 123                             | 84                              |

## THREE TEMPERATURE ZONE



BCD-218

### Features

- Three independent room
- Combined chiller&freezer, middle room soft freezing
- 65mm thickness insulation
- suitable for wide climate, SN/T
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- External handle with lock
- Adjustable feet
- Environmentally friendly



### Options

- Outside Condensor/ Caster wheels/ full baskets/digital thermometer/top SS lid

| Product Model                | BCD-218                      | BCD-248                      |
|------------------------------|------------------------------|------------------------------|
| Unit dimension (W/D/H mm)    | 1184*620*825                 | 1184*620*885                 |
| Packing dimension (W/D/H mm) | 1240*650*870                 | 1240*650*930                 |
| Net capacity (L)             | 218                          | 248                          |
| Cooling system               | Static                       | Static                       |
| Foaming thickness (mm)       | 65                           | 65                           |
| Climate                      | N/ST                         | N/ST                         |
| Temperature (°C)             | Cooler: 0~10, Freezer: ≤ -18 | Cooler: 0~10, Freezer: ≤ -18 |
| Baskets No.                  | 1                            | 1                            |
| Kind of coolant              | R134a/R600a                  | R134a/R600a                  |
| 40'HC Container loading      | 84                           | 77                           |

## BUTTERFLY LID FLAT BOTTOM



BD/BC-200

### Features

- Switchable temperature for freezing and cooling
- Top butterfly lids
- 75 mm thickness insulation
- Super silent performance based on the advanced noise decreasing technology
- Special structure design make super big inner volume
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Adjustable feet
- Environmentally friendly

### Options

- Interior LED light/outside Condensor/ Caster wheels/ full baskets/digital thermometer



| Product Model                | BD/BC-160                  | BD/BC-190                  | BD/BC-220                  | BD/BC-240                  |
|------------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| Unit dimension (W/D/H mm)    | 935*560*825                | 935*560*890                | 1075*560*890               | 1172*560*890               |
| Packing dimension (W/D/H mm) | 985*655*885                | 985*655*955                | 1125*655*955               | 1225*655*955               |
| Net capacity (L)             | 150                        | 172                        | 200                        | 220                        |
| Cooling system               | Static                     | Static                     | Static                     | Static                     |
| Climate                      | ST                         | ST                         | ST                         | ST                         |
| Temperature (°C)             | BC : -2~5/<br>BD : -12~-25 | BC : -2~5/<br>BD : -12~-25 | BC : -2~5/<br>BD : -12~-25 | BC : -2~5/<br>BD : -12~-25 |
| Inner glass door             | 2                          | 2                          | 2                          | 2                          |
| Kind of coolant              | R134a/R600a                | R134a/R600a                | R134a/R600a                | R134a/R600a                |
| 40'HC Container loading      | 126                        | 108                        | 100                        | 77                         |

## LOW TEMPERATURE FREEZER



BD-470L

### Features

- Korea temperature freezer •
- 70mm thickness insulation •
- Suitable for wide climate, SN/T •
- Adjustable thermostat •
- Main power indicator •
- Defrost water drain hole •
- External handle with lock •
- Environmentally friendly •
- Available in silver body color



### Options

- outside Condensor/wheels/full baskets/digital thermometer/-35°C temperature

| Product Model                | BD-470L      | BD-570L      | BD-670L      |
|------------------------------|--------------|--------------|--------------|
| Unit Dimension (W/D/H mm)    | 1130×755×840 | 1470×755×840 | 1810×755×840 |
| Packing Dimension (W/D/H mm) | 1190×770×890 | 1530×770×860 | 1870×770×860 |
| Net capacity (L)             | 360L         | 460L         | 570L         |
| Cooling system               | Static       | Static       | Static       |
| Foaming thickness (mm)       | 70           | 70           | 70           |
| Climate                      | SN/T         | SN/T         | SN/T         |
| Energy class                 | A+           | A+           | A+           |
| Temperature (°C)             | ≤-20         | ≤-20         | ≤-20         |
| Basket No.                   | 1            | 1            | 1            |
| Kind of coolant              | R134a        | R134a        | R134a        |
| 40 'HC Container loading     | 90           | 66           | 56           |

## LOW TEMPERATURE FREEZER



BD-690L

### Features

- Korea temperature freezer •
- 90mm thickness insulation •
- Suitable for wide climate, SN/T •
- Adjustable thermostat •
- Main power indicator •
- Defrost water drain hole •
- External handle with lock •
- Environmentally friendly •
- Available in silver body color



### Options

- outside Condensor/wheels/full baskets/digital thermometer/-45°C temperature

| Product Model                | BD-490L      | BD-590L      | BD-690L      |
|------------------------------|--------------|--------------|--------------|
| Unit Dimension (W/D/H mm)    | 1130×755×840 | 1470×755×840 | 1810×755×840 |
| Packing Dimension (W/D/H mm) | 1190×770×890 | 1530×770×860 | 1870×770×860 |
| Net capacity (L)             | 310L         | 400L         | 500L         |
| Cooling system               | Static       | Static       | Static       |
| Foaming thickness (mm)       | 90           | 90           | 90           |
| Climate                      | SN/T         | SN/T         | SN/T         |
| Energy class                 | A+           | A+           | A+           |
| Temperature (°C)             | ≤-25         | ≤-25         | ≤-25         |
| Basket No.                   | 1            | 1            | 1            |
| Kind of coolant              | R134a        | R134a        | R134a        |
| 40 'HC Container loading     | 90           | 66           | 56           |

## FEET AND WHEEL



## HANDLE



## CONTROL PANEL



## LINER&CONDENSER

