




LARGER CAVITY FOR HIGHER FLEXIBILITIES

FlashChef™ High Speed Oven has a large cavity that accommodates a 12" (30cm) pizza with ease.




ACCESSORIES




**Fetch
Handle**




**Stainless
steel
shovel**



Rack



**Teflon
baking
nets**



**Release
paper**



**Pizza
Stone**



SPACE-FRIENDLY FOOTPRINT

Fits into various places with a space-friendly footprint.


7.84" HD TFT TOUCH SCREEN

7.84"HD TFT touch screen, largest screen in its class for easier reading.



BUILT-IN CAVITY LIGHT

Check the food status without even taking it out from the cavity with FlashChef™ High Speed Oven built-in cavity light.
Brighter and clearer sight inside for perfect cook.





PRESS 'N EJECT AIR FILTER

The air filter is securely fixed by special design component.
It can be detached simply by pressing, for easy cleaning.

DUAL IMPINGEMENT DUAL EFFICIENCY


For the ever first time, FlashChef™ High Speed Oven is equipped with duo-impingement system that significantly speeds up the cooking. Compared to traditional HSO that heats the food with impingement from the top, while convection from the bottom, FlashChef™ High Speed Oven simultaneously ejects impingement from both top and bottom.

The result? Ultra fast browning and crisping on both side of the food in a flash!




HEAT WITH ULTRA-SPEED DUO-MAGNETRON DESIGN

FlashChef™ High Speed Oven contains two magnetrons that speed up the cooking with up to 1000 watt microwave power output, saving up the heating time with outstanding efficiency.



6-STAGES COOKING MORE FLEXIBILITIES , MORE POSSIBILITIES

Up to 6 stages of cooking, FlashChef™ High Speed Oven allows the user to control which way to cook, and how much energy shall be delivered within the food throughout a cook cycle, offering more possibilities for the masterpiece.



Microwave functions



Grill functions



Convection functions




1 Magnetron

High Speed Oven



FOB:USD 3000.00
MOQ: 20

Construction



Note: We only have 208V/240V currently. 220V 60 Hz is under development, can place order from end July



Specifications



Cavity Size:	0.66 cu.ft/ 18.7L	Auto Programmable	1024
Microwave output:	1000W	Power level:	10
Total Power output:	3000w	Stage Cooking:	6
Power source:	208/240V	Max. Cooking Time:	00:60-10:00 min per stage
Exterior finish:	Stainless steel	Microwave Power level:	0%-100% in 1% increase
Interior finish:	Stainless steel	Magnetrons:	2
Control type:	TFT Touch	Microwave Distribution:	Top and bottom
Interior light:	LED	Stackable:	No
No turntable:	Yes, Flatbed	Plug	VDE
Cavity Size (DxWxH) (mm)	314x343x175	Product weight(approx.):	60kg
Unit Dimension (DxWxH) (mm)	404x735x607	Ship weight(approx.):	67kg
Gross (Carton) Dimension (DxWxH) (mm)	474x858x750	Loading(20'/40'/40'HD'):	93/196/196
Color Option	Red; Stainless Steel	Connectivity	USB



Main Features

- High Speed Oven uses Inverter Technology for the best microwave oven control.
- Precisely control and adjust power for proper heating
- + 6 cooking stages for more flexible and versatile applications
- 7.84" HD TFT touch screen, large screen in its class for easier reading
- Intuitive and Icon control panel eliminates language barriers, just like operating a phone
- Built-in cavity light provides brighter and clearer sight inside the interior.
- Air Filters are easily removed and replaced for maintenance
- Large cavity accommodates a 12" (30cm) pizza with space-friendly footprint

Note: We only have 208V/240V currently.

2 Magnetrons

High Speed Oven



FOB: USD 4200.00
MOQ: 20




Specifications



Cavity Size:	0.66 cu.ft/ 18.7L	Auto Programmable	1024
Microwave output:	2000W	Power level:	10
Total Power output:	6000w	Stage Cooking:	6
Power source:	208/240V	Max. Cooking Time:	00:60-10:00 min per stage
Exterior finish:	Stainless steel	Microwave Power level:	0%-100% in 1% increase
Interior finish:	Stainless steel	Magnetrons:	2
Control type:	TFT Touch	Microwave Distribution:	Top and bottom
Interior light:	LED	Stackable:	No
No turntable:	Yes, Flatbed	Plug	VDE
Cavity Size (DxWxH) (mm)	314x343x175	Product weight(approx.):	60kg
Unit Dimension (DxWxH) (mm)	404x735x607	Ship weight(approx.):	67kg
Gross (Carton) Dimension (DxWxH) (mm)	474x858x750	Loading(20/40'/40'HD'):	93/196/196
Color Option	Red; Stainless Steel	Connectivity	USB



Construction



Main Features


- Dual impingement for ultra fast browning and crisping on both sides of the food. High
- Speed Oven uses Inverter Technology for the best microwave oven control. Precisely
- control and adjust power for proper heating + 6 cooking stages for more flexible and
- versatile applications 7.84" HD TFT touch screen, large screen in its class for easier
- reading Intuitive and Icon control panel eliminates language barriers, just like operating a
- phone Built-in cavity light provides brighter and clearer sight inside the interior. Air Filters
- are easily removed and replaced for maintenance Large cavity accommodates a 12"
- (30cm) pizza with space-friendly footprint
-

Light Duty – 25L / 0.9 cu.ft
Model# EM025F4T-S0SB00



FOB:USD 167.00
MOQ: 100

Construction



Top: 11" (300), Sides: 3" (100), Back: 3" (100)

Specifications

Cavity Size:	0.9 cu.ft/ 25L	Auto Programmable	100
Power input:	1550 Watts	Power level:	5
Power output:	1000 Watts	Stage Cooking:	3
Power source:	220V 60Hz	Max. Cooking Time:	00:60:00
Exterior finish:	Stainless steel	Multiple Portion:	Yes X2
Interior finish:	Stainless steel	Magnetrons:	1
Control type:	Membrane touch	Microwave Distribution:	Bottom
Interior light:	LED	Stackable:	/
No turntable:	Yes	Safety Listing	CB, EMC
Cavity(W*D*H):	327mm x 346 mm x 200 mm	Product weight(approx.):	14.7 kg
Gross(W*D*H):	511 mm x 432 mm x 311 mm	Ship weight(approx.):	16.5 kg
Package(W*D*H):	581 mm x 478 mm x 380 mm	Loading(20/40'HD')	287/ 672

Main Features


- Large capacity (0.9 cu.ft / 25 L), accommodates a 12" (305 mm) platter.
 - Able to withstand the demands of the Commercial Food Service environment with stainless steel cabinet and oven cavity.
 - 1000 Watts of cooking power.
 - Bottom energy feed.
 - 5 power levels and 3 cooking stages for different cooking demands.
 - 00:60:00 maximum cooking time and 100 auto programs can cover most product demands.
 - Time entry option and X2 multiple quantity pad provide flexible operation.
 - Oven cavity light to monitor cooking status without opening the door.
 - Easy Grab'n Go door handle for reliable use, no moving parts.
- User-friendly touch control pads AND Electronic dial timer with braille navigation.

Medium Duty – 34L / 1.2 cu.ft
Model# EMD34NS1-S00B00



FOB:USD 300.00
MOQ: 100

Construction



Top: 11" (300), Sides: 3" (100), Back: 3" (100)

Specifications

Cavity Size:	1.2 cu.ft/ 34L	Auto Programmable	100
Power input:	1900 Watts	Power level	5
Power output:	1400 Watts	Stage Cooking	3
Power source:	220V 60Hz	Max. Cooking Time:	00:60:00
Exterior finish:	Stainless steel	Multiple Portion	Yes, X2
Interior finish:	Stainless steel	Magnetrons	1
Control type:	Membrane touch	Microwave Distribution	Bottom
Interior light:	LED	Stackable:	Yes, 2
No turntable:	Yes	Safety Listing	CE/GS/EMC
Cavity(W*D*H):	370 mm x 385 mm x 230 mm	Product weight(approx.)	18.4 kg
Gross(W*D*H):	553 mm x 488 mm x 343 mm	Ship weight(approx.)	20.7 kg
Package(W*D*H):	631 mm x 544 mm x 418 mm	Loading(20/40/40'HD')	185/395/474

Main Features

- Large capacity (1.2 cu.ft / 34 L), accommodates a 14" (356 mm) platter.
- Able to withstand the demands of the Commercial Food Service environment with stainless steel cabinet and oven cavity.
- 1400 Watts of Cooking power.
- Bottom Energy Feed.
- 5 power levels and 3 cooking stages for different cooking demands.
- 00:60:00 maximum cooking time and 100 auto programs can cover most product demands.
- Time entry option and X2 multiple quantity pad provide flexible operation.
- Oven cavity light to monitor cooking status without opening the door.
- EZ Grab'n Go door handle for reliable use, no moving parts.
- User-friendly touch control pads AND Electronic dial timer with braille navigation.
- Stackable.


Heavy Duty – 17L / 0.6 cu.ft
Model# EMA17G4V-S00B00



FOB:USD 503.00

MOQ: 100

Construction



Top: 11" (300), Sides: 3" (100), Back: 3" (100)

Specifications

Cavity Size:	0.6 cu.ft/ 17L	Auto Programmable:	100
Power input:	3000 Watts	Power level:	11
Power output:	1800 Watts	Stage Cooking:	3
Power source:	220V 60Hz	Max. Cooking Time:	00:60:00
Exterior finish:	Stainless steel	Multiple Portion:	Yes, X2 X3
Interior finish:	Stainless steel	Magnetrons:	2
Control type:	Membrane touch	Microwave Distribution:	Top and bottom
Interior light:	LED	Stackable:	Yes, 2
No turntable:	Yes	Safety Listing:	GS, EMC
Cavity(W*D*H):	330 mm x 310 mm x 175 mm	Product weight(approx.):	30 kg
Gross(W*D*H):	420 mm x 563 mm x 340 mm	Ship weight(approx.):	32 kg
Package(W*D*H):	640 mm x 507 mm x 416 mm	Loading(20/40'HD'):	187/467

Main Features


- Large capacity (0.6 cu.ft / 17 L), accommodates a 12" (305 mm) platter.
- Able to withstand the demands of the Commercial Food Service environment with stainless steel cabinet and oven cavity.
- 1800 Watts of Cooking power.
- Top and Bottom Energy Feed.
- 11 power levels and 3 cooking stages for different cooking demands.
- 00:60:00 maximum cooking time and 100 auto programs can cover most product demands.
- Time entry option and X2 & X3 multiple quantity pad provide flexible operation.
- USB port for easy and consistent menu customization for multiple (chain) locations.
- Removable Splatter Shield and Stainless Steel Air Intake filter for easy cleaning.
- Oven cavity light to monitor cooking status without opening the door.
- Easy Grab'n Go door handle for reliable use, no moving parts.
- User-friendly touch control pads AND Electronic dial timer with braille navigation.

Stackable.



FOB:USD 510.00
MOQ: 100

Construction



Top: 11" (300), Sides: 3" (100), Back: 3" (100)

Specifications

Cavity Size:	1.2 cu.ft/ 34L	Auto Programmable	100
Power input:	3200 Watts	Power level	5
Power output:	2100 Watts	Stage Cooking	3
Power source:	220V 60Hz	Max. Cooking Time:	00:60:00
Exterior finish:	Stainless steel	Multiple Portions:	Yes, X2
Interior finish:	Stainless steel	Magnetrons:	2
Control type:	Membrane touch	Microwave Distribution:	Top and Bottom
Interior light:	LED	Stackable:	Yes, 2
No turntable:	Yes	Safety Listing	GS, EMC
Cavity(W*D*H):	360 mm x 409 mm x 225 mm	Product weight(approx.)	34.3 kg
Gross(W*D*H):	574 mm x 528 mm x 368 mm	Ship weight(approx.)	32.2 kg
Package(W*D*H):	641 mm x 559 mm x 451 mm	Loading(20/40'HD')	185/375

Main Features

- Large capacity (1.2 cu.ft / 34 L), accommodates a 14" (356 mm) platter.
- Able to withstand the demands of the Commercial Food Service environment with stainless steel cabinet and oven cavity.
- 2100 Watts of Cooking power.
- Top and Bottom Energy Feed.
- 5 power levels and 3 cooking stages for different cooking demands.
- 00:60:00 maximum cooking time and 100 auto programs can cover most product demands.
- Time entry option and X2 multiple quantity pad provide flexible operation.
- Oven cavity light to monitor cooking status without opening the door.
- Easy Grab'n Go door handle for reliable use, no moving parts.
- User-friendly touch control pads with braille navigation.
- Stackable.

A photograph of a family of four (mother, father, and two children) lying on a bed, smiling and looking at the camera. The image is overlaid with a semi-transparent blue filter.

Thank You!