




## LARGER CAVITY FOR HIGHER FLEXIBILITIES

FlashChef™ High Speed Oven has a large cavity that accommodates a 12" (30cm) pizza with ease.




### ACCESSORIES




**Fetch  
Handle**



**Stainless  
steel  
shovel**



**Rack**



**Teflon  
baking  
nets**



**Release  
paper**



**Pizza  
Stone**



## SPACE-FRIENDLY FOOTPRINT

Fits into various places with a space-friendly footprint.


## 7.84" HD TFT TOUCH SCREEN

7.84"HD TFT touch screen, largest screen in its class for easier reading.



## BUILT-IN CAVITY LIGHT

Check the food status without even taking it out from the cavity with FlashChef™ High Speed Oven built-in cavity light. Brighter and clearer sight inside for perfect cook.



## PRESS 'N EJECT AIR FILTER



The air filter is securely fixed by special design component. It can be detached simply by pressing, for easy cleaning.



## DUAL IMPINGEMENT DUAL EFFICIENCY


For the ever first time, FlashChef™ High Speed Oven is equipped with duo-impingement system that significantly speeds up the cooking. Compared to traditional HSO that heats the food with impingement from the top, while convection from the bottom, FlashChef™ High Speed Oven simultaneously ejects impingement from both top and bottom.

The result? Ultra fast browning and crisping on both side of the food in a flash!







## HEAT WITH ULTRA-SPEED DUO-MAGNETRON DESIGN

FlashChef™ High Speed Oven contains two magnetrons that speed up the cooking with up to 1000 watt microwave power output, saving up the heating time with outstanding efficiency.



## 6-STAGES COOKING MORE FLEXIBILITIES , MORE POSSIBILITIES

Up to 6 stages of cooking, FlashChef™ High Speed Oven allows the user to control which way to cook, and how much energy shall be delivered within the food throughout a cook cycle, offering more possibilities for the masterpiece.

Pizza-Stage Cooking		
IMAGE	TEMPERATURE(200°F-520°F)	
	 520°F ▼	
TIME	IMPINGEMENT	MICROWAVE
		
	STAGE 1	
02:15	100%	40%
	STAGE 2	
00:10	40%	80%
	STAGE 3	
00:20	60%	30%
	STAGE 4	
00:20	50%	50%
	STAGE 5	
00:15	50%	30%
	STAGE 6	
00:15	100%	10%

Microwave functions



Grill functions



Convection functions





1 Magnetron

# High Speed Oven




FOB:USD2500.00

MOQ: 20



Construction



Note: We only have 208V/240V currently. 220V 60 Hz is under development, can place order from end July



Specifications



Cavity Size:	0.66 cu.ft/ 18.7L	Auto Programmable	1024
Microwave output:	1000W	Power level:	10
Total Power output:	3000w	Stage Cooking:	6
Power source:	208/240V	Max. Cooking Time:	00:60-10:00 min per stage
Exterior finish:	Stainless steel	Microwave Power level:	0%-100% in 1% increase
Interior finish:	Stainless steel	Magnetrons:	2
Control type:	TFT Touch	Microwave Distribution:	Top and bottom
Interior light:	LED	Stackable:	No
No turntable:	Yes, Flatbed	Plug	VDE
Cavity Size (DxWxH) (mm)	314x343x175	Product weight(approx.):	60kg
Unit Dimension (DxWxH) (mm)	404x735x607	Ship weight(approx.):	67kg
Gross (Carton) Dimension (DxWxH) (mm)	474x858x750	Loading(20'/40'/40'HD'):	93/196/196
Color Option	Red; Stainless Steel	Connectivity	USB



Main Features

- High Speed Oven uses Inverter Technology for the best microwave oven control.
- Precisely control and adjust power for proper heating
- + 6 cooking stages for more flexible and versatile applications
- 7.84" HD TFT touch screen, large screen in its class for easier reading
- Intuitive and Icon control panel eliminates language barriers, just like operating a phone
- Built-in cavity light provides brighter and clearer sight inside the interior.
- Air Filters are easily removed and replaced for maintenance
- Large cavity accommodates a 12" (30cm) pizza with space-friendly footprint

Note: We only have 208V/240V currently.


2 Magnetrons

# High Speed Oven



FOB: USD3500.00  
MOQ: 20

## Construction



## Specifications

<b>Cavity Size:</b>	0.66 cu.ft/ 18.7L	<b>Auto Programmable</b>	1024
<b>Microwave output:</b>	2000W	<b>Power level:</b>	10
<b>Total Power output:</b>	6000w	<b>Stage Cooking:</b>	6
<b>Power source:</b>	208/240V	<b>Max. Cooking Time:</b>	00:60-10:00 min per stage
<b>Exterior finish:</b>	Stainless steel	<b>Microwave Power level:</b>	0%-100% in 1% increase
<b>Interior finish:</b>	Stainless steel	<b>Magnetrons:</b>	2
<b>Control type:</b>	TFT Touch	<b>Microwave Distribution:</b>	Top and bottom
<b>Interior light:</b>	LED	<b>Stackable:</b>	No
<b>No turntable:</b>	Yes, Flatbed	<b>Plug</b>	VDE
<b>Cavity Size (DxWxH) (mm)</b>	314x343x175	<b>Product weight(approx.):</b>	60kg
<b>Unit Dimension (DxWxH) (mm)</b>	404x735x607	<b>Ship weight(approx.):</b>	67kg
<b>Gross (Carton) Dimension (DxWxH) (mm)</b>	474x858x750	<b>Loading(20/40'/40'HD'):</b>	93/196/196
<b>Color Option</b>	Red; Stainless Steel	<b>Connectivity</b>	USB

## Main Features

- Dual impingement for ultra fast browning and crisping on both sides of the food.
- High Speed Oven uses Inverter Technology for the best microwave oven control.
- Precisely control and adjust power for proper heating
- + 6 cooking stages for more flexible and versatile applications
- 7.84" HD TFT touch screen, large screen in its class for easier reading
- Intuitive and Icon control panel eliminates language barriers, just like operating a phone
- Built-in cavity light provides brighter and clearer sight inside the interior.
- Air Filters are easily removed and replaced for maintenance
- Large cavity accommodates a 12" (30cm) pizza with space-friendly footprint



Light Duty – 25L / 0.9 cu.ft  
Model# EM025F4T-S0SB00




FOB:USD139.00

MOQ: 100



## Construction



Top: 11" (300), Sides: 3" (100), Back: 3" (100)



## Specifications

<b>Cavity Size:</b>	0.9 cu.ft/ 25L	<b>Auto Programmable</b>	100
<b>Power input:</b>	1550 Watts	<b>Power level:</b>	5
<b>Power output:</b>	1000 Watts	<b>Stage Cooking:</b>	3
<b>Power source:</b>	220V 60Hz	<b>Max. Cooking Time:</b>	00:60:00
<b>Exterior finish:</b>	Stainless steel	<b>Multiple Portion:</b>	Yes X2
<b>Interior finish:</b>	Stainless steel	<b>Magnetrons:</b>	1
<b>Control type:</b>	Membrane touch	<b>Microwave Distribution:</b>	Bottom
<b>Interior light:</b>	LED	<b>Stackable:</b>	/
<b>No turntable:</b>	Yes	<b>Safety Listing:</b>	CB, EMC
<b>Cavity(W*D*H):</b>	327mm x 346 mm x 200 mm	<b>Product weight(approx.):</b>	14.7 kg
<b>Gross(W*D*H):</b>	511 mm x 432 mm x 311 mm	<b>Ship weight(approx.):</b>	16.5 kg
<b>Package(W*D*H):</b>	581 mm x 478 mm x 380 mm	<b>Loading(20/40'HD'):</b>	287/ 672



## Main Features


- Large capacity (0.9 cu.ft / 25 L), accommodates a 12" (305 mm) platter.
- Able to withstand the demands of the Commercial Food Service environment with stainless steel cabinet and oven cavity.
- 1000 Watts of cooking power.
- Bottom energy feed.
- 5 power levels and 3 cooking stages for different cooking demands.
- 00:60:00 maximum cooking time and 100 auto programs can cover most product demands.
- Time entry option and X2 multiple quantity pad provide flexible operation.
- Oven cavity light to monitor cooking status without opening the door.
- Easy Grab'n Go door handle for reliable use, no moving parts.
- User-friendly touch control pads AND Electronic dial timer with braille navigation.




## Construction

FOB:USD250.00  
MOQ: 100


FRONT VIEW



SIDE VIEW  
(DOOR OPEN)



BACK VIEW



Top: 11\" (300), Sides: 3\" (100), Back: 3\" (100)



## Specifications

Cavity Size:	1.2 cu.ft/ 34L	Auto Programmable	100
Power input:	1900 Watts	Power level:	5
Power output:	1400 Watts	Stage Cooking:	3
Power source:	220V 60Hz	Max. Cooking Time:	00:60:00
Exterior finish:	Stainless steel	Multiple Portion:	Yes, X2
Interior finish:	Stainless steel	Magnetrons:	1
Control type:	Membrane touch	Microwave Distribution:	Bottom
Interior light:	LED	Stackable:	Yes, 2
No turntable:	Yes	Safety Listing:	CE/GS/EMC
Cavity(W*D*H):	370 mm x 385 mm x 230 mm	Product weight(approx.):	18.4 kg
Gross(W*D*H):	553 mm x 488 mm x 343 mm	Ship weight(approx.):	20.7 kg
Package(W*D*H):	631 mm x 544 mm x 418 mm	Loading(20/40/'40'HD'):	185/395/474



## Main Features




- Large capacity (1.2 cu.ft / 34 L), accommodates a 14\" (356 mm) platter.
- Able to withstand the demands of the Commercial Food Service environment with stainless steel cabinet and oven cavity.
- 1400 Watts of Cooking power.
- Bottom Energy Feed.
- 5 power levels and 3 cooking stages for different cooking demands.
- 00:60:00 maximum cooking time and 100 auto programs can cover most product demands.
- Time entry option and X2 multiple quantity pad provide flexible operation.
- Oven cavity light to monitor cooking status without opening the door.
- EZ Grab'n Go door handle for reliable use, no moving parts.
- User-friendly touch control pads AND Electronic dial timer with braille navigation.
- Stackable.

Heavy Duty – 17L / 0.6 cu.ft  
Model# EMA17G4V-S00B00



## Construction

FOB:USD419.00  
MOQ: 100



Top: 11" (300), Sides: 3" (100), Back: 3" (100)

## Specifications

<b>Cavity Size:</b>	0.6 cu.ft/ 17L	<b>Auto Programmable:</b>	100
<b>Power input:</b>	3000 Watts	<b>Power level:</b>	11
<b>Power output:</b>	1800 Watts	<b>Stage Cooking:</b>	3
<b>Power source:</b>	220V 60Hz	<b>Max. Cooking Time:</b>	00:60:00
<b>Exterior finish:</b>	Stainless steel	<b>Multiple Portion:</b>	Yes, X2 X3
<b>Interior finish:</b>	Stainless steel	<b>Magnetrons:</b>	2
<b>Control type:</b>	Membrane touch	<b>Microwave Distribution:</b>	Top and bottom
<b>Interior light:</b>	LED	<b>Stackable:</b>	Yes, 2
<b>No turntable:</b>	Yes	<b>Safety Listing:</b>	GS, EMC
<b>Cavity(W*D*H):</b>	330 mm x 310 mm x 175 mm	<b>Product weight(approx.):</b>	30 kg
<b>Gross(W*D*H):</b>	420 mm x 563 mm x 340 mm	<b>Ship weight(approx.):</b>	32 kg
<b>Package(W*D*H):</b>	640 mm x 507 mm x 416 mm	<b>Loading(20/40'HD'):</b>	187/467

## Main Features


- Large capacity (0.6 cu.ft / 17 L), accommodates a 12" (305 mm) platter.
- Able to withstand the demands of the Commercial Food Service environment with stainless steel cabinet and oven cavity.
- 1800 Watts of Cooking power.
- Top and Bottom Energy Feed.
- 11 power levels and 3 cooking stages for different cooking demands.
- 00:60:00 maximum cooking time and 100 auto programs can cover most product demands.
- Time entry option and X2 & X3 multiple quantity pad provide flexible operation.
- USB port for easy and consistent menu customization for multiple (chain) locations.
- Removable Splatter Shield and Stainless Steel Air Intake filter for easy cleaning.
- Oven cavity light to monitor cooking status without opening the door.
- Easy Grab'n Go door handle for reliable use, no moving parts.
- User-friendly touch control pads AND Electronic dial timer with braille navigation.
- Stackable.





## Construction

FOB:USD425.00  
MOQ: 100



Top: 11" (300), Sides: 3" (100), Back: 3" (100)

## Specifications

<b>Cavity Size:</b>	1.2 cu.ft/ 34L	<b>Auto Programmable</b>	100
<b>Power input:</b>	3200 Watts	<b>Power level:</b>	5
<b>Power output:</b>	2100 Watts	<b>Stage Cooking:</b>	3
<b>Power source:</b>	220V 60Hz	<b>Max. Cooking Time:</b>	00:60:00
<b>Exterior finish:</b>	Stainless steel	<b>Multiple Portion:</b>	Yes, X2
<b>Interior finish:</b>	Stainless steel	<b>Magnetrons:</b>	2
<b>Control type:</b>	Membrane touch	<b>Microwave Distribution:</b>	Top and Bottom
<b>Interior light:</b>	LED	<b>Stackable:</b>	Yes, 2
<b>No turntable:</b>	Yes	<b>Safety Listing:</b>	GS, EMC
<b>Cavity(W*D*H):</b>	360 mm x 409 mm x 225 mm	<b>Product weight(approx.):</b>	34.3 kg
<b>Gross(W*D*H):</b>	574 mm x 528 mm x 368 mm	<b>Ship weight(approx.):</b>	32.2 kg
<b>Package(W*D*H):</b>	641 mm x 559 mm x 451 mm	<b>Loading(20/40'HD):</b>	185/375

## Main Features

- Large capacity (1.2 cu.ft / 34 L), accommodates a 14" (356 mm) platter.
- Able to withstand the demands of the Commercial Food Service environment with stainless steel cabinet and oven cavity.
- 2100 Watts of Cooking power.
- Top and Bottom Energy Feed.
- 5 power levels and 3 cooking stages for different cooking demands.
- 00:60:00 maximum cooking time and 100 auto programs can cover most product demands.
- Time entry option and X2 multiple quantity pad provide flexible operation.
- Oven cavity light to monitor cooking status without opening the door.
- Easy Grab'n Go door handle for reliable use, no moving parts.
- User-friendly touch control pads with braille navigation.
- Stackable.

A background image of a family (mother, father, and two children) lying on a bed, smiling, with a blue overlay.

# Thank You!