



防爆护灯
Explosion proof lamp



透明视窗
Clear Window



YG-12



YG-24



排气降压
Exhaust pressure reduction



迅速散热
Rapid heat dissipation



YG-36



YG-39

MODEL	DECK/TRAY	VOLTAGE (V)	POWER (W)	COMBUSTION POWER (MJ/H)	N.W. (KG)	G.W. (KG)	DIMENSION (MM)
YG-12	1/2	220	100	25	150	170	1410×910×915
YG-13	1/3	220	120	40	205	225	1840×870×730
YG-24	2/4	220	200	50	220	235	1410×910×1567
YG-26	2/6	220	240	80	205	240	1840×870×110
YG-36	3/6	220	300	75	300	330	1410×910×1840
YG-39	3/9	220	360	120	486	554	1840×870×1850
YG-312	3/12	220	400				1772×1082×1820



GAS OVEN SERIES

燃 气 烘 炉 系 列

DIGITAL GAS OVEN SERIES



数 码 燃 气 炉 系 列

PRODUCT FEATURES

产 品 特 点



不锈钢燃烧管
Stainless steel gas burner

特殊设计的不锈钢燃烧管，热效率高，发热更均匀，内胆温差仅为 ± 3 摄氏度，令烘焙产品均匀着色。

Special design stainless steel burner, high efficient, temperature of chamber very even, difference is within 3°C .



简约大气
Elegant Design

简约大气的设计，美观实用，清洁方便。

Simple design, good appearance and durable, easy to clean.



定时鸣响
Alarm

内置定时器，可根据需要设定时间，时间一到蜂鸣提醒，无需看管。

Time can be set according to request.



排气散热
Exhaust and heat dissipation

排气孔、散热孔，有效防止箱内压力过高，延长配件使用寿命。

The exhaust hole and heat dissipation hole can effectively prevent the high pressure in the box and prolong the service life of accessories.



电子控制
Digital control panel

电子控制面板，精准显示数据。搭配12种记忆菜单，为厨师带来更好的使用体验。

Digital control panel, showing data more accurately, With 12 memory menus, bring better use experience to the chef.



全不锈钢
All stainless steel

全机身，内胆使用不锈钢材质，高档，耐用。

Stainless Steel body and chamber, high quality and durable.



迅速升温
Rapid heating

热效率高，炉温升温快，室温到200摄氏度只需20分钟。

High efficiency, only 20mins, it will take chamber temperature from room temperature to 200°C .



保温棉
Insulation cotton

高品质保温棉使内胆保温效果更好，提高烘焙质量。

High quality insulation cotton makes the inner chamber insulation effect better and improves the baking quality.



透明视窗
Clear Window

可视钢化玻璃，可实时掌控箱体内部发酵情况，便于随时调节。

Visual toughened glass can control the fermentation condition inside the box in real time, which is easy to adjust at any time.



防爆护灯
Explosion proof lamp

内置高温防爆灯泡，可以全程观察烘烤的状态。

Built in high temperature explosion-proof bulb, can observe the whole baking state.



防烫手柄
Anti scald handle

防烫手柄能隔热，轻松开关门，避免烫伤面包师的手。

Anti scald handle can protect the baker's hands from heat, helping easily open and close the door.



万能脚轮
Universal caster

轻松随意移动机器到厨房每个角落，带锁可固定机器。

Easy to move the machine to every corner of the kitchen, with a lock to fix the machine.



GD GAS OVEN SERIES

GD 数码燃气炉系列



精准控温
Temperature control



随时观察
Easy to check

全不锈钢机身，高档耐用。机械控制面板，操作简单便捷特殊设计的不锈钢燃烧管，热效率高，发热更均匀，令烘焙产品均匀着色。

Stainless Steel body, high quality and durable. Mechanical control panel, easy operation. Special design stainless steel burner, high efficient, temperature of chamber very even, baking product's color is evenly.



选配蒸汽包
Optional Steam System



选配石板
Optional Stone Plate



GD-11



GD-22



GD-33



GD-36



GD-39

MODEL 型号	DECK/TRAY 层数/盘数	VOLTAGE 电压(V)	POWER 功率(KW)	COMBUSTIONPOWER 热功率(MJ/H)	N.W. 净重(KG)	G.W. 毛重(KG)	DIMENSION 产品尺寸(MM)
 GD-11	1/1	220	80	16	68	75	1035 × 622 × 650
 GD-12	1/2	220	100	25	80	95	1310 × 825 × 645
 GD-13	1/3	220	120	40	96	121	1750 × 825 × 645
 GD-22	2/2	220	160	32	136	150	1035 × 622 × 1016
 GD-24	2/4	220	200	50	205	220	1310 × 825 × 1405
 GD-26	2/6	220	240	80	230	250	1750 × 825 × 1405
 GD-33	3/3	220	240	48	204	225	1035 × 622 × 1500
 GD-36	3/6	220	300	75	298	315	1310 × 825 × 1700
 GD-39	3/9	220	360	120	490	520	1750 × 825 × 1690

MACHANICAL GAS OVEN SERIES



标准燃气炉系列

PRODUCT FEATURES

产品特点



不锈钢燃烧管
Stainless steel gas burner

特殊设计的不锈钢燃烧管，热效率高，发热更均匀，内胆温差仅为 ± 3 摄氏度，令烘焙产品均匀着色。
Special design stainless steel burner, high efficient, temperature of chamber very even, difference is within 3°C .



机械控制
Mechanical control

机械控制面板，操作简单便捷。
Mechanical control panel, easy operation.



快速升温
Rapid heating

热效率高，炉温升温快，室温到200摄氏度只需20分钟。
High efficiency, the chamber temperature can be reach to 200°C in 20 minutes.



简约大气
Elegant Design

简约大气的的设计，美观实用，清洁方便。
Simple design, good appearance and durable, easy to clean.



保温棉
Insulation cotton

高品质保温棉使内胆保温效果更好，提高烘焙质量。
High quality insulation cotton makes the inner chamber insulation effect better and improves the baking quality.



透明视窗
Clear Window

可视钢化玻璃，可实时掌控箱体内部发酵情况，便于随时调节。
Visual toughened glass can control the fermentation condition inside the box in real time, which is easy to adjust at any time.



定时鸣响
Alarm

内置定时器，可根据需要设定时间。时间一到蜂鸣提醒，无需看管。
Time can be set according to request.



防爆护灯
Explosion proof lamp

内置高温防爆灯泡，可以全程观察烘烤的状态。
Built in high temperature explosion-proof bulb, can observe the whole baking state.



全不锈钢
All stainless steel

全机身，内胆使用不锈钢材质，高档，耐用。
High quality stainless steel body and chamber, high precision and long lasting.



排气散热
Exhaust and heat dissipation

排气孔、散热孔，有效防止箱内压力过高，延长配件使用寿命。
The exhaust hole and heat dissipation hole can effectively prevent the high pressure in the box and prolong the service life of accessories.



防烫手柄
Anti scald handle

防烫手柄能隔热，轻松开关门，避免烫伤面包师的手。
Anti scald handle can protect the baker's hands from heat, helping easily open and close the door.



万能脚轮
Universal caster

轻松随意移动机器到厨房每个角落，带锁可固定机器。
Easy to move the machine to every corner of the kitchen, with a lock to fix the machine.



GB GAS OVEN SERIES

简约大气的设计，美观实用，清洁方便。使用优质保温棉，内胆保温效果好。电子控制面板，精准显示数据。搭配12种记忆菜单，为厨师带来更好的使用体验。

Simple design, good appearance and durable, easy clearing. Use top quality insulated cotton, good insulation effect. Digital control panel, showing data more accurately. With 12 memory menus, bring better use experience to the chef.



防爆护灯
Explosion proof lamp



透明视窗
Clear Window



GB-12



GB-24

GB 标准燃气炉系列



排气降压
Exhaust pressure reduction



迅速散热
Rapid heat dissipation



GB-36



GB-39

MODEL 型号	DECK/TRAY 层数/盘数	VOLTAGE 电压(V)	POWER 功率(KW)	COMBUSTIONPOWER 热功率(MJ/H)	N.W. 净重(KG)	G.W. 毛重(KG)	DIMENSION 产品尺寸(MM)
GB-11	1/1	220	80	16	68	75	1035×622×650
GB-12	1/2	220	100	25	80	95	1310×825×645
GB-13	1/3	220	120	40	96	121	1750×825×645
GB-22	2/2	220	160	32	90	105	1035×622×1016
GB-24	2/4	220	200	50	205	220	1310×825×1405
GB-26	2/6	220	240	80	230	250	1750×825×1405
GB-33	3/3	220	240	48	150	165	1035×622×1500
GB-36	3/6	220	300	75	298	315	1310×825×1700
GB-39	3/9	220	360	120	490	520	1750×825×1690



ELECTRIC OVEN SERIES

电 烘 炉 系 列



DIGITAL ELECTRIC OVEN SERIES



电 数 码 炉 系 列

PRODUCT FEATURES

产 品 特 点



电发热管
Electric heating element

发热管分布均匀，内胆不同角落的温差仅为 ± 3 摄氏度，令烘焙产品均匀着色。
Heating element is evenly distributed, temperature of chamber very even, difference is in 3°C , baking product's color is evenly.



电子控制
Digital control panel

电子控制面板，精准显示数据。搭配12种记忆菜单，为厨师带来更好的使用体验。
With 12 kinds of memory menus, bring better use experience to the chef.



迅速升温
Rapid heating

热效率高，炉温升温快，室温到200摄氏度只需20分钟。
High efficiency, only 20mins, it will take chamber temperature from room temperature to 200°C .



简约大气
Elegant Design

简约大气的设计，美观实用，清洁方便。
Simple design, good appearance and durable, easy to clean.



全不锈钢
All stainless steel

全机身，内胆使用不锈钢材质，高档，耐用。
Stainless Steel body and chamber, high quality and durable.



保温棉
Insulation cotton

高品质保温棉使内胆保温效果更好，提高烘焙质量。
High quality insulation cotton makes the inner chamber insulation effect better and improves the baking quality.



定时鸣响
Alarm

内置定时器，可根据需要设定时间。时间一到蜂鸣提醒，无需看管。
Time can be set according to request.



透明视窗
Clear Window

可视钢化玻璃，可实时掌控箱体内部发酵情况，便于随时调节。
Visual toughened glass can control the fermentation condition inside the box in real time, which is easy to adjust at any time.



防爆护灯
Explosion proof lamp

内置高温防爆灯泡，可以全程观察烘烤的状态。
Built in high temperature explosion-proof bulb, can observe the whole baking state.



排气散热
Exhaust and heat dissipation

排气孔、散热孔，有效防止箱内压力过高，延长配件使用寿命。
The exhaust hole and heat dissipation hole can effectively prevent the high pressure in the box and prolong the service life of accessories.



防烫手柄
Anti-scald handle

防烫手柄能隔热，轻松开关门，避免烫伤面包师的手。
Anti scald handle can protect the baker's hands from heat, helping easily open and close the door.



万能脚轮
Universal caster

轻松随意移动机器到厨房每个角落，带锁可固定机器。
Easy to move the machine to every corner of the kitchen, with a lock to fix the machine.



ED ELECTRIC OVEN SERIES



电发热管
Electric heating element



电子控制
Digital control panel



ED-11



ED-12



ED-22



ED-24



ED-36

ED 数码电热炉系列

全不锈钢机身，高档耐用。电子控制面板，精准显示数据。搭配12种记忆菜单，为厨师带来更好的使用体验。热效率高，炉温升温快，室温到200摄氏度只需20分钟。

Stainless Steel body, high quality and durable. Digital control panel, showing data more accurately. With 12 memory menus, bring better use experience to the chef. High efficient, only 20mins, it will take chamber temperature from room temperature to 200℃.

MODEL 型号	DECK/TRAY 层数/盘数	VOLTAGE 电压(V)	POWER 功率(KW)	N.W. 净重(KG)	G.W. 毛重(KG)	DIMENSION 产品尺寸(MM)
ED-11	1/1	220	3000	48	64	922×632×443
ED-12	1/2	220/380	7000	80	95	1212×807×580
ED-13	1/3	220/380	9000	96	121	1650×820×580
ED-22	2/2	220/380	6000	95	105	922×632×777
ED-24	2/4	220/380	14000	150	170	1212×807×1140
ED-26	2/6	380	18000	165	185	1650×820×1300
ED-33	3/3	220/380	9000	150	165	922×632×1500
ED-36	3/6	380	21000	180	200	1212×807×1505
ED-39	3/9	380	27000	350	370	1650×820×1500

ELECTRIC OVEN SERIES



标准电热炉系列

PRODUCT FEATURES

产品特点



电发热管
Electric heating element

发热管分布均匀，内腔不同角落的温差仅为 ± 3 摄氏度，令烘焙产品均匀着色。
Heating element is evenly distributed, temperature of chamber very even, difference is in 3°C , baking product's color is evenly.



机械控制
Mechanical control

机械控制面板，操作简单便捷。
Mechanical control panel, easy operation.



快速升温
Rapid heating

热效率高，升温升温快，室温到200摄氏度只需20分钟。
High efficiency, only 20mins, it will take chamber temperature from room temperature to 200°C .



简约大气
Elegant Design

简约大气的设计，美观实用，清洁方便。
Simple design, good appearance and durable, easy to clean.



全不锈钢
All stainless steel

全机身，内腔使用不锈钢材质，高档，耐用。
Stainless Steel body and chamber, high quality and durable.



保温棉
Insulation cotton

高品质保温棉使内腔保温效果更好，提高烘焙质量。
High quality insulation cotton makes the inner chamber insulation effect better and improves the baking quality.



定时鸣响
Alarm

内置定时器，可根据需要设定时间，时间一到蜂鸣提醒，无需看管。
Time can be set according to request.



透明视窗
Clear Window

可视钢化玻璃，可实时掌控箱体内部发酵情况，便于随时调节。
Visual toughened glass can control the fermentation condition inside the box in real time, which is easy to adjust at any time.



防爆护灯
Explosion proof lamp

内置高温防爆灯泡，可以全程观察烘烤的状态。
Built in high temperature explosion-proof bulb, can observe the whole baking state.



排气散热
Exhaust and heat dissipation

排气孔、散热孔，有效防止箱内压力过高，延长配件使用寿命。
The exhaust hole and heat dissipation hole can effectively prevent the high pressure in the box and prolong the service life of accessories.



防烫手柄
Anti scald handle

防烫手柄能隔热，轻松开关门，避免烫伤面包师的手。
Anti scald handle can protect the baker's hands from heat, helping easily open and close the door.



万能脚轮
Universal caster

轻松随意移动机器到厨房每个角落，带锁可固定机器。
Easy to move the machine to every corner of the kitchen, with a lock to fix the machine.



EB ELECTRIC OVEN SERIES



热效高 升温快
High efficiency
temperature growing faster



机械控制 操作简单
Mechanical control,
easy operation



防爆护灯
Explosion proof lamp



EB-11



EB-12



EB-22



EB-24



EB-36



EB-39

EB 标准电热炉系列

简约大气的设计，美观实用，清洁方便。机械控制面板，操作简单便捷。发热管分布均匀，烘烤效果出色，令烘焙产品均匀着色。

Simple design, good appearance and durable, easy to clean.
Mechanical control panel, easy operation.
Heating element is evenly distributed, baking product's color is evenly.

MODEL 型号	DECK/TRAY 层数/盘数	VOLTAGE 电压(V)	POWER 功率(KW)	N.W. 净重(KG)	G.W. 毛重(KG)	DIMENSION 产品尺寸(MM)
EB-11	1/1	220	3000	48	64	922×632×443
EB-12	1/2	220/380	7000	80	95	1210×802×580
EB-13	1/3	220/380	9000	96	121	1650×820×580
EB-22	2/2	220/380	6000	95	105	922×650×777
EB-24	2/4	220/380	14000	150	170	1211×806×1242
EB-26	2/6	380	18000	165	185	1650×820×1300
EB-33	3/3	220/380	9000	150	165	922×632×1500
EB-36	3/6	380	21000	180	200	1210×810×1500
EB-39	3/9	380	27000	350	370	1650×820×1500

LUXURY DECK OVEN SERIES

高 端 欧 式 烤 炉 系 列

高端定制：
颜色、尺寸、款式均可任意搭配
High Standard customize



LUXURY DECK OVEN SERIES



高端欧式电热烤炉系列

PRODUCT FEATURES

产品特点



独立设计 Unique design

使用独立蒸汽包，蒸汽量更充足。可选配大理石板，热反射率更高。独特的设计，能满足各类型面包的烘烤，特别是传统的欧包。

Equipped with independent steam generator, it can provide enough steam strongly. High heating reflectivity marble is optional choice. It is widely use for baking different type of bread, specially for the European style hard bread.



进口发热管 Import heating element

使用德国进口发热管，热效率高，发热更均匀。内胆不同角落的温差仅为 ± 3 摄氏度，令烘焙产品均匀着色。

Heating element is imported from Germany, high quality and high efficient. The temperature inside the chamber is much more evenly, the temperature difference of the is only 3°C , baking products' color is evenly.



高端大气 Elegant Design

欧式设计，高端大气的外形，更适用于五星高级酒店和开放厨房使用。

High-end and elegant European design, the ideal machine for the five star hotel and open kitchen.



排气散热 Exhaust and heat dissipation

排气孔、散热孔，有效防止箱内压力过高，延长配件使用寿命。

Reasonable design of the exhaust and heat dissipation holes can effectively prevent the high pressure inside the chamber, and improve the service life of



防烫手柄 Anti-scald handle

防烫手柄能隔热，轻松开关门，避免烫伤面包师的手。

Anti-scald handle is heat insulation, helps to open and close the door easily and avoiding the user from being



灵活搭配 Flexible collocation

可以灵活配合层架，发酵箱，热风炉，烟罩，满足不同厨房需要。

Cooperate with different shelves, proofer, convection oven and gas hood, can meet the different demands every kitchen.



万能脚轮 Universal caster

轻松随意移动机器到厨房每个角落，带锁可固定机器。

Easy to move the machine to every corner of the kitchen, with a lock to fix the machine.



防爆护灯 Explosion proof lamp

内置高温防爆灯泡，可以全程观察烘烤的状态。

Built in high temperature explosion-proof bulb, can observe the whole baking state.



透明视窗 Clear Window

全玻璃炉门设计，更美观，厨师可以更直观看到内胆烘烤效果。

With big glass door, more Fashion design, Chef can check the chamber more clear.





LUXURY DECK OVEN SERIES

高端欧式电热烤炉系列



EO-22
二层二盘配矮脚
2 decks 2 trays with wheels



EO-36
三层六盘配高脚
3 decks 6 trays with high rack

欧式设计，高端大气的外型，更适用于五星高级酒店和开放厨房使用。独特的设计，能满足各类型面包的烘烤，特别是传统的欧包。可以灵活配合层架，发酵箱，热风炉，烟罩，满足不同厨房需要。

European design, popular to used in five start hotel and open kitchen. It is widely used for baking different type of bread, specially for baking European style hard bread. Shelf, proofer, convection oven, petticoat pipe is optional choose.



PRODUCT NAME 产品名称	MODEL 型号	POWER 功率(KW)	VOLTAGE 电压(V)	DIMENSION 产品尺寸(MM)	CHAMBER SIZE 内腔尺寸(MM)	DIMENSION WITH SHEL 配底架总尺寸	PACKING SIZE 装箱尺寸(MM)
⚡ 一层二盘电热烤炉	EO-12	5.6	380V	1300×1140×640	840×750×235	1300×1140×1200	1400×1240×1360
⚡ 二层四盘电热烤炉	EO-24	11.2	380V	1300×1140×1000	840×750×235	1300×1140×1560	1400×1240×1720
⚡ 三层六盘电热烤炉	EO-36	16.8	380V	1300×1140×1360	840×750×235	1300×1140×1920	1400×1240×2080
⚡ 四层八盘电热烤炉	EO-48	22.4	380V	1300×1260×1720	840×750×235	1300×1260×2060	1400×1240×2240
⚡ 一层三盘电热烤炉	EO-13	8	380V	1690×1140×640	1240×750×235	1690×1140×1200	1800×1240×1360
⚡ 二层六盘电热烤炉	EO-26	16	380V	1690×1140×1000	1240×750×235	1690×1140×1560	1800×1240×1720
⚡ 三层九盘电热烤炉	EO-39	24	380V	1690×11460×1360	1240×750×235	1690×1140×1920	1800×1240×2080
⚡ 四层十二盘电热烤炉	EO-412	32	380V	1690×1260×1720	1240×750×235	1690×1260×2060	1800×1240×2240



CONVECTION OVEN SERIES

电 热 风 循 环 炉 系 列



CONVECTION OVEN SERIES



电 热 风 循 环 炉 系 列

PRODUCT FEATURES

产 品 特 点



热风循环
Convection

热风循环360度均匀受热，烤色更鲜艳。

Hot air circulation 360 degrees evenly heated, baking color more bright.



精准控温
Precise temperature control

采用高精度电子探头实时感应烤箱温度，并实时温度显示，比机械式烤箱温度更加精准稳定。

High precision electronic probe is used to detect the temperature of the oven in real time and display the temperature in real time, which is more accurate and stable than the mechanical oven.



保温棉
Insulation cotton

高品质保温棉使内胆保温效果更好，提高烘焙质量。

High quality insulation cotton makes the inner chamber insulation effect better and improves the baking quality.



记忆菜单
Memory menu

可设12个记忆菜单，方便快捷，一键启动。

12 memory menus can be set up, convenient and quick, one key start.



防爆护灯
Explosion proof lamp

内置高温防爆灯泡，可全程观察烘烤的状态。

Built in high temperature explosion-proof bulb, can observe the whole baking state.



透明视窗
Clear Window

可视钢化玻璃，可实时掌控箱体内部发酵情况，便于随时调节。

Visual toughened glass can control the fermentation condition inside the box in real time, which is easy to adjust at any time.



防烫手柄
Anti scald handle

防烫手柄能隔热，轻松开关门，避免烫伤面包师的手。

Anti scald handle can protect the baker's hands from heat, helping easily open and close the door.



定时鸣响
Alarm

内置定时器，可根据需要设定时间。时间一到蜂鸣提醒，无需看管。

Time can be set according to request.



万能脚轮
Universal caster

轻松随意移动机器到厨房每个角落，带锁可固定机器。

Easy to move the machine to every corner of the kitchen, with a lock to fix the machine.



CONVECTION OVEN SERIES

电热风循环炉系列



ERF-5
机械控制面板
Mechanical control panel



ERF-5D
电子控制面板
Digital control panel

电热风循环炉，适用于各种面包房，酒店，咖啡厅和各类型餐厅使用。热风循环，内胆360度均匀受热，烘烤颜色更鲜艳均匀。可搭配蒸汽包使用，蒸汽量充足，满足不同烘烤需要。独特的设计，能满足各类型烘烤需求。

Convection oven, widely used in bakery shop, hotel, coffee shop. Hot air circulation 360 degrees evenly heated, baking color more brightly and evenly. Steam function is optional choose. Special design can be suitable for different type of bake.



热风循环
Convection




加装蒸汽
Strong steam system



ERF-10

MODEL 型号	POWER 功率(KW)	VOLTAGE 电压(V)	DIMENSION 产品尺寸(MM)	CHAMBER SIZE 内胆尺寸(MM)	PACKING SIZE 装箱尺寸(MM)
ERF-5/ERF-5D	380V	7.5KW	800×1120×1540H	420×590×500H	900×1220×1700
ERF-10/ERF-10D	380V	15KW	800×1120×1780H	420×590×960H	900×1220×1940



OEM SERIES
定制组合炉系列

OEM SERIES




专业高级定制 满足不同烘焙厨房需要
Our strong and professional OEM ability can
meet different kitchen demands.




层炉，热风炉，发酵箱，多功能随意搭配。
Deck oven, convection oven and proofer are different types
of machine, which can be combined together according to
your request.

定制组合炉系列


2层6盘电炉带高脚架
2 decks 6 trays Electric Oven with wheels




一层二盘电炉带12盘发酵箱
1 deck 2 trays Electric oven with
12 trays proofer




电10盘热风炉+1层2盘电烘炉带层架
10 trays Electric Convection Oven combines with
1 deck 2 trays Electric Oven with shelf



电5盘热风炉+3层6盘电烘炉带层架
5 trays Electric Convection Oven combines with 3
decks 6trays Electric Oven with shelf



电5盘热风炉+1层1盘电烘炉带层架
5 trays Electric Convection Oven combines with
1 deck 1 tray Electric Oven with shelf



2层4盘带12盘发酵箱
2 decks 4 trays Electric Oven with
12 trays Electric Proofer

