




ICE MACHINE  
FRESH. SIMPLE. SMART.





# About Us

3

years warranty

16+

years history

30+

R&D employees.

50+

patents

100+

export to countries

300+

staffs

60000

square meters factory





# ICE SHAPES



## Cube

- Larger heat exchange area speeds up the cooling rate of beverages
- Can do different specifications of ice cubes, perfect for mixed drinks, carbonated beverages, ice displays and ice retailing in all types of operations. Popular for restaurant, convenience store, hotel or other establishment.



## Bullet

- Much more crystal clear Complete shape, high cooling efficiency Heavier bullet ice weight & slower melting High hardness, slower melting.
- Not easy to melt for better taste drinking. More popular for home, restaurants, bar, hotels, etc.



## Nugget / Granular

- The ice are presented in the most natural shape, and the temperature is basically below zero degrees Celsius.
- Easy to chew, fun to crunch, absorb flavors of beverages, cools beverages quickly. Perfect for soft or blended drinks, smoothies, food displays and everyday uses.



## Flake

- Because the water content is less than 2%, this type of ice is the driest and has the lowest freezing point.
- It is composed of irregular ice cubes, the thickness can be adjusted between 1 to 2 mm. It is very suitable for industrial processing, fish and seafood display and transportation of perishable goods, as well as optimization of dough temperature.



## Crescent

- Crescent ice better control the dosage, balance the ratio of beverage and ice.
- Recommended hardness, not easy to melt, good for cold drinks.



## Chewbit

- The soft, chewable ice form is a favorite for fountain beverages, smoothies, blended cocktails, salad bars, therapeutic use, and many other applications.



# CONTENTS



Cube Ice Machine 02-07



Ice Dispenser 08-09



Counter Top Ice & Water Dispenser 10-11



Bullet Ice Machine 12-13



Nugget Ice Machine 14-15



Flake Ice Machine 16-17



Crescent Ice Machine 18-19



Chewbit Ice Machine 20-21

Products Advantage  
After-sales Service Promise 22-23








**Half**  
22×13×22mm / 28×13×22mm  
5g / 6g



**Standard**  
22×22×22mm  
9g




**Bigger**  
28×28×22mm  
15g

# CUBE ICE MACHINE


## Vertical Type - Classic




| MODEL          | SK-80P            | SK-120P            |
|----------------|-------------------|--------------------|
| Ice Production | 36kg / 24h 15 kg  | 55kg / 24h         |
| Ice Storage    | 370 w 40 kg 500 × | 18 kg              |
| Power          | 450 × 803 mm      | 480 w              |
| Gross Weight   |                   | 50 kg              |
| Dimension      |                   | 500 × 590 × 853 mm |



| MODEL          | SK-80PT            | SK-120PT           |
|----------------|--------------------|--------------------|
| Ice Production | 36kg / 24h         | 55kg / 24h         |
| Ice Storage    | 15 kg              | 18 kg              |
| Power          | 370 w              | 480 w              |
| Gross Weight   | 40 kg              | 50 kg              |
| Dimension      | 500 × 450 × 840 mm | 500 × 590 × 890 mm |



| MODEL          | SK-160P              | SK-210P              | SK-280P              |
|----------------|----------------------|----------------------|----------------------|
| Ice Production | 73kg / 24h           | 95kg / 24h           | 127kg / 24h          |
| Ice Storage    | 36 kg                | 36 kg                | 36 kg                |
| Power          | 520 w                | 670 w                | 830 w                |
| Gross Weight   | 65 kg                | 66 kg                | 67 kg                |
| Dimension      | 660.2 × 707 × 919 mm | 660.2 × 707 × 919 mm | 660.2 × 707 × 919 mm |





# CUBE ICE MACHINE

## Modular Type - Classic



| MODEL          | SK-350P             | SK-420P            |
|----------------|---------------------|--------------------|
| Ice Production | 160kg / 24h         | 190kg / 24h 140 kg |
| Ice Storage    | 140 kg              | 800 w 96 kg 560 ×  |
| Power          | 760 w               | 860 × 1745 mm      |
| Gross Weight   | 94 kg               |                    |
| Dimension      | 560 × 860 × 1745 mm |                    |

Products Size (unit:mm)

860

595

560

565

1745

160-180

Power interface

Water inlet

Water filtration place

Drainage outlet



| MODEL          | SK-500P             | S K-70 0 P         |
|----------------|---------------------|--------------------|
| Ice Production | 225kg / 24h         | 315kg / 24h        |
| Ice Storage    | 200 kg              | 200 kg             |
| Power          | 960 w               | 1420 w             |
| Gross Weight   | 120 kg              | 122 kg             |
| Dimension      | 760 × 860 × 1745 mm | 760 × 860× 1745 mm |

Products Size (unit:mm)

860

595

760

567

1745

160-180

Power interface

Water inlet

Water filtration place

Drainage outlet



| MODEL          | SK-1000P            |
|----------------|---------------------|
| Ice Production | 455kg / 24h         |
| Ice Storage    | 200 kg              |
| Power          | 2300 w              |
| Gross Weight   | 140 kg              |
| Dimension      | 760 × 860 × 1920 mm |

Products Size (unit:mm)

860

595

760

740

1920

160-180

Power interface

Water inlet

Water filtration place

Drainage outlet

# CUBE ICE MACHINE

## Modular Type - Classic



| MODEL          | SK-1500P             | SK-2000P             |
|----------------|----------------------|----------------------|
| Ice Production | 680kg / 24h          | 900kg / 24h          |
| Ice Storage    | 320 kg               | 320 kg               |
| Voltage        | 220 V / 1 P          | 380 V / 3 P          |
| Power          | 2860 w               | 3800 w               |
| Gross Weight   | 220 kg               | 270 kg               |
| Dimension      | 1227 × 965 × 1927 mm | 1227 × 965 × 2057 mm |

Products Size (unit:mm)

1262

1227

965

646

622

1927 / 2057

1600<sup>+20</sup>

Power input

Water inlet

Filter port

Drain(3/4")

### Summary table

| Model    | Output 24hrs  | Ice Storage | Power  | Gross Weight | Net Dimension [Feet Included (W × D × H/mm |
|----------|---------------|-------------|--------|--------------|--------------------------------------------|
| SK-80P   | 36 kg / 24 h  | 15 kg       | 370 w  | 40 kg        | 500 × 450 × 803 mm                         |
| SK-80PT  | 36 kg / 24 h  | 15 kg       | 480 w  | 40 kg        | 500 × 450 × 840 mm                         |
| SK-120P  | 55 kg / 24 h  | 18 kg       | 370 w  | 50 kg        | 500 × 590 × 853 mm                         |
| SK-120PT | 55 kg / 24 h  | 18 kg       | 480 w  | 50 kg        | 500 × 590 × 890 mm                         |
| SK-160P  | 73 kg / 24 h  | 36 kg       | 520 w  | 65 kg        | 660.2 × 707 × 919 mm                       |
| SK-210P  | 95 kg / 24 h  | 36 kg       | 670 w  | 66 kg        | 660.2 × 707 × 919 mm                       |
| SK-280P  | 127 kg / 24 h | 36 kg       | 830 w  | 67 kg        | 660.2 × 707 × 919 mm                       |
| SK-350P  | 160 kg / 24 h | 140 kg      | 760 w  | 94 kg        | 560 × 860 × 1745 mm                        |
| SK-420P  | 190 kg / 24 h | 140 kg      | 800 w  | 96 kg        | 560 × 860 × 1745 mm                        |
| SK-500P  | 225 kg / 24 h | 200 kg      | 960 w  | 120 kg       | 760 × 860 × 1745 mm                        |
| SK-700P  | 315 kg / 24 h | 200 kg      | 1420 w | 122 kg       | 760 × 860 × 1745 mm                        |
| SK-1000P | 455 kg / 24 h | 200 kg      | 2300 w | 140 kg       | 760 × 860 × 1920 mm                        |
| SK-1500P | 680 kg / 24 h | 320 kg      | 2860 w | 220 kg       | 1227 × 965 × 1927 mm                       |
| SK-2000P | 900 kg / 24 h | 320 kg      | 3800 w | 270 kg       | 1227 × 965 × 2057 mm                       |






# CUBE ICE MACHINE

## Under-Counter Type - Exclusive



| MODEL          | SK-51B             | SK-81B             | S K-1 01 B         |
|----------------|--------------------|--------------------|--------------------|
| Ice Production | 50kg / 24h         | 80kg / 24h         | 100kg / 24h        |
| Ice Storage    | 30 kg              | 30 kg              | 30 kg              |
| Power          | 570 w              | 680 w              | 700 w              |
| Gross Weight   | 50 kg              | 65 kg              | 67 kg              |
| Dimension      | 666 × 637 × 775 mm | 666 × 637 × 775 mm | 666 × 637 × 775 mm |



### Summary table

| Model   | Output 24hrs  | Ice Storage | Power | Gross Weight | Net Dimension [Feet Included(W × D × H/mm |
|---------|---------------|-------------|-------|--------------|-------------------------------------------|
| SK-51B  | 50 kg / 24 h  | 30 kg       | 570 w | 50 kg        | 666 × 637 × 775                           |
| SK-81B  | 80 kg / 24 h  | 30 kg       | 680 w | 65 kg        | mm 666 × 637 ×                            |
| SK-101B | 100 kg / 24 h | 30 kg       | 700 w | 67 kg        | 775 mm 666 × 637<br>× 775 mm              |



# ICE DISPENSER



## Advantage

- No touch, more convenient and hygienic for taking ice
- 304 Luxury stainless steel
- Easy to operate and maintain
- Efficient ice dispensing
- Adjustable feet

HD-130B ice dispenser bin can work with SK-350P/SK-420P machine head  
HD-220B ice dispenser bin can work with SK-500P/SK-700P/SK-1000P machine head



# ICE DISPENSER

| MODEL                   | HD-130B           |
|-------------------------|-------------------|
| Ice Dispenser Capacity  | 60kg              |
| Ice Output Speed        | 5kg / min         |
| Power                   | 210 w             |
| Gross Weight            | 83 kg             |
| Net Dimension(W×D×H )   | 560 × 855 ×1360mm |
| Products Size (unit:mm) |                   |
|                         |                   |

| MODEL                   | HD-220B           |
|-------------------------|-------------------|
| Ice Dispenser Capacity  | 100kg             |
| Ice Output Speed        | 5kg / min         |
| Power                   | 210 w             |
| Gross Weight            | 89 kg             |
| Net Dimension(W×D×H )   | 760 × 855 ×1360mm |
| Products Size (unit:mm) |                   |
|                         |                   |

## Summary table

| MODEL   | Ice Dispenser Capacity | Ice Output Speed | Power | Gross Weight | Net Dimension(W×D×H ) |
|---------|------------------------|------------------|-------|--------------|-----------------------|
| HD-130B | 60kg                   | 5kg / min        | 210w  | 83kg         | 560 × 855 × 1360mm    |
| HD-220B | 100kg                  | 5kg / min        | 210w  | 89kg         | 760 × 855 × 1360mm    |



# COUNTER TOP ICE WATER DISPENSER



## FEATURES

- 3 Option :Ice, Water, Ice & Water
- 3 Operation: LED touch buttons, Mechanical buttons, Infrared induction
- 3 Optional Cup Size: Small, Medium, Large (Volume can be customized)
- Resin front panel with 304 stainless steel body looks luxury
- Sealed refrigeration system to avoid external pollution
- Visible ice storage capacity
- Automatic clean system
- UV Sterilization LED to ensure the health
- Independent cleaning agent injection port easy for cleaning
- Two drainage ways by back drain pipe or bottom water pan
- Removable air Filter , water pan & spouts easy for cleaning and maintaining


## APPLICATION SCOPE

Cafe, Office, Canteen ,Restaurant, Cold Drink Shops, Convenient Shops, Franchise, Hotel, Hospital etc.


# COUNTER TOP ICE & WATER DISPENSER



|                      |                   |
|----------------------|-------------------|
| MODEL                | <b>SK—229D</b>    |
| Ice shape            | Nugget 1 0 0 kg   |
| Daily Output         | /24h 2.8 kg Air   |
| Storage capacity     | R290 404W 220V /  |
| Condenser Type       | 50Hz / 60Hz 350 x |
| Refrigerant          | 600 x 830mm       |
| Power                | Countertop        |
| Voltage              |                   |
| Net Dimensions(inch) |                   |
| Installation Type    |                   |



|                      |                    |
|----------------------|--------------------|
| MODEL                | <b>SK—369D</b>     |
| Ice shape            | Nugget             |
| Daily Output         | 1 6 6 kg /24h      |
| Storage capacity     | 7.5kg              |
| Condenser Type       | Air                |
| Refrigerant          | R290               |
| Power                | 591W               |
| Voltage              | 220V / 50Hz / 60Hz |
| Net Dimensions(inch) | 462 x 600 x 965mm  |
| Installation Type    | Countertop         |



## Summary table

| Model   | Ice shape | Daily Output | Storage capacity | Condenser Type | Refrigerant | Power | Voltage        | Net Dimensions    | Installation Type |
|---------|-----------|--------------|------------------|----------------|-------------|-------|----------------|-------------------|-------------------|
| SK-229D | Nugget    | 100kg/24h    | 2.8kg            | Air            | R290        | 404W  | 220V/50Hz/60Hz | 350 x 600 x 830mm | Countertop        |
| SK-369D | Nugget    | 166kg/24h    | 7.5kg            | Air            | R290        | 591W  | 220V/50Hz/60Hz | 462 x 600 x 965mm | Countertop        |






# BULLET


## BULLET ICE MACHINE



| MODEL          | SK-25C             | SK-35C            |
|----------------|--------------------|-------------------|
| Ice Production | 25kg / 24h         | 35kg / 24h 15 kg  |
| Ice Storage    | 15 kg              | 310 w 43 kg 375 × |
| Power          | 300 w              | 553 × 762 mm      |
| Gross Weight   | 43 kg              |                   |
| Dimension      | 375 × 553 × 762 mm |                   |




| MODEL          | SK-55C             | SK-75C             |
|----------------|--------------------|--------------------|
| Ice Production | 55kg / 24h         | 75kg / 24h         |
| Ice Storage    | 30 kg              | 30 kg              |
| Power          | 500 w              | 670 w              |
| Gross Weight   | 71 kg              | 71 kg              |
| Dimension      | 666 × 637 × 775 mm | 666 × 637 × 775 mm |




### Summary table

| Model  | Output 24hrs | Ice Storage | Power | Gross Weight | Net Dimension [Feet Included (W × D × H/mm) |
|--------|--------------|-------------|-------|--------------|---------------------------------------------|
| SK-25C | 25 kg / 24h  | 15 kg       | 300 w | 43 kg        | 375 × 553 × 762                             |
| SK-35C | 35 kg / 24h  | 15 kg       | 310 w | 43 kg        | mm 375 × 553 ×                              |
| SK-55C | 55 kg / 24h  | 30 kg       | 500 w | 71 kg        | 762 mm 666 × 637                            |
| SK-75C | 75 kg / 24h  | 30 kg       | 670 w | 71 kg        | × 775 mm                                    |
|        |              |             |       |              | 666 × 637 × 775 mm                          |







NUGGET ICE MACHINE



| MODEL          | SK-068N            | SK-128N             |
|----------------|--------------------|---------------------|
| Ice Production | 60kg / 24h         | 120kg / 24h         |
| Ice Storage    | 20 kg              | 50 kg               |
| Power          | 350 w              | 680 w               |
| Gross Weight   | 61 kg              | 112 kg              |
| Dimension      | 520 × 560 × 955 mm | 650 × 660 × 1050 mm |



| MODEL          | SK-258N             | SK-358N             | SK-458N             |
|----------------|---------------------|---------------------|---------------------|
| Ice Production | 250kg / 24h         | 350kg / 24h         | 450kg / 24h         |
| Ice Storage    | 140 kg              | 140 kg              | 140 kg              |
| Power          | 910w                | 1450 w              | 2000 w              |
| Gross Weight   | 130kg               | 135 kg              | 140 kg              |
| Dimension      | 560 × 860 × 1795 mm | 560 × 860 × 1845 mm | 560 × 860 × 1895 mm |



Summary table

| Model   | Output 24hrs | Ice Storage | Power  | Gross Weight | Net Dimension [Feet Included (W × D × H/mm |
|---------|--------------|-------------|--------|--------------|--------------------------------------------|
| SK-068N | 60 kg / 24h  | 20 kg       | 350 w  | 61 kg        | 520 × 560 × 955 mm                         |
| SK-128N | 120 kg / 24h | 50 kg       | 680 w  | 112 kg       | 650 × 660 × 1050                           |
| SK-258N | 250 kg / 24h | 140 kg      | 910 w  | 130 kg       | mm 560 × 860 ×                             |
| SK-358N | 350 kg / 24h | 140 kg      | 1450 w | 135 kg       | 560 × 860 × 1845 mm                        |
| SK-458N | 450 kg / 24h | 140 kg      | 2000 w | 140 kg       | 560 × 860 × 1895 mm                        |







FLAKE ICE MACHINE



| MODEL          | SK-033              | SK-053              | SK-083              |
|----------------|---------------------|---------------------|---------------------|
| Ice Production | 300kg / 24h         | 500kg / 24h         | 800kg / 24h         |
| Ice Storage    | 200 kg              | 200 kg              | 200 kg              |
| Voltage        | 220 V / 50Hz / 1 P  | 220 V / 50Hz / 1 P  | 220 V / 50Hz / 1 P  |
| Power          | 1650 w              | 2750 w              | 3450 w              |
| Gross Weight   | 180 kg              | 195 kg              | 200 kg              |
| Dimension      | 760 × 860 × 1827 mm | 760 × 860 × 1990 mm | 760 × 860 × 1990 mm |



| MODEL          | SK-103               | SK-123               | SK-153               |
|----------------|----------------------|----------------------|----------------------|
| Ice Production | 1000kg / 24h         | 1200kg / 24h         | 1500kg / 24h         |
| Ice Storage    | 320 kg               | 320 kg               | 320 kg               |
| Voltage        | 380 V / 50Hz / 3 P   | 380 V / 50Hz / 3 P   | 380 V / 50Hz / 3 P   |
| Power          | 6200 w               | 6300 w               | 7400 w               |
| Gross Weight   | 330 kg               | 330 kg               | 350 kg               |
| Dimension      | 1227 × 945 × 2160 mm | 1227 × 945 × 2160 mm | 1227 × 945 × 2160 mm |



Summary table

| Model  | Output 24hrs  | Ice Storage | Voltage        | Power  | Gross Weight | Net Dimension [Feet Included (W × D × H/mm |
|--------|---------------|-------------|----------------|--------|--------------|--------------------------------------------|
| SK-033 | 300 kg / 24h  | 200 kg      | 220 V/50Hz/1 P | 1650 w | 180 kg       | 760 × 860 × 1870 mm                        |
| SK-053 | 500 kg / 24h  | 200 kg      | 220 V/50Hz/1 P | 2750 w | 195 kg       | 760 × 860 × 1990 mm                        |
| SK-083 | 800 kg / 24h  | 200 kg      | 220 V/50Hz/1 P | 3450 w | 200 kg       | 760 × 860 × 1990 mm                        |
| SK-103 | 1000 kg / 24h | 320 kg      | 380 V/50Hz/3 P | 6200 w | 330 kg       | 1227 × 945 × 2160 mm                       |
| SK-123 | 1200 kg / 24h | 320 kg      | 380 V/50Hz/3 P | 6300 w | 330 kg       | 1227 × 945 × 2160                          |
| SK-153 | 1500 kg / 24h | 320 kg      | 380 V/50Hz/3 P | 7400 w | 350 kg       | mm 1227 × 945 × 2160 mm                    |







CRESCENT ICE MACHINE



| MODEL          | SK-350M             | SK-520M             |
|----------------|---------------------|---------------------|
| Ice Production | 155kg / 24h         | 234kg / 24h         |
| Ice Storage    | 140 kg              | 140 kg              |
| Power          | 1050 w              | 1400 w              |
| Gross Weight   | 105 kg              | 110 kg              |
| Dimension      | 560 × 860 × 1720 mm | 560 × 860 × 1810 mm |



| MODEL          | SK-720M             | SK-1020M            |
|----------------|---------------------|---------------------|
| Ice Production | 324kg / 24h         | 481kg / 24h         |
| Ice Storage    | 200 kg              | 200 kg              |
| Power          | 1850 w              | 2100 w              |
| Gross Weight   | 129 kg              | 158 kg              |
| Dimension      | 760 × 860 × 1810 mm | 760 × 860 × 2000 mm |



Summary table

| Model      | Output 24hrs | Ice Storage | Power  | Gross Weight | Net Dimension [Feet Included (W × D × H/mm) |
|------------|--------------|-------------|--------|--------------|---------------------------------------------|
| SK-350M    | 155 kg / 24h | 140 kg      | 1050   | 105 kg       | 560 × 860 × 1720 mm                         |
| S K-52 0 M | 234kg / 24h  | 140 kg      | w      | 110 kg       | 560 × 860 × 1810 mm                         |
| SK-720M    | 324 kg / 24h | 200 kg      | 1850 w | 129 kg       | 760 × 860 × 1810 mm                         |
| SK-1020M   | 481 kg / 24h | 200 kg      | 2100 w | 158 kg       | 760 × 860 × 2000 mm                         |






CHEWBIT


CHEWBIT ICE MACHINE



|                |                     |
|----------------|---------------------|
| MODEL          | SK-258G             |
| Ice Production | 250kg / 24h         |
| Ice Storage    | 140 kg              |
| Power          | 1160 w              |
| Gross Weight   | 140 kg              |
| Dimension      | 560 × 860 × 1795 mm |



|                |                      |
|----------------|----------------------|
| MODEL          | SK-508G              |
| Ice Production | 560kg / 24h          |
| Ice Storage    | 320 kg               |
| Power          | 2600 w               |
| Gross Weight   | 280 kg               |
| Dimension      | 1227 × 947 × 1904 mm |



Summary table

| Model   | Output 24hrs | Ice Storage | Power  | Gross Weight | Net Dimension [Feet Included (W × D × H/mm |
|---------|--------------|-------------|--------|--------------|--------------------------------------------|
| SK-258G | 250 kg / 24h | 140 kg      | 1160 w | 140 kg       | 560 × 860 × 1795 mm                        |
| SK-508G | 560 kg / 24h | 20 kg       | 2600 w | 280 kg       | 1227 × 947 × 1904 mm                       |



# PRODUCTS ADVANTAGE

# AFTER-SALES SERVICE PROMISE

- 304 / 316 luxury stainless steel
- Food grade liner
- Environmentally friendly ABS & PE material
- Copper nickel-plated evaporator, more effective anti-corrosion
- High quality compressor

3years warranty

24 hours after-sales online Q&A

