




SmartCoffee 

AUTOMATIC COFFEE MACHINE



CLT-M7Z



CLT-M7Z



CLT-M7R



CLT-M7TA



CLT-M7TA

PRODUCT ADVANTAGES (M7Z)

- Smart touch panel
- Self-cleaning/descale program
- Steam wand function for milk frother
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing

PRODUCT ADVANTAGES (M7R)

- Smart touch panel
- Self-cleaning/descale program
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing

PRODUCT ADVANTAGES (M7TA)

- Smart touch panel
- Self-cleaning/descale program
- One touch cappuccino
- Adjustable coffee powder, coffee volume
- Adjustable grinder fineness
- Bean or ground powder options
- Steam wand function for milk frother
- Pre-brewing



PRODUCT ADVANTAGES

- 20 specialty drinks
- 7" high-resolution touchscreen
- Easy to operate
- 2-Cups once touch
- 10 person my coffee taste save


HIGHLIGHTS




19 Bar Italian ULKA
Water Pump Brewing



Self-cleaning each
Turn On/Turn Off




Bean or Ground
Coffee



Adjustable Grinder



2-Cups One Touch



Coffee Taste
Adjustable



Cornical SS Burr



20 Specialty Drinks



TECHNICAL SPECIFICATION

Product Size: 350X460X240mm
 Carton Size: 560x320x430mm
 G.W./N.W.: 13.2Kgs/11Kgs
 Voltage: 220-240V/100-120V
 Frequency: 50/60Hz
 Power: 1200-1500W
 Capacity Water Tank: 1.8L
 Capacity Bean Container: 250g
 Capacity Waste Container: 8 Pieces
 Cord Length: 100cm
 Adjustable Spout Height: 80-135mm
 Pump Pressure: 19Bar (Italy ULKA Pump)
 Color: Black or depend on your required

CUSTOMIZED

Coffee Powder per Cup: 7-12g
 Coffee Temperature: 80-93°C
 Coffee Volume per Cup: 30-250ml
 Milk Foam Time: 0-100s
 Hot Milk Time: 0-100s

ACCESSORIES

Power Plugs, Measuring Scoop,
 Instruction Manual, cleaning brush

BEVERAGES

Espresso, Ristretto, Long Espresso, Americano (coffee-hot water) Americano (hot water-coffee) ,
 Cappuccino, Latte, Flat White, Cortado, Double Espresso, Double Latte, Double Flat White, Double Cafe
 Macchiato, Milk Coffee, Cafe Macchiato, Latte Macchiato, Hot Water, Hot Milk Foam, Hot Milk



CLT-M8



CLT-X8



CLT-S8

PRODUCT ADVANTAGES (M8)

- 20 specialty drinks
- 7" high-resolution touchscreen Easy to operate
- 2-Cups once touch Coffee taste memory
- 2 cups once touch
- 10 independent users

PRODUCT ADVANTAGES (X8)

- 19 specialty drinks
- 5" high-resolution touchscreen
- Easy to operate
- 2-Cups once touch
- Coffee taste memory

PRODUCT ADVANTAGES (S8)

- 6 specialty drinks
- 3.5" colorful touchscreen
- One touch cappuccino
- Self-cleaning
- My coffee function
- Pre-brewing

TECHNICAL SPECIFICATION

Product Size: 490X242X347mm
 Carton Size: 560x320x435mm
 G.W./N.W.: 12.66Kgs/10.65Kgs
 Voltage: 220-240V/100-120V
 Frequency: 50/60Hz
 Power: 1200-1450W
 Capacity Water Tank: 2L
 Capacity Bean Container: 250g
 Capacity Waste Container: 8 Pieces
 Cord Length: 120cm
 Adjustable Spout Height: 75-140mm
 Pump Pressure: 19Bar (Italy ULKA Pump)
 Color: Black or depend on your required

CUSTOMIZED

Coffee Powder per Cup: 7-12g
 Coffee Temperature: 80-93°C
 Coffee Volume per Cup: 30-250ml
 Milk Foam Time: 0-100s
 Hot Milk Time: 0-100s

ACCESSORIES

Power Plugs, Measuring Scoop,
 Instruction Manual, cleaning brush


HIGHLIGHTS



19 Bar Italian ULKA
 Water Pump Brewing



Self-cleaning each
 Turn On/Turn Off




Bean or Ground
 Coffee



Adjustable Grinder



2-Cups One Touch



Coffee Taste
 Adjustable



Cornical SS Burr



Removable Milk
 Frother Easy Clean



CLT-Q07S



CLT-Q07R

PRODUCT ADVANTAGES (Q07S)

- Smart touch panel
- Self-cleaning/descale program
- Steam wand function for milk frother
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing


PRODUCT ADVANTAGES (Q07R)

- Smart touch panel
- Self-cleaning/descale program
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing

HIGHLIGHTS



19 Bar Italian ULKA
Water Pump Brewing



Self-cleaning each
Turn On/Turn Off



Bean or Ground
Coffee



Adjustable Grinder



Cornical SS Burr



Touch Panel



Remove Drip Tray



Washable Brewer

TECHNICAL SPECIFICATION

Voltage: 220-240V/100-120V
Frequency: 50/60Hz
Power: 1200-1450W
Capacity Water Tank: 1.8L
Capacity Bean Container: 250g
Capacity Waste Container: 8 Pieces
Cord Length: 100cm
Adjustable Spout Height: 80-135mm
Pump Pressure: 19Bar (Italy ULKA Pump)
Color: Black

CUSTOMIZED

Coffee Powder per Cup: 7-12g
Coffee Temperature: 82-94°C
Coffee Volume per Cup: 30-250ml

ACCESSORIES

Power Plugs, Measuring Scoop,
Instruction Manual, cleaning brush

BEVERAGES



ESPRESSO



LONG
ESPRESSO



HOT WATER





CLT-X7S



CLT-X7R



CLT-X7T

PRODUCT ADVANTAGES (X7R)

- Smart touch panel+Screen
- Self-cleaning/descale program
- Double cups in one time
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing

PRODUCT ADVANTAGES (X7S)

- Smart touch panel+Screen
- Self-cleaning/descale program
- Steam wand function for milk frother
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing

PRODUCT ADVANTAGES (X7T)

- Smart touch panel+Screen
- One touch cappuccino
- Self-cleaning/descale program
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing

TECHNICAL SPECIFICATION

Voltage: 220-240V/100-120V
 Frequency: 50/60Hz
 Power: 1200-1450W
 Capacity Water Tank: 1.8L
 Capacity Bean Container: 250g
 Capacity Waste Container: 8 Pieces
 Cord Length: 100cm
 Adjustable Spout Height: 80-135mm
 Pump Pressure: 19Bar (Italy ULKA Pump)
 Color: Black

CUSTOMIZED

Coffee Powder per Cup: 7-12g
 Coffee Temperature: 82-94°C
 Coffee Volume per Cup: 30-250ml


ACCESSORIES

Power Plugs, Measuring Scoop,
 Instruction Manual, cleaning brush


HIGHLIGHTS



19 Bar Italian ULKA
 Water Pump Brewing



Self-cleaning each
 Turn On/Turn Off



Bean or Ground
 Coffee



One Touch Cappuccino



Adjustable Grinder



Cornical SS Burr

BEVERAGES (X7T)



ESPRESSO



COFFEE



LATTE



CAPPUCCINO



HOT MILK



CLT-K7S



CLT-K7R



CLT-K7T

PRODUCT ADVANTAGES (K7S)

- Smart touch panel+Screen
- Self-cleaning/descale program
- Steam wand function for milk frother
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing

PRODUCT ADVANTAGES (K7R)

- Smart touch panel
- Self-cleaning/descale program
- Double cups in one time
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing

PRODUCT ADVANTAGES (K7T)

- Smart touch panel+Screen
- One touch cappuccino
- Self-cleaning/descale program
- Adjustable grinder fineness
- Bean or ground powder options
- My coffee taste
- Pre-brewing

TECHNICAL SPECIFICATION

Voltage: 220-240V/100-120V
 Frequency: 50/60Hz
 Power: 1200-1450W
 Capacity Water Tank: 1.8L
 Capacity Bean Container: 250g
 Capacity Waste Container: 8 Pieces
 Cord Length: 100cm
 Adjustable Spout Height: 80-135mm
 Pump Pressure: 19Bar (Italy ULKA Pump)
 Color: Black

CUSTOMIZED

Coffee Powder per Cup: 7-12g
 Coffee Temperature: 82-94°C
 Coffee Volume per Cup: 30-250ml

ACCESSORIES

Power Plugs, Instruction Manual,
 Cleaning brush

HIGHLIGHTS



19 Bar Italian ULKA
 Water Pump Brewing



Self-cleaning each
 Turn On/Turn Off



Bean or Ground
 Coffee



Washable Brewer



Adjustable Grinder



Cornical SS Burr

BEVERAGES (K7S)



ESPRESSO



LONG ESPRESSO



HOT WATER



CLT-S7-2



CLT-S7-2

PRODUCT ADVANTAGES

- 6 specialty drinks
- 3.5" colorful touch screen
- One touch cappuccino
- Self-cleaning/descale program
- Bean or ground powder options
- My coffee taste

HIGHLIGHTS



19 Bar Italian ULKA Water Pump



All SS Housing



Bean or Ground Coffee



Adjustable Grinder



Conical SS Burr



One Touch Cappuccino



Independent Milk System



Cup Warmer Plate

TECHNICAL SPECIFICATION

Product Size: 490X242X347mm
 Carton Size: 560x320x435mm
 G.W./N.W.: 12.66Kgs/10.65Kgs
 Voltage: 220-240V/100-120V
 Frequency: 50/60Hz
 Power: 1200-1500W
 Capacity Water Tank: 2L
 Capacity Bean Container: 250g
 Capacity Waste Container: 8 Pieces
 Cord Length: 120cm
 Adjustable Spout Height: 60-130mm
 Pump Pressure: 19Bar (Italy ULKA Pump)
 Color: Black / Silver

CUSTOMIZED

Coffee Powder per Cup: 7-12g
 Coffee Temperature: Low, Medium, High
 Coffee Volume per Cup: 30-250ml
 Milk Foam Time: 10-80s
 Hot Milk Time: 10-80s

ACCESSORIES

Power Plugs, Measuring Scoop,
 Instruction Manual, cleaning brush

BEVERAGES



COFFEE



ESPRESSO



CAPPUCCINO



LATTE



HOT MILK



HOT WATER





CLT-S9A



CLT-S8A



CLT-M8A



CLT-X8A

PRODUCT ADVANTAGES (S9A)

- 20 specialty drinks
- 7" high-resolution touchscreen Easy to operate
- 10 language Options
- 2-Cups once touch
- 10 person my coffee taste save

PRODUCT ADVANTAGES (S8A)

- 6 specialty drinks
- One touch cappuccino
- My coffee function
- 3.5" colorful touchscreen
- Self-cleaning
- Pre-brewing

PRODUCT ADVANTAGES (M8A)

- 20 specialty drinks
- 3 ways to supply water
- 7" high-resolution touchscreen Easy to operate
- 10 independent users
- 2-Cups once touch Coffee taste memory

PRODUCT ADVANTAGES (X8A)

- 19 specialty drinks
- Easy to operate
- Coffee taste memory
- 5" high-resolution touchscreen
- 2-Cups once touch
- 3 ways to supply water

TECHNICAL SPECIFICATION

Product Size: 350X460X240mm
 Carton Size: 560x320x430mm
 G.W./N.W.: 13.2Kgs/11Kgs
 Voltage: 220-240V/100-120V
 Frequency: 50/60Hz
 Power: 1200-1500W
 Capacity Water Tank: 1.8L
 Capacity Bean Container: 750g
 Capacity Waste Container: 40 Pieces
 Cord Length: 120cm
 Adjustable Spout Height: 80-135mm
 Pump Pressure: 19Bar (Italy ULKA Pump)
 Color: Black or depend on your required

CUSTOMIZED

Coffee Powder per Cup: 7-12g
 Coffee Temperature: 80-93°C
 Coffee Volume per Cup: 30-250ml
 Milk Foam Time: 0-100s
 Hot Milk Time: 0-100s


ACCESSORIES

Power plugs, measuring scoop,
 instruction manual, cleaning brush,
 milk container, tap water tube, extend
 bean container, extend waste container,
 milk tank holder

Water Supply System

01

Tap Water



02

Water Bottle



03

Water Tank



Left: 4L waste water
 Right: 70pcs waste cake



750g
 Bean Container



CLT-M6S



CLT-M6TA

PRODUCT ADVANTAGES (M6S)

- Smart touch panel
- Self-cleaning/descale program
- Steam wand function for milk frother
- Adjustable grinder fineness
- Bean or ground powder options
- Adjustable coffee powder, coffee volume
- Pre-brewing

PRODUCT ADVANTAGES (M6TA)

- Smart touch panel
- Self-cleaning/descale program
- One touch cappuccino
- Adjustable grinder fineness
- Bean or ground powder options
- Adjustable coffee powder, coffee volume
- Pre-brewing





CLT-M970



CLT-M950



CLT-M912

PRODUCT ADVANTAGES (M950)

- 19 specialty drinks
- 5" high-resolution touchscreen
- Easy to operate
- 2-Cups once touch
- Coffee taste memory

PRODUCT ADVANTAGES (M970)

- 20 specialty drinks
- 7" high-resolution touchscreen
- Easy to operate
- 2-Cups once touch
- 10 person my coffee taste save

PRODUCT ADVANTAGES (M912)

- Smart touch panel
- Self-cleaning/descale program
- One touch cappuccino
- Adjustable grinder fineness
- Bean or ground powder options
- Adjustable coffee powder, coffee volume
- Pre-brewing



PRODUCT ADVANTAGES

- 22 specialty drinks (can be extended)
- Professional Steam Wand
- Adjustable grinder powder fineness
- Customize coffee taste
- 10" LCD colorful touchscreen
- Beans and chocolate double hoppers
- One touch cappuccino
- Max 16g coffee beans per cup





CLT-M11

PRODUCT ADVANTAGES

- 3" TFT SCREEN
- Self-cleaning/descale program
- One touch cappuccino
- Adjustable grinder fineness
- Bean or ground powder options
- Adjustable coffee powder, coffee volume
- Pre-brewing

