



26th
ANNIVERSARY




COMMERCIAL SERIES

2 0 2 5

COMMERCIAL SERIES





FULL RANGE CUSTOMIZABLE




**COMMERCIAL COOKTOP
SERIES**

P 011



**BUILT IN COOKTOP
SERIES**

P 071



**KEEPING WARM
COOKTOP
SERIES**

P 077



**INDUCTION DEEP FRYER
SERIES**

P 087



**CATERING TROLLEY
SERIES**

P 097




**INDUCTION CATERING
EQUIPMENT
SERIES**

P 101



**BUFFET STATION
SERIES**

P 209



COMMERCIAL
COOKTOP
SERIES

COMMERCIAL COOKTOP SERIES

E500F

5000W 380-400V 3N~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
39 X 49 X 14 CM
- SPECIFICATION**
 - Stainless Steel Body
 - Glass Hob / Schott Ceran Hob / Eurokera France Hob
 - Without The Plug
 - Touch Control with Safety lock
 - Electronic Overheating Protection
 - Timer, LCD Display (0-180minute)
 - 1-10 Power Levels (500-5000W)
 - 1-10 Temperature Setting
 - Temperature Range: 60°C-240°C
 - Power: 380-400V 3N~ 50-60Hz, 5000W

CERTIFICATION
CE EMC ERP REACH RoHS

E500E

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)**
39 X 49 X 14 CM
- SPECIFICATION**
 - Stainless Steel Body
 - Glass Hob / Schott Ceran Hob / Eurokera France Hob
 - Without The Plug
 - Adjust the Power or Temperature by Knob
 - Electronic Overheating Protection
 - Touch Control, LED Display
 - 1-10 Power Levels (500-5000W)
 - 1-10 Temperature Setting
 - Temperature Range: 60°C-240°C
 - Power: 380-400V 3N~ 50-60Hz, 5000W

CERTIFICATION
CE EMC ERP REACH RoHS

E500E-1

5000W 380-400V 3N~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
39 X 49 X 15 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction
Without The Plug
Adjust the Power or Temperature by Knob
Electronic Overheating Protection

Touch Control,LED Display
1-10 Power Levels (500-5000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 380-400V 3N~ 50-60Hz, 5000W
- CERTIFICATION
CE EMC ERP REACH RoHS

E500G

5000W 220-240V~ 50-60 Hz

- DIMENSION (L X W X H)
46 X 56 X 13 CM
- SPECIFICATION
Stainless Steel Body / Metal feet / With Filter on the Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Touch Control / Adjust the Power By Knob
Suitable for Very Big Cookware
Electronic Overheating Protection

1-10 Power Levels (500-5000W)
- CERTIFICATION
CE EMC ERP REACH RoHS (240V~60Hz, 3500W)



E500K

5000W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
46 X 56 X 13 CM
- SPECIFICATION
Stainless Steel Body / Metal feet / With Filter on the Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Touch Control / Safety Lock
Suitable for Very Big Cookware
Electronic Overheating Protection

1-10 Power Levels (500-5000W)
- CERTIFICATION
CE EMC ERP REACH RoHS

E500D3

5000W 380-400V 3N~ 50-60 Hz

- DIMENSION (L X W X H)
40.2 X 52.5 X 18.2 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Touch Control / Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-5000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS



E500D4

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
40.2 X 52.5 X 19.4 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Without the Plug
Touch Control / Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-5000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-500C2

5000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 18.3 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Without the Plug
LED Display
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 220-240V~ 50-60Hz,5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-500C

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 16.8 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
LED Display
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 220-240V~ 50-60Hz,5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-500E

5000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 16.8 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

0-6 Power Levels (500-5000W)
Power: 220-240V~50-60Hz,5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS



BT-500E1

5000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 18.3 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

0-6 Power Levels (500-5000W)
Power: 220-240V~50-60Hz,5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

E500B

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 18.3 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Without the Plug
LED Display
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 380-400V 3N~50-60Hz,5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

E500A

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 16.8 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
LED Display
Touch Control with Safety Lock
Electronic Overheating Protection

Power: 380-400V 3N~50-60Hz,5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

E500C1

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 16.8 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

0-6 Power Levels (500-5000W)
Power: 380-400V 3N~50-60Hz,5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS



E500C2

5000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
39.8 X 51.5 X 18.3 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

0-6 Power Levels (500-5000W)
Power: 380-400V 3N~50-60Hz,5000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

E800B

8000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
44 X 54 X 14.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without The Plug
4pcs metal feet
Electronic Overheating Protection

Touch Control,LED Display
1-10 Power Levels (500-8000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 380-400V 3N~ 50-60Hz, 8000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

E800A

8000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
44 X 54 X 14.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without The Plug
Adjust the Power or Temperature by Knob
4pcs metal feet
Electronic Overheating Protection

Touch Control,LED Display
1-10 Power Levels (500-8000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 380-400V 3N~ 50-60Hz, 8000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-800A

8000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
50 X 54 X 21 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

1-12 Power Levels (500-8000W)
Power: 380-400V 3N~50-60Hz,8000W

■ CERTIFICATION
CE EMC ERP REACH RoHS



BT-800B

8000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
50.6 X 58.5 X 29.3 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Without the Plug
Adjust the Power By Knob
Electronic Overheating Protection

1-12 Power Levels (500-8000W)
Power: 380-400V 3N~50-60Hz,8000W
- CERTIFICATION
CE EMC ERP REACH RoHS

HBE350B

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
44 X 54 X 13 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob/Schott Ceran Hob/Eurokera France Hob

Two Blue LED Display
Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer,0-180 minute
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

HBE350A

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
38.9 X 49 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob/Schott Ceran Hob/Eurokera France Hob

Two Blue LED Display
Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer,0-180 minute
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

HB350A

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control, LCD Display
Adjust the Power or Temperature by Knob
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS



HB350A-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
34 X 43.2 X 12.5 CM
- SPECIFICATION**
Stainless Steel Body
Wok Induction

Touch Control, LCD Display
Adjust the Power or Temperature by Knob
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION**
CE EMC ERP REACH RoHS

HB350C-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
34 X 43.2 X 12.5 CM
- SPECIFICATION**
Stainless Steel Body
Wok Induction

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer,LCD Display (0-180 minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION**
CE EMC ERP REACH RoHS

HB350C

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
34 X 43.2 X 12.5 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob/Schott Ceran Hob/Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer,LCD Display (0-180 minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION**
CE EMC ERP REACH RoHS

HB350KCT

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
34 X 43.2 X 12.5 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION**
CE EMC ERP REACH RoHS



HBC35

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer,LCD Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating

■ CERTIFICATION
CE EMC ERP REACH RoHS (120V~ 60Hz, 1800W)

HBE35-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control / Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer,LCD Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating

■ CERTIFICATION
CE EMC ERP REACH RoHS

HBE35

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer,LCD Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating

■ CERTIFICATION
CE EMC ERP REACH RoHS

HB350A2

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating

■ CERTIFICATION
CE EMC ERP REACH RoHS



HB350A2-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

HB350A4-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180 minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

HB350A4

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180 minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

HB350A4-2

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180 minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS



HB350ET-2

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer,LED Display(0-180 minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

HB350ET-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (350-3500W)
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

HB350ET

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
34 X 43.2 X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Half Bridge Technology
Electronic Overheating Protection

Timer,LED Display(0-180 minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

HBEP350A

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
38.3 X 46 X 9 CM
- SPECIFICATION
Stainless Steel Body / Metal Feet
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Two LED Display
With Filter on the Bottom
Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS



HBE350D

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
38.3 X 46 X 9 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Two Blue LED Display, Touch Control with Safety Lock
Metal Feet, Double Sensor
With Filter on the Bottom
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS FC

E500L

5000W 380-420V 3N~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
38.2 X 46 X 11.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
6.8 inches TFT Control and Display
Electronic Overheating Protection

With airfilter
Power: 380-420V 3N~ 50-60Hz, 5000W
- CERTIFICATION
CE EMC ERP REACH RoHS FC

HBE350C

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



- DIMENSION (L X W X H)
33.8 X 41.8 X 8.4 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS FC (240V~60Hz, 3500W)

HBE350K

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



- DIMENSION (L X W X H)
33.8 X 41.8 X 8.4 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS FC (240V~60Hz, 3500W)



HBE350F

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
33.8 X 41.8 X 8.4 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating

CERTIFICATION
CE EMC ERP REACH RoHS FC (240V~60Hz, 3500W)

HBE350C

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



- DIMENSION (L X W X H)**
33.8 X 41.8 X 8 CM
- SPECIFICATION**
Stainless Steel Body
NEG Glass

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating

CERTIFICATION
CE EMC ERP REACH RoHS

HBE350I

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
33.8 X 41.8 X 8.4 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

Timer,LCD Display (0-180minute)
1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating

CERTIFICATION
CE EMC ERP REACH RoHS FC (240V~60Hz, 3500W)

HBE350C

3000W/3500W 220-240V~ 50-60 Hz

PATENTED



- DIMENSION (L X W X H)**
33.8 X 41.8 X 8 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Half Bridge Technology
Electronic Overheating Protection

1-10 Power Levels (350-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating

CERTIFICATION
CE EMC ERP REACH RoHS



HB350K5

3000W/3500W 220~240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
33.9 X 43.3 X 12.3 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control, LCD display
Adjust the Power or Temperature by Knob
Electronic Overheating Protection

1-10 Power Levels (350-3500W)
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug

CERTIFICATION
CE EMC ERP REACH RoHS (208V~60Hz, 3000W)

E350G

3000W/3500W 220~240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
44 X 54 X 13 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Adjust the Power or Temperature by Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug

CERTIFICATION
CE EMC ERP REACH RoHS

E350J

3000W/3500W 220~240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
44 X 54 X 13 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control with Safety Lock
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug

CERTIFICATION
CE EMC ERP REACH RoHS

E350S

3000W/3500W 220~240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
39.6 X 41.5 X 9.4 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control, LCD display
Adjust the Power or Temperature by Knob
Electronic Overheating Protection

1-10 Power Levels (350-3500W)
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug

CERTIFICATION
CE EMC ERP REACH RoHS



BE350A

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
39.6 X 41.5 X 9.4 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control, LCD display
Adjust the Power or Temperature by Knob
Electronic Overheating Protection

1-10 Power Levels (350-3500W)
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
- CERTIFICATION**
CE EMC ERP REACH RoHS

SM-351W-CR

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
37.1 X 48.5 X 14.4 CM
- SPECIFICATION**
Stainless Steel Body
Wok Induction

Touch Control / Adjust the Power By Knob
Electronic Overheating Protection

LED Display
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION**
CE EMC ERP REACH RoHS (208-240V~50/60Hz, 3500W)

SM-351W-CRT

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
37.1 X 48.5 X 14.4 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Adjust the Power By Knob
Electronic Overheating Protection

LED Display
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION**
CE EMC ERP REACH RoHS

E350A

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
38.9 X 49 X 12.5 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Suitable for Max Dia. 32cm Cookware
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
- CERTIFICATION**
CE EMC ERP REACH RoHS



E350B

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
44 X 54 X 13 CM
- SPECIFICATION**
 - Stainless Steel Body
 - Glass Hob / Schott Ceran Hob / Eurokera France Hob
 - Touch Control
 - Suitable for Max Dia. 36cm Cookware
 - Electronic Overheating Protection
 - Timer,LED Display (0-180minute)
 - 1-10 Power Levels (500-3500W)
 - 1-10 Temperature Setting
 - Temperature Range: 60°C-240°C
 - Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug
- CERTIFICATION**
CE EMC ERP REACH RoHS (240V~60Hz, 3500W)

D350B

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
34X 43 X 12.3 CM
- SPECIFICATION**
 - Stainless Steel Body
 - Glass Hob / Schott Ceran Hob / Eurokera France Hob
 - Touch Control
 - Electronic Overheating Protection
 - Timer,LED Display (0-180minute)
 - 1-10 Power Levels (500-3500W)
 - 1-10 Temperature Setting
 - Temperature Range: 60°C-240°C
- CERTIFICATION**
CE EMC ERP REACH RoHS FC

D350A

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
34X 43 X 12.3 CM
- SPECIFICATION**
 - Stainless Steel Body
 - Glass Hob / Schott Ceran Hob / Eurokera France Hob
 - Touch Control / Safety Lock
 - Electronic Overheating Protection
 - Timer,LCD Display (0-180minute)
 - 1-10 Power Levels (500-3500W)
 - 1-10 Temperature Setting
 - Temperature Range: 60°C-240°C
- CERTIFICATION**
CE EMC ERP REACH RoHS FC

D350C

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
34X 43 X 12.3 CM
- SPECIFICATION**
 - Stainless Steel Body
 - Glass Hob / Schott Ceran Hob / Eurokera France Hob
 - Touch Control
 - Electronic Overheating Protection
 - Timer,LCD Display (0-180minute)
 - 1-10 Power Levels (500-3500W)
 - 1-10 Temperature Setting
 - Temperature Range: 60°C-240°C
- CERTIFICATION**
CE EMC ERP REACH RoHS FC



D350D

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)

34X 43 X 12.3 CM
- SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

D350F

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)

34X 43 X 12.3 CM
- SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

D350E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)

34X 43 X 12.3 CM
- SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC

D350G

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)

34X 43 X 12.3 CM
- SPECIFICATION

Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION

CE EMC ERP REACH RoHS FC



D350H

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34X 43 X 12.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC

D350I

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 43X 13.5 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC

BT-350K-2

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
33 X 42.5 X 10.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-350K2-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
33 X 42.5 X 10.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC



BT-350K4-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
33 X 42.5 X 10.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-350K6-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
33 X 42.5 X 10.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-350K5-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
33 X 42.5 X 10.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC

BT-350KCT-2-A

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 43X 13.5 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)



BT-350K8-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
35.5 X 43.2 X 10.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS FC

BT-350K10-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
35.5 X 43.2 X 13.1 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS FC

BT-350K9-E

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
35.5 X 43.2 X 10.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS FC

BT-350A3

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 44.5 X 11.7 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
Power: 220-240V~ 50-60Hz,3500W
- CERTIFICATION
CE EMC ERP REACH RoHS



BT-350H-C

3000W 220-240V 50-60 Hz

NEW



- DIMENSION (L X W X H)
31.6 X 41 X 5.3 CM
- SPECIFICATION
Aluminum frame
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control with Safety Lock
Electronic Overheating Protection
1-10 Power Levels (500-3000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-350H-1

3000W 220-240V 50-60 Hz

NEW



- DIMENSION (L X W X H)
31.6 X 41 X 5.3 CM
- SPECIFICATION
Aluminum frame
Glass Hob
Auto-run heating mode
Touch Control with Safety Lock
Electronic Overheating Protection
1-10 Power Levels (500-3000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 3000W

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-350A

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 43.2 X 11.7 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Button Control
Electronic Overheating Protection
Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-350B

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 43 X 11.7 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Button Control / Adjust the Power By Knob
Electronic Overheating Protection
Timer,LED Display (0-120minute)
1-15 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS



BT-350D

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 43 X 11.7 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-120minute)
1-15 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-350B-A

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 43.2 X 11.7 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-350B-A WOK

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 44.5 X 12.7 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-350KC

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 44 X 12.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-350KC-1

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
34 X 43.3 X 12.7 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-350KCT-1

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
33.9 X 43.3 X 12.7 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

BT-350KCT

3000W/3500W 220-240V 50/60 Hz



- DIMENSION (L X W X H)
34 X 43.3 X 12.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS

E350M

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
32 x 39 x 9.5 CM
- SPECIFICATION
Stainless Steel Body,Plastic bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS



E350M

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
32 x 39 x 9.5 CM
- SPECIFICATION**
Iron Body ,sprayed black,Plastic bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS

E300L

3000W/3500W 220-240V~ 50-60 Hz

- DIMENSION (L X W X H)**
32.7 X 42 X 10 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS

E350MK-1

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
32 X 39 X 9.5 CM
- SPECIFICATION**
Stainless Steel Body,Plastic bottom
Chinese black glassplate

Adjust the power by knob
Electronic Overheating Protection

Power: 220-240V~ 50-60Hz,3500W

CERTIFICATION
CE EMC ERP REACH RoHS

E350H

3000W/3500W 220-240V~ 50-60 Hz

- DIMENSION (L X W X H)**
35.5 X 43.7 X 16.5 CM
- SPECIFICATION**
Stainless Steel Body
Wok Induction

Touch Control with Safety Lock
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz,3500W or 3000W for UK plug

CERTIFICATION
CE EMC ERP REACH RoHS



BT-A35

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
32.7 X 42 X 10 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-350K

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
32.7 X 42 X 10 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-C35

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
32.7 X 42 X 10 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LCD Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

BT-350K-1

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
32.7 X 42 X 10 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
- CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)



BT-350K-W

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
32.7 X 42 X 10 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-500A

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
33.8 X 39.5 X 11.7 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS

BT-500B

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
33.8 X 39.5 X 11.7 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)

BT-500D

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
33.8 X 39.5 X 12.7 CM
- SPECIFICATION**
Stainless Steel Body
Wok Induction

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS



BT-350ET(R)

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
33.8 X 55X 12.5 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob
Touch Control
Half Bridge Technology
Electronic Overheating ProtectionTimer,
LED Display(0-180 minute)
1-10 Power Levels(350-3500W)
1-10 Temperature Setting
Temperature Range:60°C-240°C
Power:220-240V~50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-350GT(R)

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
33.8 X 55X 13 CM
- SPECIFICATION
Stainless Steel Body
Wok induction
Touch Control
Half Bridge Technology
Electronic Overheating ProtectionTimer,
LED Display(0-180 minute)
1-10 Power Levels(350-3500W)
1-10 Temperature Setting
Temperature Range:60°C-240°C
Power:220-240V~50-60Hz,3500W or 3000W for UK plug
350W lower power continuous heating
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-SS36WOK

3000W/3500W 220-240V 50/60 Hz



- SPECIFICATION
Suitable for Commercial Wok Induction
3-Ply Wok with or Without Lid
Dia.36cm
Thickness: 304SS, 0.4mm
AL, 1.5mm
430, 0.6mm
Lid: 304SS,1.0mm
Weight: 3.27kg
- CERTIFICATION
LFGB

BT-SS40WOK

- SPECIFICATION
Suitable for Commercial Wok Induction
3-Ply Wok with or Without Lid
Dia.43cm
Thickness: 304SS,0.4mm
AL, 1.5mm
430, 0.6mm
Lid: 304SS,1.0mm
Weight: 3.2kg
- CERTIFICATION
LFGB



BT-270K-H

2700W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
33.8 X 42.2 X 7.5 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS

BT-270B-H2

2700W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
32 X 39.1 X 10.6 CM
- SPECIFICATION**
Stainless Steel Body / Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS (120V~60Hz, 1800W)

E270C

2700W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
32 X 36.8 X 8.4 CM
- SPECIFICATION**
Stainless Steel Body / Plastic Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control / Safety Lock
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS

BT-270A

2700W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
32 X 36.8 X 10.6 CM
- SPECIFICATION**
Stainless Steel Body / Plastic Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control / Adjust the Power By Knob
Electronic Overheating Protection

Timer,LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

CERTIFICATION
CE EMC ERP REACH RoHS FC (120V~60Hz, 1800W)



BT-270B

2700W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
32 X 36.8 X 8.4 CM
- SPECIFICATION
Stainless Steel Body / Plastic Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Button Control
Electronic Overheating Protection

Timer, LED Display (0-180minute)
1-10 Power Levels (500-2700W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC (120V ~ 60Hz, 1800W)

SA3600

3600W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
33 X 72.4 X 13.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

LED Display
Button Control / Adjust the Power By Knob
Double Plate-Separately Controllable
Electronic Overheating Protection

Timer, Setting(0-175min)
Temperature Range: 120°F-500°F

■ CERTIFICATION
UL ENEC FC NSF

KRI-N2000

2000W 220-240V 50-60 Hz



- DIMENSION (L X W X H)
32 X 46 X 8.7 CM
- SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

0-99 minute timer
1-9 Power Levels (500-2000W)

■ CERTIFICATION
CB

BT-700K8-E

7000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
68.3 X 43 X 11 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Button Control
Electronic Overheating Protection\
- Timer, LED Display (0-180minute)
1-10 Power Levels (500-3500W*2)
1-10 Temperature Setting
Temperature Range: 60°C-240°C

■ CERTIFICATION
CE EMC ERP REACH RoHS FC



ET700A

7000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
69.7 X 34.8 X 11 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Control Box Moveable
Touch Control / Adjust the Power By Knob
Double Plate-Separately Controllable
Electronic Overheating Protection

LED Display
Temperature Range: 60°C-240°C
Power: 220-240V~50-60Hz,3500W+3500W
- CERTIFICATION
CE EMC ERP REACH RoHS

ET700H

5000W+3500W 380-420V 3N~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
38.2 X 70X 13 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
6.8 inches TFT Control and Display
One Cable Without Plug
Electronic Overheating Protection

With airfilter
Power: 380-420V 3N~ 50-60Hz, 5000W+3500W
- CERTIFICATION
CE EMC ERP REACH RoHS

ET700C

7000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
71.2 X 38.8 X 11 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Control Box Moveable
Touch Control / Adjust the Power By Knob
With Power Share Function
Double Plate-Separately Controllable
Electronic Overheating Protection

Timer,LED Display (0-180minute)
Temperature Range: 60°C-240°C
Power: 380-400V 3N ~50-60Hz,3500W+3500W
Max Power of the Left Zone is 5000W
- CERTIFICATION
CE EMC ERP REACH RoHS

ET700B

7000W 380-400V 3N~ 50-60 Hz



- DIMENSION (L X W X H)
40 X 69.5 X 14.3 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Adjust the Power By Knob
With Power Share Function
Double Plate-Separately Controllable
Electronic Overheating Protection

Power: 380-400V 3N ~50-60Hz,3500W+3500W
Max Power of the Front Zone is 5000W
- CERTIFICATION
CE EMC ERP REACH RoHS



BT-700A9

8500W 380-400V 3N~ 50-60 Hz

NEW



- DIMENSION (L X W X H)**
40.7 X 70.1 X 14.3 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Adjust the Power By Knob
Double Plate-Separately Controllable
Electronic Overheating Protection
Power: 380-400V 3N ~50-60Hz,3500W+5000W

CERTIFICATION
CE EMC ERP REACH RoHS

BT-700D3(T)

7000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
39 X 71.3 X 12.3 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Touch Control
Double Plate-Separately Controllable
Electronic Overheating Protection

Power: 220-240V~50-60Hz,3500W+3500W

CERTIFICATION
CE EMC ERP REACH RoHS

BT-700D3

7000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)**
39 X 71.3 X 12.3 CM
- SPECIFICATION**
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Adjust the Power By Knob
Double Plate-Separately Controllable
Electronic Overheating Protection

Power: 220-240V~50-60Hz,3500W+3500W

CERTIFICATION
CE EMC ERP REACH RoHS



BT-500T

5000W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
48 X 48 X 20 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Without plug
Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-5000W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

D20N

2000W 220-240V 50-60 Hz

NEW



- DIMENSION (L X W X H)
32 X 34 X 7.8 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

1-10Power Levels (500-2000W)
Power: 220-240V~ 50-60Hz,2000W
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-500W

5000W 220-240V 50-60 Hz

NEW



- DIMENSION (L X W X H)
39.8 X 39.8 X 14.5 CM
- SPECIFICATION
Stainless Steel Body
Chinese Black wok ceramic glass
Touch and Knob control
With air filter
Electronic Overheating Protection
Power Output: 5000W(9 level)
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

D350N

3000W/3500W 220-240V~ 50-60 Hz

NEW



- DIMENSION (L X W X H)
32 X 34 X 9.8 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch Control
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
Power: 220-240V~ 50-60Hz,3500W
- CERTIFICATION
CE EMC ERP REACH RoHS



BT-350T

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
36 X 38 X 12 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-350T2

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
37 X 39 X 12 CM
- SPECIFICATION
Stainless Steel Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

AP-F35

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
36 X 38 X 12 CM
- SPECIFICATION
Stainless Steel Body
Wok Induction

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS

E3500T

3000W/3500W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
30 X 30 X 10 CM
- SPECIFICATION
Metal Bottom
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Adjust the Power By Knob
Electronic Overheating Protection

1-10 Power Levels (500-3500W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
- CERTIFICATION
CE EMC ERP REACH RoHS



BT-180T

1800W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
φ29.8 X 8 CM
- SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch control
Electronic Overheating Protection

1-10 Power Levels (500-1800W)
1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W
- CERTIFICATION
CE RoHS

BT-180T1

1800W 220-240V~ 50-60 Hz



- DIMENSION (L X W X H)
29.7 X 29.7 X 8 CM
- SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Touch control
Electronic Overheating Protection

1-10 Temperature Setting
Temperature Range: 60°C-240°C
Power: 220-240V~ 50-60Hz, 1800W
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-180T3

1800W 220-240V 50-60 Hz

NEW



- DIMENSION (L X W X H)
30 X 30 X 8 CM
- SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Double control ways: Can control by touch the keys on the glass-ceramic or via control box.
Electronic Overheating Protection

Heating level1-5 levels
Power: 220-240V~ 50-60Hz, 1800W
- CERTIFICATION
CE EMC ERP REACH RoHS

BT-100C3

1000W 220-240V 50-60 Hz

NEW



- DIMENSION (L X W X H)
21 X 25 X 6.9 CM
- SPECIFICATION
Plastic Body
Glass Hob / Schott Ceran Hob / Eurokera France Hob

Double control ways: Can control by touch the keys on the glass-ceramic or via control box.
Electronic Overheating Protection

Heating level1-5 levels
Keep warm at 80°C
Power: 220-240V~ 50-60Hz, 1000W
- CERTIFICATION
CE EMC ERP REACH RoHS

