By. Er. Dharmendra Sir 7974073108, 9584873492

DPM CLASSES

6th to 10th (Math's & Science), 11th & 12th (Physics, Chemistry, Math's)

EXAM - PAPER (CBSE/NCERT)

PRACTICE SET -4

SESSION -2024-25

CLASS - 10th

JOIN TODAY FOR ADVANCE CONCEPTS

ONLY IN ₹2000 PER MONTH

MRP: ₹ 100/- ONLY

ALSO, BASIC CONCEPTS CLASSES IN SUMMER VACATION Apr, May & Jun (Every Year)

Add: Block -B, Near Glory Villa, 60 feet Road (Nearest land mark Scindia Statue), Shatabdipuram, Gwalior

Time : 3:00 hr Exam paper - 4 (maths) mm :

Q. 1. Choose the correct option and write it :

(i) 11th term of the A.P : $-3, \frac{1}{2}, 2, \ldots$ is :

(a) 28 (b) 22
(c) -38 (d) $-48\frac{1}{2}$

(ii) The time-period of famous Greek mathematician thales is :

(a) B.C. 640 - 546 (b) 476 - 550 B.C
(c) 1777 - 1855 B.C (d) 770 - 850 B.C

(iii) Distance between point P(3, 2) and Q(-2, -3) is :

(a) 7.09 (Approx) (b) 7.07 (approx)
(c) 7.21 (Approx) (d) 1.41 (Approx)

(iv) The type of graph of the quadratic polynomial $ax^2 + bx + c$ will be :

(a) straight line (b) parallel line
(c) parabolas (d) curve line

(v) No real roots of quadratic equation $ax^2 + bx + c = 0$, if

(a) $b^2 + 4ac > 0$ (b) $b^2 - 4ac = 0$
(c) $b^2 - 4ac > 0$ (d) $b^2 - 4ac < 0$

(vi) The pair of linear equation $a_1x+b_1y+c_1=0$ and $a_2x+b_2y+c_2=0$ is dependent and consistent if:

(a) $\frac{a_1}{a_2} \neq \frac{b_1}{b_2}$ (b) $\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2}$

(c) $\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{a_2}$ (d) $\frac{a_1}{a_2} = \frac{b_1}{b_2} \neq \frac{c_1}{c_2}$

Q.2. Fill in the blanks:

(i) All ..... triangles are similar.

(ii) Length of an arc of a sector of a circle with radius r and angle with degree measure θ is .....

(iii) $\sqrt{3}$ is a/an ..... number.

(iv) $p(x)$ is a polynomial in x, the highest power of x in $p(x)$ is called .....

(v) Quadratic formula ..... is solving for quadratic Equation $ax^2+bx+c=0$

(vi) The number of terms in the AP: 7, 13, 19.... 205 is .....

Q.3. Write true/False in the following:

(i) Volume of any hemisphere is $\frac{1}{3}\pi r^3$, where r is a radius of circle.

(ii) The height or length of an object or the distance between two distant object can be determined with the help of trigonometric ratios.

(iii) The mean is the value among the observations which occurs most often.

(iv) The sum of the probabilities of all the elementry events of an experiment is 1.

(v) A line interesting a circle in two points is called a slant secant line.

(vi) probability of an event which is sure to occur is 1.

Q.4. Match the correct columns:

(i) Area of a sector	(a) $\frac{\sin\theta}{\cos\theta}$
(ii) volume of hemisphere	(b) $\tan^2\theta$
(iii) $\sin^2 25^\circ + \cos^2 25^\circ$	(c) $\sqrt{3}$
(iv) $\tan\theta$	(d) $\frac{2}{3}\pi r^3$
(v) $\sec^2\theta - 1$	(e) 1
(vi) $\tan 30^\circ$	(f) $\frac{\theta}{360^\circ}\pi r^2$
	(g) $\frac{1}{\sqrt{3}}$

Q.5. Write the answer in one word/sentence.

(i) Write the formula of product of zeroes from quadratic polynomial ax^2+bx+c.

(ii) Define the point of contact in the circle.

(iii) Write the formula of area of segment of a circle.

(iv) Write the formula of finding n^{th} term of an A.P.

(v) Write the statement of "B.P.T" theorem.

(vi) Define 'Secant line' of a circle.

Q.6. If in right-angle triangle ABC, $\angle B = 90°$ and $AB = 4$ cm, $BC = 3$ cm, then find the value of $\sin A$ and $\cos A$.

Or

Find the value of : $\sin 60° \cos 30° + \sin 30° \cos 60°$

Q.7. Prove that the tangents drawn at the ends of a diameter of a circle are parallel.

Or

From a point Q, the length of the tangent to a circle is 24 cm and the distance of Q from the centre is 25 cm. Find the radius of the circle.

Q.8. A horse is tied to a peg at one corner of a square shaped grass field of side 15 m by means of a 5m long rope. Find the area of that part of the field in which the horse can graze.

or

In a circle of radius 21 cm, an arc subtends an angle of 60° at the centre. Find the length of the arc.

Q.9. We throw a die once. Find that:

(i) What is the probability of getting a number greater than 4 ?

(ii) What is the probability of getting a number less than 4 ?

or

One card is drawn from a well shuffled deck of 52 cards, Calculate the probability that the card will:-

(i) be an ace (ii) not be an ace.

Q.10. What is an impossible event? What is the probability of an impossible event?

or

If P(E) = 0.95, then what is the probability of "not E"?

Q.11. Find the HCF of the numbers 6 and 20.

or

Express the number 140 as a product of its prime factors.

Q.12. Find the zeros of the quadratic polynomial $3x^2 - x - 4$ or

Find a quadratic polynomial, the sum of zeros is 4 and the product of zeros is 1.

Q.13. Write next two terms of given AP: 4, 10, 16, 22, ...

or

Find the sum of the following: 34 + 32 + 30 + ... + 10.

Q.14. Find the ratio $\frac{a_1}{a_2}$, $\frac{b_1}{b_2}$ and $\frac{c_1}{c_2}$ for the following pair of linear equations and say that it is consistent or inconsistent.

or

Solve the following pair of linear equations:

$$x+y=14$$
$$x-y=4$$

Q.15. E and F are points on the sides PQ and PR respectively of ΔPQR. State whether EF || QR, when number PE = 4 cm, QE = 4.5 cm, PF = 8 cm, RF = 9 cm

or

If figure, if PQ || RS prove that $\Delta POQ \sim \Delta SOR$



Q.16. Find the distance between the points (-5, 7) and (-1, 3) or

Determine if the points (1, 5), (2, 3) and (-2, -11) are collinear.

Q. 17 Find the values of y for which the distance between the points P(2,-3) and Q(10,y) is 10 units

or

Find the coordinates of a point A where AB is the diameter of a circle whose center is (2,-3) and coordinates of B are (1,4).

Q. 18. Check whether that $x^2 - 2x = (-2)(3-x)$ is a quadratic equation.

or

Find the roots of quadratic equation $6x^2 - x - 2 = 0$

Q. 19. The angle of elevation of the top of tower from a point on the ground, where is 25 m away from the foot of the tower is 60°. Find the height of the tower.

or

From a point on the ground, the angles of elevation of the bottom and the top of a transmission tower fixed at the top of a 20 m high building are 45° and 60° respectively. Find the height of the tower.

Q. 20 Find the LCM and HCF of 8, 9 and 25 by applying the prime factorization method.

or

Prove that $7\sqrt{5}$ is irrational number.

Q. 21. A medicine capsule is in the shape of a cylinder with two hemisphere stuck to each of its ends. The length of the entire capsule is 14 mm and the diameter of the capsule is 5 mm. Find the surface area.

or

A pen stand made of wood is in the shape of a cuboid with four conical depression to hold pens. The dimensions of the cuboid are 15 cm by 10cm by 3.5 cm. The radius of each of the depression is 0.5 cm and the depth is 1.4 cm. Find the volume of wood in the entire stand.

Q. 22. Solve the pair of linear equations :

$3x + 4y = 10$ and $2x - 2y = 2$ or

The sum of the digits of a two digit number is 9. Also, nine times this number is twice the number obtained by reversing the order of the digit. Find No. 9.

Q.23. The table below shows the daily expenditure on food of 25 households in a locality. Find the mean daily expenditure on food by a suitable method.

Daily expenditure (in Rs)	100-150	150-200	200-250	250-300	300-350
Number of households	5	5	12	2	2

or

The following data gives the information on the observed lifetimes (in hours) of 225 electrical components. Determine the mode lifetimes of the components.

Lifetimes (in hours)	0-20	20-40	40-60	60-80	80-100	100-120
Frequency	10	35	52	61	38	29.

10.