

Channel Spring Nut & Beam Clamp




Channel Spring Nut		Tap Size
SN-25 * *		1/4"
SN-38		3/8"
SN-50		1/2"

** Select appropriate suffix for
Material Finishes: SN-25-ZP

ZP: Zinc Plated
SS: 316SS (standard)

Easy Installation
Fits all 1 5/8" Channel


Beam Clamp		Tap Size
RC50 EP		1/2"
RC375 EP		3/8"



** Select appropriate suffix for
Material Finishes: RC50-EP

EP: Electroplated
SS: 304SS

Square Washer & Angle Fittings



Tap Size

Square Washer	
SW-25 * *	1/4"
SW-38	3/8"
SW-50	1/2"

** Select appropriate suffix for
Material Finishes: SW-25-ZP

ZP: Zinc-Plated

HDG: Hot-Dipped Galvanized

SS: 304SS

Easy Installation

Fits all 1 5/8" Channel



Tap Size

Angle Fitting	
AE-25 * *	1/4"
AE-38	3/8"
AE-50	1/2"

** Select appropriate suffix for
Material Finishes: AE-25-ZP

ZP: Zinc-Plated

HDG: Hot-Dipped Galvanized

SS: 304SS

Easy Installation

Fits all 1 5/8" Channel

Flat Elbow & Tee



Flat Elbow		Tap Size
FE-50	* *	1/2"

Flat Tee		Tap Size
FT-50	* *	1/2"


** Select appropriate suffix for
Material Finishes: FE-50-ZP

ZP: Zinc-Plated
HDG: Hot-Dipped Galvanized
SS: 304SS

Easy Installation
Fits all 1 5/8" Channel

Fitting Designed for Use with 1/2" Bolts

Window Type Beam Clamp



Window Beam Clamp

Window Type Beam Clamp		
WC-158 - * *	3"	3 3/8"

Right Angle Beam Clamp		
RA50 - * *	1/2"	2"
RA75 - * *	3/4"	2 1/8"
RA100 - * *	1"	2 5/8"
RA125 - * *	1 1/4"	2 7/8"
RA150 - * *	1 1/2"	3 3/4"
RA200 - * *	2"	3 7/8"
RA250 - * *	2 1/2"	4 5/8"
RA300 - * *	3"	5 1/4"
RA350 - * *	3 1/2"	5 3/4"
RA400 - * *	4"	6 1/4"

** Select appropriate suffix for
Material Finishes: WC-158 -ZP


ZP: Zinc Plated
SS: 304SS
3/8" Square U-bolt provided

Fits all 1 5/8" Channel

** Select appropriate suffix for
Material Finishes: RA50 -ZP

ZP: Zinc Plated
SS: 304SS
3/8" U-bolt provided

Strut Post Base



Strut Post Base

PB-158 * *

** Select appropriate suffix for
Material Finishes: PB-158-ZP

ZP: Zinc-Plated

HDG: Hot-Dipped Galvanized

SS: 304SS

Easy Installation

Fits all 1 5/8" Channel

Cushion Clamp

Cushion Clamps are used to secure tubing or pipe to strut. This provides vibration isolation or protection from dissimilar metals. Cushion Clamps come in both a Zinc-plated and 316SS finish. Complete assembly comes with cushion insert, outer metal clamp and hardware.

Steel Part No.	SS Part No.	Tube Size
Cushion Clamps		
TLC-025-W3-K	TLC-025-W4-K	1/4"
TLC-037-W3-K	TLC-037-W4-K	3/8"
TLC-050-W3-K	TLC-050-W4-K	1/2"
TLC-075-W3-K	TLC-075-W4-K	3/4"
TLC-100-W3-K	TLC-100-W4-K	1"

Pipe sizes available upon request.



*Standard stock sizes and finishes listed.
Contact TechLine Mfg. for additional tubing and
pipe diameter sizes.