

VDE funkenfrei / non-sparking

Berylliumkupfer-Werkzeug für Elektriker

Beryllium-copper tools for electricians





EME101, Schlitzschraubendreher, gespritzt / Injection Slotted Screwdriver

Artikelnummer / Article-Number	Größe / Specification	L1 inch	L1 mm	L mm	H mm	B mm	G g
EME101-1002	50*3mm	2	50	134	0,5	3	35
EME101-1004	50*4.5mm	2	50	134	1	4,5	43
EME101-1006	75*3mm	3	75	159	0,6	3	35
EME101-1008	75*4mm	3	75	159	0,8	4	45
EME101-1010	75*5mm	3	75	180	1	5	70
EME101-1012	100*4mm	4	100	184	0,8	4	45
EME101-1014	100*5mm	4	100	205	1	5	75
EME101-1016	100*6mm	4	100	215	1,1	6	85
EME101-1018	125*6mm	5	125	240	1,1	6	100
EME101-1020	150*6mm	6	150	265	1,1	6	110
EME101-1022	150*7mm	6	150	265	1,2	7	125
EME101-1024	150*8mm	6	150	277	1,2	8	140
EME101-1026	200*8mm	8	200	327	1,2	8	165
EME101-1028	250*9mm	10	250	377	1,6	9	185



EME102, Kreuzschlitzschraubendreher / Injection Phillips Screwdriver

Artikelnummer / Article-Number	Größe / Specification	L1 inch	size PH	L1 mm	L mm	Ø mm	G g
EME102-1002	50mm	2	0	50	134	3	35
EME102-1004	75mm	3	1	79	159	4	70
EME102-1006	100mm	4	1	100	205	5	75
EME102-1008	125mm	5	2	125	240	6	100
EME102-1010	150mm	6	2	150	265	6	110
EME102-1012	200mm	8	3	200	327	8	165
EME102-1014	250mm	10	3	250	377	8	185



EME201, Kombizange, gespritzt / Injection Pliers, Lineman

Artikelnummer / Article-Number	Größe / Specification	L inch	L mm	G g
EME201-1002	6"	6	150	180
EME201-1004	7"	7	175	355
EME201-1006	8"	8	200	465



EME201A, Kombizange, gespritzt / Dipped Pliers, Lineman

Artikelnummer / Article-Number	Größe / Specification	L inch	L mm	G g
EME201A-1002	6"	6	150	180
EME201A-1004	7"	7	175	355
EME201A-1006	8"	8	200	465



EME202, Spitzzange, gespritzt / Injection Pliers, Snipe Nose

Artikelnummer / Article-Number	Größe / Specification	L inch	L mm	L1 mm	G g
EME202-1002	6"	6	150	54	190
EME202-1004	8"	8	200	74	335



EME202A, Spitzzange, getaucht / Dipped Pliers, Snipe Nose

Artikelnummer / Article-Number	Größe / Specification	L inch	L mm	L1 mm	G g
EME202A-1002	6"	6	150	54	190
EME202A-1004	8"	8	200	74	335



EME203, Seitenschneider, gespritzt / Injection Pliers, Diagonal Cutting

Artikelnummer / Article-Number	Größe / Specification	L inch	L mm	G g
EME203-1002	6"	6	150	245
EME203-1004	8"	8	200	410



EME203A, Seitenschneider, gespritzt / Dipped Pliers, Diagonal Cutting

Artikelnummer / Article-Number	Größe / Specification	L inch	L mm	G g
EME203A-1002	6"	6	150	245
EME203A-1004	8"	8	200	410



EME204, Spitzzange 45° gebogen, gespritzt / Injection Pliers, Round 45 Degree Bent

Artikelnummer /	Größe /	L	L	G
Article-Number	Specification	inch	mm	g
EME204-1002	6"	6	150	190



EME204A, Spitzzange 45° gebogen, getaucht / Dipped Pliers, Round 45 Degree Bent

Artikelnummer /	Größe /	L	L	G
Article-Number	Specification	inch	mm	g
EME204A-1002	6"	6	150	190



EME205, Flachzange, gespritzt / Injection Pliers, Flat Nose

Artikelnummer /	Größe /	L	L	G
Article-Number	Specification	inch	mm	g
EME205-1002	6"	6	150	165
EME205-1004	8"	8	200	281



EME205A, Flachzange, gespritzt / Dipped Pliers, Flat Nose

Artikelnummer /	Größe /	L	L	G
Article-Number	Specification	inch	mm	g
EME205A-1002	6"	6	150	165
EME205A-1004	8"	8	200	281



EME206, Rundzange, gespritzt / Injection Pliers, Round Nose

Artikelnummer /	Größe /	L	L	G
Article-Number	Specification	inch	mm	g
EME206-1002	6"	6	150	165



EME206A, Rundzange, getaucht / Dipped Pliers, Round Nose

Artikelnummer /	Größe /	L	L	G
Article-Number	Specification	inch	mm	g
EME206A-1002	6"	6	150	165



EME207, Abisolierzange, gespritzt / Injection Wire Stripping Pliers

Artikelnummer /	Größe /	L	G
Article-Number	Specification	mm	g
EME207-1002	170mm	170	225




EME207A, Abisolierzange, getaucht / Dipped Wire Stripping Pliers

Artikelnummer /	Größe /	L	G
Article-Number	Specification	mm	g
EME207A-1002	170mm	170	225



EME208, Waserpumpenzange, getaucht / Dipped Pliers, Slip Joint

Artikelnummer /	Größe /	L	L	K max	G
Article-Number	Specification	inch	mm	mm	g
EME208-1002	6"	10	250	32	365




EME301, Steckschlüssel, gespritzt / Injection Socket (C=3/8"

Artikelnummer / Article-Number	Größe / Specification	S inch	L1 mm	L mm	G mm
EME301-8	8mm	8	28	44	35
EME301-9	9mm	9	28	44	35
EME301-10	10mm	10	32	48	50
EME301-11	11mm	11	32	48	50
EME301-12	12mm	12	32	48	50
EME301-13	13mm	13	32	48	50
EME301-14	14mm	14	32	48	50
EME301-15	15mm	15	32	48	53
EME301-16	16mm	16	32	48	58
EME301-17	17mm	17	32	48	63
EME301-19	19mm	19	32	48	68
EME301-20	20mm	20	32	48	77

EME301A, Steckschlüssel, getaucht / Dipped Socket (C=3/8"

Artikelnummer / Article-Number	Größe / Specification	S inch	L1 mm	L mm	G mm
EME301A-8	8mm	8	28	44	35
EME301A-9	9mm	9	28	44	35
EME301A-10	10mm	10	32	48	50
EME301A-11	11mm	11	32	48	50
EME301A-12	12mm	12	32	48	50
EME301A-13	13mm	13	32	48	50
EME301A-14	14mm	14	32	48	50
EME301A-15	15mm	15	32	48	53
EME301A-16	16mm	16	32	48	58
EME301A-17	17mm	17	32	48	63
EME301A-19	19mm	19	32	48	68
EME301A-20	20mm	20	32	48	77



EME302, Steckschlüssel, gespritzt / Injection Socket (C=1/2"

Artikelnummer / Article-Number	Größe / Specification	S inch	L1 mm	L mm	G mm
EME302-10	10mm	10	40	56	78
EME302-11	11mm	11	40	56	79
EME302-12	12mm	12	40	56	79
EME302-13	13mm	13	40	56	80
EME302-14	14mm	14	40	56	80
EME302-15	15mm	15	40	56	94
EME302-16	16mm	16	40	56	94
EME302-17	17mm	17	40	56	94
EME302-18	18mm	18	42	58	94
EME302-19	19mm	19	42	58	110
EME302-20	20mm	20	42	58	120
EME302-21	21mm	21	43	59	125
EME302-22	22mm	22	43	59	130
EME302-23	23mm	23	43	59	150
EME302-24	24mm	24	43	59	165
EME302-25	25mm	25	43	59	180
EME302-26	26mm	26	43	59	200
EME302-27	27mm	27	46	62	215
EME302-28	28mm	28	46	62	225
EME302-29	29mm	29	46	62	235
EME302-30	30mm	30	46	62	250
EME302-32	32mm	32	46	62	295

EME302A, Steckschlüssel, getaucht / Dipped Socket (C=1/2"

Artikelnummer / Article-Number	Größe / Specification	S inch	L1 mm	L mm	G mm
EME302A-10	10mm	10	40	56	78
EME302A-11	11mm	11	40	56	79
EME302A-12	12mm	12	40	56	79
EME302A-13	13mm	13	40	56	80
EME302A-14	14mm	14	40	56	80
EME302A-15	15mm	15	40	56	94
EME302A-16	16mm	16	40	56	94
EME302A-17	17mm	17	40	56	94
EME302A-18	18mm	18	42	58	94
EME302A-19	19mm	19	42	58	110
EME302A-20	20mm	20	42	58	120
EME302A-21	21mm	21	43	59	125
EME302A-22	22mm	22	43	59	130
EME302A-23	23mm	23	43	59	150
EME302A-24	24mm	24	43	59	165
EME302A-25	25mm	25	43	59	180
EME302A-26	26mm	26	43	59	200
EME302A-27	27mm	27	46	62	215
EME302A-28	28mm	28	46	62	225
EME302A-29	29mm	29	46	62	235
EME302A-30	30mm	30	46	62	250
EME302A-32	32mm	32	46	62	295



EME303, T-Griff, gespritzt / Injection T Type Wrench

Artikelnummer / Article-Number	Größe / Specification	C inch	L mm	H mm	G mm
EME303-1002	3/8"	3/8"	140	200	360
EME303-1004	1/2"	1/2"	140	200	360



EME303A, T-Griff, getaucht / Dipped Sliding T Type Wrench

Artikelnummer / Article-Number	Größe / Specification	C inch	L mm	H mm	G mm
EME303A-1002	3/8"	3/8"	140	200	370
EME303A-1004	1/2"	1/2"	140	200	465




EME305, T-Griff, Getaucht / Dipped T Handle


Artikelnummer / Article-Number	Größe / Specification	C inch	L mm	H mm	G mm
EME305-1002	1/2"*250mm	3/8"	250	39	340
EME305-1004	3/8"*160mm	1/2"	160	37	135


EME306, T-Steckschlüssel, getaucht / Dipped T Type Wrench

Artikelnummer / Article-Number	Größe / Specification	S mm	L mm	H mm	G g
EME306-7	7mm	7	120	120	100
EME306-9	9mm	9	130	130	155
EME306-11	11mm	11	140	150	190
EME306-14	14mm	14	150	170	265
EME306-17	17mm	17	170	190	410
EME306-19	19mm	19	180	210	535


EME304, Verlängerung, getaucht / Dipped Driver Extension

Artikelnummer / Article-Number	Größe / Specification	C inch	L1 mm	L mm	G g
EME304-1002	3/8"*75mm	3/8"	75	91	93
EME304-1004	3/8"*150mm	3/8"	150	166	185
EME304-1006	1/2"*125mm	1/2"	125	141	260
EME304-1008	1/2"*250mm	1/2"	250	266	470


EME308, Innensechskantschlüssel, getaucht / Dipped Internal Hexagon Socket

Artikelnummer / Article-Number	Größe / Specification	C inch	S mm	L1 mm	L mm	G g
EME308-3	3mm			3	55	71
EME308-4	4mm			4	55	71
EME308-5	5mm			5	55	71
EME308-6	6mm	1/4"		6	55	71
EME308-7	7mm			7	55	71
EME308-8	8mm			8	65	81
EME308-9	9mm			9	65	81
EME308-10	10mm			10	65	81


EME307, Griff, versetzt, getaucht / Dipped Offset Handle

Artikelnummer / Article-Number	Größe / Specification	C inch	L mm	H mm	G g
EME307-1002	3/8"	3/8"	200	50	314
EME307-1004	1/2"	1/2"	230	60	410


EME401, Einmaulschlüssel, gespritzt / Injection Wrench, Single Open End

Artikelnummer / Article-Number	Größe / Specification	S mm	L mm	G g
EME401-8	8mm	8	95	40
EME401-10	10mm	10	105	50
EME401-11	11mm	11	115	58
EME401-12	12mm	12	125	65
EME401-13	13mm	13	132	85
EME401-14	14mm	14	140	95
EME401-17	17mm	17	160	105
EME401-19	19mm	19	170	130
EME401-22	22mm	22	195	170
EME401-24	24mm	24	220	190
EME401-27	27mm	27	240	285
EME401-30	30mm	30	260	320
EME401-32	32mm	32	275	400


EME401A, Einmaulschlüssel, getaucht / Dipped Wrench, Single Open End

Artikelnummer / Article-Number	Größe / Specification	S mm	L mm	G g
EME401A-8	8mm	8	95	40
EME401A-10	10mm	10	105	50
EME401A-11	11mm	11	115	58
EME401A-12	12mm	12	125	65
EME401A-13	13mm	13	132	85
EME401A-14	14mm	14	140	95
EME401A-17	17mm	17	160	105
EME401A-19	19mm	19	170	130
EME401A-22	22mm	22	195	170
EME401A-24	24mm	24	220	190
EME401A-27	27mm	27	240	285
EME401A-30	30mm	30	260	320
EME401A-32	32mm	32	275	400



EME402, Rollgabelschlüssel, gespritzt / Injection Wrench, Adjustable

Artikelnummer / Article-Number	Größe / Specification	L mm	K max mm	G g
EME402-1002	18*150mm	150	18	135
EME402-1004	24*200mm	200	24	281
EME402-1006	30*250mm	250	30	440
EME402-1008	36*300mm	300	36	720



EME402A, Rollgabelschlüssel, getaucht / Dipped Wrench, Adjustable

Artikelnummer / Article-Number	Größe / Specification	L mm	K max mm	G g
EME402A-1002	18*150mm	150	18	135
EME402A-1004	24*200mm	200	24	281
EME402A-1006	30*250mm	250	30	440
EME402A-1008	36*300mm	300	36	720



EME403, Ringschlüssel, getaucht / Dipped Wrench, Single Box

Artikelnummer / Article-Number	Größe / Specification	S mm	L mm	G g
EME403-8	8mm	8	110	40
EME403-10	10mm	10	120	50
EME403-12	12mm	12	130	65
EME403-14	14mm	14	140	90
EME403-17	17mm	17	155	105
EME403-19	19mm	19	170	130
EME403-22	22mm	22	190	175
EME403-24	24mm	24	215	22
EME403-27	27mm	27	230	270
EME403-30	30mm	30	255	370
EME403-32	32mm	32	265	425



**EME404, Ringschlüssel, gekröpft, getaucht /
Dipped Wrench, Single Box Offset**

Artikelnummer / Article-Number	Größe / Specification	S mm	L mm	G g
EME404-10	10mm	3	59	8
EME404-12	12mm	4	65	10
EME404-14	14mm	5	79	16
EME404-17	17mm	6	85	25
EME404-19	19mm	7	88	34
EME404-22	22mm	8	92	50
EME404-24	24mm	9	97	61
EME404-27	27mm	10	110	82
EME404-30	30mm	11	119	100
EME404-32	32mm	12	130	145



**EME405, Innensechskantschlüssel, getaucht /
Dipped Wrench, Hex Key**

Artikelnummer / Article-Number	Größe / Specification	S mm	L mm	H mm	G g
EME405-3	3mm	3	59	25	8
EME405-4	4mm	4	65	30	10
EME405-5	5mm	5	79	32	16
EME405-6	6mm	6	85	37	25
EME405-7	7mm	7	88	43	34
EME405-8	8mm	8	92	44	50
EME405-9	9mm	9	97	44	61
EME405-10	10mm	10	110	45	82
EME405-11	11mm	11	119	48	100
EME405-12	12mm	12	130	52	145



EME406, Ratschenschlüssel, getaucht / Dipped Ratchet Wrench

Artikelnummer / Article-Number	Größe / Specification	S1 mm	S2 mm	L mm	G g
EME406-1417	14*17mm	14	17	280	410
EME406-1719	17*19mm	17	19	310	450
EME406-1922	19*22mm	19	22	345	530
EME406-2224	22*24mm	22	24	365	680