

## Overview MR Conditional\* MRI Tool Kits



\*All Emarei® Safety Tools have been successfully tested in a 3 Tesla MRI by Dr. Frank Shellock USA ([www.mrisafety.com](http://www.mrisafety.com))

**Article-No. EAI0501TT**

MRI Tool set with 47 high-quality titanium tools and 1 beryllium-copper file, MRI repair set dedicated to GE Healthcare MRI systems, Material Copper Beryllium, 100% non-magnetic/non-sparking, packed in nonmagnetic plastic tool case with antistatic, milled inserts

Tool set consisting of:

Allen key 3/32, 1/16", 1,5, 2, 3, 4, 5, 6, 7, 8, 9 10 mm, 5/32", 3/16, 5/16 "  
 Combination wrench 10, 17 mm 3/4", 11/16", 5/8", 9/16", 1/2", 7/16"  
 Open-end wrench 30, 32 mm  
 Slotted screwdriver 3/32 " \* 3", 1/8 " \* 8", 3/16 " \* 4", 5/16 " \* 6"  
 Phillips screwdriver PH0 (3 \* 50mm), PH1 (4 \* 75mm), PH2 (6 \* 150mm), PH3 (8 \* 200mm)  
 Needle nose pliers EAT204-1002 150mm, Side cutter EAT203-1002 150mm  
 Adjustable pliers EAT201-1004 200mm  
 Combination pliers EAT202-1004 200 mm, Tweezers EAT207-1002 150mm  
 Ball hammer EAT701A-1002 230g, L = 280mm,  
 Adjustable wrench EAT101-1004 EAT101-1006  
 Ratchet wrench 3/8 ", Extension 3/8 " \* 75 mm and 150 mm  
 Socket wrench 3/8 "- 17 mm and 3/8 " \* 9/16"  
 Knife 25 \* 230 mm, Flat file, half-round EAT5605-1002 - 30 \* 200 mm

Dimensions approx. 569 \* 425 \* 215 mm  
 Case volume 35 liters  
 Total weight about 8 kg  
 Country of origin: Germany  
 Goods tariff number: 8206000000



**Article-No. E2I0500ST**

35 tools plus tool case, MRI repair kit, material non-magnetic stainless steel, MR conditional packed in plastic case

Consisting of:

- Hammer 230g
- Phillips screwdriver PH 0, PH 1, PH 2 and PH 3
- Slotted screwdriver (4 pieces)
- Tweezers
- Linnemann pliers 8 "(200 mm)
- Side cutter 6 "(150 mm)
- Nose pliers 6 "(150 mm)
- Double open-end wrench 6/7, 8/9, 9/11, 10/12, 13/15, 13/16, 17/19, 18/19, 22/24, 30/32 mm
- Allen key 3/32, 1/16 "1.5, 2, 3, 4, 5, 6, 8, 9, 10 mm

Dimensions 425 \* 325 \* 180 mm  
 Total weight 8 kg  
 Case volume: 20 liters  
 Country of origin: Germany  
 Goods tariff number: 8206000000



All Emarei® Safety Tools have been successfully tested in a 3 Tesla MRI by Dr. Frank Shellock USA ([www.mrisafety.com](http://www.mrisafety.com)),

**Article-No. EAI0500BC**



MRI Tool set with 34 high-quality tools, MRI repair set, Material Copper Beryllium, 100% non-magnetic/non-sparking, packed in nonmagnetic plastic tool case with antistatic, milled inserts

Tool set consisting of:

- Diagonal cutter 6"
- Needle-nosed pliers 6"
- Combination wrench, adjustable 8"
- Philips screwdriver (4x) PH 0,1,2,3
- Slotted screw driver (4x) (3\*75mm), (5\*100mm), (8\*150mm), (8\*200mm)
- Double open-end wrench 6/7 mm, 8/9 mm, 9/11 mm, 10/12 mm, 13/17 mm, 14/17 mm, 17/19 mm, 18/19 mm,
- 21/23 mm, 30/32 mm
- Hexagonal key 1/16", 3/32", 1.5 mm, 2 mm, 3 mm, 4 mm,
- 5 mm, 6 mm, 8 mm, 9 mm, 10 mm
- Hammer
- Tweezers

Dimensions 425 \* 325 \* 180 mm

Total weight: 6,5 kg

Case volume: 20 Liter

Origin: Made in Germany  
Tariff code: 82060000



**Article-No. EAI0500TT**

Tool set 34 high-quality tools, MRI Repair Set, Material Titanium Alloy Ti 6Al-4V, Non-magnetic/paramagnetic, extremely lightweight (Weight 60% less than steel), Antirust & noncorroding, Extreme stable & durable, Packed in non-magnetic plastic tool case

Consisting of:

- Titanium hammer 230 g
- Philips Screwdriver (4x) PH 0,1,2,3
- Slotted screwdriver (4x) (3/32"\*3"), (1/8"\*8"), (3/16"\*4"), (5/16"\*6")
- Tweezers
- Adjustable pliers 8"
- Diagonal cutters 6"
- Needle nosed pliers 6"
- Double open-end wrench 6/7, 8/9, 9/11, 10/12, 13/15,14/16, 19/17, 18/20, 22/23, 30/32 mm
- Hexagonal key 1/16", 3/32", 1.5, 2, 3, 4, 5, 6, 8, 9, 10 mm

Dimensions 425 \* 325 \* 180 mm

Total weight: 5 kg

Case volume: 20 liters

Origin: Made in Germany

Tariff code: 82060000





**Article-No. EAI0563TT**

Universal MRI tool case with 41 tools incl. flashlight, batteries, scissors, rulers and spirit level, tool case and antistatic, milled inserts. Tool set 41 pieces, MRI repair set, Material Titanium Alloy Ti 6Al4V, Non-magnetic/paramagnetic, Extremely lightweight (Weight 60% less than steel), Antirust & noncorroding, Extreme stable & durable, Packed in non-magnetic plastic case

Tool set consisting of:

- Titanium Hammer 230 g
- Philips screwdriver (4x) PH0,1,2,3
- Slotted screwdriver (4x) (3/32"\*3"), (1/8"\*8"), (3/16"\*4"), (5/16"\*6")
- Tweezers
- Adjustable pliers 8"
- Diagonal cutters 6"
- Needle nosed pliers 6"
- Combination wrench 6/7, 8/9, 9/11,10/12, 13/15, 14/16,19/17, 18/20, 22/23, 30/32 mm
- Hexagon key 1/16", 3/32", 1.5, 2, 3, 4, 5, 6, 8, 9, 10 mm
- Tweezers
- Ceramic Scissors
- Non-magnetic spirit level
- Non-magnetic metric folding rule
- Low-magnetic flashlight
- 3 pc low-magnetic batteries

Plastic case , Total weight: ca. 6,3 kg, Dimensions 425x325x180 mm  
Case volume: 20 Liter  
Country of Origin Germany  
Tariff code: 82060000



**Article-No. EAI0910MR**


20 parts with titanium and beryllium-copper tools, MR Conditional / non-magnetic, packed in tool case with antistatic, milled inserts

Consisting of:

1. Titanium Tools:
  - Hex (Allen) Key Wrench, 1,5, 2, 3, 4, 5, 6, 8 mm
  - Double Open End 5,5\*5, 6\*7, 8\*10, 9\*11mm
2. Isolated Electrician Tools made from beryllium-copper
  - Adjustable wrench, isolated 18\*150mm
  - Slotted Screwdriver, isolated 75\*3mm (~1/8"\*3"), 125\*6mm (~1/4"\*5")
  - Philips Screwdriver, isolated PH1\*75mm (#1\*3"), PH2\*125mm (#2\*5")
  - Pliers Snip Nose, isolated 150mm
  - Pliers, Diagonal Cutting, isolated 150mm
  - Rulers, non-magnetic, 1m
  - Spirit level, non-magnetic, 30 cm

Dimensions ca. 406x330x174mm  
Case volume: 13 liters  
Total weight ca. 4,2 kg  
Origin: Made in Germany  
Tariff code: 82060000

**Article-No. EAI0563BC**



41 parts + case, MRI repair kit, material copper beryllium, MR conditional, non-magnetic, packed in plastic case with antistatic, milled inserts

Consisting of:

- Hammer 230g
- Phillips screwdriver (4 pieces) PH 0, PH 1, PH 2 and PH 3
- Slotted screwdriver (4 pieces)
- tweezers
- Adjustable pliers 8 "(203,2 mm)
- Side cutter 6 "(152.4 mm)
- Nose pliers 6 "(152.4 mm)
- Double open-end wrench 6/7, 8/9, 9/11, 10/12, 13/15, 14/16, 17/19, 18/20, 21/22, 30/32 mm
- Allen key 3/32, 1/16 "1.5, 2, 3, 4, 5, 6, 8, 9, 10 mm
- Aluminum spirit level, 30 cm
- Non-magnetic rule
- low magnetic flashlight
- low magnetic batteries

Dimensions 425 \* 325 \* 180 mm

Total weight about 9 kg

Case volume: 20 liters

Country of origin: Germany

Tariff code: 8206000000

**Article-No. EAI0910EX**



16 high-quality tools, material beryllium-copper, non-magnetic, non-sparking for explosive areas and strong magnetic fields, packed in plastic tool case with antistatic, milled inserts

Consisting of:

- Hex (Allen) Key Wrench 3, 4, 5, 6, 8, 9, 10mm
- Slotted Screwdriver, isolated 75\*3mm (~1/8"\*3"), 125\*6mm (~1/4"\*5")
- Philips Screwdriver, isolated PH1\*75mm (#1\*3"), PH2\*125mm (#2\*5")
- Pliers Snip Nose, isolated 150mm
- Pliers, Diagonal Cutting, isolated 150mm
- Water pump pliers 10"
- Adjustable wrench 24x200, 36x300mm

Dimensions ca. 406x330x174mm

Case volume: 13 liters

Total weight ca. 5 kg

Origin: Made in Germany

Tariff code: 82060000

**Article-Nr. EAI0175CB**

30 high-quality tools for electricians, isolated against 1000 V, material beryllium-copper, non-magnetic, non-sparking for explosive areas, packed in plastic tool case with antistatic inserts



Consisting of:

- VDE- isolated combination wrench, adjustable, 180 mm
- VDE-isolated needle nosed pliers, 160 mm
- VDE-diagonal cutter, 160 mm
- VDE-isolated wire stripper, 170 mm
- Electrician knife
- Hack saw with saw blade made from beryllium-copper
- 4 isolated slotted screwdriver, 75\*3, 100\*4, 125\*6, 150\*7 mm
- 4 isolated Philips screwdriver 75, 100, 125, 150 mm
- Flat chisel 22\*200 mm
- Engineers hammer 500 g
- Hammer 1000 g
- Spatula 40\*200 mm
- Pincers, 200 mm
- 2-piece VDE-isolated adjustable wrenches 18\*150, 24\*200 mm
- 7-piece VDE-hex keys 3, 4, 5, 6, 8, 9, 10 mm
- Perforated metal scissors 300 mm

Dimensions: ca. 569 \* 425 \* 215 mm

Case volume: 35 liters

Total weight ca. 14 kg

Origin: Made in Germany

Tariff Code: 82060000

**Article-Nr. EAI0176CB**

24 high-quality tools for electricians, isolated against 1000 V, material beryllium-copper, non-magnetic, non-sparking for explosive areas, packed in plastic tool cases with antistatic inserts for hand tools



Consisting of:

- VDE-isolated combination wrench, 180 mm
- VDE-isolated needle nosed pliers, 160 mm
- VDE-isolated diagonal cutter, 160 mm
- VDE-wire stripper, isolated, 170 mm
- Electrician knife
- 4 VDE-isolated slotted screwdriver, 75\*3, 100\*4, 125\*6, 150\*7 mm
- 4 Philips screwdriver 75, 100, 125, 150 mm
- Hammer 500 g
- Spatula 40\*200 mm
- 2 VDE-isolated adjustable wrenches 18\*150, 24\*200 mm
- 7 VDE-isolated hex wrench 3, 4, 5, 6, 8, 9, 10 mm

Dimensions ca. 425 \* 325 \* 180 mm

Case volume: 20 liters

Total weight ca. 11 kg

Origin: Made in Germany

Tariff code: 82060000

**Article-No. EAI0572BC**



38 non-magnetic and non-sparking, MR Conditional high-quality tools from beryllium-copper, for explosive areas and strong magnetic fields, packed in plastic tool case with antistatic inserts

Consisting of:

- Refrigeration ratchet with inserts 1/4" - 10x10 mm
- Adjustable wrenches 24x200 mm und 36x300mm
- Diagonal cutter 6"
- Needle nosed pliers 6"
- Combination wrench, adjustable 8"
- Philips screwdriver (4x) PH0 (3\*50mm), PH1 (4\*75mm), PH2 (6\*150mm), PH3 (8\*200mm)
- Slotted screw driver (4x) (3\*75mm), (5\*100mm), (8\*150mm), (8\*200mm)
- Double open-end wrench 6/7, 8/9, 9/11, 10/12, 13/15, 14/16, 19/17, 18/20, 22/23, 30/32 mm
- Hex keys 1/16", 3/32", 1.5, 2, 3, 4, 5, 6, 8, 9, 10 mm
- Hammer 230 g
- Tweezers

Dimensions ca. 425 \* 325 \* 180 mm

Total weight ca. 11 kg

Case volume: 20 liters

Origin: Made in Germany

Tariff Code: 82060000

**Article-No. EAI0594BC**



29 high-quality ATEX-tool set for refrigeration with plastic tool case with antistatic, milled inserts, material beryllium-copper, non-magnetic and non-sparking for explosive areas

Consisting of

- Hex keys 4, 5, 6, 8, 9, 10 mm
- Double open-end wrench 10\*12, 13\*17, 14\*17, 17\*19, 20\*22, 24\*27 mm
- VDE-slotted screwdrivers, 75\*3, 100\*4, 125\*6, 150\*7 mm
- VDE-Philips screwdrivers 75, 100, 125, 150 mm
- Needle nosed pliers 150 mm
- Diagonal cutter 150 mm
- Water pump pliers 10"
- Adjustable wrenches 18\*150, 24\*200, 36\*300 mm -
- Engineers hammer 500 g
- Refrigeration ratchet with inserts 1/4" - 10\*10 mm

Dimensions 569 \* 425 \* 215 mm

Volume of tool case 35 Liter

Total weight ca. 14 kg

Origin: Made in Germany

Tariff code: 82060000