


PORCH
& PATIO

SUMMERSPACE.COM

PORCH ENCLOSURE SYSTEMS






ENJOY THE VIEW







Transform your covered porch or patio into a stylish and comfortable retreat with **Porch Enclosure Systems by SummerSpace®**.

Expertly crafted to fit an opening height up to 120 inches – straight or tapered columns – these systems feature durable powder-coated aluminum, flexible screens, and LoE-i89 tempered glass for enhanced protection and extended enjoyment of your outdoor space. With a design that combines functionality and elegance, you can create a cozy, inviting area perfect for gathering with friends and family.



The beauty of **Porch Enclosure Systems by SummerSpace®** is that they conform to any space. Custom made to fit almost any size porch opening, these systems consist of panels made with powder coated aluminum framing, tempered glass, and durable screen. Designed to be as functional, compact and strong as possible, we've engineered significant performance into a slender panel design for a comfortable space that will endure for years. Panels connect securely for a quick and efficient installation.

SummerSpace Porch Enclosures allow you to turn your open porch into a retreat that's free of insects. Our Clean & Clear screen mesh with watershed technology allows your screen to stay visually clear during heavy rain. Use your porch as a bug free screen room in summer months. As the weather or seasons change, slide your tempered glass windows closed for a weatherproof room that can be enjoyed during cooler times of the year.





PANELS WITH MAIN GLASS SLIDERS AND 36" TEMPERED GLASS BASE



PORCH BEFORE PANEL INSTALLATION

These panels made a dramatic difference on this porch, turning it into living space that can be enjoyed all year. The sliding panes can be removed easily for a screen only room in warmer months.



SCREEN ONLY UPPER PANELS WITH MAIN TEMPERED GLASS SLIDERS REMOVED

PORCH ENCLOSURE PANELS ARE



A SMART INVESTMENT



SummerSpace[®] Porch Enclosure Systems offer a range of benefits for homeowners. One of the main advantages is their quick installation time, with most projects taking less than a day to complete. These panels are also custom-sized, ensuring a perfect fit for any porch or patio. They require no additional finish under normal circumstances.

By enclosing a porch, homeowners can quickly gain extra living space that is both functional and aesthetically pleasing. Furthermore, this upgrade adds value to a home at a fraction of the cost of a four-season room. Porch Enclosure Systems provide flexibility, allowing homeowners to adapt to various weather conditions by easily sliding or removing the tempered glass and screens.



SUMMERSHIELD™

All powder coatings and applications are not created equal. Our industry leading pretreatment and proprietary SummerShield powder coating finish exceeds AAMA 2604 specifications, including 3,000 hour salt spray testing. This super durable finish includes UV inhibitors that extend the life of the beautiful, fade resistant finish. Choose from fifteen low gloss, lightly textured finishes. SummerShield takes it one step further by infusing our coatings with anti-microbial technology for the ultimate in low maintenance finishes.



Steel blue powder coat finish being applied to our panel components.

OUR TEXTURED FRAME COLOR SELECTIONS

The colors displayed below are printed CMYK representations and may not precisely match the final powder coated finishes. Before ordering, please consult a SummerSpace dealer or sales representative to view authentic color samples.

SS9016 White Textured

SS905C Ander Black Textured

SS7042 Graystone Textured

SS1013 Almond Textured

SS7022 Bronze Textured

SS7031 Steel Blue Textured

SS1019 Sand Textured

SS907C Terra Stone Textured

SS5011 Navy Blue Textured

SS8017 Chocolate Textured

SS906C Latte Textured
(formerly Sand Stone)

SS3005 Burgundy Textured

SS8022 Espresso Textured

SS7043 Mineral Gray Textured

SS6005 Forest Green Textured

ANATOMY OF A PANEL



Scan this QR code to learn more.



1
TOP VENT SLIDERS
Optional top vent tempered glass slider windows allow you to control room air ventilation.



2
SLENDER DESIGN
Durable components allow for a thin overall panel depth of 2½".



3
CUSTOM CONTROL
The handles on our window panes slide up and down effortlessly for personalized functionality.



4
INSECT CONTROL
Our panels are made with an incredibly durable mesh screen to keep insects out.




5
TEMPERED SAFETY GLASS
Our 4mm i89 Low-E Tempered Safety Glass is high performance with clear appearance & high light transmission.

CUSTOM WINDOW PANELS WITH TEMPERED GLASS in 1/8" increments

Window panels have a 27" minimum width and a 96" maximum width.

Width:
10"-36" (fixed glass)
14"-36" (screen only)
14"-36" (screen with lift-out glass panels)




W3
Sliding window panel with transom and base
Overall window panel heights including transom and base up to 120"
Details about individual section parameters can be found under the pictures to the right.

W3F
Narrow Matching Window Panels
Includes matching horizontal dividers with glass, aluminum or screen.



W2T
Sliding window panel with transom
Overall window panel heights including transom up to 120"
Transom height with fixed glass or aluminum 10" to 36"
Transom height with sliding glass 14" to 36"

W2FT



W1M
Main sliding window panel only
Min. height: 15" / Max. height: 84"

W1F



W2B
Sliding glass window and base
Overall window panel heights including base up to 120"
Base height with fixed glass or aluminum 12" to 48"
Base height with sliding glass 14" to 48"

W2FB

As a reference the panel shown above has an 18" base, a 66" window, and a 14" sliding glass transom. The use of a sliding glass transom is not recommended if the total height of the opening is less than 94", as it may interfere with your view.

All sliding glass openings include a screen with standard mesh.

Base section available with fixed glass, aluminum or sliding glass with screen.

All panels 14" or wider are available as screen only.

Note: Due to common carrier height restrictions that vary from region to region, window panels that exceed 88" in both directions may be subject to special shipping conditions. Call us for more information and options in your specific area.

CUSTOM DOORS WITH TEMPERED GLASS *in 1/8" increments*

Shipping Note: Due to common carrier height restrictions that vary from region to region, door panels that exceed 96" in both directions may need to be shipped unassembled. Call us for more information and options in your specific area.

Net opening with all doors removed is 5" less than the overall door width.

To calculate the approximate net opening with all doors in place, take the overall door width including the frame, divide by 2, minus 6".




D2
Sliding patio door with glass and screen

Widths from 60" to 96" | Door heights from 78" to 84"

Net opening with all doors removed is 5" less than the overall door width.

To calculate the approximate net opening with all doors in place, take the overall panel width including the frame, divide by 3, minus 6".



D3
Triple panel center sliding patio door with glass and screen

Widths from 96" to 124" | Door heights from 78" to 84"

Double Door Range		60" to 96" in 1/8" increments			
EXAMPLES	Overall Door Width	60"	72"	84"	96"
	Net Opening Width for Sliding Door	24"	30"	36"	42"

Triple Door Range		96" to 124" in 1/8" increments		
EXAMPLES	Overall Door Width	96"	106"	124"
	Net Opening Width for Sliding Door	27.5"	30"	36"



D2T
Sliding patio door with glass, screen and transom

Widths from 60" to 96" | Door heights from 78" to 84"
Overall door heights including Transom up to 120"
Transom height with fixed glass or aluminum 10" to 36"
Transom height with sliding glass 14" to 36"

Transom



D3T
Triple panel center sliding patio door with glass, screen & transom

Widths from 96" to 124" | Door heights from 78" to 84"
Overall door heights including Transom up to 120"
Transom height with fixed glass or aluminum 10" to 36"
Transom height with sliding glass 14" to 36"

Notes:

- Doors with glass include sliding and stationary glass panels and one sliding screen door.
- Doors ordered with screen only include stationary screen panels and one sliding screen door.
- Screen only doors from 78" to 92", transom height 14" to 36".
- All sliding windows include a screen unless otherwise specified.

STORM DOOR FRAME PANELS

Can be ordered to fit doors from 24" to 48" wide and 72" to 96" high

Storm door not included.

FRAMES WITHOUT TRANSOM

FRAMES WITH TRANSOM



D1
Frame for storm door without transom
Frame height is 1.5" taller than the storm door height.



D1F
Frame for storm door with aluminum filler
• Minimum filler height is 3"



D1T/solid
Frame for storm door with solid transom: fixed glass or aluminum



D1T/sliding
Frame for storm door with sliding glass windows and screen



D1T/screen
Frame for storm door with screen-only transom

Note: Storm door refers to a door with a Z-Bar frame for installation.

Aluminum filler would be used in installations with extra height above the door that is too short for a transom.



A SMART UPGRADE FOR MULTI-UNIT PROPERTIES



***Before:** Railings blocked the view, and screens were less functional, offering only seasonal use of balcony space.*



SummerSpace® Porch Enclosure Systems are a great fit for condos, ski rentals, and townhouses as the system is completely customizable and configurable to match any number of openings. Not only do they increase the value for each unit, but they also maximize the square footage of living space for use in any season of the year!

EXTRUDED ALUMINUM

Aluminum is a versatile, stable building material used in many architectural and industrial building applications because of its strength and durability. It is affordable and corrosion-resistant, providing a great surface to powder coat for a lasting, rust-proof finish. Aluminum is also low maintenance, recyclable, and structurally stable (unlike roll-formed shaped product). These aspects will assure the long-lasting durability of SummerSpace Porch Panels.



EASY TO REMOVE SASHES

For the days when the air is warm and the breeze is refreshing, you may want to simply have a screen enclosure for your porch. SummerSpace window panes are easy to remove and reinsert with minimal effort, allowing you to customize your comfort as the weather changes. To remove your panes, simply lift upward and slide out from the bottom. To reinsert, lift upward so the pane slides into the groove and allow it to slide down into place.



PANEL FEATURES



FLEXSCREEN®

SummerSpace® Porch Enclosure Systems are made exclusively with FlexScreen®. Made using flexible spring steel coated in exterior-grade PVC, the FlexScreen frame is nearly indestructible, scratch-resistant, and impervious to weather extremes. Held firmly in place by tension, the frame disappears into the screen pocket for an unobstructed view. It installs and removes in seconds for easy cleaning.



WARRANTY

The SummerSpace® Porch Enclosure System offers a ten (10) year Limited Prorated* Warranty on manufacturer's defects only, and is fully transferrable from the date of purchase. Parts include Frame and Finish, Tempered Glass and FlexScreens. Exclusions apply. Scan the QR code above for full warranty details.

**This warranty is at a 100% value for years 1–5, thereafter, years 6–10 reduce by 20% per year.*

COLOR MATCHED TRIM

Our two-piece aluminum powder coated trim is a seamless way to add that finishing touch. Available in two sizes, our narrow width is 1 $\frac{3}{8}$ " to cover gaps up to $\frac{3}{4}$ " and a wider 1 $\frac{7}{8}$ " to cover gaps up to 1 $\frac{1}{4}$ ". This unique two-part design attaches easily to the panel with an easy snap on cap to hide the screws. With a beautiful panel-matching low gloss finish, this trim can be used inside, outside, or both.



COLOR MATCHED SEALANT & TOUCH-UP PAINT PENS

Our color matched silicone sealant is the perfect way to get a seamless waterproof seal with a finishing touch. Touch-up paint pens are available for that occasional scratch or nick, and are available in all frame colors. We recommend one bottle of sealant for every one to two panels, and one pen of touch-up paint per project.




optional PANEL ACCESSORIES sold separately



UNIVERSAL/ELECTRICAL CHASE

This color matched extrusion integrates seamlessly with the panel system and provides space for receptacles, light switches and wiring from top to bottom. The outside is 100% waterproof while the inside provides a snap on, fastener free look with the flexibility to place your electrical accessories exactly where you want them.



WALL CLEAT SYSTEM

Wondering how the system will look adjoining your home's facade? Our wall cleat system allows for a seamless transition between your home and the enclosure system, working on almost every type of exterior cladding. It eliminates the need to color-match a different solution saving time and money during the installation process.

AN IDEAL FIT FOR YOU AND YOUR HOME



SummerSpace Porch Enclosure Systems are made to fit any space, even areas that are unusual in shape! Our panels enclosed this half circle deck perfectly for both the upper and lower levels, and now these happy homeowners can enjoy 180-degree lakefront views all year long.



A PERFECT SOLUTION FOR COMMERCIAL SPACES



Scan QR code to see a video about this installation and hear what our customer had to say.


A popular coastal Maine restaurant installed our Porch Enclosure System to expand their seating capacity and customer predictability. More importantly, the enclosure creates a unique and comfortable space for patrons that can be utilized all year long, not just during their busier summer months.



The addition of a Porch Enclosure System at this restaurant creates a comfortable dining space for every season. Patrons can enjoy their meals shielded from wind, rain, and cold during fall and winter, while staying protected from dust, pollen, and extreme heat in the spring and summer.



This is a new and interesting way for a business to utilize our system. This eatery added panels to the inside of their entry way, creating a vestibule that is a clean and visually appealing way to block the wind and elements from coming inside with patrons.



SUMMERSPACE® DEALER:



SS2025.Enclosures
Rev 7

