



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

SCISSORTAIL LABORATORY, LLC
2408 NW 10th St
Oklahoma City, OK 73107
Ian Cameron Phone: (505) 620-0920

CHEMICAL

Valid To: October 31, 2024

Certificate Number: 6340.01

In recognition of the successful completion of the A2LA evaluation process, accreditation is granted to this laboratory at the location listed above as well as the one satellite location listed below to perform the following tests on cannabis flower, cannabis concentrates, cannabis edibles, and topical products:

<u>Test/Technology</u>	<u>Test Method(s)</u>
Cannabinoid Potency by HPLC CBC, CBD, CBDA, CBDV, CBG, CBGA. CBN, D8-THC, D9-THC, THCA, THCV	STLSOP-0001 STLSOP-0002
Contaminants and Filth by Microscope	STLSOP-0004
Heavy Metals by ICP-MS Arsenic, Cadmium, Lead, Mercury	STLSOP-0013
Microbial Contaminants by Plating <i>Aspergillus flavus</i> , <i>Aspergillus fumigatus</i> , <i>Aspergillus niger</i> , <i>Aspergillus terreus</i> , Enterobacteriaceae, <i>Pseudomonas aeruginosa</i> , <i>Salmonella</i> , Shiga Toxin <i>Escherichia coli</i> , <i>Staphylococcus aureus</i> , Total Aerobic Bacteria, Total Yeast and Mold	STLSOP-0017
Moisture Content by Moisture Balance	STLSOP-0004
Mycotoxins by ELISA Aflatoxin B1, Aflatoxin B2, Aflatoxin G1, Aflatoxin G2, Ochratoxin A	STLSOP-0018
Pesticides by LC/MS/MS Abamectin, Azoxystrobin, Bifenazate, Etoxazole, Imazalil, Imidacloprid, Malathion, Myclobutanil, Permethrin, Spinosad, Spiromesifen, Spirotetramat, Tebuconazole	STLSOP-0019
Residual Solvents by GCMS Acetone, Benzene, Butane, Butanes, Ethanol, Ethyl-Acetate, Heptanes, Isobutane, Isopropanol, Methanol, m-Xylenes, N-hexane, o-Xylene, Pentane, Propane, p-Xylenes, Toluene, Xylenes	STLSOP-0011
Terpenoid Potency by GCMS (-)-Caryophylleneoxide, (-)-Guaiol, (-)-Isopulegol, (-)- α -Bisabolol, (-)- β - Pinene, 1,8-Cineole (Eucalyptol), Camphene, cis-Nerolidol, d-Limonene, Geraniol, Linalool, Nerolidol, Ocimene, p-Isopropyltoluene (p-cymene), Terpinolene, trans-Neolidol, α -Humulene, α -Pinene, α -Terpinene, β -Caryophyllene, β -Myrcene, γ -Terpinene, δ -3-Carene	STLSOP-0003
Water Activity by Water Activity Meter	STLSOP-0006



Accredited Laboratory

A2LA has accredited

SCISSORTAIL LABORATORY, LLC

Oklahoma City, OK

for technical competence in the field of

Chemical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 18th day of January 2023.

A blue ink signature of Mr. Trace McInturff, written over a horizontal line.

Mr. Trace McInturff, Vice President, Accreditation Services
For the Accreditation Council
Certificate Number 6340.01
Valid to October 31, 2024
Revised: September 10, 2024

For the tests to which this accreditation applies, please refer to the laboratory's Chemical Scope of Accreditation.