



YOUR GLOBAL SOURCE FOR ENGINEERED BRUSHES SINCE 1945

# ROTARY BRUSH & ACCESSORIES CATALOG



INDUSTRIAL FLOOR BRUSHES

BRISTLED PADS & PAD DRIVERS

ACCESSORIES & MORE



# TABLE OF CONTENTS

APPLICATION GUIDE.....	3
TUFTED PAD DRIVERS, RISERS.....	4
POLYMERIC FACE PAD DRIVERS.....	5
FLEX SCRUB® BRISTLED FLOOR PADS.....	6
SONIC SCRUB™ BRISTLED FLOOR PADS.....	7
CENTERING DEVICES.....	8
SHOWERFEED SYSTEMS.....	9
GRIT ROTARY BRUSHES.....	10
NATURAL FIBER SCRUBBING BRUSHES.....	11
CARPET CLEANING (SHOWERFEED) BRUSHES.....	12
CARPET CLEANING.....	13
BRUSH/PAD COMBINATION.....	14
SANDING DRIVERS.....	15
STONE & CONCRETE MAINTENANCE.....	16-17
CLUTCH PLATES.....	18
RISERS, DUSTSKIRTS, SPLASH GUARD™.....	19
SOLUTION TANK.....	13, 19

## HOW TO SELECT THE CORRECT MALISH ROTARY PRODUCT

### PAD DRIVER, BRISTLED PAD OR BRUSH


If you prefer a dedicated product, choose a brush. If you have a variety of applications, the Flex Scrub® Ultimate Bristled Floor Pad along with a pad driver may be the best choice. Selection will be influenced by the surface to be cleaned and the amount of dirt buildup. When ordering these items, it is important to keep in mind the block diameter in relation to the machine size.

- BRUSH is sized 2 inches smaller than the machine because of the flare of the brush fibers.
- PAD DRIVER is sized 1 inch smaller than the machine.
- FLEX SCRUB® BRISTLED PAD is the same size as pad driver.

### MACHINE MAKE & MODEL NUMBER

When calling customer service, please have the machine manufacturer and model number to help determine the block size, center hole diameter and clutch plate necessary to attach the block to the machine. If the machine size is not apparent from the model number, please provide this specification.

Equipment Reference List  
View or download at: [malish.com/resources](http://malish.com/resources)



**TO ORDER: 800.321.7044    FAX: 440.951.0293**

## APPLICATION GUIDE

Applications	Product	MAL-GRIT XTRA™	MAL-GRIT™	MAL-GRIT Scrub™	CLEAN GRIT™	MAL-GRIT LITE™	.028" Nylon	.025"/.028" Nylon	.028" Polypropylene	.020"/.025" Polypropylene	SpinSafe®	Wire	Bassine	Union Mix	White Tampico	SP-17	Uni-Block® .022 Poly	Uni-Block® .024 Grit	Uni-Block® .050 Grit	White Nylon .016	Black Sonic Scrub™	Green Sonic Scrub™	Blue Sonic Scrub™	Red Sonic Scrub™	Nylon/Polypropylene Sonic Scrub™	Black Flex Scrub®	Green Flex Scrub®	Blue Flex Scrub®	Red Flex Scrub®	Prep Tool	Mastic Demon®
<b>Stripping:</b>																															
Cementitious Terrazzo		■	■																■												
Vinyl Tile			■																												
Ceramic/Quarry Tile			■																												
Linoleum			■																												
Scarifying Concrete																■													■		
Concrete Scraping/Prep																■													■		
<b>General Scrubbing:</b>																															
Heavily Soiled Concrete		■	■		■	■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■			
Moderate to Lightly Soiled Concrete				■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■			
Vinyl Tile				■	■	■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■			
LVT																															
Cementitious Terrazzo						■																									
Ceramic/Quarry Tile						■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■			
Linoleum						■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■			
Marble						■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■			
"Raised Disc" Rubber Tile						■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■			
Non-Slip Epoxy Finish						■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■			
Carpet Scrubbing						■	■	■	■	■	■	■	■	■	■		■	■	■	■	■	■	■	■	■	■	■	■			
<b>Hard Surface Polishing:</b>																															
Marble																	■	■													

**MALISH**

# TUFTED PAD DRIVERS

## TUFTED PAD DRIVERS



### A. PAD-LOK™ BEST SELLER

Heavy polypropylene strands trimmed irregular at 3/4" are staple set in our TUFF-BLOCK®, making this the superior tufted pad driver choice. Tufts penetrate into the pad for secure holding power. Includes our 1-1/4" thick plastic riser. (Can also be ordered without riser.) Great choice when using a Flex Scrub®.

### B. MAL-LOK™ STYLE 1

1" offset trimmed heavy polypropylene tufts penetrate pad at different depths for maximum holding power. An excellent choice for use on automatic machines with Flex Scrub® and for bonnets and yarn pads. (Discontinued when out)


A PAD-LOK™	B MAL-LOK™ STYLE I	BLOCK TYPE	BLOCK DIAMETER
782710	782450	Wood	10"
782711	782451	Plastic	11"
782712	782452	Plastic	12"
782713	—	Plastic	13"
782714	—	Plastic	14"
782715	—	Plastic	15"
782716	782456	Plastic	16"
782717	—	Plastic	17"
782718	782458	Plastic	18"
782719	—	Plastic	19"
782720	782460	Plastic	20"
782721	782461	Plastic	21"
782722	—	Plastic	22"



## RISERS

Plastic risers are available in thicknesses of either 1-1/4" (standard) or 1-1/2".

PART NO.	DESCRIPTION	DIAMETER	CENTER HOLE	HEIGHT	PHOTO REF.
ZRPLRISER	Plastic Riser	6-3/4"	5"	1-1/4"	C
ZRPLR125	Plastic Riser	6-3/4"	4 or 5"	1-1/4"	D
ZRPLR150	Plastic Riser	6-3/4"	4 or 5"	1-1/2"	E
NPSP	Spacer	6-3/4"	5"	3/8"	F



\*Use pad drivers & risers with pad centering devices (pg. 8) and Flex Scrub® bristled pads (pg. 6).

### WARNING!

Do not use brush or pad with flammable materials (fuels, solvents, thinner, etc.) or serious bodily harm or injury could result from possible fire or explosion.

# POLYMERIC FACE PAD DRIVERS



## POLYMERIC FACE PAD DRIVERS

### A. TRI-LOK® MALISH EXCLUSIVE

Revolutionary, patent design combines the NP-9200 TRU-FIT® Universal Clutch Plate, built-in riser and a triangular showerfeed system for a cost-effective pad driver capable of handling the toughest jobs. Drives all standard or economy floor pads, Flex Scrub® and bonnets.

### B. MIGHTY-LOK® BEST SELLER

The molded polymer pad face has hundreds of individual hooks that grip into the Flex Scrub® or the threads of a floor pad and hold it securely while operating. The solid block includes a built-in riser and showerfeed holes allowing it to be used with solution dispensing machines.

### C. MIGHTY-LOK® 3 MALISH EXCLUSIVE

This multi-purpose pad driver can be used with diamond discs as well as Flex Scrub®, pads, bonnets, and abrasive pucks. The molded polymer pad face has hundreds of individual hooks that grip into the Flex Scrub® or the threads of a floor pad, bonnet or diamond disc and hold it securely while the machine is operating. The pad driver includes a molded riser and universal Malish NP-9200 Tru-Fit® Clutch Plate mounted onto the block.

### D. SURE-LOK® MALISH EXCLUSIVE

The SURE-LOK® System is an exclusive Malish design for use on dual and high speed (300 rpm) machines. The SURE-LOK® face combines our MIGHTY-LOK® molded polymer pad gripping material with a foam cushion to absorb vibration and a stiff plastic backing to stabilize the unit. SURE-LOK® REQUIRES THE USE OF THE HIGH SPEED RISER (E).

### E. HIGH SPEED RISER

The High Speed Riser further smoothes operation of the SURE-LOK® System. Works with all Malish standardized 5" center hole clutch plates, including the NP-9200 Tru-Fit® Universal Clutch Plate.



A TRI-LOK®	BLOCK TYPE	BLOCK DIAMETER	B MIGHTY-LOK®	C MIGHTY-LOK® 3	D SURE-LOK®	BLOCK DIAMETER
789215NP92	Plastic	15"	786713	786713XNP	—	13"
PART NO.		E DESCRIPTION				
789216NP92	Plastic	16"	786714	786714XNP	—	14"
789217NP92	Plastic	17"	786715	786715XNP	786755	15"
789218NP92	Plastic	18"	786716	786716XNP	786756	16"
789219NP92	Plastic	19"	786717	786717XNP	786757	17"
789220NP92	Plastic	20"	786718	786718XNP	786758	18"
			786719	786719XNP	786759	19"
			786720	786720XNP	786760	20"
			786721	—	—	21"
			786722	—	—	22"

Note: Use pad drivers with pad centering devices (pg. 8) and Flex Scrub® bristled pads (pg. 6).

#### TIP:

- REMEMBER: Never use a pad driver without a Flex Scrub® or pad. Be sure to replace Flex Scrub® or pads on regular basis. This will protect the pad driver material and ensure longer, effective life.
- Replacement facings available.



# FLEX SCRUB® BRISTLED FLOOR PADS

## FLEX SCRUB®

U.S. Patent No. 10,835,027

Flex Scrub® is a bristled floor pad for rotary machines and round oscillating machines that offers solutions to a wide range of cleaning applications. Self-cleaning bristles pull dirt and debris from the floor and sweep it away, offering unmatched value that outlasts traditional floor pads over 50 to 1! No flipping, no gumming up, which translates directly into time and cost savings. Saves up to 45% compared to traditional floor pads. Flex Scrub® bristled floor pads must be run in a wet environment. Trim Length:1". Featuring a Patent Pending Flex Coupler that enables the Flex Scrub® to expand/contract to adhere to all types of pad drivers. Match pad driver size when ordering. Flex Scrub® bristled pad colors match directly with traditional floor pad colors.



### A. RED FLEX SCRUB®

Offers the durability of grit brushes with minimum aggression. For daily scrubbing on a variety of tiles, terrazzo and non-slip epoxy finishes.

### B. BLUE FLEX SCRUB®

An excellent choice for general scrubbing including frequent maintenance cleaning. Flexible enough for cleaning narrow grout lines and uneven surfaces.

### C. GREEN FLEX SCRUB®

Our most popular Flex Scrub®. Ideal for daily scrubbing and maintenance. While the smaller diameter bristles offer flexibility, the larger grit size offers exceptional scrubbing.

### D. BLACK FLEX SCRUB®



The most aggressive grit in Flex Scrub®. For use in stripping finishes from hard surfaces and removing dirt from heavily soiled floors.

PRODUCT	BRISTLE COLOR	BRISTLE DIAMETER	GRIT SIZE	PAD REPLACEMENT
RED FLEX SCRUB®	Red/Black	0.018"	500	Light Scrubbing - Red
BLUE FLEX SCRUB®	Blue/Black	0.035"	180	Medium Scrubbing - Blue
GREEN FLEX SCRUB®	Green/Black	0.022"	120	General Scrubbing - Green
BLACK FLEX SCRUB®	Black	0.050"	80	Stripping - Black

A - RED FLEX SCRUB®	B - BLUE FLEX SCRUB®	C - GREEN FLEX SCRUB®	D - BLACK FLEX SCRUB®	BLOCK TYPE	BLOCK DIAMETER
583413/*583413CL	586513/*586513CL	583013/*583013CL	583213/*583213CL	Plastic	13"
583414/*583414CL	586514/*586514CL	583014/*583014CL	583214/*583214CL	Plastic	14"
583415/*583415CL	586515/*586515CL	583015/*583015CL	583215/*583215CL	Plastic	15"
583416/*583416CL	586516/*586516CL	583016/*583016CL	583216/*583216CL	Plastic	16"
583417/*583417CL	586517/*586517CL	583017/*583017CL	583217/*583217CL	Plastic	17"
583418/*583418CL	586518/*586518CL	583018/*583018CL	583218/*583218CL	Plastic	18"
583419/*583419CL	586519/*586519CL	583019/*583019CL	583219/*583219CL	Plastic	19"
583420/*583420CL	586520/*586520CL	583020/*583020CL	583220/*583220CL	Plastic	20"

Note: \*Part numbers with CL include a Center-Lok® 3 pad centering device and three screws, pictured in E.

**TIP:** Ideal for use on irregular surfaces and grout lines where pads are ineffective.



# SONIC SCRUB™ BRISTLED FLOOR PADS



## SONIC SCRUB™

U.S. Patent No. 10,835,027


Sonic Scrub™ is a bristled pad for rectangular oscillating floor machines. A light weight, bristled pad designed to reach deep into the texture and grout of floors. Self-cleaning bristles pull dirt and debris from the floor and sweep it away, offering unmatched value that outlasts traditional floor pads over 20 to 1! No flipping, no gumming up. Recommended to be used wet.

### A. NYLON/POLYPROPYLENE SONIC SCRUB™

Ideal for everyday maintenance of floors with use on a 14" x 20" oscillating floor machine. Remove light scuff marks, light dirt and maintain clean grout lines.

PART NO.	DESCRIPTION	FILAMENT COLOR	MACHINE SIZE
702420	Sonic Scrub™	Black / Red Nylon	14" x 20"

A




### B. RED SONIC SCRUB™

Ideal for everyday maintenance of floors with use on a 14" x 28" oscillating floor machine. Daily scrubbing of a variety of tiles, marble, terrazzo and non-slip epoxy finishes.

PART NO.	DESCRIPTION	FILAMENT COLOR	MACHINE SIZE
703428	Red Grit Sonic Scrub™	Black / Red Grit	14" x 28"

B



### C. BLUE SONIC SCRUB™

An excellent general scrubbing brush for frequent maintenance cleaning. Flexible enough for cleaning narrow grout lines and uneven surfaces.

PART NO.	DESCRIPTION	FILAMENT COLOR	MACHINE SIZE
706528	Blue Grit Sonic Scrub™	Black / Blue Grit	14" x 28"

C



### D. GREEN SONIC SCRUB™

Ideal for heavy scrubbing with your rectangular oscillating floor machine. Featuring grit filament, this brush is designed to remove worn finishes, soils, scuffs and spills.

PART NO.	DESCRIPTION	FILAMENT COLOR	MACHINE SIZE
703020	Green Grit Sonic Scrub™	Black / Green Grit	14" x 20"
703028	Green Grit Sonic Scrub™	Black / Green Grit	14" x 28"

D



### E. BLACK SONIC SCRUB™

Ideal for stripping of floors to prepare surfaces for re-coating.

PART NO.	DESCRIPTION	FILAMENT COLOR	MACHINE SIZE
703220	Black Grit Sonic Scrub™	Black Grit	14" x 20"
703228	Black Grit Sonic Scrub™	Black Grit	14" x 28"

E





# CENTERING DEVICES

MALISH

## PAD CENTERING DEVICES


A



Patent #5,806,132




B



C



E



D



G



F



H

### A. CENTER-LOK® 3 MALISH EXCLUSIVE

Can be used on left or right rotation machines. Recommended for use on high speed machines. To be used with Flex Scrub® bristled pad (pg.6) or any traditional floor pad.

PART NO.	THREAD HANDING**	DESCRIPTION	COLOR	PHOTO REF.
792460	N/A	CENTER-LOK® 3	Tan	A
792465	N/A	CENTER-LOK® 4 Large Center Hole	Natural	B
792405	LH	CENTER-LOK® II	Red	C
792410	RH	CENTER-LOK® II	Black	D
792455	RH	BIG-MOUTH®	Blue	E
792450	LH	BIG-MOUTH®	Grey	F
792451	LH	BIG-MOUTH® II Long Thread	Natural	G
792456	RH	BIG-MOUTH® II Long Thread	Black	H

\*\* Viewed from the operator's position, specify left hand thread on pad drivers spinning counterclockwise or right hand thread if spinning clockwise.

## TUFF-BLOCK® SHOWERFEED

For cleaning hard surfaces. Nylon and polypropylene scrubbing brushes feature 0.028" diameter fill material throughout the block. Nylon is more flexible and will last the longest, while polypropylene is an economical alternative. Steel Wire (0.014" diameter) is the most aggressive of the series, for use on unfinished concrete surfaces. Trim Length: 1-1/2"


A NYLON (0.028" DIAMETER)	B POLYPROPYLENE (0.028" DIAMETER)	C STEEL WIRE (0.014" DIAMETER)	D SOFT NYLON (0.016" DIAMETER)	BLOCK TYPE	BLOCK DIAMETER
772910	—	—	811610	Wood	10**
772911	772411	773811	811611	Plastic	11**
772912	772412	773812	811612	Plastic	12**
772913	772413	773813	811613	Plastic	13"
772914	772414	773814	811614	Plastic	14"
772915	772415	773815	811615	Plastic	15"
772916	772416	773816	811616	Plastic	16"
772917	772417	773817	811617	Plastic	17"
772918	772418	773818	811618	Plastic	18"
772919	772419	773819	811619	Plastic	19"
772920	772420	773820	811620	Plastic	20"
—	—	—	811621	Plastic	21"

\*10"-12" sizes do not include showerfeed holes

10" size available with 30 pc minimum order quantity

21" size available with 60 pc minimum order quantity

**TIP:** Rinse nylon brushes with hot water for 5 to 10 minutes to help the nylon recover its form.



## UNI-BLOCK® SHOWERFEED SYSTEM

**MALISH**  
EXCLUSIVE

All-in-one design for convenience and economy! Uni-Block® Showerfeed System combines an injection molded polypropylene block with the patented NP-9200 TRU-FIT® Universal Clutch Plate in either a pad driver, grit brush or poly brush. The Uni-Block® Tufted Pad Driver, Uni-Block® Grit Brush (available in two different grits) or Uni-Block® Poly Brush, depending on the application.

Every product in the Uni-Block® Showerfeed System is manufactured to exacting performance specifications for durability and peak performance.

- Designed to fit industry-standard 17" and 20" floor machines
- Available with 16" or 19" Pad Drivers
- Choose from 15" or 18" Poly and Grit Brushes
- Fiberglass-reinforced nylon NP-9200 TRU-FIT® Universal Clutch Plate built into the block for added strength

PART NO.	BLOCK DIA.	DESCRIPTION	FILAMENT COLOR	FILAMENT DIA.	GRIT SIZE	MACHINE SIZE
----------	---------------	-------------	-------------------	------------------	--------------	-----------------

**UNI-BLOCK® PAD DRIVER** (With molded riser and NP-9200 TRU-FIT® Universal Clutch Plate)

862716	16"	Tufted Pad Driver	Red	—	—	17"
862719	19"	Tufted Pad Driver	Red	—	—	20"



**UNI-BLOCK® POLY SCRUB** (With NP-9200 TRU-FIT® Universal Clutch Plate)

852415	15"	General Purpose Scrub Brush	Black	.022	—	17"
852418	18"	General Purpose Scrub Brush	Black	.022	—	20"





**UNI-BLOCK® GRIT SCRUB/STRIP** (With NP-9200 TRU-FIT® Universal Clutch Plate)

854115	15"	Grit Scrub Brush	Grey	.022	120	17"
854118	18"	Grit Scrub Brush	Grey	.022	120	20"
853215	15"	Grit Strip Brush	Black	.050	80	17"
853218	18"	Grit Strip Brush	Black	.050	80	20"



# GRIT ROTARY BRUSHES



## GRIT ROTARY BRUSHES

Grit brushes offer solutions to a wide range of cleaning situations.

Silicone carbide impregnated nylon bristles are self-replenishing as brush wears, offering unmatched value. A single grit brush can outlast up to 200 pads, significantly reducing landfill waste, labor resources, and product costs by an average of 54%. That translates directly into time and cost savings. Featuring our water and chemical resistant TUFF-BLOCK® for maximum life expectancy. All grit brushes must be run in a wet environment. Trim Length: 1-1/2".

### A. MAL-GRIT LITE™

Offers the durability of grit brushes with minimum aggression. For daily scrubbing on a variety of tiles, marble, terrazzo and non-slip epoxy finishes.

### B. CLEAN-GRIT™

An excellent general scrubbing brush for frequent maintenance cleaning. Flexible enough for cleaning narrow grout lines and uneven surfaces.

### C. MAL-GRIT SCRUB™

Ideal for daily scrubbing and maintenance. While the smaller diameter bristles offer flexibility, the larger grit size offers exceptional scrubbing.

### D. MAL-GRIT™ BEST SELLER

Our most popular grit brush. An aggressive brush for general scrubbing or stripping finishes from hard surfaces. Effectively cleans wide grout lines.

### E. MAL-GRIT XTRA™

The most aggressive grit available. This heavy gauge nylon with larger grit is used for stripping heavily soiled floors, such as concrete floors in an industrial setting.

PRODUCT	BRISTLE COLOR	BRISTLE DIAMETER	GRIT SIZE	PAD REPLACEMENT
MAL-GRIT LITE™	Red	0.018"	500	Light Scrubbing - Red
CLEAN-GRIT™	Blue	0.035"	180	Medium Scrubbing - Blue
MAL-GRIT SCRUB™	Green	0.022"	120	General Scrubbing - Green
MAL-GRIT™	Black	0.050"	80	Stripping - Black
MAL-GRIT XTRA™	Orange	0.070"	46	High Productivity

A MAL-GRIT LITE™ (RED)	B CLEAN-GRIT™ (BLUE)	C MAL-GRIT SCRUB™ (GREEN)	D MAL-GRIT™ (BLACK)	E MAL-GRIT XTRA™ (ORANGE)	BLOCK TYPE	BLOCK DIAMETER
773410	—	—	773210	773610	Wood	10"
813411	776511	813011	773211	773611	Plastic	11"
813412	776512	813012	773212	773612	Plastic	12"
813413	816513	813013	813213	813613	Plastic	13"
813414	816514	813014	813214	813614	Plastic	14"
813415	816515	813015	813215	813615	Plastic	15"
813416	816516	813016	813216	813616	Plastic	16"
813417	816517	813017	813217	813617	Plastic	17"
813418	816518	813018	813218	813618	Plastic	18"
813419	816519	813019	813219	813619	Plastic	19"
813420	816520	813020	813220	813620	Plastic	20"
813421	816521	—	813221	813621	Plastic	21"

10" size available with 30 pc minimum order quantity

21" size available with 60 pc minimum order quantity

**TIP:** Ideal for use on irregular surfaces and grout lines where pads are ineffective.

# NATURAL FIBER SCRUBBING BRUSHES



## NATURAL FIBER SCRUBBING BRUSHES

*These brushes are used for a variety of hard surface scrubbing and polishing.*

(See Application Chart on Page 3.)

**A. BASSINE**

Bassine is used for general scrubbing purposes. Water absorption properties make this an excellent, low cost choice for hard surface scrubbing.



## **B. UNION MIX**

A combination of Palmyra and White Tampico used in hard surface polishing applications.



## C. WHITE TAMPICO

100% White Tampico is naturally acid resistant. That makes this the ideal choice for use in the marble polishing industry.



A BASSINE	B UNION MIX	C WHITE TAMPAICO	BLOCK TYPE	BLOCK DIAMETER
770116	770216	770616	Plastic	16"
770118	770218	770618	Plastic	18"

*The below sizes will no longer be cataloged stock items. Once current inventory has been depleted, orders will require a minimum order quantity:*

- 21" size available with 60 pc minimum order quantity
- All other sizes available with 30 pc minimum order quantity

A BASSINE	B UNION MIX	C WHITE TAMPICO	BLOCK TYPE	BLOCK DIAMETER
770110	—	770610	Wood	10"**
770111	770211	770611	Plastic	11"**
770112	770212	770612	Plastic	12"
770113	770213	770613	Plastic	13"
770114	—	770614	Plastic	14"
770115	770215	770615	Plastic	15"
770117	770217	770617	Plastic	17"
770119	770219	770619	Plastic	19"
770120	770220	770620	Plastic	20"
770121	—	770621	Plastic	21"

\*10" & 11" sizes do not include showerfeed holes



# CARPET CLEANING (SHOWERFEED) BRUSHES



## SPINSAFE® CARPET BRUSH


The Malish SpinSafe® carpet brush utilizes a smooth stainless steel adjustable glide plate to allow the brush to easily glide over the carpet. This protects the integrity of the carpet, reduces drag, and increases efficiency.

**\*NOT FOR USE ON AUTO SCRUBBERS.**

- Adjustable stainless steel glide plate
- Reduces operator fatigue
- Increases productivity
- Efficient and cost-effective
- No break-in process required
- Designed to fit 17" or 20" floor machines

PART NO.	BLOCK DIA.	DESCRIPTION	FILAMENT COLOR	FILAMENT DIA.	MACHINE SIZE
732915*	15"	Nylon Carpet Brush w/ Glide Plate	Black	.014	17"
732918*	18"	Nylon Carpet Brush w/ Glide Plate	Black	.014	20"

*\* Includes NP-9200 clutch plate*



## CARPET SHAMPOO BRUSHES

On brushes 14" in diameter and larger, the two outer rows are heavier to scrub the carpet and flex the pile while the softer inner rows "massage" the dirt from the carpet for a deeper cleaning action.

### A. NYLON

The best quality brush for this application. Nylon is flexible and supple enough to gently scrub carpets, yet has more "memory" than other fibers for a longer lasting brush.

### B. POLYPROPYLENE

A low cost alternative to nylon for situations that call for less frequent use. Ideal for the rental trade. Bristles are slightly stiffer than nylon.

A NYLON	NYLON DIAMETER	B POLYPROPYLENE	POLYPROPYLENE DIAMETER	BLOCK TYPE	DIAMETER
812910	0.025"	812410	0.020"	Wood	10"*
812911	0.025"	812411	0.020"	Plastic	11"*
812912	0.025"	812412	0.020"	Plastic	12"*
812913	0.025"	812413	0.020"	Plastic	13"*
812914	0.025"/0.028"	812414	0.020"/0.025"	Plastic	14"
812915	0.025"/0.028"	812415	0.020"/0.025"	Plastic	15"
812916	.025/.028	812416	.020/.025	Plastic	16"
812917	.025/.028	812417	.020/.025	Plastic	17"
812918	.025/.028	812418	.020/.025	Plastic	18"
812919	.025/.028	812419	.020/.025	Plastic	19"
812920	.025/.028	812420	.020/.025	Plastic	20"
812921	.025/.028	—	.020/.025	Plastic	21"

*\*10"-13" sizes contain black bristles only*

## CARPET BONNET SYSTEMS

### A. BONNET-LOK™

The BONNET-LOK™ System is a brush/bonnet combination in a single unit. The exclusive design allows both the brush and the bonnet to extend to the wall for maximum coverage and effectiveness. Includes 1-1/4" riser. Clutch plate NOT included. (Discontinued when out)


### B. BONNET-LOK™ II

A brush/bonnet combination similar to the BONNET-LOK™ but with a circular design. Includes NP-9200 clutch plate and 1-1/4" riser.

PART NO.	DESCRIPTION	PHOTO REF.
785019**	19" BONNET-LOK™ Driver	A
785059*	19" Carpet Bonnet for #785019	A
785117	17" BONNET-LOK™ II Driver	B
785119	19" BONNET-LOK™ II Driver	B
785157*	14" Carpet Bonnet for #785117	B
785159*	16" Carpet Bonnet for #785119	B

\* Must be ordered in cases of 6

\*\* Bonnets not included



## THE MALISH SOLUTION TANK

The new Malish Solution Tank provides features designed to improve cleaning performance, reduce labor time, and limit the utilization of chemicals.

### Durable Construction

The large-capacity, 4-gallon tank features durable, damage-resistant, rotational-molded polyethylene, machined brass hardware, and a flow control valve which allows operators to properly manage the amount of solution used during cleaning.

### Numerous Mounting Options

Multiple mounting patterns allow operators to quickly and easily install the Solution Tank on a wide variety of machines.

- Extra-wide opening makes tank easier to fill and helps prevent chemical spills
- Visual gradation marks on the tank make it simple for operators to monitor volume levels



PART NO.	DESCRIPTION	PHOTO REF.
890010	Solution Tank - 4 gal.	C
890014	Solution Tank Hardware Kit	D
890015	Square Handle Hardware Kit*	E


\* For Nilfisk, Nobles or Tennant machines





# BRUSH/PAD COMBINATION

MALISH



The Malish POWER-PAD® is a unique combination of a brush to handle all the “lows” and a pad driver to clean all the “highs.” This design creates a multi-level scrubbing action that produces results superior to standard rotary brushes and pad drivers. Reduces the need for multiple passes during floor stripping or scrubbing. Ideal for use on unsealed or sealed concrete, terrazzo, vinyl tile, ceramic/quarry tile and linoleum. POWER-PAD® includes 1-1/4" riser. Clutch plate NOT included.

## A. POWER-PAD® / MAL-GRIT LITE™ MALISH EXCLUSIVE

A perfect union of durable brush and pad driver with minimum aggression. For daily scrubbing of a variety of tiles, marble, terrazzo and non-slip epoxy finishes.

## B. POWER-PAD® / CLEAN-GRIT™ MALISH EXCLUSIVE

An excellent general scrubbing brush/pad combination for frequent maintenance cleaning. Flexible enough for cleaning narrow grout lines and uneven surfaces.

## C. POWER-PAD® / MAL-GRIT™ MALISH EXCLUSIVE

Combines our most popular grit brush with a pad driver for general scrubbing or stripping finishes from hard surfaces. Effectively cleans wide grout lines.

**TIP:** Always remove your brush or pad driver from the machine after use. Hang up to extend life. Always clean and rinse brushes thoroughly, especially after stripping jobs. Chemicals can be harmful to skin and eyes.

PART NO.	BLOCK DIA.	FILL NAME	GRIT COLOR	FILL DIA.	GRIT SIZE	PAD SIZE	PAD COLOR	APPLICATION	PHOTO REF
785317	17"	MAL-GRIT LITE™	Grey	.018	500	13"	Grey	Light Scrubbing	A
785319	19"	MAL-GRIT LITE™	Grey	.018	500	15"	Grey	Light Scrubbing	A
785617	17"	CLEAN-GRIT™	Blue	.035	180	13"	Blue	Scrubbing	B
785619	19"	CLEAN-GRIT™	Blue	.035	180	15"	Blue	Scrubbing	B
785417	17"	MAL-GRIT™	Black	.050	80	13"	Black	Stripping	C
785419	19"	MAL-GRIT™	Black	.050	80	15"	Black	Stripping	C

### WARNING!

Do not use brush or pad with flammable materials (fuels, solvents, thinner, etc.) or serious bodily harm or injury could result from possible fire or explosion.

# SANDING DRIVERS



## A. ECONOMY SANDPAPER DRIVER

Our Economy Sandpaper Driver is made from a plastic one-piece block. A 3/8" foam pad and stamped metal centering device provide the holding power. This lightweight unit is excellent for the rental trade or for infrequent use situations. Includes our NP-9200 TRU-FIT® Universal Clutch Plate to fit most machines.

## B. HEAVY DUTY SANDPAPER DRIVER

Our professional-grade Heavy Duty Sandpaper Driver is constructed from marine grade plywood and features a 3/8" thick foam pad for gripping sandpaper. A durable aluminum casting centers the sandpaper and will provide years of service. Includes our NP-9200 TRU-FIT® Universal Clutch Plate to fit most machines. Riser is attached.

### Replacement Components



Complete Unit -  
Order As:  
ZASANDDISC



Aluminum Casting Cup -  
Order As:  
ZASANDCUP

### Replacement Component




Complete Unit -  
Order As: ZASANDCTR


A



B



C



## C. ORBO-LOK™ MALISH EXCLUSIVE

This Malish innovation turns standard floor machines into orbital motion sanders. Use with a loose weave pad and sandscreen. The orbital motion of the ORBO-LOK™ reduces backswirl marks while the pad absorbs dust, allowing increased sanding efficiency and reduced mess! Includes our P-200 clutch plate to fit most machines.


A SANDPAPER DRIVER-ECONOMY	B SANDPAPER DRIVER- HEAVY DUTY	C ORBO-LOK™	BLOCK DIAMETER
—	—	—	12"
—	—	—	13"
782014	781014	782214	14"
782015	781015	782215	15"
782016	781016	782216	16"
782017	781017	782217	17"
782018	781018	782218	18"
782019	781019	782219	19"
—	781020	—	20"

**TIP:** For sandscreening, use a loose weave pad in between ORBO-LOK™ and sandscreen to minimize dust and reduce clogging of the sandscreen.



# STONE & CONCRETE MAINTENANCE

A



A1



## A. MASTIC DEMON® - FOR COATING REMOVAL

From the Diamond Devil® Line of Concrete Tools, the Mastic Demon® easily removes even the toughest coatings from concrete floors, including mastic, glue, adhesive, thin-set, paint, thin mil epoxy, and more—all chemical-free, using only water. Efficient and effective, the Mastic Demon® leaves behind an improved surface profile ready for a recoat or new floor lay. Patent Pending.

**Important:** For use only on smooth, hard-troweled interior concrete surfaces, including distribution centers, warehouses, office buildings, retail locations, basements, and garages. Not suitable for outdoor concrete.

**Note:** If polished concrete floors are your goal, use The Diamond Devil® Prep Tool to reduce the deep scratch pattern left by the Mastic Demon® Coating Removal Tool. The Prep Tool ensures a smooth, properly prepped surface, setting the stage for a flawless finish with The Diamond Devil® Polishing System.

\*For pricing see Diamond Devil® price list.

CLOCKWISE (CW) PART NO.	COUNTER-CLOCKWISE (CCW) PART NO.	DESCRIPTION	BLOCK TYPE	BLOCK DIA.	PHOTO REF.
51012CW	51012CCW	MASTIC DEMON®	PLASTIC	12"	A
51013CW	51013CCW	MASTIC DEMON®	PLASTIC	13"	A
51014CW	51014CCW	MASTIC DEMON®	PLASTIC	14"	A
51015CW	51015CCW	MASTIC DEMON®	PLASTIC	15"	A
51016CW	51016CCW	MASTIC DEMON®	PLASTIC	16"	A
51017CW	51017CCW	MASTIC DEMON®	PLASTIC	17"	A
51018CW	51018CCW	MASTIC DEMON®	PLASTIC	18"	A
51019CW	51019CCW	MASTIC DEMON®	PLASTIC	19"	A
51020CW	51020CCW	MASTIC DEMON®	PLASTIC	20"	A

## A1. MASTIC DEMON® REPLACEMENT BLADE KITS

CLOCKWISE (CW) PART NO.	COUNTER-CLOCKWISE (CCW) PART NO.	DESCRIPTION	# OF BLADES	FITS TOOL SIZES	PHOTO REF.
515CW	515CCW	Replacement Blade Kit	5	12" - 14"	A1
516CW	516CCW	Replacement Blade Kit	6	15" - 17"	A1
518CW	518CCW	Replacement Blade Kit	8	18" - 20"	A1

B



B1



B2



## B. PREP TOOL - FOR POLISH PREP

The Prep Tool completes The Diamond Devil® Concrete & Terrazzo Restoration and Polishing System. The Prep Tool preps concrete and cementitious terrazzo floors, chemical-free, using only water.

For concrete, The Prep Tool transitions floors from Mastic Demon® coating removal to polishing, reducing deep scratches, and creating the ideal surface for Diamond Devil® polishing.

For cementitious terrazzo, The Prep Tool is the first step in removing sealers and prepping terrazzo for a flawless polish using The Diamond Devil® Polishing System.

Achieve a superior shine, image gloss, and clarity—effortlessly.

\*For pricing see Diamond Devil® price list.

PART NO.	DESCRIPTION	BLOCK TYPE	BLOCK DIA.	PHOTO REF.
52016	PREP TOOL	PLASTIC	16"	B
52017	PREP TOOL	PLASTIC	17"	B
52018	PREP TOOL	PLASTIC	18"	B
52019	PREP TOOL	PLASTIC	19"	B
52020	PREP TOOL	PLASTIC	20"	B

## B1 / B2. PREP TOOL REPLACEMENT PARTS

PART NO.	DESCRIPTION	# OF PARTS	FITS TOOL SIZES	PHOTO REF.
5204BK	4" Diamond Cup Wheel	1	16" - 20"	B1
5204NEST	4" Floating Head Assembly	1	16" - 20"	B2

## A. SP-17 SURFACE PREP TOOL W/ DUAL POSITION BLADE HOLDERS

BEST SELLER

The SP-17 floor surface preparation tool is an environmentally safe and productive tool for scraping concrete floors. The SP-17 was designed for scraping hard surface deposits including epoxy, fiberglass, glues, grout, ice, packed soils, paint and a variety of build-up on concrete surfaces. It is recommended to rotate cutter blades in a synchronized pattern to optimize cutter life and maximize production.



## B / B1. REPLACEMENT CARBIDE CUTTERS & DUAL POSITION BLADE HOLDERS

Dual position blade holders are designed with a "knockdown" position (see A left) as well as rear slot for aggressive scraping.

MALISH EXCLUSIVE

PART NO.	DESCRIPTION	PHOTO REF.
825017*	17" Surface Prep Tool	A
825003S	"8-way" Carbide Cutters (set of 3)	B

\* Includes NP-9200 clutch plate



## C. ALUMINUM BACK DIAMOND DISC/ PAD DRIVER

MALISH EXCLUSIVE

Features a special face material which provides excellent holding power for diamond discs and a variety of floor pads. This heavy duty cast block (11 lbs.) provides ultimate rigidity when used with diamond discs and extra weight needed when used in polishing, scrubbing or grinding applications. Includes 1-1/4" riser and NP-9200 clutch plate.

## D. TUFF-BLOCK® DIAMOND PAD DRIVER with VELCRO® FACE

MALISH EXCLUSIVE


These multi-purpose drivers feature our TUFF-BLOCK® plastic showerfeed block with special driver face material which provides superior holding power on either diamond discs or pads. Includes 1-1/4" riser and NP-9200 clutch plate.

## E. TUFF-BLOCK® DIAMOND PAD DRIVER with VELCRO® FACE & NEOPRENE PAD

These multi-purpose drivers feature our TUFF-BLOCK® plastic showerfeed block with special driver face material which provides superior holding power on either diamond discs or pads. Includes 1-1/4" riser and NP-9200 clutch plate.

## F. MIGHTY-LOK® 3

This multi-purpose pad driver can be used with diamond discs as well as pads, bonnets, and abrasive pucks. The molded polymer pad face has hundreds of individual hooks that grip into the threads of a floor pad, bonnet or diamond disc and hold it securely while the machine is operating. The pad driver includes a molded riser and universal Malish NP-9200 Tru-Fit® clutch plate mounted onto the block.



PART NO.	DESCRIPTION	BLOCK DIA.	PHOTO REF.
786713XNP	MIGHTY-LOK® 3	13"	F
786714XNP	MIGHTY-LOK® 3	14"	F
786715XNP	MIGHTY-LOK® 3	15"	F
786716XNP	MIGHTY-LOK® 3	16"	F
786717XNP	MIGHTY-LOK® 3	17"	F
786718XNP	MIGHTY-LOK® 3	18"	F
786719XNP	MIGHTY-LOK® 3	19"	F
786720XNP	MIGHTY-LOK® 3	20"	F
788116	TUFF-BLOCK® PAD DRIVER W/VELCRO® FACE	16"	D
788117	TUFF-BLOCK® PAD DRIVER W/VELCRO® FACE	17"	D
788119	TUFF-BLOCK® PAD DRIVER W/VELCRO® FACE	19"	D
788216	TUFF-BLOCK® PAD DRIVER W/VELCRO® FACE & NEOPRENE PAD	16"	E
788217	TUFF-BLOCK® PAD DRIVER W/VELCRO® FACE & NEOPRENE PAD	17"	E
788219	TUFF-BLOCK® PAD DRIVER W/VELCRO® FACE & NEOPRENE PAD	19"	E
824017	Aluminum Diamond Driver with Applix	17"	C


## WARNING!

Concrete floor tools must be operated by experienced professional floor machine operators only. Operator must wear protective face shield, ear protection, foot wear, and dust mask. Designed to be used on standard 175 RPM rotary floor machine with a 1-1/2 HP motor ONLY. **DO NOT USE WITH OR NEAR FLAMMABLE MATERIALS!**

**MALISH**

# CLUTCH PLATES

## CLUTCH PLATES

**Don't See Your Clutch Plate Listed?**

Contact Malish customer service. The clutch plates on this page represent the most popular plates, but Malish also offers other, less requested clutch plates that may be appropriate for your needs.

**A. TRU-FIT® UNIVERSAL CLUTCH PLATE (NP-9200)****MALISH EXCLUSIVE**

Designed to flex vertically and compress horizontally to reduce machine wobble and operator fatigue.

PART NO.	FITS MACHINES	CENTER HOLE REQUIRED	PHOTO REF.
NP-9200	Most Std. Speed Machines	5"	A
NP-47	Advanced Std. Speed Machines (pre-1997)	5"	B
P-200	Most Std. Speed Machines	4"	C
NP-46	Mid Std. Speed Machines	5"	D
G-400X	Tennant 14" and above	5"	E
G-400S	Tennant 13" and under	5"	*
G-200MM	Minute-Man Auto Scrubbers	5"	F
G-100	Clarke Auto Scrubbers	4.84"	G
ANP-92	Universal Metal Plate	5"	H
NP-83P	For General Machines (pre-1987)	5"	I
L-801P	Kent Auto Scrubbers	1.875" or 2.875"	J
L-800P	Advance/Nobles Auto Scrubbers/Others	Varies**	K
4148PMB	Nilfisk Advance Clutch Plate	5"	L
ANP-16	North American Clutch Plate	5"	M
ANP-154	Clutch Plate T-154	5"	N
NP-500	Eagle Clutch Plate	5"	O
NP-800	Hako Clutch Plate	6.25"	P
NP-600	Hako Clutch Plate - E Series	7.32"	Q
NP-1850	Taski Clutch Plate	4"	R
ANP-140	Taski Combiomat 1400-1900	5.820"	S
ANP-200	Taski 2 Clutch Plate	5"	T

\* Not shown

\*\* Call customer service with machine make and model number to ensure proper selection.

**WHICH CLUTCH PLATE IS REQUIRED**

Malish can supply clutch plates for most machines on the market. If you have an original clutch plate, we will ask you for the center hole diameter of your existing brush. Measure the inside diameter from your existing brush or pad holder to obtain this information.

## FLOOR MACHINE DUST SKIRT

Create a clean, dust-free environment that allows you to breathe easier when sanding, grinding and buffing your most demanding flooring projects. It adapts perfectly to your 17" or 20" buffer and allows your machine to run with any dust containment system. The design allows flexibility of the skirt shroud to always be in contact with the floor. The black reinforced nylon brush floats on the floor and allows optimal dust collection.

PART NO.	BLOCK DIA.
882917	17"
882920	20"



## SPLASH GUARD™ BY MALISH

The Splash Guard™ by Malish fits all single-disc rotary floor machines up to 20 inches in diameter. Designed to minimize the messy splash that results when running machines, Splash Guard™ is made of flexible polypropylene and withstands and contains the grittiest of debris creating a cleaner working environment. Measures 96" L x 6" W.

PART NO.	DIAMETER
SWINGSG	20"



## THE MALISH SOLUTION TANK

The Malish Solution Tank provides features designed to improve cleaning performance, reduce labor time, and limit the utilization of chemicals.

### Durable Construction

The large-capacity, 4-gallon tank features durable, damage-resistant, rotational-molded polyethylene, machined brass hardware, and a flow control valve which allows operators to properly manage the amount of solution used during cleaning.

### Numerous Mounting Options

Multiple mounting patterns allow operators to quickly and easily install the Solution Tank on a wide variety of machines.

- Extra-wide opening makes tank easier to fill and helps prevent chemical spills
- Visual gradation marks on the tank make it simple for operators to monitor volume levels



PART NO.	DESCRIPTION	PHOTO REF.
890010	Solution Tank - 4 gal.	A
890014	Solution Tank Hardware Kit	B
890015	Square Handle Hardware Kit*	C


\* For Nilfisk, Nobles or Tennant machines



## RISERS

Plastic risers are available in thicknesses of either 1-1/4" (standard) or 1-1/2".

PART NO.	DESCRIPTION	DIAMETER	CENTER HOLE	HEIGHT	PHOTO REF.
ZRPLRISER	Plastic Riser	6-3/4"	5"	1-1/4"	D
ZRPLR125	Plastic Riser	6-3/4"	4 or 5"	1-1/4"	E
ZRPLR150	Plastic Riser	6-3/4"	4 or 5"	1-1/2"	F
NPSP	Spacer	6-3/4"	5"	3/8"	G



**Corporate Headquarters**  
7333 Corporate Blvd.  
Mentor, OH 44060 USA



## ***One Source for Quality, Engineering, Selection and Support***

A global leader in floor care products, the industry has turned to Malish for quality and innovation since 1945. We offer a broad line of rotary/disc brushes, bristled floor pads, and accessories for commercial floor machines. From pad drivers, color-coded grit brushes, and carpet cleaning brushes, to concrete and terrazzo restoration and polishing. Our product line also includes foodservice and janitorial tools, along with a full line of commercial-grade grill brushes.

Our reputation has been built on service, dedication and an uncompromising commitment to produce the best quality brushes in the industry. That commitment does not end at the point of sale. Our customer service and application support are pillars of our business. When you partner with Malish, we take that partnership seriously through the performance of our products to our on-time delivery.



**Malish Europe**  
Strefowa 10, Komorniki  
55-300 Środa Śląska,  
Poland



**Malish Mexico**  
Ave Guadalajara 305  
Guadalupe, N.L.,  
67112 Mexico



**Dongguan Malish  
Cleaning Equipment Co., Ltd.**  
Dongguan City, Guangdong,  
China 523127

## **THE MALISH CORPORATION**

7333 Corporate Blvd.  
Mentor, OH 44060  
440.951.5356 - 800.321.7044  
Fax: 440.951.0293  
[info@malish.com](mailto:info@malish.com)  
[www.malish.com](http://www.malish.com)