


Shapes of Art


ARTISTIC MOSAIC
COLLECTION



TREND®
Born with style



Explore a beautiful world and...




spread art all around.

CONTENTS




ARTISTIC
ARTWALLS_7

FLUTE_7
LYRIC_13
CARILLON_19
ARIA_25
LYRA_33
JINGLE_39




CAD
ARTWALLS_45

STEAM_46
WATERCOLOR_53
VELVET_57



HEXAGONAL
DECORS_59

HYPNOTIC_61
FROST_63
FIELD_65
DOTS_67
MIXES AND SHADING BLENDS_69



TECHNICAL
INFORMATION_75

ARTISTIC_77
CAD_83
HEXAGONAL_87

FLUTE



Flute 2 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")



FLUTE

A decoration
composed as a
symphony of art
lives forever
like a song.

Flute 1 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

FLUTE



Flute 1 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

LYRIC

The accent that brings harmony and balance to your space inspires art and lasts forever.

LYRIC

LYRIC 1




LYRIC 2



Lyric 2 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")



LYRIC



Lyric 3| Artistic mosaic (1 x 1 cm | 3/8" x 3/8")



Carillon 1 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

CARILLON



Carillon 1 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

CARILLON



Photo by Annie Spratt



Carillon 2 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")



ARIA

The radiance of
the cloud and the
singing of the bird
make your day
a beautiful journey.

Aria 1 A | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

ARIA

ARIA 1 A



ARIA 1 B



ARIA 1 C



ARIA 1 D



ARIA 1 E



ARIA 1 F



ARIA



Aria 2 B | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

ARIA

ARIA 2 A



ARIA 2 B



ARIA 2 C



ARIA 2 D



ARIA 2 E



ARIA 2 F





Lyra 1 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

LYRA



LYRA

LYRA 1



LYRA

LYRA 2



Lyra 2 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

JINGLE

JINGLE 1



Jingle 1 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

JINGLE



Photo by Rowan Heuvel

Jingle 2 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

JINGLE

Grateful and joyful,
the glory of art endures
in the depths of the
human soul.



Jingle 1 | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")

It's easy to get lost in
the amazing spectacle
of these mosaics.

STEAM

Steam 1 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")





Steam 2 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")

STEAM




Steam 2 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")

WATERCOLOR



Watercolor 1 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")

WATERCOLOR



Watercolor 1 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")

WATERCOLOR

Watercolor 2 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")



Watercolor 2 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")

VELVET

Evoke emotion
with statement
pieces rich
in depth and
intensity.



Velvet 1 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")




Velvet 2 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")


VELVET



Velvet 2 | CAD mosaic (1 x 1 cm | 3/8" x 3/8")

The background of the slide is a solid orange color. It features a series of vertical white lines. On the left side, there are 10 thick vertical lines. On the right side, there are 30 thin vertical lines. The text is positioned in the upper left area, between the thick and thin lines.

TREND wishes
to convey beauty
and simplicity to
people so that
they may express
their maximum
creative potential.




Hexagonal
figures overlap
in a fashionable
way that evokes
a splendidorous
sensation


HYPNOTIC




HYPNOTIC 3



HYPNOTIC 2



HYPNOTIC 1




Hypnotic 1 | Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"




FROST


FROST 3



FROST 2



FROST 1







Field 1 | Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"

FIELD

FIELD 1



FIELD 2




FIELD 3






Dots 1 | Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"


DOTS



DOTS 1




DOTS 2




DOTS 3

Original design and unique ideas merge
to create charisma and elegance.



Lead mix | Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"

HEXAGONAL MIXES & SHADING BLENDS



HEX 160



Carpet with HEX 160



Talc mix

HEXAGONAL MIXES



Lead, Cosmos and Ash mixes | Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"

Soil, Ash and Caramel mixes | Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"



TECHNICAL INFORMATION

FLUTE

Artistic mosaic (1 x 1 cm | 3/8" x 3/8")
Modular size: 252,8 x 158 cm | 99 1/2" x 162 3/16"



LYRIC

Artistic mosaic (1 x 1 cm | 3/8" x 3/8")
Modular size: 126,4 x 252,8 cm | 49 3/4" x 99 1/2"



CARILLON

Artistic mosaic (1 x 1 cm | 3/8" x 3/8") | Modular size: 252,8 x 126,4 cm | 99 1/2" x 49 3/4"



JINGLE | Artistic mosaic (1 x 1 cm | 3/8" x 3/8")
Modular size: 126,4 x 126,4 cm | 49 3/4" x 49 3/4"




LYRA

Artistic mosaic (1 x 1 cm | 3/8" x 3/8") | Modular size: 379,2 x 316 cm | 149 5/16" x 124 3/8"









ARIA 1
Artistic mosaic (1 x 1 cm | 3/8" x 3/8")
Modular size: 94,8 x 316 cm | 37 5/16" x 124 3/8"



ARIA 2
Artistic mosaic (1 x 1 cm | 3/8" x 3/8")
Modular size: 94,8 x 316 cm | 37 5/16" x 124 3/8"



STEAM

CAD mosaic (1 x 1 cm | 3/8" x 3/8") | Modular size: 505,6 x 316 cm | 199 1/16" x 124 3/8"



VELVET 1

CAD mosaic (1 x 1 cm | 3/8" x 3/8") | Modular size: 758,4 x 316 cm | 298 9/16" x 124 3/8"



VELVET 2

CAD mosaic (1 x 1 cm | 3/8" x 3/8") | Modular size: 442,4 x 316 cm | 174 3/16" x 124 3/8"



WATERCOLOR

CAD mosaic (1 x 1 cm | 3/8" x 3/8") | Modular size: 663,6 x 316 cm | 261 1/4" x 124 3/8"

WATERCOLOR 1

+ Crystal 



316 cm | 124 3/8"

663,6 cm | 261 1/4"

WATERCOLOR 2

+ Crystal 




316 cm | 124 3/8"

663,6 cm | 261 1/4"


HYPNOTIC

Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"
Modular size: 42,69 x 28,44 cm |
16 13/16" x 11 3/16"



HYPNOTIC 1



HYPNOTIC 2




HYPNOTIC 3




FROST

Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"
Modular size: 39,41 x 20,80 cm | 15 1/2" x 8 3/16"



FROST 1







FROST 2







FROST 3



FIELD
Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"
Modular size: 59,12 x 28,44 cm | 23 1/4" x 11 3/16"




DOTS
Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"
Modular size: 26,27 x 22,75 cm | 10 5/16" x 8 15/16"



HEXAGONAL SHADING BLENDS






Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"



HEXAGONAL MIXES

Hexagonal mosaic 3 x 3,5 cm | 1 3/16" x 1 3/8"

Module size
29,6 x 28,4 cm
11 3/8" x 11 3/16"



VITREO, BRILLANTE, SHINING, FEEL, AUREO, KARMA
WEIGHT AND DIMENSIONS | 1 x 1 cm | 3/8" x 3/8"
TABELLA MISURE E PESI | TABLEAU DES POIDS ET DIMENSIONS |
GRÖßE UND GEWICHTE | TABLA DE MEDIDAS Y PESOS | РАЗМЕРЫ И ВЕС

SIZE FORMATO FORMAT FORMAT TAMAÑO РАЗМЕР	1 x 1 cm 3/8" x 3/8"
THICKNESS SPESSORE EPAISSEUR STÄRKE ESPESOR ТОЛЩИНА	~ 4 mm 5/32"
JOINT GIUNTO JOINT ABMESSUNG DER FUGE JUNTA ШОВ	~ 1 mm 2/48"
WEIGHT PESO POIDS GEWICHT PESO ВЕС	~7 kg/m² 1.6 lbs/SQF
Hand cut Tagliato a mano Coupé à la main Handgeschnitten Cortado a mano наколотые вручную Data are indicative only as it is a hand-cut product. I dati sono indicativi dal momento che si tratta di un prodotto artigianale. Comme il s'agit d'un produit artisanal, ces données n'ont qu'une valeur indicative. Da es sich um handwerkliche Produkte handelt, sind die obenewährnten Angaben als Richtwerte zu betrachten. Los datos son indicativos por tratarse de un producto artesanal. Материал ручной работы, поэтому данные приблизительные.	

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes
Crazing (ASTM C424)	passes

TEST DATA
CARATTERISTICHE TECNICHE | CARACTÉRISTIQUES TECHNIQUES |
TECHNISCHE EIGENSCHAFTEN | CARACTERÍSTICAS TÉCNICAS |
ТЕХНИЧЕСКИЙ РАЗДЕЛ

	UNI EN ISO 10545 (13)		
	RESISTANCE TO CHEMICAL AGENTS RESISTENZA AGLI AGENTI CHIMICI RESISTANCE AUX PRODUITS CHIMIQUES SÄURE- UND LAUGENBESTÄNDIGKEIT RESISTENCIA A LOS AGENTES QUÍMICOS УСТОЙЧИВОСТЬ К ВОЗДЕЙСТВИЮ КИСЛОТ	resistant resistente résistant beständig resistente устойчива	
	UNI EN ISO 10545 (9)		
	RESISTANCE TO THERMAL SHOCKS RESISTENZA AGLI SBALZI TERMICI RESISTANCE AUX CHOCS THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT RESISTENCIA A LOS CAMBIOS DE TEMPERATURA УСТОЙЧИВОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ	resistant resistente résistant beständig resistente устойчива	
	UNI EN ISO 10545 (3)		
	WATER ABSORPTION ASSORBIMENTO ACQUA ABSORPTION D'EAU WASSERAUFNAHME ABSORCION DE AGUA ВОДОПОГЛОЩЕНИЕ	none nullo nulle null nula ноль	
	DIN 51094		
	COLOURS RESISTANCE TO FADING RESISTENZA DEI COLORI ALLA LUCE RESISTANCE DES COULEURS A LA LUMIERE FARBBESTÄNDIGKEIT RESISTENCIA DE LOS COLORES A LA LUZ УСТОЙЧИВОСТЬ К СВЕТУ	resistant resistente résistant beständig resistente устойчива	
	UNI EN ISO 10545 (12)		
	FROST RESISTANCE RESISTENZA AL GELO RESISTANCE AU GEL FROSTBESTÄNDIGKEIT RESISTENCIA AL HIELO МОРОЗОУСТОЙЧИВОСТЬ	resistant resistente résistant beständig resistente устойчива	
	DIN 51097		
	SLIP RESISTANCE ON BARE FEET RESISTENZA ALLA SCIVOLOSITÀ A PIEDI NUDI RESISTANCE AU GLISSEMENT A PIEDS NUS RUTSCHFESTIGKEIT BARFUSS RESISTENCIA ANTIDESLIZANTE CON PIES DESNUDOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, БОСИКОМ	class classe classe Klasse clase класс	C C C C C C
	DIN 51130		
	SLIP RESISTANCE WITH SHOES RESISTENZA ALLA SCIVOLOSITÀ A PIEDI CALZATI RESISTANCE AU GLISSEMENT A PIEDS CHAUSSES RUTSCHFESTIGKEIT MIT SCHUHEN RESISTENCIA ANTIDESLIZANTE CON PIES CALZADOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, В ОБУВИ	R9	

HEXAGONAL
WEIGHT AND DIMENSIONS
TABELLA MISURE E PESI | TABLEAU DES POIDS ET DIMENSIONS |
GRÖßE UND GEWICHTE | TABLA DE MEDIDAS Y PESOS | РАЗМЕРЫ И ВЕС

SIZE FORMATO FORMAT FORMAT TAMAÑO РАЗМЕР	35 x 30 mm 1 3/16" x 1 3/8" (35,61 x 30,84 mm)
THICKNESS SPESSORE EPAISSEUR STÄRKE ESPESOR ТОЛЩИНА	~ 5 mm 3/16"
JOINT GIUNTO JOINT ABMESSUNG DER FUGE JUNTA ШОВ	~ 2 mm 5/64"
WEIGHT PESO POIDS GEWICHT PESO ВЕС	~ 9 Kg/m² 1.84 lbs/SQF

TEST ASTM

TEST PERFORMED AND REQUIREMENTS	CONCLUSIONS
Range of thickness (ASTM C499)	passes
Facial dimensions (ASTM C499)	passes
Wedging (ASTM C502)	passes
Water absorption (ASTM C373)	passes
Thermal shocks (ASTM C484)	passes
Bond Strenght (ASTM C482)	passes
Crazing (ASTM C424)	passes

TEST DATA
CARATTERISTICHE TECNICHE | CARACTÉRISTIQUES TECHNIQUES |
TECHNISCHE EIGENSCHAFTEN | CARACTERÍSTICAS TÉCNICAS |
ТЕХНИЧЕСКИЙ РАЗДЕЛ

	UNI EN ISO 10545 (13)		
	RESISTANCE TO CHEMICAL AGENTS RESISTENZA AGLI AGENTI CHIMICI RESISTANCE AUX PRODUITS CHIMIQUES SÄURE- UND LAUGENBESTÄNDIGKEIT RESISTENCIA A LOS AGENTES QUÍMICOS УСТОЙЧИВОСТЬ К ВОЗДЕЙСТВИЮ КИСЛОТ	resistant resistente résistant beständig resistente устойчива	
	UNI EN ISO 10545 (9)		
	RESISTANCE TO THERMAL SHOCKS RESISTENZA AGLI SBALZI TERMICI RESISTANCE AUX CHOCS THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT RESISTENCIA A LOS CAMBIOS DE TEMPERATURA УСТОЙЧИВОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ	resistant resistente résistant beständig resistente устойчива	
	UNI EN ISO 10545 (3)		
	WATER ABSORPTION ASSORBIMENTO ACQUA ABSORPTION D'EAU WASSERAUFNAHME ABSORCION DE AGUA ВОДОПОГЛОЩЕНИЕ	none nullo nulle null nula ноль	
	DIN 51094		
	COLOURS RESISTANCE TO FADING RESISTENZA DEI COLORI ALLA LUCE RESISTANCE DES COULEURS A LA LUMIERE FARBBESTÄNDIGKEIT RESISTENCIA DE LOS COLORES A LA LUZ УСТОЙЧИВОСТЬ К СВЕТУ	resistant resistente résistant beständig resistente устойчива	
	UNI EN ISO 10545 (12)		
	FROST RESISTANCE RESISTENZA AL GELO RESISTANCE AU GEL FROSTBESTÄNDIGKEIT RESISTENCIA AL HIELO МОРОЗОУСТОЙЧИВОСТЬ	resistant resistente résistant beständig resistente устойчива	
	DIN 51097		
	SLIP RESISTANCE ON BARE FEET RESISTENZA ALLA SCIVOLOSITÀ A PIEDI NUDI RESISTANCE AU GLISSEMENT A PIEDS NUS RUTSCHFESTIGKEIT BARFUSS RESISTENCIA ANTIDESLIZANTE CON PIES DESNUDOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, БОСИКОМ	class classe classe Klasse clase класс	B B B B B B
	DIN 51130		
	SLIP RESISTANCE WITH SHOES RESISTENZA ALLA SCIVOLOSITÀ A PIEDI CALZATI RESISTANCE AU GLISSEMENT A PIEDS CHAUSSES RUTSCHFESTIGKEIT MIT SCHUHEN RESISTENCIA ANTIDESLIZANTE CON PIES CALZADOS УСТОЙЧИВОСТЬ К СКОЛЬЖЕНИЮ, В ОБУВИ	R9	

ITALY
Piazzale Fraccon 8
36100 Vicenza | Italy
phone +39 0444 338 711
info-it@trend-group.com

USA
1565 NW 36th Street
Miami, FL 33142 USA
phone +1 863 655 0164
toll free +1 866 508 7363
info-us@trend-group.com

UK
Unit 28 Decimus Park,
Kingstanding Way | Tunbridge
Wells | Kent TN2 3GP | UK
call 08700 427 450
phone +44 01 892 509 690
info-gb@trend-group.com

AUSTRALIA
Unit 16/167 Prospect Hwy
Seven Hills, 2147
Sydney NSW Australia
phone +61 02 8817 5500
info-au@trend-group.com

BRAZIL
Calçada das Violetas, 225
Alphaville Comercial,
Barueri | São Paulo,
06453-003 | Brazil
phone: +55 11 2424 6137
info-br@trend-group.com

UNITED ARAB EMIRATES
402, Building 1-B
Dubai Design District -D3, UAE
P.O. Box 309127
phone +971 44 30 9424
info-ae@trend-group.com

trend-group.com

April 2018 | Editor: Federica Bisazza
Art Designers: Yasmine Benetti | Paola Mosele | Raffaella Salata | Silvia Signorin | Alice Trentin
Graphic Designer: Giulia Cignacco | Photo: Federico Sanson

Colors in glass and ink are different, so the product shades as reproduced here are intended for reference only.

