




## R1 COATINGS® PRO

THE ULTIMATE NANO CERAMIC COATING



Automotive Services Group LLC

*Nano Ceramic Coating Solutions • Reconditioning • Repair*  
Aero | Auto | Commercial | Home | Industrial | Marine

(803) 600-4186

# Care Parameters

**Automotive Services Group LLC** is an Approved Applicator for R1 Coatings® Pro

R1 Coatings PRO is designed to protect your factory clear coat, to provide a protective shield against the elements and to keep your vehicle looking new at all times. To maximize the effects of R1 Coatings PRO and to ensure your investment is long lasting, a few basic maintenance steps should be taken. With simple care, your coating will reward you for years to come.

Minimizing rubbing, (especially with a dry towel) on the coating to ensure its longevity. Dry bird droppings, bugs and tree sap can be dissolved using alcohol type solvents and wiped off with a damp microfiber towel.

## **Washing**

1. For best results the vehicle should be washed on a bi-weekly basis to avoid excessive contamination build-up. Use only recommended mild automotive soaps.
2. Avoid high volume brush style car washes, and high PH detergent style cleaners.
3. Avoid washing in direct sunlight to minimize streaking and water spotting.
4. Wash from the top down leaving the dirtiest sections for last to avoid crosscontamination.
5. Use separate soap for rims and tires.

## **Methods of Washing**

1. Standard home washing

Use a foam gun (optimal) or microfiber wash mitt to soap down the vehicle. Rinse it off with a pressure washer (optimal) or hose. Dry with clean microfiber towels.

2. Spray 'n wash self-car washes

Select the high-pressure soap. Soap the vehicle down (never use the provided brushes especially on the paint!). Rinse car off with the high-

pressure rinse. Dry using clean plush microfiber towels.

### 3. Car washes

Touch-less car washes only. Never use a car wash with brushes!

## **Drying**

1. Always dry completely and never leave to “air” dry. Tap water contains minerals that may leave deposits creating water spots.
2. Only use quality microfiber towels for best results and avoid aggressive wiping, allowing the material to absorb the water.

## **Spot Removal**

1. Never use aggressive products to polish the coating or remove surface contamination.
2. Never use excessive force to remove spots.
3. Bird droppings, tar, and tree sap should be removed as soon as possible to avoid temporary staining or hardening on the coating. Any staining left behind from bird droppings will break down over a few days without affecting the coating.

## **After Washing**

Do not wax the coating. It is unnecessary and the wax will not bond to the coating. PREP Surface Cleaning Agent or a ceramic spray (quick detailer) is the recommended maintenance product. Ask us about getting this applied during your annual maintenance visit.

## **Automated Washing**

Always go to a touch free wash! Using an automated car wash with brushes will void the warranty and dull the coating.

## **Annual Inspections**

Annual Inspections are the recommended process for ensuring the coating is maintained and care for the vehicle is properly executed. Bi-annual inspections should be carried out by to ensure peak performance. Although durable and

long lasting, annual inspections ensure maximum gloss and protection.

### **General Information**

The following general terms and conditions apply:

- The coating will last as long as you own the vehicle if you follow the parameters listed in this document
- Excludes vehicles used for commercial purposes unless agreed upon by the applicator
- Any application, re-application, non-collision repair work or paint correction carried out on the coated surface must be applied, reapplied, or repaired by a Certified R1 Coatings PRO Installer after surface evaluation
- Keep the vehicle maintained according to the standards and techniques listed in this document

### **Automotive Services Group LLC**

Mailing Address: 7001 Saint Andrews Road #107 Columbia, SC 29212

Retail Location: 3545 Dreher Shoals Road Suite 4 Irmo, SC 29063

[info@automotiveservicesgroup.com](mailto:info@automotiveservicesgroup.com)