



Openings

Amarr® Residential Garage Doors



STEEL

- 3 AMARR ADVANTAGE
- 4 NORTHWOODS
- 6 CLASSICA® FLUSH
- 8 CLASSICA FULL VIEW
- 10 CLASSICA
- 12 CLASSICA & DECORATIVE HARDWARE OPTIONS
- 14 CARRIAGE COURT
- 16 CARRIAGE COURT OPTIONS
- 18 DESIGNER'S CHOICE
- 20 HILLCREST
- 22 HERITAGE®
- 24 OLYMPUS
- 26 LINCOLN
- 28 STEEL OPTIONS
- 30 STEEL CONSTRUCTION
- 32 STEEL SPECIFICATIONS
- 34 AMARR BY DESIGN
- 36 HORIZON
- 38 ALUMINUM OPTIONS
- 40 VISTA
- 42 ALUMINUM SPECIFICATIONS

ALUMINUM



Openings. Open up to a new way of thinking.

The garage. It's more than a way in, or a way out.

Inside it's a parking lot, a gym, a workshop.

Outside, it's an extension of your home, a reflection of your personality, of your individuality.

Whether you prefer steel, wood, or aluminum, rethink what a garage door is, or can be.

Amarr Openings. Open up to the possibilities.

AMARR ADVANTAGE

Style and Variety




We offer a broad range of garage door designs to meet your unique needs; whether your home is traditional or contemporary, our Amarr garage door designs can add beauty, curb appeal and long lasting value to your home.

Energy Efficiency and Thermal Performance

Maintain the temperature in your garage with an energy efficient garage door. For best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value rating (more heat resistance). We offer a wide range of materials, insulations and door thicknesses to provide the level of energy efficiency you desire. Learn more about the thermal performance of Amarr garage doors at amarr.com/energy-efficiency or on page 31.



Safety



Garage doors are the largest and heaviest moving object in the home. Amarr garage doors have a patented safety bottom bracket to reduce the risk of serious injuries.

Protection

Amarr hurricane rated garage doors with impact resistant construction help protect homes and property in hurricane and high wind prone regions.

Sustainability

Amarr products are made with up to 90% recycled content and approximately 5-10% of the steel is reused at the steel mill.

Made in USA



doors are manufactured in the USA, affirming our commitment to high quality and durability.



Northwoods in Cedar with SlimLine windows

AMARR NORTHWOODS

The printed horizontal plank design on a ribbed section creates depth, texture and subtle dimension. A perfect complement to modern, mid-century modern, and traditional architectural styles. The multi-hued, digitally printed woodgrain pattern gives a more genuine wood appearance. Available with either traditional or mosaic window placement.

Northwoods in Aspen Gray with Long Panel Clear windows



Cedar




Aspen Gray



Available September 2024

NW3138


Triple-Layer:
1-3/8" Steel +
Insulation +
Steel



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

NEW NW3000

Triple-Layer:
2" Steel +
Insulation +
Steel: 24ga



WINDOWS

See page 30 for complete specifications.

Choose from standard Short Panel or Long Panel windows with color matched frames or the new SlimLine windows with Black frame. See pp. 28-29 for glass and window options.

SHORT PANEL



LONG PANEL



SLIMLINE



Black frame only. Available in Clear, Frost and Dark Tint insulated glass only.

COLORS

Pattern may vary from sample shown.



CEDAR (CEP)



ASPEN GRAY (AGP)



CLASSICA® FLUSH


Sleek and sophisticated. Amarr Classica Flush garage doors complement any modern architectural style home. The flush design is ideal for homeowners who want a contemporary look with the taller panels of a 3-section door. Polyurethane insulation is energy efficient and helps moderate garage temperatures year round.




Charcoal Gray with Jardin Windows




Dark Brown with Clear Glass



Sandtone with Thames Windows



True White with Closed Top



Wicker Tan with Frost Glass



CL3000

Triple-Layer:
Steel + Insulation + Steel



Glass Options

Choose single-pane or insulated tempered glass options to best suit your needs.

See pp. 12-13 for glass and window options.



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



See page 32 for complete specifications.



Full View design with Frost glass in Dark Brown

CLASSICA® FULL VIEW

Bring natural lighting indoors. The three-section tall Amarr Classica Full View garage door allows maximum natural lighting to your interior space with the largest windows available in any Amarr steel garage door. The contemporary design combined with polyurethane insulated steel door provides years of energy efficient performance. Improve your view of the world with an Amarr Classica Full View door.

Full View design in Black with Frost glass



Black with Dark Tint Glass



Charcoal Gray with Frost Glass



Sandtone with Clear Glass



Dark Brown with Frost Glass



Weathered Gray with Obscure Glass



CL3000

Triple-Layer:
Steel + Insulation + Steel

Not available in odd heights.

Designs

Unique three-section tall door with large windows allow maximum natural lighting.

See page 32 for complete specifications.

Glass Options

Choose single-pane or insulated tempered glass options to best suit your needs.

See pp. 12-13 for glass and window options.

COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



WEATHERED GRAY (WZ)



GOLDEN OAK (OK)



WALNUT (NT)



MAHOGANY (MY)



See page 29 for more information.



Northampton design with Madeira windows in Walnut with Canterbury handles and hinges



CLASSICA®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Unique three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

Santiago design with Madeira windows in True White/Gray with Blue Ridge handles and hinges



DESIGNS



CL1000
Single-Layer:
Steel

CL2000
Double-Layer:
Steel + Insulation

CL2000
U-factor
.32
R-value 6.64

CL3000
Triple-Layer:
Steel + Insulation +
Steel


CL3000
U-factor
.22
R-value 13.35

Decorative Windows & Hardware
Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, add character to your door.
See pp. 12-13 for glass, window, and decorative hardware options.

Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



See page 32 for complete specifications.

* Odd heights not available in CL1000/CL2000.

AMARR CLASSICA® & HARDWARE OPTIONS

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.

TWO-TONE PAINT OPTIONS*

PANEL	BASE DOOR							
	TRUE WHITE	ALMOND	WICKER TAN	SANDTONE	TERRATONE	CHARCOAL GRAY	DARK BROWN	BLACK
TRUE WHITE								
ALMOND								
WICKER TAN								
SANDTONE								
TERRATONE								
CHARCOAL GRAY								
DARK BROWN								
BLACK								
HUNTER GREEN								
GRAY								

*Price upcharge applies.

GLASS OPTIONS

Insulated glass* available in Clear, Frost and Dark Tint.

CLEAR (C)



OBSCURE (O)*



FROST (WF)*



DARK TINT (WD)*



*Price upcharge applies.

TOP SECTIONS

CLOSED ARCH • Available for TUSCANY (T1), SANTIAGO (S1), LUCERN (L1), VALENCIA (V1)



CLOSED SQUARE • Available for TUSCANY (T2), SANTIAGO (S2), LUCERN (L2), VALENCIA (V2)



CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D)



CLOSED ARCH • NORTHAMPTON (N1)



CLOSED SQUARE • NORTHAMPTON (N2)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • BORDEAUX (B2)



CLOSED SQUARE • CORTONA (C2)



DANUBE (4)*



MADEIRA (5)*



NILE (6)*




RHINE (7)*




SEINE (8)*



THAMES (10)*



NO INSERT



JARDIN (75)†



TRELLIS (76)†



*Window inserts shown on Clear glass. Design also available with Obscure, Frost or Dark Tint glass.

†Tempered obscure glass with baked-on ceramic design. Design visibility varies due to lighting.

DECORATIVE HARDWARE & LOCK

For all collections.

ALUMINUM

Available for Amarr Carriage Court, Classica, Designer's Choice, Heritage¹, and Hillcrest collections.

9" HANDLES



18" STRAP HINGES WITH CLAVOS*



11" L-HINGE WITH CLAVOS*



VERSAILLES

10-1/2" HANDLES†



17" STRAP HINGES WITH CLAVOS*



3-1/2" RING HANDLES



CANTERBURY

*Hinges with Clavos not recommended for arched openings. †Not for use with high lift installations.

STAMPED STEEL

Available for Amarr Carriage Court, Classica, Designer's Choice, Heritage¹, and Hillcrest collections.

11" HANDLES



16" STRAP HINGES



11" HANDLES



AMARR LOCK

Available for Amarr Heritage¹, Lincoln, Olympus collections.

BLUE RIDGE

ALPINE

MAGNETIC ABS VINYL

Available for Amarr Classica, Designer's Choice, Heritage¹, and Hillcrest collections.

12" HANDLES



16" STRAP HINGES



11" HANDLES



18" STRAP HINGES



CASTLE ROCK

MAPLE CREEK

4" RING HANDLES (with removable backer plate)



18" STRAP HINGES



1-3/4" CLAVOS



NOTTINGHAM

CLAVOS

† Traditional designs only.

¹ Carriage house designs only.



Tanglewood design with Closed Arch in Wicker Tan/White with Versailles decorative hardware

CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.


DESIGNS

AVAILABLE WITH WINDOWS

LAURELBAY (LB)



PINETOP (PT)



BRADBERRY (BB)



KENSINGTON (KT)



SEABROOK (SB)



ROSEMONT (RM)



NOT AVAILABLE WITH WINDOWS

ASHLEY (AL)



CHARLTON (CT)



FAIRFIELD (FF)



MIDDLETON (MT)



GREENBRIAR (GB)



DARBY (DB)




NEWBERRY (NB)




TANGLEWOOD (TW)




ARCADIA (AR)*



RAVENWOOD (RW)*



BROOKLAND (BL)*




MAGNOLIA (MG)*



*Closed Square only.


Rosemont
with Closed Square (RM104)




Darby
with Closed Square (DB104)



Bradberry
with 3 Lite Arch (BB110)



Charlton
with Closed Arch (CT105)



Laurelbay
with Clear Square (LB115)



CC4000

Four-Layer:
Overlay + Steel +
Insulation + Steel



Decorative Windows

Choose from a variety of optional decorative windows & hardware to match your home's design.

See p. 13 for decorative hardware options.
See p. 16 for window options.

See page 32 for complete specifications.



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

WARRANTY

- Lifetime limited warranty on finish
- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination

AMARR CARRIAGE COURT OPTIONS

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.

TOP SECTIONS

Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT AND SEABROOK with CLEAR, OBSCURE* or INSULATED* GLASS

CLOSED SQUARE (104)



CLOSED ARCH (105)



CLEAR SQUARE (115)



CLEAR ARCH (114)



3 LITE SQUARE (106)



3 LITE ARCH (110)



4 LITE SQUARE (107)



4 LITE ARCH (111)



6 LITE SQUARE (112)



6 LITE ARCH (108)



8 LITE SQUARE (113)



8 LITE ARCH (109)



*Price upcharge applies.

Available for ARCADIA†, ASHLEY, BROOKLAND†, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA†, MIDDLETON, NEWBERRY, RAVENWOOD† AND TANGLEWOOD

CLOSED SQUARE (104)



CLOSED ARCH (105)




† Closed Square only.


COLORS

Actual paint colors may vary from samples shown.


TRUE WHITE / WHITE (W1)



ALMOND / WHITE (A1)



SANDTONE / WHITE (S1)



WICKER TAN / WHITE (K1)



Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings. Painting your garage door voids the warranty.

Kensington design with Clear Square windows in Almond/White with Blue Ridge decorative hardware



OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Square edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode

WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with square edges
- Available in Clear, Clear Insulated* or Obscure* glass

* Price upcharge applies.

DOOR WIDTHS

Only available in widths shown; not available in odd widths

6' WIDE†



12', 14' & 15' WIDE



8', 9' & 10' WIDE



15'6", 15'8", 16' & 18' WIDE



†Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options).

DOOR HEIGHTS

Available in 6'6" - 10' heights in 3" increments†

7' and 8' TALL



9' TALL



10' TALL



† Rosemont not available in 8'3", 8'9", 9'3" and 9'9" door heights; Tanglewood not available in 6'3" and 7'3" door heights.



Bead Board design with Stockton DecraTrim in True White with Blue Ridge handles and hinges

DESIGNER'S CHOICE


Design and energy efficiency make the Amarr Designer's Choice doors popular models. With triple-layer construction and superior insulation R-value of 19.40,[†] these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Recessed design with Stockton DecraTrim in Black



DESIGNS


BEAD BOARD (BB)*



LONG BEAD BOARD (LPBB)



RECESSED (RE)



*DC3138 only available in Bead Board design in True White and Color Zone in 8', 9' and 16' wide doors.

Bead Board with Cascade DecraTrim (BB23)



Recessed (RE)



Bead Board with Victorian DecraGlass (BB54)



Long Bead Board with Stockton DecraTrim (LPBB20)



Recessed with Moonlite DecraTrim (RE24)



DC3138*
1-3/8" Triple-Layer: Steel + Insulation + Steel



DC3200
2" Triple-Layer: Steel + Insulation + Steel



Decorative Windows & Hardware
Choose from DecraTrim inserts or DecraGlass[†] windows to best coordinate with your home.

See page 13 for decorative hardware options, pp. 28-29 for glass and window options.

*DC3138 only available in Bead Board design in True White and Color Zone in 8', 9' and 16' wide doors.
† True White Bead Board only. 13.35 R-value for all other panels and colors.
‡ Available for DC3200 only.



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



DC3138 only available in Bead Board design in True White and Color Zone in 8', 9' and 16' wide doors. See page 32 for complete specifications.

See page 29 for more information.



Recessed design with Thames DecraTrim in Sandtone with Alpine handles

HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles. You get exceptional style and durability with conventional hardware at a competitive price.

The Amarr Hillcrest. Value is a beautiful thing.

Bead Board design with Wagon Wheel DecraTrim in True White with Blue Ridge handles and hinges




DESIGNS


BEAD BOARD (BB)*



LONG BEAD BOARD (LPBB)




RECESSED (RE)



Long Bead Board (LPBB)



Long Bead Board with Closed Square (LPBB)



Recessed with Frost Glass (REWF)



Recessed with Stockton DecraTrim (RE20)




Bead Board with Cascade DecraTrim (BB23)



HI1000
Single-Layer: Steel

HI2000
Double-Layer: Steel + Insulation




Decorative Windows & Hardware
Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional decorative hardware.

HI3138
1-3/8" Triple-Layer: Steel + Insulation + Steel



HI3000
2" Triple-Layer: Steel + Insulation + Steel



See page 13 for decorative hardware options.
See pp. 28-29 for glass and window options.

Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



See page 30 for complete specifications.



Long Panel design in Sandtone with Trellis DecraGlass windows


HERITAGE®

Style and beauty that stand the test of time. Choose from traditional or carriage house designs to create the steel garage door you always wanted. The Amarr Heritage collection provides a low-maintenance, 2" thick steel door with a lifetime warranty. Great looks for years to come.

Long Bead Board design with Moonlite DecraTrim in True White with Blue Ridge handles and hinges



Flush Panel (FP)*
with SlimLine Clear Insulated Windows



Short Panel
with Short Panel Obscure Windows (SP71)



Long Panel
with Moonlite DecraTrim (LP24)



Bead Board with
Mission DecraGlass (BB71)




Recessed with
Thames DecraTrim (RE30)




HR1000
Single-Layer: Steel

HR2000
Double-Layer:
Steel +
Insulation



HR3000
Triple-Layer:
Steel + Insulation + Steel



Decorative Windows
Choose from DecraGlass, DecraTrim window inserts or SlimLine windows to coordinate with your home. SlimLine windows only available for HR3000 Flush and Ribbed panel designs.

See pp. 28-29 for glass and window options.

See page 32 for complete specifications.

Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

COLORS


Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.




*Available Summer 2024
Woodgrain finishes are dual directional for all panel designs.

DESIGNS

TRADITIONAL



CARRIAGE HOUSE



*Available in HR3000 only.

MOSAIC WINDOWS



With Mosaic Window Options for traditional designs, you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



Short Panel design with Stockton DecraTrim in True White

OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall.


With triple-layer construction and superior insulation R-value of 19.40[†], these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel design in Black with Long Panel Clear windows




DESIGNS

SHORT PANEL (SP)*



FLUSH PANEL (FP)*



Flush Panel OL3138 in True White and Color Zone only. OL3200 in True White, Black and Color Zone only.

LONG PANEL (LP)



LONG RECESSED (LR)[†]



MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations. Available in OL3200 only.

*OL3138 only available in Flush and Short Panel designs in True White and Color Zone in 8', 9' and 16' wide doors.

[†]Available in OL3200 only.

Short Panel with Prairie DecraTrim (SP21)



Long Panel with Moonlite DecraTrim (LP24)



Short Panel with Mission DecraGlass (SP71)



Short Panel (SP) with Short Panel Clear windows



Long Panel with Thames DecraTrim (LP30)



OL3138*
1-3/8" Triple-Layer:
Steel + Insulation + Steel



OL3200
2" Triple-Layer:
Steel + Insulation + Steel



Decorative Windows
Choose from DecraTrim inserts or DecraGlass[†] windows to best coordinate with your home. See pp. 28-29 for glass and window options.

See page 32 for complete specifications.

*OL3138 only available in Flush and Short Panel designs in True White and Color Zone in 8', 9' and 16' wide doors.
[†]Short Panel True White and Flush Panel True White and Black only. R-value rating for other colors and panels 13.35; U-factor rating currently unavailable for all other colors and panels.
[‡]Available for OL3200 only.



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

COLORS

Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.



OL3138 only available in Flush and Short Panel designs in True White and Color Zone in 8', 9' and 16' wide doors.



Long Panel design with Stockton DecraTrim in True White

LINCOLN


Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware. Along with a variety of decorative window choices, this affordable collection delivers premium style at a competitive price.

The Amarr Lincoln. A new tradition of style and value.

Flush Panel design with Frost Mosaic window options in Charcoal Gray




Flush (FP) with SlimLine Clear Insulated Windows



Short Panel with Jardin DecraGlass (SP75)



Long Panel with Cascade DecraTrim (LP23)



Short Panel with Prairie DecraTrim (SP21)



Ribbed Panel (RP) with Long Panel Clear windows



LI1000
Single-Layer: Steel

LI2000
Double-Layer: Steel + Insulation

LI200
U-factor
.32
R-value 6.64

Decorative Windows
Choose from DecraTrim window inserts, DecraGlass, or SlimLine windows to coordinate with your home's design. SlimLine windows only available for LI3138/ LI3000 Flush and Ribbed panel designs.

See pp. 28-29 for glass and window options.

See page 30 for complete specifications.

LI3138
1-3/8" Triple-Layer: Steel + Insulation + Steel

LI3138
U-factor
.27
R-value 6.48

LI3000
2" Triple-Layer: Steel + Insulation + Steel

LI3000
U-factor
.23
R-value 9.05



Verified thermal performance rating per DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating. See page 31 for more information.

COLORS


Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.




* Available in LI1000/LI2000 Flush Panel with Stucco texture.

DESIGNS

SHORT PANEL (SP)



LONG PANEL (LP)



FLUSH PANEL (FP)



RIBBED PANEL (RP)



Ribbed Panel available in LI3138 and LI3000 only.

MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.

STEEL OPTIONS

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.

GLASS OPTIONS

Insulated glass available in Clear, Frost and Dark Tint.*



DECRATRIM WINDOW INSERTS

Available with all glass options.


SHORT PANEL

Available for Amarr Heritage, Lincoln, and Olympus collections.

LONG PANEL

Available for Amarr Designer's Choice, Heritage, Hillcrest, Lincoln, and Olympus collections.

CLEAR (C)



STOCKTON (20)



PRAIRIE (21)



CATHEDRAL (22)



CASCADE (23)



WATERFORD (25)



WAGON WHEEL (26)



SUNRAY (27)



FULL SUNRAY (28) Short Panel

Available for 16', 17', and 18' only.



FULL SUNRAY (28) Long Panel

Available for 15', 15' 6", 15' 8", 16', 17', and 18' only.



FIVE PIECE SUNRAY for 10' width doors (29) Available only in True White.



ARCHED THAMES (31)



THAMES (30)



MOONLITE (24)



DECRAGLASS™ WINDOWS

Tempered obscure glass with baked-on ceramic designs.

SHORT PANEL

Available for Amarr Heritage, Lincoln, and Olympus collections.

LONG PANEL

Available for Amarr Designer's Choice, Heritage, Hillcrest, Lincoln, and Olympus collections.

HEARTLAND (70)



JARDIN (75)



MISSION (71)



TRELLIS (76)



VICTORIAN (54)



DecraTrim and DecraGlass design visibility varies due to lighting.

SLIMLINE WINDOWS NEW

Available September 2024



Available in black or white frames only. Available for Heritage HR3000, Lincoln LI3138/LI3000 Flush and Ribbed Panel designs only, Northwoods NW3138/NW3000 (Black frame only). Available in Clear, Frost and Dark Tint glass.

SlimLine window size is the same width and half the height of a standard Long Panel window.

MOSAIC WINDOW OPTIONS

The choice is yours. Add visual interest to your contemporary, mid-century modern or transitional home. With Mosaic Window Options for Amarr Heritage, Northwoods, Lincoln, and Olympus steel garage doors SlimLine, short or long panel windows with Clear, Obscure, Frost or Dark Tint glass can be placed in any standard position.** Visit amarr.com/mosaic for design inspirations.



** Window design options may vary based on door width.

QUIET DOOR OPTION

Enjoy peace and quiet. The opening and closing of your garage door no longer has to be loud and disruptive. The Amarr Quiet Door Option reduces door operation noise of steel garage doors by up to 38%*. That's the same noise reduction as going from the sound of a vacuum cleaner to the sound of a running shower.



New and Improved Design

*Varies by door model.

STEEL COLORS

See specifications on pages 30-31 for color availability by model. Actual paint colors may vary from samples shown.



Amarr Color Zone
Over 800 Sherwin-Williams® Snap-Dry™ paint colors - approved list is at amarr.com/amarr_color_zone. Check your local Sherwin-Williams store for paint chips.



Amarr steel doors are pre-painted; for custom colors exterior latex paint must be used. Visit amarr.com for instructions on painting. Non-factory painting of garage door voids the paint finish warranty.

STEEL CONSTRUCTION

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

SINGLE-LAYER: Steel

Amarr Classica, Heritage, Hillcrest & Lincoln


- Heavy-duty exterior steel
- Durable, reliable, low maintenance



DOUBLE-LAYER: Steel + Insulation

Amarr Classica, Heritage, Hillcrest & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation with vinyl backing
- Energy efficient
- Quiet operation




VERIFIED THERMAL PERFORMANCE

Amarr participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of a complete sectional door assembly.



This symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating.



What is U-factor?

U-factor is a measurement of heat transfer or flow through a material, in our case, a sectional door. **A lower U-factor rating indicates less heat transfer and better thermal performance.**


Why U-factor?

The U-factor values are determined by the testing of a complete door assembly, including insulation, thermal breaks, and window variables and are more accurate than calculated ratings for only a portion of an insulated section.

FOUR-LAYER: Overlay + Steel + Insulation + Steel

Amarr Carriage Court







- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation
- Energy efficient
- Extra quiet operation



TRIPLE-LAYER: Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Heritage, Hillcrest, Lincoln & Olympus

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene or polyurethane thermal insulation
- Superior energy efficiency
- Extra quiet operation




* True White Bead Board only.


** All panels and colors except True White Bead Board.

† Short Panel True White and Flush Panel True White and Black only.

‡ R-value rating for other colors and panels 13.35 except Short Panel True White and Flush Panel True White and Black; U-factor rating currently unavailable for all other colors and panels.

STEEL SPECIFICATIONS

	NORTHWOODS NW1318	NORTHWOODS NW1000	CLASSICA FLUSH CL3000	CLASSICA FULLVIEW CL1000	CLASSICA CL1000	CLASSICA CL2000	CLASSICA CL3000	CARRIAGE COURT CC4000	DESIGNER'S CHOICE DC1318	DESIGNER'S CHOICE DC2200	HILLCREST HI1000	HILLCREST HI2000	HILLCREST HI3138	HILLCREST HI3000	HERITAGE HR1000	HERITAGE HR2000	HERITAGE HR3000	OLYMPUS OL1318	OLYMPUS OL2200	LINCOLN LI1000	LINCOLN LI2000	LINCOLN LI3138	LINCOLN LI3000	
PANEL DESIGNS																								
Short															•	•	•	TW	•	•	•	•	•	
Long															•	•	•		•	•	•	•	•	
Flush			•																					
Ribbed	•	•																	TW/BL					
Long Recessed																			•					
Carriage House				Full View	7 Designs	7 Designs	7 Designs	18 Designs	1 Design	3 Designs	3 Designs	3 Designs	3 Designs	3 Designs	3 Designs	3 Designs	3 Designs							
CONSTRUCTION LAYERS	3	3	3	3	1	2	3	4	3	3	1	2	3	3	1	2	3	3	3	3	1	2	3	3
Steel					•						•				•					•				
Steel + Insulation						•						•				•					•			
Steel + Insulation + Steel	•	•	•	•			•		•	•			•	•				•	•	•			•	•
Overlay + Steel + Insulation + Steel								•																
DOOR THICKNESS	1-3/8" (3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8" (3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8" (3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8" (3.5cm)	2" (5.1cm)	2" (5.1cm)	2" (5.1cm)	1-3/8" (3.5cm)	2" (5.1cm)	
INSULATION	Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polyurethane	Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polystyrene ¹	Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	
U-FACTOR 	0.27	0.26	0.22			0.32	0.22	0.26	0.24	0.19*		0.32	0.27	0.23		0.43	0.26	0.24	0.19†		0.32	0.27	0.23	
R-VALUE ²	6.48	9.05	13.35 ³	13.35 ³		6.64	13.35	6.48	14.46	19.40*/13.35**		6.64	6.48	9.05		6.64	9.05	14.46	19.40*/13.35†		6.64	6.48	9.05	
STEEL THICKNESS																								
Gauge (ga)	27/27 ga	24/27 ga	25/27 ga	25/27 ga	24 ga	24 ga	25/27 ga	27/27 ga	27/27 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	27/27 ga	27/27 ga	25 ga	25 ga	27/27 ga	27/27 ga	
Gauge (mm)	0.42/0.42mm	0.61/0.42mm	0.53/0.42mm	0.53/0.42mm	0.61mm	0.61mm	0.53/0.42mm	0.42/0.42mm	0.42/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.61mm	0.61mm	0.61/0.42mm	0.42/0.42mm	0.42/0.42mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm		
WOODGRAIN EXTERIOR TEXTURE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• ¹	• ¹	•	•	
GALVANIZED END STILES					•	•					•	•								• ¹	• ¹			
PAINTED END STILES	•	•	•	•			•	•	•	•		•	•	•	•	•	•	•	•			•	•	
THERMAL SEAL									•	•*							•	•	•†					
BOTTOM WEATHER SEAL																								
Steel Retainer			•	•	•	•	•			•**	•	•			•	•			•‡	•	•			
Aluminum Retainer		•						•									•							
Extruded Vinyl	•								•	•*			•	•				•	•†			•	•	
DECORATIVE WINDOW OPTIONS	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
WINDOW GLASS OPTIONS																								
3/32" (0.24cm) Single Strength									•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
1/8" (0.32cm) Tempered 2X Strength			•	•	•	•	•	•										•	•	•	•	•	•	
Insulated (Clear, Frost & Dark Tint)	•	•	•	•			•	Clear only	•	•			•	•			•	•	•			•	•	
Obscure			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Frost			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Dark Tint			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
DECORATIVE HARDWARE OPTIONS					•	•	•	•	•	•	•	•	•	•	• ¹	• ¹	• ¹							
EXTERIOR COLOR OPTIONS																								
True White (TW)			•	•	•	•	•	• ¹	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Almond (AL)			•	•	•	•	•	• ¹			•	•	•	•	•	•	•	•	•	•	•	•	•	
Wicker Tan (WK)			•	•	•	•	•	• ¹			•	•	•	•	• ¹	• ¹	• ¹		•	•	•	•	•	
Sandtone (ST)			•	•	•	•	•	• ¹			•	•	•	•	•	•	•	•	•	•	•	•	•	
Terratone (TT)			•	•	•	•	•				•	•	•	•	• ¹	• ¹	• ¹		•	•	•	•	•	
Dark Brown (DN)			•	•	•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	
Charcoal Gray (EF)			•	•	•	•	•				•	•	•	•	• ¹	• ¹	• ¹		•	•	•	•	•	
Black (BL)			•	•	•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	
Golden Oak (OK)				•	•	•	•																	
Walnut (NT)				•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Mahogany (MY)			•	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	
Weathered Gray (WZ)				•	•	•	•				•	•	•	•						•	•	•	•	
Cedar (CEP)	•	•																						
Aspen Gray (AGP)	•	•																						
WIND LOAD* AVAILABLE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
PAINT FINISH WARRANTY*	12 Years	12 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	Lifetime	Lifetime
WORKMANSHIP/HARDWARE WTY*	3 Years	Lifetime	Lifetime	Lifetime	Lifetime	3 Years	5 Years	Lifetime	5 Years	5 Years	Lifetime	1 Year	2 Years	3 Years	3 Years	3 Years	5 Years	Lifetime	5 Years	Lifetime	1 Year	2 Years	3 Years	3 Years

 Verified thermal performance rating per DASMA Thermal Performance Verification Program. See page 31 for more information.

¹ Insulation on Amarr brand doors has passed self-ignition, flamespread, and smoke developed index fire testing.

² Calculated door section R-value is in accordance with DASMA TDS-163.

* True White Bead only.

** All panels and colors except True White Bead Board.

[†] Short Panel True White and Flush Panel True White and Black only.

[‡] R-value rating for other colors and panels 13.35 except Short Panel True White and Flush Panel True White and Black; U-factor rating currently unavailable for all other colors and panels.

¹ With White Overlay.

⁴ It is your responsibility to make sure your garage door meets local building codes.

⁵ For complete warranty details, visit amarr.com or contact your local Amarr dealer.

⁶ Flush Panel design has Stucco texture.

⁷ Available for Carriage House designs only.

⁸ Solid door without glass; R-Value varies by glass type.

⁹ Available Summer 2024

NOTE: Optional door locks and various heights and widths are available through your local garage door dealer.




Amarr Horizon H01000 with Dark Bronze finish and Frost glass

HORIZON H01000

Gain a unique perspective for your home. The Amarr Horizon H01000 combines strong horizontal lines with long, narrow expanses of glass to make a distinctive design statement. These sleek, contemporary, aluminum doors are available with dozens of glazing and color options, so your choices are practically limitless, and the outlook is always bright.

CONSTRUCTION



ALUMINUM


An Amarr Horizon H01000 multiview door offers unique styling to match any modern architecture.

- Extruded aluminum frame provides durability, low maintenance and corrosion resistance
- **WaterLok** joint and glazing seal system featuring new and improved wide tongue and groove section joints with leading-edge bulb seal and bottom weather seal for enhanced air-tight and water-resistant performance.
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for doors up to 24' wide, when required
- 7' tall doors are three sections high
- Equal glass heights in all sections of a door
- Glass expanses up to 8'2" wide

DOOR CONFIGURATIONS

FOR SINGLE PANE GLAZING

Up to 8'2" WIDE - 1 Panel



8'3" - 16'2" WIDE - 2 Panels



16'3" - 20'2" WIDE - 3 Panels



FOR INSULATED GLAZING


Up to 10'2" WIDE - 2 Panels



10'3" - 16'2" WIDE - 3 Panels



16'3" - 20'2" WIDE - 4 Panels



FOR SINGLE PANE GLAZING

Door Width	# Center Stiles	# Windows/Section
Up to 8'2"	0	2
8'3" - 16'2"	1	4
16'3" - 20'2"	2	6

FOR INSULATED GLAZING

Door Width	# Center Stiles	# Windows/Section
Up to 10'2"	1	4
10'3" - 16'2"	2	6
16'3" - 20'2"	3	8


ALUMINUM OPTIONS

COLORS

Actual color may vary from samples shown.

IN STOCK

ANODIZE



CLEAR (AN)

DARK BRONZE (AD)

BLACK (BA)

PAINT




WHITE Powder Coat (WH)

SPECIAL ORDER

ANODIZE

Longer lead time and price upcharge apply.



CHAMPAGNE (AH)

COPPER (AC)

MEDIUM BRONZE (AM)

PAINT PVDF (Kynar®) & Powder Coat

Longer lead time and price upcharge apply.



*PVDF only.



Longer lead time and price upcharge apply.

	PVDF (Kynar®)	Powder Coat
FADE RESISTANT	++	+
CORROSION RESISTANT	++	+
UV RESISTANT	++	+
ABRASION RESISTANT	+	++
STANDARD COLORS	26	21
RAL/CUSTOM COLORS PRICE UPCHARGE	\$	\$\$
TOUCH-UP PAINT	Included	NOT included

GLASS

Glass is tempered and available as single pane or insulated.



†Laminated, not tempered. Insulated glass not available.

WARRANTY

- 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 5-year warranty on finish (RAL & Custom Paint 3 Years)

GLAZING OPTIONS

	SINGLE PANE								DUAL PANE				Laminated	Polycarbonate			SINGLE PANE Acrylic		
	Annealed*		Tempered						Annealed		Tempered								
	1/8"	1/8" Low-E	1/8"†	1/8" Low-E†	3/16"‡	3/16" Low-E‡	1/4"	1/4" Low-E	1/2"	1/2" Low-E	1/2"	1/2" Low-E	1/4"	Single 1/8"	Single 1/4"	Tri-Wall 5/8"	1/8"	1/4"	1/2"
CLEAR	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•
OBSCURE	•		•		•		•		•	•	•	•							
GREEN TINT	•		•		•		•		•	•	•	•							
BRONZE TINT	•		•		•		•		•	•	•	•				•			
GRAY TINT	•		•		•		•		•	•	•	•							
GREYLITE	•		•		•		•		•	•	•	•							
FROST	•		•		•		•		•	•	•	•				•			
SNOW													•			•			
WHITEOUT													•						
BLACK ICE													•						

*Vista VI1000 only.

†Vista VI1000 only.

‡Horizon HO1000 only.



20' x 10' Amarr Vista with Clear Anodize frame and Obscure glass

VISTA VI1000


It's the perfect reflection of your style. The modern industrial look goes residential with the introduction of the Amarr Vista collection. From the outside, these sleek doors perfectly mirror the clean lines and glass expanses of your home's contemporary design. Inside, they transform your garage into a bright and inviting room.

CONSTRUCTION

ALUMINUM

An Amarr Vista full view door offers strength and beauty to match the stylish design of your home.

- 2" thick extruded commercial-grade aluminum frame provides durability, low maintenance and corrosion resistance
- **WaterLok** joint and glazing seal system featuring new and improved wide tongue and groove section joints with leading-edge bulb seal and bottom weather seal for enhanced air-tight and water-resistant performance.
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for doors up to 24' wide, when required
- Available in 21" and 24" section heights; and 18" for odd height doors
- Wind load options available to meet local building codes
- Attractive, modern exterior handles (2) included



PANEL CONFIGURATION

8' & 9' WIDE – 2 Panels



16' WIDE – 4 Panels



10' WIDE – 3 Panels



18' WIDE – 5 Panels




DOOR HEIGHT CONFIGURATION


8' (4 tall)



10' (5 tall)



12' (6 tall)



OPTIONAL PANELS

ALUMINUM & INSULATED ALUMINUM




Shown in Clear Anodized.

PERFORATED ALUMINUM



0.312" square perforations on 1/2" centers

LOUVERED ALUMINUM



6 columns of (12) 3"x3/4" vents on a 4'x24" panel
Shown in White Powder Coat

ALUMINUM SPECIFICATIONS

	HORIZON HO1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	Varies by door height
DOOR WIDTHS	2' – 20' 2" (in 1" increments)
DOOR HEIGHTS	6' – 20' 1"
CLEARVIEW STRUT SYSTEM	Only required for doors ≥ 16'
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
GLASS	
Transparent	Clear, Obscure, ThermoPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
WIND LOAD ¹ AVAILABLE	•
FINISH WARRANTY ²	5 Years (RAL & Custom Paint 3 Years)
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	5 Years

	VISTA VI1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	21" and 24"; 18" for odd height doors
CLEARVIEW STRUT SYSTEM	Only required for doors ≥ 16'
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
GLASS	
Transparent	Clear, Obscure, ThermoPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
OPTIONAL PANELS	Full View, Aluminum, Insulated Aluminum, Louvered, Perforated
WIND LOAD ¹ AVAILABLE	•
FINISH WARRANTY ²	5 Years (RAL & Custom Paint 3 Years)
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	5 Years

¹ It is your responsibility to make sure your garage door meets local building codes.

² For complete warranty details contact your local Amarr dealer.

HARWARE SPECIFICATIONS

TRACK	2" industrial grade galvanized .083 horizontal and vertical track. Standard lift 25C-15" radius or 2LC-6" low headroom clearance. For doors over 650 lbs, 3" track.
HINGES	Up to 12': Single-end 11ga graduated galvanized. 12' and over: Double-end 11ga graduated galvanized.
ROLLERS	2" nylon 10-ball bearing commercial rollers (short stem for up to 12'; long stem for 12' and over).
STRUTS	3" galvanized struts
COUNTER BALANCE	10,000 cycle torsion springs, cast aluminum cable drums, 1" diameter 11ga torsion tube. For doors over 650 lbs, solid core steel shaft and coupler if exceeding 151" in length.
FASTENERS	Cadmium plated fasteners (standard) for on-door hardware and securing tracks to jambs. All hinge fasteners are factory installed with concealed bolt heads (under the trim overlay).
OPERATION	Manual push-up. No lock assembly is supplied. Electric openers with 3/4 hp recommended for best possible operation.

Doors available in various heights and widths. Hardware specifications are consistent with doors not exceeding 18' wide and 10' high. Requirements escalate with door size and weight and have limitations. Contact your local Amarr dealer for specific details.



9' x 7' Amarr Vista with Copper Anodize frame and Clear glass



Amarr Classica Northampton design in True White with Thames window inserts



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products distributed by Amarr Company, including garage accessories and a full line of commercial sectional, rolling slat, and rolling steel doors.

Amarr Company
165 Carriage Court
Winston-Salem, NC 27105
800.503.DOOR
www.amarr.com



Amarr, Classica and Heritage as words and logos are trademarks belonging to Amarr Company, owned by ASSAABLOY.

Door specifications and technical data subject to change without notice.

Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©ASSAABLOY Printed in USA Form # 6010824/10M/SPR

Your Local Amarr Dealer: