



# Certificate of Analysis

## Be Best Organics, LLC

PO Box 2701  
Big Fork, MT 59911  
info@bebestorganics.com  
(303) 881-4488  
Lic. #

Sample: 2012FID3725.23501

Strain: hemp  
Batch #: A; Lot #:  
METRC Batch: ; METRC Sample:  
Analysis Initiated: 12/30/2020; Report Created: 01/04/2021  
Sampling SOP: SOP-0050

600

Concentrates & Extracts, Other, Alcohol  
Harvest/Production Date:




	<b>&lt;LOQ</b> Total Potential Psychoactive THC	<b>655.23 mg/unit</b> Total CBD	<b>Pass</b> Foreign Matter
	<b>ND</b> Total Raw THC	<b>687.00 mg/unit</b> Total Cannabinoids	<b>Complete</b> NR Moisture

## Cannabinoids

Complete

Analytical Calibration Batch: Cannabinoids AF 12282020

Analyte	LOQ	Mass	Mass
	mg/unit	mg/unit	mg/g
THCa	24.31	ND	ND
Δ9-THC	24.31	<LOQ	<LOQ
Δ8-THC	24.31	ND	ND
THCV	24.31	ND	ND
CBDa	24.31	ND	ND
CBD	24.31	655.23	23.18
CBN	24.31	ND	ND
CBGa	24.31	ND	ND
CBG	24.31	<LOQ	<LOQ
CBC	24.31	31.77	1.12
<b>Total</b>		<b>687.00</b>	<b>24.30</b>



Total Potential Psychoactive THC = THCa \* 0.877 + d9-THC  
Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0037; Full spectrum cannabinoid analysis utilizing Shimadzu Prominence High Performance Liquid Chromatography with UV detection (HPLC-UV). SOP-0035; Foreign matter inspection includes but is not limited to hair, insects, stems, and feces. Filth is inspected using a M16-209 stereoscope. Stem measurements are performed using fisher calipers. SOP-0036; Moisture analysis is performed using a Shimadzu moisture analyzer MOC63u UL.



Fidelity Diagnostics Laboratory  
1001 North Russell St.  
Missoula, MT 59808  
(406) 926-2211  
http://www.fidim.com  
License # L-00002



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No.001 [Sample Analyzed as Received]



## Be Best Organics, LLC

PO Box 2701  
Big Fork, MT 59911  
info@bebestorganics.com  
(303) 881-4488  
Lic. #

Sample: 2012FID3725.23501

Strain: hemp  
Batch #: A; Lot #:  
METRC Batch: ; METRC Sample:  
Analysis Initiated: 12/30/2020; Report Created: 01/04/2021  
Sampling SOP: SOP-0050

600

Concentrates & Extracts, Other, Alcohol  
Harvest/Production Date:




## Terpenes

Analytical Calibration Batch:

Analyte	LOQ	Mass	Mass
---------	-----	------	------

## Primary Aromas



LOQ = Limit of Quantitation; NT = Not Tested; NR = Not Reported; ND = None Detected; PPM = Parts per Million; PPB = Parts per Billion; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0044; Terpenoid profile screen is performed using a Thermo Scientific TRACE 1300 Gas Chromatography instrument equipped with a Flame Ionization Detector (GC-FID).



Fidelity Diagnostics Laboratory  
1001 North Russell St.  
Missoula, MT 59808  
(406) 926-2211  
http://www.fdimt.com  
License # L-00002



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866



www.confidentcannabis.com

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No.001 [Sample Analyzed as Received]



## Be Best Organics, LLC

PO Box 2701  
Big Fork, MT 59911  
info@bebestorganics.com  
(303) 881-4488  
Lic. #

Sample: 2012FID3725.23501

Strain: hemp  
Batch #: A; Lot #:  
METRC Batch: ; METRC Sample:  
Analysis Initiated: 12/30/2020; Report Created: 01/04/2021  
Sampling SOP: SOP-0050

600

Concentrates & Extracts, Other, Alcohol  
Harvest/Production Date:



## Residual Solvents

Pass

Analytical Calibration Batch: R.S. 12032020

Analyte	LOQ	State Limits	Mass	Status	Analyte	LOQ	State Limits	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	400	5000	ND	Pass	Isopropanol	400	5000	ND	Pass
Benzene	2	2	ND	Pass	Methanol	400	3000	ND	Pass
Butane	40	5000	ND	Pass	Methylene-Chloride	20	5000	ND	Pass
Chloroform	2	2	ND	Pass	n-Pentane	20	5000	ND	Pass
Cyclohexane	20	3880	ND	Pass	o-Xylene	20	2170	ND	Pass
Ethyl-Acetate	20	5000	<LOQ	Pass	Propane	40	5000	ND	Pass
Heptane	20	5000	ND	Pass	Toluene	20	890	ND	Pass
Hexanes	20	290	ND	Pass	Xylenes	20	2170	ND	Pass
Isobutane	40	5000	ND	Pass					

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
SOP-0056; A wide spectrum analysis of Residual Solvents using Gas Chromatography Mass Spectrometry (Thermo Scientific ISQ7000 GCMS).

## Mycotoxins

Pass

Analytical Calibration Batch: 12222020

Analyte	LOQ	State Limit	Mass	Status
	PPB	PPB	PPB	
Ochratoxin A	12	20	ND	Pass
Total Aflatoxins	20	20	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Mycotoxin screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.

## Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aerobic Bacteria	100000	NR	NT
Bile-Tolerant Gram-Negative Bacteria	10000	NR	NT
E. Coli	1	ND	Pass
Mold	10000	ND	Pass
Salmonella		ND	Pass

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0057; Mold, E.Coli, and Salmonella analysis on AriaDX qPCR using Medicinal Genomics validated methods.  
SOP-0061; Mold enumeration using Hardy Diagnostics media.



Fidelity Diagnostics Laboratory  
1001 North Russell St.  
Missoula, MT 59808  
(406) 926-2211  
http://www.fidimt.com  
License # L-00002



Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866



This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No.001 [Sample Analyzed as Received]



## Be Best Organics, LLC

PO Box 2701  
Big Fork, MT 59911  
info@bebestorganics.com  
(303) 881-4488  
Lic. #

Sample: 2012FID3725.23501

Strain: hemp  
Batch #: A; Lot #:  
METRC Batch: ; METRC Sample:  
Analysis Initiated: 12/30/2020; Report Created: 01/04/2021  
Sampling SOP: SOP-0050

600

Concentrates & Extracts, Other, Alcohol  
Harvest/Production Date:



## Pesticides

Analytical Calibration Batch: 12222020

Pass

Analyte	LOQ	State Limit	Expanded Limit	Mass	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.30	2.5	2.5	ND	Pass
Acequinocyl	0.30	10	10	ND	Pass
Bifenazate	0.30	1	1	ND	Pass
Bifenthrin	0.30	1	1	ND	Pass
Chloromequat	0.30	5	5	ND	Pass
Cyfluthrin	0.30	5	5	ND	Pass
Daminozide	0.30	5	5	ND	Pass
Etoazole	0.30	1	1	ND	Pass
Fenoxycarb	0.30	1	1	ND	Pass
Imazalil	0.30	1	1	ND	Pass
Imidacloprid	0.30	2	2	ND	Pass
Myclobutanil	0.30	0.6	0.6	ND	Pass
Paclobutrazol	0.30	2	2	ND	Pass
Pyrethrins	0.30	5	5	ND	Pass
Spinosad	0.30	1	1	ND	Pass
Spiromesifen	0.30	1	1	ND	Pass
Spirotetramat	0.30	1	1	ND	Pass
Trifloxystrobin	0.30	1	1	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. SOP-0048; Pesticide screening is performed using Sciex 6500+ LCMSMS with Exion XR front HPLC.



Fidelity Diagnostics Laboratory  
1001 North Russell St.  
Missoula, MT 59808  
(406) 926-2211  
http://www.fdimt.com  
License # L-00002



*Andre Umansky*

Andre Umansky  
Laboratory Director

Accredited to ISO/IEC 17025:2017  
Accreditation #: 102722

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866



www.confidentcannabis.com

This product has been tested by Fidelity Diagnostics using valid testing methodologies and a quality system as required by state law. Fidelity Diagnostics makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Fidelity Diagnostics. Quality and uncertainty data available upon request. Sample conformity is established through "decision rule" which is set by the State. Version No.001 [Sample Analyzed as Received]