


A modern bathroom interior featuring a wooden vanity with a white rectangular sink and a large mirror above it. A glass shower door is visible on the right, and a white towel hangs on a rack. The floor is covered with a light-colored rug.

Waste Systems

FOR WALK-IN SHOWERS

SHOWER

BATH

SINK

WASHBASIN

CONNECTORS

SO LOW

Complete solution for walk-in showers




A complete solution for installing a walk-in shower when remodelling!

Product advantages

- + Integrated slope guide.
- + Connection: horizontal female or male Ø40, solvent weld.
- + The level can be adjusted from above.
- + Stainless steel frame and grid.
- + Flow rate higher than standard.
- + Easy cleaning from above.

SO LOW, complete pack with channel + reversible grid



Length	210 MM		500 MM	
Languages	FR / NL	EN / FR	FR / NL	EN / DE / PL / RO
Reference	30721183	30721191	30721186	30721187
Ean-13 code	3375537211081	3375537211166	3375537211111	3375537211128
Packaging	Box	Box	Box	Box
Multiple / Boxed qty.	01/06	01/06	01/06	01/06
Height	39 mm	39 mm	39 mm	39 mm
Flow l/min (in 20 mm)	40 L/min	40 L/min	40 L/min	40 L/min
Outlets	F40	F40	F40	M40
Grid	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
Main features	► With slope guides	► Without slope guides	► With slope guides	► With slope guides
	► Adjustable feet.	► Low-profile: just 39 mm high.		
	► Built-in bubble level.	► Height adjustable stainless steel frame and grid (shims included).		

VENISIO SLIM

High tech, low profile




Venisio SLIM, Wirquin's range of channels, is perfect for installing walk-in showers in renovation projects thanks to its very low profile of only 50 mm.

Product advantages


- + Low profile of only 50 mm.
- + Perfect for walk-in showers in renovation projects.
- + Small size to fit even the smallest spaces.

VENISIO SLIM, complete pack with channel + reversible grid



Length	300 MM FEMALE OUTLET	300 MM MALE OUTLET	500 MM FEMALE OUTLET	500 MM MALE OUTLET	700 MM FEMALE OUTLET	700 MM MALE OUTLET
Languages	FR	EN / DE / PL / RO	FR	EN / DE / PL / RO	FR	EN / DE / PL / RO
Reference	30721025	30721027	30721028	30721030	30721031	30721033
Ean-13 code	3375537209507	3375537209521	3375537209538	3375537209552	3375537209569	3375537209583
Packaging	Box	Box	Box	Box	Box	Box
Multiple / Boxed qty.	01/06	01/06	01/04	01/04	01/04	01/04
Height	50 mm	50 mm	50 mm	50 mm	50 mm	50 mm
Flow l/min (in 20 mm)	Silicone membrane	Silicone membrane	Silicone membrane	Silicone membrane	Silicone membrane	Silicone membrane
Outlets	35 L/min	35 L/min	35 L/min	35 L/min	35 L/min	35 L/min
Grid	F40 mm solvent weld	M50 mm push-fit	F40 mm solvent weld	M50 mm push-fit	F40 mm solvent weld	M50 mm push-fit
Main features	▶ Low-profile. ▶ Anti-odour membrane.					
	▶ Adjustable feet. ▶ Comes with Butyl tape for sealing around edges.					

MEMBRANE for SLIM channel



Reference	30722597
Ean-13 code	3375537224845
Packaging	Bag
Multiple / Boxed qty.	01

VENISIO EXPERT

High Tech with Style




Decidedly top-of-the-range, VENISIO EXPERT is the first shower channel on the market to use a self-contained trough with trap.

Product advantages

- + Self-contained trough with trap.
- + Brushed stainless steel grid.
- + Direct access to the trap.
- + Peripheral sealing system.

VENISIO EXPERT, complete pack with channel + reversible grid



Length	700 MM	800 MM	1100 MM
Languages	FR	FR	FR
Reference	30720833	30720765	30720835
Ean-13 code	3375537207589	3375537206902	3375537207602
Packaging	Box	Box	Box
Multiple / Boxed qty	01/02	01/02	01/02
Height	89 mm	89 mm	89 mm
Water seal	50 mm	50 mm	50 mm
Flow l/min in 20 mm of water	Up to 79 L/min	Up to 79 L/min	Up to 79 L/min
Outlets	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female
Grid	Brushed stainless steel / tileable	Brushed stainless steel / tileable	Brushed stainless steel / tileable
Main Features	► Self-contained trough with trap. ► Height-adjustable feet.		
	► Low profile: 89 mm. ► Comes with edge sealing membrane.		

EXPRESS'EAU & VENISIO

Style and performance





Perfectly suited to the new decorative trends, the EXPRESS'EAU and VENISIO shower waste channels offer you a large shower area with sleek, stylish lines.

Product advantages


- + Stylish grid in brushed stainless steel 43 mm wide, for a minimalist look.
- + Quick flow rates up to 84 L/min in 15 mm of water
- + The channel comes with an anti-cracking sealing flap.
- + The L700, 800 and 900 channels are recommended for 900 mm, 1000 mm and 1100 mm showers respectively.

EXPRESS'EAU, complete pack with channel + DROPLETS grid



Length	700 MM	800 MM	900 MM
Reference	30719768	30717664	30719771
Ean-13 code	3375537196951	3375537176335	3375537196982
Packaging	Box	Box	Box
Multiple / Boxed qty.	01/04	01/04	01/04
Height	80 mm	80 mm	80 mm
Water seal	50 mm	50 mm	50 mm
Flow l/min (in 20 mm)	Up to 84 L/min	Up to 84 L/min	Up to 84 L/min
Outlets	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female
Grid	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
Main features	▶ Self-contained trough with trap. ▶ Height-adjustable feet.		
	▶ Low profile: 80 mm. ▶ Comes with anti-cracking sealing flap.		

EXPRESS'EAU, complete pack with channel + LINES grid




Length	700 MM	800 MM	900 MM
Reference	30719769	30718579	30719772
Ean-13 code	3375537196968	3375537185283	3375537196999
Packaging	Box	Box	Box
Multiple / Boxed qty.	01/04	01/04	01/04
Height	80 mm	80 mm	80 mm
Water seal	50 mm	50 mm	50 mm
Flow l/min (in 20 mm)	Up to 84 L/min	Up to 84 L/min	Up to 84 L/min
Outlets	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female
Grid	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
Main features	▶ Self-contained trough with trap. ▶ Height-adjustable feet.		
	▶ Low profile: 80 mm. ▶ Comes with anti-cracking sealing flap.		

EXPRESS'EAU, complete pack with channel + JESTER grid



Length	700 MM	800 MM	900 MM
Reference	30719770	30718299	30719773
Ean-13 code	3375537196975	3375537182589	3375537197002
Packaging	Box	Box	Box
Multiple / Boxed qty.	01/04	01/04	01/04
Height	80 mm	80 mm	80 mm
Water seal	50 mm	50 mm	50 mm
Flow l/min (in 20 mm)	Up to 84 L/min	Up to 84 L/min	Up to 84 L/min
Outlets	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female
Grid	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
Main features	▶ Self-contained trough with trap. ▶ Height-adjustable feet.		
	▶ Low profile: 80 mm. ▶ Comes with anti-cracking sealing flap.		

VENISIO, complete pack with channel + CLAWS grid



Length	700 MM		800 MM		900 MM	
Languages	FR	EN / PL / DE / RO	FR	EN / PL / DE / RO	FR	EN / PL / DE / RO
Reference	30720839	30717888	30720764	30717889	30720840	30717890
Ean-13 code	3375537207640	3375537178544	3375537206896	3375537178551	3375537207657	3375537178568
Packaging	Box	Box	Box	Box	Box	Box
Multiple / Boxed qty.	01/04	01/04	01/04	01/04	01/04	01/04
Height	80 mm	80 mm	80 mm	80 mm	80 mm	80 mm
Water seal	50 mm	50 mm	50 mm	50 mm	50 mm	50 mm
Flow l/min (in 20 mm)	Up to 84 L/min	Up to 84 L/min	Up to 84 L/min	Up to 84 L/min	Up to 84 L/min	Up to 84 L/min
Outlets	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female	2 x 50 male 2 x 50 female
Grid	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel	Brushed stainless steel
Main features	▶ Self-contained trough with trap. ▶ Height-adjustable feet.			▶ Low profile: 80 mm. ▶ Comes with anti-cracking sealing flap.		

Plunger tube for EXPRESS'EAU channel



Reference	30719158
Ean-13 code	3375537190874
Packaging	Bag
Multiple / Boxed qty.	01/10

Trough for EXPRESS'EAU channel




Reference	30719252
Ean-13 code	3375537191802
Packaging	Bag
Multiple / Boxed qty.	01/12

Floor trap for concrete floors + grid 100 x 100 mm Ø 50




Reference	30720889
Ean-13 code	3375537208142
Packaging	Bag
Multiple / Boxed qty.	01/12
Water seal	30 mm
Flow rate	24 L/min
Grid	Stainless steel



Floor trap for concrete floors + grid 100 x 100 mm Ø 50




Reference	30720724
Ean-13 code	3375537206490
Packaging	Bag
Multiple / Boxed qty.	01/12
Water seal	30 mm
Flow rate	24 L/min
Grid	Stainless steel



EXPRESS'EAU, Complete pack: Floor trap with swivelling outlet, + stainless steel grid




Reference	30718094
Ean-13 code	3375537180530
Packaging	Box
Multiple / Boxed qty.	01/04
Height	130 to 197 mm
Water seal	50 mm
Flow rate	46 L/min in horizontal position. 66 L/min in vertical position.
Grid	M40
Main features	► Easy to install. ► Water seal: 50 mm. ► Height adjustable riser. ► Comes with sealing membrane (750 x 750 mm) (not glued).



Complete pack, Trap with horizontal outlet + stainless steel grid




Reference	30718095
Ean-13 code	3375537180547
Packaging	Box
Multiple / Boxed qty.	01/04
Height	131 to 198 mm
Water seal	50 mm
Flow rate	50 L/min
Outlets	M40
Grid	304L brushed stainless steel
Main features	► Easy to install. ► Water seal: 50 mm. ► Height adjustable riser. ► Comes with sealing membrane (750 x 750 mm) (not glued).



VENISIO, Complete pack: trap with vertical outlet + stainless steel grid



Reference	30718098
Ean-13 code	3375537180578
Packaging	Box
Multiple / Boxed qty.	01/04
Height	143 to 210 mm
Water seal	50 mm
Flow rate	35 L/min
Outlets	F50 / F100 / F110
Grid	304L brushed stainless steel
Main features	► Easy to install. ► Water seal: 50 mm. ► Height adjustable riser. ► Comes with sealing membrane 750 x 750 mm (not glued).



Sealing membrane 1500 x 1800 mm




Reference	30718244
Ean-13 code	3375537182039
Packaging	Film
Multiple / Boxed qty.	01/12

FLOOR DRAIN 10 x 10 cm, white body, grey grid




Reference	SP6000	SP6000V
Ean-13 code	3375530153685	3375530278753
Packaging	Bag	Bulk
Multiple / Boxed qty.	01/150	01/120
Outlets	Ø 40 mm	Ø 40 mm



FLOOR DRAIN 10 x 10 cm, chromed body, grey grid




Reference	SP6001B
Ean-13 code	3375530116017
Packaging	Box
Multiple / Boxed qty.	01/76
Outlets	Ø 40 mm



FLOOR DRAIN 10 x 10 cm, grey body, stainless steel grid




Reference	SP6002B
Ean-13 code	3375536021100
Packaging	Box
Multiple / Boxed qty.	01/76
Outlets	Ø 40 mm



FLOOR DRAIN 15 x 15 cm, white body, white grid




Reference	SP6015
Ean-13 code	3375530116413
Packaging	Bulk
Multiple / Boxed qty.	01/48
Outlets	Ø 50 mm



FLOOR DRAIN 15 x 15 cm, chromed body, grey grid




Reference	SP6016
Ean-13 code	3375530116611
Packaging	Bulk
Multiple / Boxed qty.	01/48
Outlets	Ø 50 mm



FLOOR DRAIN 20 x 20 cm, grey body, grey grid




Reference	SP6020	SP6020G
Ean-13 code	3375530117014	3375530271884
Packaging	Bulk	Bulk
Multiple / Boxed qty.	01/22	01/22
Outlets	Ø 80 mm	Ø 80 mm



FLOOR DRAIN 25 x 25 cm, white body, white grid




Reference	SP6025
Ean-13 code	3375530117113
Packaging	Bulk
Multiple / Boxed qty.	01/12
Outlets	Ø 100 mm





A complete range of **SHOWER** wastes and trays

- ▶ *Designer shower tray kits*
- ▶ *Tileable shower tray kits*
- ▶ *Low-profile wastes*
- ▶ *Wastes for installation on screed*
- ▶ *Wastes Ø 90, 60 and 50*



VENISIO STONE EFFECT RESIN

The stylish solution




With the Venisio Stone Effect Resin solution with a decidedly contemporary design, you opt for a generation of shower trays that offer exceptional guarantees in terms of performance and time-saving during installation.

Product advantages

- + Unprecedented technology: assembly of insulating cellular glass and solid 4-mm surface.
- + Guaranteed watertight thanks to its pre-glued sealing membrane.
- + Insulation and expansion properties.
- + Solid surface resin topping for a unique anti-bacterial surface, very strong and easy to clean.
- + Ultra-lightweight.
- + Material can be cut with a diamond disc.

VENISIO stone effect resin shower tray - Channel




120 X 90 CM

Colour	RAL 90 10	RAL 9005	RAL 7037	RAL 7046	RAL 70 15
Reference	30722216	30722217	30722219	30722220	30722218
Ean-13 code	3375537221370	3375537221387	3375537221400	3375537221417	3375537221394
Packaging	Wooden crate	Wooden crate	Wooden crate	Wooden crate	Wooden crate
Multiple / Boxed qty	01	01	01	01	01
Height under shower tray	58 mm				
Thickness under shower tray	35 mm				
Weight	20 kg/m ²				
Grid	Brushed stainless steel channel 70 x 700 mm				

185 X 90 CM

Colour	RAL 90 10	RAL 9005	RAL 7037	RAL 7046	RAL 70 15
Reference	30722221	30722222	30722224	30722225	30722223
Ean-13 code	3375537221424	3375537221431	3375537221455	3375537221462	3375537221448
Packaging	Wooden crate	Wooden crate	Wooden crate	Wooden crate	Wooden crate
Multiple / Boxed qty	01	01	01	01	01
Height under shower tray	58 mm				
Thickness under shower tray	40 mm				
Weight	20 kg/m ²				
Grid	Brushed stainless steel channel 70 x 700 mm				

VENISIO stone effect resin shower tray - square grid



90 X 90 CM

Colour	RAL 90 10	RAL 9005	RAL 7037	RAL 7046	RAL 70 15
Reference	30722196	30722197	30722199	30722200	30722198
Ean-13 code	3375537221172	3375537221189	3375537221202	3375537221219	3375537221196
Packaging	Wooden crate	Wooden crate	Wooden crate	Wooden crate	Wooden crate
Multiple / Boxed qty	01	01	01	01	01
Height under shower tray	58 to 83 mm				
Thickness under shower tray	25 mm				
Weight	20 kg/m ²				
Grid	Brushed stainless steel grid 115 x 115 mm				

120 X 90 CM

Colour	RAL 90 10	RAL 9005	RAL 7037	RAL 7046	RAL 70 15
Reference	30722201	30722202	30722204	30722205	30722203
Ean-13 code	3375537221226	3375537221233	3375537221257	3375537221264	3375537221240
Packaging	Wooden crate	Wooden crate	Wooden crate	Wooden crate	Wooden crate
Multiple / Boxed qty	01	01	01	01	01
Height under shower tray	58 to 83 mm				
Thickness under shower tray	30 mm				
Weight	20 kg/m ²				
Grid	Brushed stainless steel grid 115 x 115 mm				

140 X 90 CM


Colour	RAL 90 10	RAL 9005	RAL 7037	RAL 7046	RAL 70 15
Reference	30722206	30722207	30722209	30722210	30722208
Ean-13 code	3375537221271	3375537221288	3375537221301	3375537221318	3375537221295
Packaging	Wooden crate	Wooden crate	Wooden crate	Wooden crate	Wooden crate
Multiple / Boxed qty	01	01	01	01	01
Height under shower tray	58 to 83 mm				
Thickness under shower tray	30 mm				
Weight	20 kg/m ²				
Grid	Brushed stainless steel grid 115 x 115 mm				

185 X 90 CM

Colour	RAL 90 10	RAL 9005	RAL 7037	RAL 7046	RAL 70 15
Reference	30722211	30722212	30722214	30722215	30722213
Ean-13 code	3375537221325	3375537221332	3375537221356	3375537221363	3375537221349
Packaging	Wooden crate	Wooden crate	Wooden crate	Wooden crate	Wooden crate
Multiple / Boxed qty	01	01	01	01	01
Height under shower tray	58 to 83 mm				
Thickness under shower tray	35 mm				
Weight	20 kg/m ²				
Grid	Brushed stainless steel grid 115 x 115 mm				

VENISIO wall cladding panels in stone effect resin

NEW



200 X 100 CM

Colour	RAL 90 10	RAL 9005	RAL 7037	RAL 7046	RAL 70 15
Reference	30722226	30722227	30722236	30722237	30722228
Ean-13 code	3375537221479	3375537221486	3375537221578	3375537221585	3375537221493
Packaging	Double carton	Double carton	Double carton	Double carton	Double carton
Multiple / Boxed qty	01	01	01	01	01

250 X 100 CM

Colour	RAL 90 10	RAL 9005	RAL 7037	RAL 7046	RAL 70 15
Reference	30722238	30722239	30722241	30722242	30722240
Ean-13 code	3375537221592	3375537221608	3375537221622	3375537221639	3375537221615
Packaging	Double carton	Double carton	Double carton	Double carton	Double carton
Multiple / Boxed qty	01	01	01	01	01

VENISIO WITH SQUARE GRID

The tileable solution




Venisio Square Grid tileable shower trays make it easy to install a walk-in shower thanks to their compact size, pre-glued sealing membrane and integrated slopes. It is strong enough to accommodate mosaics or other tiles.

Product advantages

- + **Low-profile:** 35 mm and 40 mm thick depending on the length.
- + **Guaranteed watertight** thanks to its pre-glued sealing membrane.
- + **Resistance to point loading** guaranteed and compatible with all tiles.
- + **integrated slopes:** 4 slopes > 1.5 % for fast drainage.
- + **Material can be cut** to the right dimensions.


Tileable tray with trap + square grid



Size	90 x 90 cm	120 x 120 cm	120 x 90 cm	140 x 90 cm	150 x 90 cm	185 x 90 cm
Reference	30722112	30722113	30722114	30722115	30722116	30722117
Ean-13 code	3375537220359	3375537220366	3375537220373	3375537220380	3375537220397	3375537220403
Packaging	Box	Box	Box	Box	Box	Box
Multiple / Boxed qty	12	12	12	12	12	12
Height under shower tray	58 to 83 mm	58 to 83 mm		58 to 83 mm		
Thickness under shower tray	35 mm	35 mm		40 mm		
Grid	115 x 115 mm centred brushed stainless steel grid	115 x 115 mm off-centred brushed stainless steel grid				

Tileable tray with trap + off-centred channel

NEW



Size	120 x 90 cm	185 x 90 cm
Reference	30722118	30722119
Ean-13 code	3375537220410	3375537220427
Packaging	Box	Box
Multiple / Boxed qty	12	12
Height under shower tray	83 mm	83 mm
Thickness under shower tray	35 mm	40 mm
Grid	7 x 70 cm brushed stainless steel	

JAMES for tileable trays (with channel grid)

Reference	30722174
Ean-13 code	3375537220977
Packaging	Box
Multiple / Boxed qty	01/13

SLIM for Designer or tileable trays (with square grid)

Reference	30722175
Ean-13 code	3375537220984
Packaging	Box
Multiple / Boxed qty	01/13

VERTICAL TOURBILLON for Designer or tileable trays (with square grid)

Reference	30722461
Ean-13 code	3375537223633
Packaging	Box
Multiple / Boxed qty	01/13

SLIM CHANNEL for Designer Trays (with channel grid)

Reference	30722313
Ean-13 code	3375537222346
Packaging	Box
Multiple / Boxed qty	01/40

WASTESFORINSTALLATIONONSCREED

The screed solution



The JAMES and SLIM wastes for installation on screed are economical and watertight solutions thanks to a pre-glued sealing membrane for successful walk-in shower projects.

Product advantages

- + An economical, watertight solution
- + Levelling shim to adapt to mosaic and tile for a perfect fit.
- + 2 types of traps to fit all configurations.
- + High performance flow rate greater than standard requirements.

SLIM waste for installation on screed



Reference	30722011
Ean-13 code	3375537219308
Packaging	Box
Multiple / Boxed qty	01/06
Height	50 mm
Water seal	Membrane
Grid	Designer 115 x 115 mm brushed stainless steel
Connection	Ø 40 mm outlet, screw fit or solvent weld

JAMES swivelling waste for installation on screed



Reference	30722012
Ean-13 code	3375537219315
Packaging	Box
Multiple / Boxed qty	01/06
Height	93 mm (installed horizontally) 136 mm (installed vertically)
Water seal	50 L/min
Grid	Designer 115 x 115 mm brushed stainless steel
Connection	Ø 40 mm outlet, screw fit or solvent weld

OUTLET
SWIVELS
360°

SLIM SHOWER

Low-profile waste



This waste is compact (40 mm overall), and is specially designed for low profile shower trays. It is perfect for disabled showers.



Product advantages

- + Anti-back-siphoning system.
- + Easy to clean: top access removable membrane with hair filter.
- + A higher flow rate than the standard requirements.


SLIM with trough outlet Ø 40/43





Reference	30718661
Ean-13 code	3375537186105
Packaging	Bag
Multiple / Boxed qty	01/30
Height	40 mm
Flow L/Min (in 15 mm)	24 L/min
Grid / Dome	Chromed ABS dome



SLIM ABS DOME with membrane outlet Ø 40/43



Reference	30718662	30719686
Ean-13 code	3375537186112	3375537196135
Packaging	Bag	Box
Multiple / Boxed qty	01/30	01/24
Height	40 mm	
Flow L/Min (in 15 mm)	33.6 L/min	
Grid / Dome	Chromed ABS dome	




*Comes with an adapter for stoneware trays or trays with conical drain holes.

SLIM METAL DOME with membrane outlet Ø 40/43




Reference	30720269
Ean-13 code	3375537201938
Packaging	Box
Multiple / Boxed qty	01/24
Height	40 mm
Flow L/Min (in 15 mm)	28 L/min
Grid / Dome	Metal dome



SLIM EXPERT with membrane outlet Ø 40/43



Reference	30720270
Ean-13 code	3375537201945
Packaging	Box
Multiple / Boxed qty	01/24
Height	40 mm
Flow L/Min (in 15 mm)	27 L/min
Grid / Dome	Stainless steel grid




SLIM SHOWER with membrane outlet Ø 40/43

NEW



Reference	30719919
Ean-13 code	3375537198429
Packaging	Bag
Multiple / Boxed qty	01/30
Height	40 mm
Flow L/Min (in 15 mm)	33.6 L/min
Grid / Dome	Without grid



Membrane for SLIM waste




Reference	30719155
Ean-13 code	3375537190843
Packaging	Bulk
Multiple / Boxed qty	01

TWISTO ABS DOME outlet Ø 40




Reference	30720468	34040001
Ean-13 code	3375537203918	3375536039631
Packaging	Box	Bag
Multiple / Boxed qty	01/18	01/06
Height	90 mm	
Water seal	50 mm	
Flow L/Min (in 15 mm)	32 L/min	
Grid / Dome	Chromed ABS dome	



TWISTO SQUARE STAINLESS STEEL GRID outlet Ø 40



Reference	30720469	34040501
Ean-13 code	3375537203925	3375539063428
Packaging	Box	Bag
Multiple / Boxed qty	01/18	01/25
Height	90 mm	
Water seal	50 mm	
Flow L/Min (in 15 mm)	32 L/min	
Grid / Dome	Brushed stainless steel grid	




JAMES METAL DOME outlet Ø 40

OUTLET SWIVELS 360°



Reference	30720886
Ean-13 code	3375537208111
Packaging	Box
Multiple / Boxed qty	01/18
Height	83 mm in horizontal position 123 mm in vertical position
Water seal	50 mm
Flow L/Min (in 15 mm)	27 L/min in horizontal position 34.5 L/min in vertical position
Grid / Dome	Metal dome




JAMES ABS GRID outlet Ø 40

OUTLET SWIVELS 360°




Reference	34230004
Ean-13 code	3375539063022
Packaging	Bag
Multiple / Boxed qty	01/40
Height	83 mm in horizontal position 123 mm in vertical position
Water seal	50 mm
Flow L/Min (in 15 mm)	31 L/min in horizontal position 34.5 L/min in vertical position
Grid / Dome	Chromed ABS grid



TOURBILLON ABS GRID outlet Ø 40




Reference	34060401
Ean-13 code	3375537128426
Packaging	Bag
Multiple / Boxed qty	01/34
Height	78 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	32.4 L/min
Grid / Dome	Chromed ABS grid



TOURBILLON ABS DOME outlet Ø 40




Reference	30721135
Ean-13 code	3375537210596
Packaging	Bag
Multiple / Boxed qty	01/30
Height	78 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	32.7 L/min
Grid / Dome	Chromed ABS dome



VERTICAL TOURBILLON ABS DOME outlet Ø 40




Reference	30722131
Ean-13 code	3375537220540
Packaging	Branded box
Multiple / Boxed qty	01/18
Height	100 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	36 L/min
Grid / Dome	Chromed ABS dome



TOURBILLON STAINLESS STEEL GRID, horizontal outlet Ø 40




Reference	30720888
Ean-13 code	3375537208135
Packaging	Box
Multiple / Boxed qty	01/18
Height	78 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	28.8 L/min
Grid / Dome	Brushed stainless steel flat grid



TOURBILLON STAINLESS STEEL GRID, vertical outlet Ø 40




Reference	30721058
Ean-13 code	3375537209835
Packaging	Box
Multiple / Boxed qty	01/18
Height	100 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	30 L/min
Grid / Dome	Brushed stainless steel flat grid



TOURBILLON ABS GRID outlet Ø 40




Reference	34060007	SP406099	30720540
Ean-13 code	3375539064227	3375536024903	3375537204632
Packaging	Bag	Bag	Branded bag
Multiple / Boxed qty	01/80	01/33	01/50
Height	71 mm		
Water seal	50 mm		
Flow L/Min (in 15 mm)	30 L/min		
Grid / Dome	Chromed ABS grid		



TOURBILLON ABS GRID outlet Ø 40




Reference	34090001
Ean-13 code	3375537132706
Packaging	Bag
Multiple / Boxed qty	01/80
Height	71 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	28 L/min
Grid / Dome	Square chromed ABS grid



JAMES ABS GRID outlet Ø 40

OUTLET
SWIVELS
360°


Reference	34220004
Ean-13 code	3375539069499
Packaging	Bag
Multiple / Boxed qty	01/50
Height	83 mm in horizontal position 123 mm in vertical position
Water seal	50 mm
Flow L/Min (in 15 mm)	51 L/min in horizontal position, 83 L/min in vertical position.
Grid / Dome	Chromed ABS grid



JAMES ABS GRID outlet Ø 40

OUTLET
SWIVELS
360°

Reference	34260002
Ean-13 code	3375537135479
Packaging	Bag
Multiple / Boxed qty	01/50
Height	83 mm in horizontal position 123 mm in vertical position
Water seal	50 mm
Flow L/Min (in 15 mm)	49 L/min in horizontal position, 83 L/min in vertical position.
Grid / Dome	Square chromed ABS grid



TOURBILLON ABS DOME outlet Ø 40




Reference	30722016
Ean-13 code	3375537219353
Packaging	Bag
Multiple / Boxed qty	01/72
Height	82 mm
Water seal	50 mm
Flow L/Min (in 120 mm)	22 L/min
Grid / Dome	Chromed ABS dome

STAINLESS STEEL GRID waste, horizontal outlet Ø 40 screw fit




Reference	SP401
Ean-13 code	3375530111111
Packaging	Bag
Multiple / Boxed qty	01/49
Height	71 mm
Water seal	25 mm
Flow L/Min (in 15 mm)	24 L/min
Grid / Dome	Chromed stainless steel grid



STAINLESS STEEL GRID waste, horizontal outlet Ø 40 screw fit or solvent weld




Reference	SP405
Ean-13 code	3375530111616
Packaging	Bag
Multiple / Boxed qty	01/21
Height	71 mm
Water seal	25 mm
Flow L/Min (in 15 mm)	24 L/min
Grid / Dome	Chromed stainless steel grid



ABS GRID waste, horizontal outlet Ø 40 screw fit or solvent weld




Reference	30720400
Ean-13 code	3375537204632
Packaging	Branded bag
Multiple / Boxed qty	01/20
Height	71 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	30 L/min
Grid / Dome	Chromed ABS grid



STAINLESS STEEL GRID waste, vertical outlet




Reference	30720432	SP413
Ean-13 code	3375537203574	3375530151582
Packaging	Branded bag	Bag
Multiple / Boxed qty	01/07	01/07
Height	96 mm	
Water seal	25 mm	
Flow L/Min (in 15 mm)	20 L/min	
Grid / Dome	Chromed stainless steel grid	



JAMES ABS GRID outlet Ø 40




Reference	34210003
Ean-13 code	3375539074097
Packaging	Bag
Multiple / Boxed qty	01/25
Height	83 mm in horizontal position 123 mm in vertical position
Water seal	50 mm
Flow L/Min (in 15 mm)	51 L/min in horizontal position. 83 L/min in vertical position.
Grid / Dome	Chromed ABS grid



TOURBILLON ABS GRID outlet Ø 40




Reference	34020201
Ean-13 code	3375537144815
Packaging	Bag
Multiple / Boxed qty	01/60
Height	82 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	22 L/min
Grid / Dome	Chromed ABS grid



TOURBILLON ABS DOME outlet Ø 40




Reference	34020001
Ean-13 code	3375537144785
Packaging	Bag
Multiple / Boxed qty	01/72
Height	82 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	22 L/min
Grid / Dome	Chromed ABS dome




SHOWER WASTE STAINLESS STEEL GRID + trap Ø 40



Reference	SP428
Ean-13 code	3375530240286
Packaging	Bag
Multiple / Boxed qty	01/12
Height	82 mm
Water seal	50 mm
Flow L/Min (in 15 mm)	35 L/min
Grid / Dome	Stainless steel grid



Set of 4 feet for shower tray



Colour	GREY	PRO GREY
Reference	30719767	30720536
Ean-13 code	3375537196944	3375537204595
Packaging	Bag	Printed bag
Multiple / Boxed qty	01/10	01/10
Height	58 to 172 mm with the extension.	58 to 172 mm with the extension.