



CMEC, Inc.
LABORATORY ACCREDITATION APPLICATION

(Please complete the application, print, sign and date. Mail to CMEC, Inc. at 2779 Apopka Blvd, Apopka, FL 32703)

STEP 1 — LABORATORY INFORMATION

Billing Address

Laboratory Name:

Mailing Address:

City / State / Zip:

Contact Person:

Phone:

Email:

Physical Address

Physical Address:

City / State / Zip:

Lab Supervisor:

Phone:

Email:

Additional Information:

STEP 2 — CHOOSE THE TYPE(S) OF INSPECTION

The basic fee of the assessment is \$600 then an additional \$600 for each field of testing.

The additional cost for an ISO/IEC 17025 Accreditation is \$1300.

SELECT	MINIMUM REQUIREMENTS	DESCRIPTION	FEE	TOTAL
<input checked="" type="checkbox"/>	AASHTO R18	BASIS FEE	\$ 600.00	\$ 600.00
<input type="checkbox"/>	AASHTO R18	AGGREGATE	\$ 600.00	
<input type="checkbox"/>	AASHTO R18	CONCRETE	\$ 600.00	
<input type="checkbox"/>	AASHTO R18	MASONRY	\$ 600.00	
<input type="checkbox"/>	AASHTO R18	SPRAYED FIRE- RESISTIVE MATERIALS	*	
<input type="checkbox"/>	AASHTO R18	HOT MIX ASPHALT	\$ 600.00	
<input type="checkbox"/>	AASHTO R18	SOIL	\$ 600.00	
<input type="checkbox"/>	AASHTO R18	CEMENT	\$ 600.00	
<input type="checkbox"/>	AASHTO R18	ASPHALT BINDER	\$ 600.00	
<input type="checkbox"/>	AASHTO R18	EMULSIFIED ASPHALT	\$ 600.00	
<input type="checkbox"/>	AASHTO R18	PAVEMENT PRESERVATION	\$ 600.00	
<input type="checkbox"/>	ISO/IEC 17025 Accreditation**		\$ 1,300.00	

0

* No additional basic fee required if included with another area (field).

Page Total: _____

** An additional visit to the laboratory may be required for laboratories seeking ISO/IEC 17025 Accreditation.

STEP 3 — CHOOSE TEST METHODS

Aggregate

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	ASTM C1077	REQUIREMENTS FOR AGENCIES TESTING CONCRETE AND AGGREGATES *		\$ 63.00	
		<input type="checkbox"/>	ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C117 / T11 C136 / T27	PASSING #200 - COARSE AGG GRADATION - COARSE AGG	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C117 / T11 C136 / T27	PASSING #200 - FINE AGG GRADATION - FINE AGG	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C123 / T113	LIGHTWEIGHT PIECES		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C1252 / T304	UNCOMPACTED VOID CONTENT		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C127 / T85	SPECIFIC GRAVITY COARSE AGGREGATE	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C128 / T84	SPECIFIC GRAVITY FINE AGGREGATE	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C131 / T96	LA ABRASION	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C142 / T112	CLAY LUMPS / FRIABLE PART		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C29 / T19	DENSITY / UNIT WEIGHT		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C40 / T21	ORGANIC IMPURITY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C566 / T255	AGGREGATE MOISTURE CONTENT		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C702 / R76	REDUCING SAMPLES OF AGGREGATE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C88 / T104	SODIUM SOUNDNESS		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2419 / T176	SAND EQUIVALENT		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D3744 / T210	DURABILITY INDEX		\$ 63.00	
		<input type="checkbox"/>	D4791	FLAT AND ELONGATED PARTICLES		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D546 / T37	GRADATION MINERAL FILLER		\$ 63.00	
		<input type="checkbox"/>	D5821	FRACTURED PARTICLES		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D75 / R90	SAMPLING AGGREGATE		\$ 63.00	
FL Method		<input type="checkbox"/>	FM 5-555	SHELL CONTENT		\$ 63.00	
SELECTION			PROFICIENCY SAMPLES		TESTS INCLUDED	COST	TOTAL
<input type="checkbox"/>			FINE AGGREGATE PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.		C117/T11, C136/T27, C128/T84	\$ 75.00	
<input type="checkbox"/>			COARSE AGGREGATE PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.		C127/T85, C131/T96, C136/T27	\$ 100.00	

* The fees for C1077 and E329 only need to be paid one time each year.
Laboratory must participate in a proficiency testing program.

Page Total: \$ -

Concrete

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	ASTM C1077	REQUIREMENTS FOR AGENCIES TESTING CONCRETE AND AGGREGATES *		\$ 63.00	
		<input type="checkbox"/>	ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C1064 / T309	TEMPERATURE		\$ 63.00	
		<input type="checkbox"/>	C1231	UNBONDED PAD CAPS		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C138 / T121	DENSITY / UNIT WEIGHT		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C143 / T119	SLUMP		\$ 63.00	
		<input type="checkbox"/>	C1524	WATER EXTRACTABLE CHLORIDE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C157 / T160	SHRINKAGE / EXPANSION		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C1610/ R81	STATIC SEGREGATION OF SELF CONSOLIDATING CONCRETE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C1611 / T347	SLUMP FLOW OF SELF-CONSOLIDATING CONCRETE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C1621 / T345	PASSING ABILITY OF SELF CONSOLIDATING CONCRETE BY J-RING		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C172 / R60	SAMPLING FRESHLY MIXED CONCRETE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C173 / T196	AIR - VOLUMETRIC METER		\$ 63.00	
		<input type="checkbox"/>	C1712	RAPID ASSESSMENT OF STATIC SEGREGATION RESISTANCE OF SCC		\$ 63.00	
		<input type="checkbox"/>	C1758	FABRICATING TEST SPECIMENS WITH SELF CONSOLIDATING CONCRETE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C192 / R39	LABORATORY CAST SPECIMENS	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C231 / T152	AIR - PRESSURE METER		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C31 / R100	CASTING SPECIMENS		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C39 / T22	COMPRESSIVE STRENGTH	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C42 / T24	DRILLED CORES		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C496 / T198	SPLITTING TENSILE STRENGTH		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C511 / M201	CURING FACILITIES		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C617 / T231	CAPPING SPECIMENS		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C78 / T97	FLEXURAL STRENGTH	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
		<input type="checkbox"/>	C803	PENETRATION RESISTANCE		\$ 63.00	
		<input type="checkbox"/>	C805	REBOUND NUMBER		\$ 63.00	
		<input type="checkbox"/>	C939	GROUT FLOW		\$ 63.00	
		<input type="checkbox"/>	C1074	ESTIMATING CONCRETE STRENGTH BY THE MATURING METHOD		\$ 63.00	
FL Method		<input type="checkbox"/>	FM 3 - C1074	ESTIMATING THE STRENGTH OF HIGH EARLY STRENGTH CONCRETE USING THE MATURITY METHOD		\$ 63.00	
FL Method		<input type="checkbox"/>	FM 5 - 516	ACID SOLUBLE CHLORIDE		\$ 63.00	
	<input type="checkbox"/>		T358	SURFACE RESISTIVITY INDICATION OF CONCRETE'S ABILITY TO RESIST CHLORIDE ION PENETRATION		\$ 63.00	

cont. on next page

SELECTION	PROFICIENCY SAMPLES	TESTS INCLUDED	COST	TOTAL
<input type="checkbox"/>	CONCRETE CYLINDERS PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.	C39 / T22	\$ 100.00	
<input type="checkbox"/>	CONCRETE MIX DESIGN PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.	C192 / T126	\$ 300.00	
<input type="checkbox"/>	CONCRETE BEAM PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.	C78 / T97	\$ 300.00	

* The fees for C1077 and E329 only need to be paid one time each year.
Laboratory must participate in a proficiency testing program.

Page Total: \$ -

Masonry

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	ASTM C1093	ACCREDITATION FOR TESTING AGENCIES FOR MASONRY*		\$ 63.00	
		<input type="checkbox"/>	ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION*		\$ 63.00	
		<input type="checkbox"/>	C109 / T106	MORTAR CUBES		\$ 63.00	
		<input type="checkbox"/>	C1019	GROUT PRISMS		\$ 63.00	
		<input type="checkbox"/>	C1314	MASONRY PRISMS		\$ 63.00	
		<input type="checkbox"/>	C1552	CAPPING MASONRY UNITS AND PRISMS		\$ 63.00	
		<input type="checkbox"/>	C140	MASONRY UNITS	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C305 / T162	MIXING OF MORTAR		\$ 63.00	
		<input type="checkbox"/>	C426	DRYING SHRINKAGE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	C511 / M201	MOISTURE ROOMS		\$ 63.00	
		<input type="checkbox"/>	C780	EVALUATION OF MORTAR		\$ 63.00	
	<input type="checkbox"/>		R64	SAMPLING AND FABRICATING OF 2 IN. CUBE SPECIMENS USING GROUT/MORTAR		\$ 63.00	
SELECTION		PROFICIENCY SAMPLES			TESTS INCLUDED	COST	TOTAL
	<input type="checkbox"/>		Masonry Block (Set of Six)		C140	\$ 300.00	

* The fees for C1093 and E329 only need to be paid one time each year.
Laboratory must participate in a proficiency testing program.

Page Total: \$ -

Sprayed Fire-Resistive Material (SFRM)

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	E605	THICKNESS AND DENSITY OF SPRAYED FIRE-RESISTIVE MATERIAL (SFRM) APPLIED TO STRUCTURAL MEMBERS		\$ 63.00	
		<input type="checkbox"/>	E736	COHESION / ADHESION OF SPRAYED FIRE RESISTIVE MATERIALS APPLIED TO STRUCTURAL MEMBERS		\$ 63.00	

Page Total: \$ -

Hot Mix Asphalt

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	ASTM D3666	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS *		\$ 63.00	
		<input type="checkbox"/>	ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D1188 / T275	BULK SG PARAFFIN COATED		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D1856 / R59	ABSON RECOVERY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2041 / T209	MAXIMUM SPECIFIC GRAVITY	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2172 / T164	QUANTITATIVE EXTRACTION		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2726 / T166	BULK SPECIFIC GRAVITY	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D3203 / T269	PERCENT AIR VOIDS		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D4125 / T287	ASPHALT CONTENT NUCLEAR METHOD		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D4867 / T283	RESISTANCE TO MOISTURE		\$ 63.00	
		<input type="checkbox"/>	D5404	ROTAVAPOR RECOVERY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D5444 / T30	MECHANICAL ANALYSIS EXTRACTED AGGREGATE	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6307 / T308	ASPHALT CONTENT BY IGNITION	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6925 / T312	GYRATORY COMPACTION	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6926 / R68	MARSHALL RESISTANCE	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6927 / T245	MARSHALL RESISTANCE	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D7227 / R79	DRYING OF COMPACTED HMA SPECIMENS USING VACUUM DRYING APPARATUS		\$ 63.00	
	<input type="checkbox"/>		T324	HAMBURG WHEEL-TRACKING TEST		\$ 63.00	
	<input type="checkbox"/>		T329	MOISTURE CONTENT OF HMA BY OVEN		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6752/T331	BULK SPECIFIC GRAVITY USING VACUUM SEALING METHOD		\$ 63.00	

cont. on next page

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
	<input type="checkbox"/>		R30	MIXTURE CONDITIONING OF HOT MIX ASPHALT		\$ 63.00	
	<input type="checkbox"/>		R47	REDUCING SAMPLES OF HOT MIX ASPHALT TO TESTING SIZE		\$ 63.00	
		<input type="checkbox"/>	D6390	DRAINDOWN CHARACTERISTICS IN UNCOMPACTED ASPHALT MIXTURES		\$ 63.00	
SELECTION		PROFICIENCY SAMPLES			TESTS INCLUDED	COST	TOTAL
	<input type="checkbox"/>	HOT MIX ASPHALT GYRATORY PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.			T312/D6925, T30/D5444, T166/D2726, T209/D2041, T308/D6307	\$ 180.00	
	<input type="checkbox"/>	HOT MIX ASPHALT MARSHALL PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.			T245/D6926/D6927, T30/D5444, T166/D2726, T209/D2041, T308/D6307	\$ 180.00	

* The fees for D3666 and E329 only need to be paid one time each year.
Laboratory must participate in a proficiency testing program.

Page Total: \$ -

Soil

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	ASTM D3740	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING SOIL / ROCK *		\$ 63.00	
		<input type="checkbox"/>	ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 63.00	
		<input type="checkbox"/>	D1140	MATERIAL FINER THAN #200	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D1556 / T191	DENSITY AND UNIT WEIGHT OF SOIL IN PLACE BY THE SAND CONE METHOD		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D1557 / T180	COMPACTION - MODIFIED	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D1883 / T193	CBR	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2166 / T208	UNCONFINED COMPRESSIVE STRENGTH		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2216 / T265	MOISTURE CONTENT		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2419 / T176	SAND EQUIVALENT		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2434 / T215	PERMEABILITY OF GRANULAR SOILS		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2435 / T216	ONE DIMENSIONAL CONSOLIDATION		\$ 63.00	
		<input type="checkbox"/>	D2487	CLASSIFICATION OF SOILS		\$ 63.00	
		<input type="checkbox"/>	D2488	DESCRIPTION OF SOILS		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2844 / T190	RESISTANCE R VALUE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2850 / T296	UNCONSOLIDATED UNDRAINED TRIAX		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D3080 / T236	DIRECT SHEAR		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D421 / R58	DRY PREPARATION		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D7928 / T88	PARTICLE SIZE	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D4318 / T89 T90	LIQUID AND PLASTIC LIMITS	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D4767 / T297	CONSOLIDATED UNDRAINED TRIAX		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D4944 / T217	SPEEDY MOISTURE TEST		\$ 63.00	
		<input type="checkbox"/>	D5084	PERMEABILITY FLEX WALL		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D558 / T134	SOIL CEMENT		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D559 / T135	SOIL CEMENT - WETTING & DRYING		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D563 / T136	SOIL CEMENT - FREEZE THAW		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6938 / T310	MOISTURE / DENSITY GAGE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D698 / T99	COMPACTION - STANDARD	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D854 / T100	SPECIFIC GRAVITY	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
FL Method		<input type="checkbox"/>	FM 5-514	CARBONATE CONTENT	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	

cont. on next page

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
FL Method	<input type="checkbox"/>		FM 5-515	LBR	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
FL Method	<input type="checkbox"/>		FM 1-T099	STANDARD COMPACTION FDOT METHOD	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
FL Method	<input type="checkbox"/>		FM 1-T180	MODIFIED COMPACTION FDOT METHOD	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
FL Method	<input type="checkbox"/>		FM 5-550	PH IN SOIL	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
FL Method	<input type="checkbox"/>		FM 5-551	RESISTIVITY IN SOIL	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
FL Method	<input type="checkbox"/>		FM 5-552	CHLORIDE IN SOIL	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
FL Method	<input type="checkbox"/>		FM 5-553	SULFATE IN SOIL	PROFICIENCY SAMPLE REQUIRED SEE BELOW	\$ 63.00	
	<input type="checkbox"/>		R74	WET PREPARATION		\$ 63.00	
	<input type="checkbox"/>		T267	LOSS ON IGNITION		\$ 63.00	
SELECTION		PROFICIENCY SAMPLES			TESTS INCLUDED	COST	TOTAL
<input type="checkbox"/>		SOIL PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.			D698/T99, D1557/T180, D1140, D422/T88, D854/T100, FM 5-550, FM 5-551, FM 5-552, FM 5-553	\$ 125.00	
<input type="checkbox"/>		CARBONATE CONTENT SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.			FM 5-514	\$ 70.00	
<input type="checkbox"/>		SOIL LBR / CBR PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.			FM 5-515, D1883/T193	\$ 125.00	
<input type="checkbox"/>		SOIL LL / PI PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT.			D4318/T89/T90	\$ 70.00	

* The fees for D3740 and E329 only need to be paid one time each year.
Laboratory must participate in a proficiency testing program.

Page Total: \$ -

Cementitious

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	ASTM C1222	STANDARD PRACTICE FOR EVALUATION OF LABORATORIES TESTING HYDRAULIC CEMENT*		\$ 63.00	
		<input type="checkbox"/>	ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 63.00	
		<input type="checkbox"/>	C1012	LENGTH CHANGE - SULFATE		\$ 63.00	
		<input type="checkbox"/>	C109	COMPRESSIVE STRENGTH - CUBES		\$ 63.00	
		<input type="checkbox"/>	C305	MECHANICAL MIXING		\$ 63.00	
		<input type="checkbox"/>	C185	AIR CONTENT - MORTAR		\$ 63.00	
		<input type="checkbox"/>	C114	CHEMICAL ANALYSIS		\$ 63.00	
		<input type="checkbox"/>	C204	FINENESS		\$ 63.00	
		<input type="checkbox"/>	C430	FINENESS - #325		\$ 63.00	
		<input type="checkbox"/>	C151	AUTOCLAVE EXPANSION		\$ 63.00	
		<input type="checkbox"/>	C157	LENGTH CHANGE		\$ 63.00	
		<input type="checkbox"/>	C186	HEAT OF HYDRATION		\$ 63.00	
		<input type="checkbox"/>	C187	CONSISTENCY		\$ 63.00	
		<input type="checkbox"/>	C188	DENSITY		\$ 63.00	
		<input type="checkbox"/>	C191	VICAT		\$ 63.00	
		<input type="checkbox"/>	C226	AIR ENTRAINING		\$ 63.00	
		<input type="checkbox"/>	C227	ALAKALI ACTIVITY		\$ 63.00	
		<input type="checkbox"/>	C359	EARLY STIFFENING		\$ 63.00	
		<input type="checkbox"/>	C441	POZZOLAN / SLAG EXPANSION		\$ 63.00	
		<input type="checkbox"/>	C778	STANDARD SAND		\$ 63.00	

* The fees for C1222 and E329 only need to be paid one time each year.
Laboratory must participate in the CCRL proficiency testing program

Page Total: \$ -

Asphalt Binder

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	ASTM D3666	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS *		\$ 63.00	
		<input type="checkbox"/>	ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D5 / T49	PENETRATION TEST		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D36 / T53	SOFTENING POINT		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D70 / T228	SPECIFIC GRAVITY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D92 / T48	CLEVELAND FLASH		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D113 / T51	DUCTILITY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2042 / T44	SOLUBILITY TEST		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2170 / T201	KINEMATIC VISCOSITY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2171 / T202	VISCOSITY BY VACUUM VISCOMETER		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D2872 / T240	ROLLING THIN-FILM OVEN		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D4402 / T316	ROTATIONAL VISCOSITY		\$ 63.00	
		<input type="checkbox"/>	D5801	TOUGHNESS AND TENACITY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6384 / T301	ELASTIC RECOVERY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6521 / R28	PRESSURIZED AGING VESSEL (PAV)		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6648 / T313	BENDING BEAM RHEOMETER (BBR)		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D6723 / T314	DIRECT TENSION (DT)		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D7175 / T315	DYNAMIC SHEAR RHEOMETER (DSR)		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D7405 / T350	MULTIPLE STRESS CREEP AND RECOVERY (MSCR)		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	D7643 / R29	GRADING OR VERIFYING PGB		\$ 63.00	

* The fees for D3666 and E329 only need to be paid one time each year.

Page Total: \$ -

Emulsified Asphalt

SELECTION							
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	ASTM D3666	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS *		\$ 63.00	
		<input type="checkbox"/>	ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D6929	FREEZING TEST		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D6930	SETTLEMENT AND STORAGE STABILITY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D6933	SIEVE TEST		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D6934	RESIDUE BY EVAPORATION		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D6935	CEMENT MIXING		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D6936	DEMULSIBILITY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D6937	DETERMINING DENSITY		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D6997	RESIDUE BY DISTILLATION		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D6998	EVALUATING AGGREGATE COATING		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D7402	PARTICLE CHARGE		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D7496	SAYBOLT FUROL VISCOSITY @ 25°C		\$ 63.00	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	T59 / D7496	SAYBOLT FUROL VISCOSITY @ 50°C		\$ 63.00	
		<input type="checkbox"/>	D3910	DESIGN, TESTING, AND CONSTRUCTION OF SLURRY SEAL		\$ 63.00	
		<input type="checkbox"/>	D7000	SWEEP TEST		\$ 63.00	

* The fees for D3666 and E329 only need to be paid one time each year.

Page Total: \$ -

Pavement Preservation

SELECTION							
Other		ASTM ONLY	PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
		<input type="checkbox"/>	ASTM D3666	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS *		\$ 63.00	
		<input type="checkbox"/>	ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 63.00	
<input type="checkbox"/>			ISSA TB-100	WET TRACK ABRASION OF SLURRY SURFACES		\$ 63.00	
<input type="checkbox"/>			ISSA TB-106	MEASUREMENT OF SLURRY SEAL CONSISTENCY		\$ 63.00	
<input type="checkbox"/>			ISSA TB-109	MEASUREMENT OF EXCESS ASPHALT IN BITUMINOUS MIXTURES BY USE OF A LOADED WHEEL TESTER AND SAND ABRASION		\$ 63.00	
<input type="checkbox"/>			ISSA TB-112	METHOD TO ESTIMATE SLURRY SEAL SPREAD RATES AND TO MEASURE PAVEMENT MACROTEXTURE		\$ 63.00	
<input type="checkbox"/>			ISSA TB-113	TRIAL MIX PROCEDURE FOR SLURRY DESIGN		\$ 63.00	
<input type="checkbox"/>			ISSA TB-114	WET STRIPPING TEST FOR CURED SLURRY SEAL MIX		\$ 63.00	
<input type="checkbox"/>			ISSA TB-115	DETERMINATION OF SLURRY SYSTEM COMPATIBILITY		\$ 63.00	
<input type="checkbox"/>			ISSA TB-118	SURFACE AREA METHOD OF SLURRY SEAL DESIGN		\$ 63.00	
<input type="checkbox"/>			ISSA TB-139	MODIFIED COHESION TEST		\$ 63.00	
<input type="checkbox"/>			ISSA TB-144	COMPATIBILITY BY SHULZE-BRUEER AND RUCK PROCEDURES		\$ 63.00	
<input type="checkbox"/>			ISSA TB-147	MEASUREMENT OF STABILITY AND RESISTANCE TO COMPACTION, VERTICAL DISPLACEMENT OF MULTI-LAYERED FINE AGGREGATE COLD MIXTURES		\$ 63.00	
<input type="checkbox"/>			ISSA TB-148	PREPARATION OF MICROSURFACE AND SLURRY SEAL SPECIMENS FOR EVALUATION BY HMA DESIGN METHODS		\$ 63.00	
<input type="checkbox"/>			ISSA TB-149	METHOD FOR BOILING COMPACTIBILITY OF SLURRY SEAL MIXES		\$ 63.00	

* The fees for D3666 and E329 only need to be paid one time each year.

Page Total: \$ -

Additional Test Methods (Including State Methods)

[illegible]

Page Total: \$ -

STEP 4 — PAYMENT OPTIONS

TOTAL AMOUNT OF FEES: _____

Prices are subject to change. Current application fees are available on the CMEC website. Please submit payment for the assessment along with your application.

NOTE: Laboratories applying for CMEC Accreditation that are located more than 1,000 land miles from Orlando, FL may incur additional travel and expenses fees. Laboratories that are located outside of the 48 contiguous United States should contact CMEC directly for special application processing.

I hereby authorize CMEC to assess the above laboratory in the areas indicated. I have read and understand the policies and procedures pertaining to this program. I understand that the authorized CMEC assessor will issue a full report at the conclusion of the assessment, indicating any areas in which nonconformities are found. I further understand that all nonconformities must be corrected, and documentation of those corrections delivered to CMEC within 30 days from the date of assessment report, in order to achieve CMEC Accreditation for my laboratory.

I agree to all the requirements for accreditation and to follow those requirements specified in the latest version of the CMEC Accreditation Program Procedures Manual.

SIGNATURE: _____ DATE: _____

TITLE: _____

CHECK NUMBER: _____ ENCLOSED AMOUNT: _____

Mail this application form with check payable to:

CMEC, Inc., 2779 Apopka Blvd, Apopka, FL 32703
Phone: 407-628-3682 • Fax: 407-628-3283