



CMEC, Inc.
LABORATORY ACCREDITATION APPLICATION

(Please complete the application, print, sign and date. Mail to CMEC at 2779 Apopka Blvd, Ste 1, Apopka, FL 32703)

STEP 1 – LABORATORY INFORMATION

BILLING INFORMATION:

Laboratory: _____
 Mailing Address: _____
 City/State/Zip: _____
 Phone: _____ Fax: _____
 Contact Person: _____
 Email Address: _____

PHYSICAL INFORMATION:

Laboratory: _____
 Mailing Address: _____
 City/State/Zip: _____
 Phone: _____ Fax: _____
 Lab Supervisor: _____
 Email Address: _____

STEP 2 – CHOOSE TYPE OF INSPECTION

The basic fee of the assessment is \$1050 for the first field of assessment, then an additional \$525 for each field added after the first. For example: If only a concrete assessment is desired, the basic fee would be \$1050. If a concrete, soil and aggregate assessment is desired, the basic fee would be \$2100. The additional cost for an ISO/IEC 17025 Accreditation is \$1000.

SELECT	MINIMUM REQUIREMENTS	DESCRIPTION (FIELD)	BASIC FEE	TOTAL
	AASHTO R18	AGGREGATE		
	AASHTO R18	CONCRETE		
	AASHTO R18	MASONRY		
	AASHTO R18	SPRAYED FIRE-RESISTIVE MATERIALS (SFRM)*		
	AASHTO R18	HOT MIX ASPHALT		
	AASHTO R18	SOIL		
	AASHTO R18	CEMENT		
	AASHTO R18	ASPHALT BINDER		
	AASHTO R18	EMULSIFIED ASPHALT		
	AASHTO R18	PAVEMENT PRESERVATION		
	ISO/IEC 17025 Accreditation**		\$1,000	

* No additional basic fee required if included with another area (field).

** An additional visit to the laboratory may be required for laboratories seeking ISO/IEC 17025 Accreditation.

PAGE TOTAL: \$ _____



STEP 3 – CHOOSE TEST METHODS

AGGREGATE

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			ASTM C1077	REQUIREMENTS FOR AGENCIES TESTING CONCRETE AND AGGREGATES *		\$ 55.00	
			ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 55.00	
			C117 / T11	P A S S I N G #200 - COARSE AGGREGATE			
			C136 / T27	GRADATION - COARSE AGGREGATE	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			C117 / T11	P A S S I N G #200 - FINE AGGREGATE	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			C136 / T27	GRADATION - FINE AGGREGATE			
			C123 / T113	LIGHTWEIGHT PIECES		\$ 55.00	
			C1252 / T304	UNCOMPACTED VOID CONTENT		\$ 55.00	
			C127 / T85	SPECIFIC GRAVITY COARSE AGGREGATE	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			C128 / T84	SPECIFIC GRAVITY FINE AGGREGATE	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			C131 / T96	LA ABRASION	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			C142 / T112	CLAY LUMPS / FRIABLE PART		\$ 55.00	
			C29 / T19	DENSITY / UNIT WEIGHT		\$ 55.00	
			C40 / T21	ORGANIC IMPURITY		\$ 55.00	
			C566 / T255	AGGREGATE MOISTURE CONTENT		\$ 55.00	
			C702 / R76	REDUCING SAMPLES OF AGGREGATE		\$ 55.00	
			C88 / T104	SODIUM SOUNDNESS		\$ 55.00	
			D2419 / T176	SAND EQUIVALENT		\$ 55.00	
			D3744 / T210	DURABILITY INDEX		\$ 55.00	
			D4791	FLAT AND ELONGATED PARTICLES		\$ 55.00	
			D546 / T37	GRADATION MINERAL FILLER		\$ 55.00	
			D5821	FRACTURED PARTICLES		\$ 55.00	
			D75 / R90	SAMPLING AGGREGATE		\$ 55.00	
			FM 5-555	SHELL CONTENT		\$ 55.00	
SELECTION			PROFICIENCY SAMPLES		TESTS INCLUDED	COST	TOTAL
			FINE AGGREGATE PROFICIENCY SAMPLE		C117/T11, C136/T27, C128/T84	\$ 50.00	
			COARSE AGGREGATE PROFICIENCY SAMPLE		C127/T85, C131/T96 C136/T27	\$ 75.00	

* The fees for C1077 and E329 only need to be paid one time each year.

PAGE TOTAL: \$ _____

CONCRETE

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			ASTM C1077	REQUIREMENTS FOR AGENCIES TESTING CONCRETE AND AGGREGATES *		\$ 55.00	
			ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 55.00	
			C1064 / T309	TEMPERATURE		\$ 55.00	
			C1218	WATER SOLUBLE CHLORIDE		\$ 55.00	
			C1231	UNBONDED PAD CAPS		\$ 55.00	
			C138 / T121	DENSITY / UNIT WEIGHT		\$ 55.00	
			C143 / T119	SLUMP		\$ 55.00	
			C1524	WATER EXTRACTABLE CHLORIDE		\$ 55.00	
			C157 / T160	SHRINKAGE / EXPANSION		\$ 55.00	
			C1610	STATIC SEGREGATION OF SELF CONSOLIDATING CONCRETE		\$ 55.00	
			C1611 / T347	SLUMP FLOW OF SELF-CONSOLIDATING CONCRETE		\$ 55.00	
			C1621 / T345	PASSING ABILITY OF SELFCONSOLIDATING CONCRETE BY J-RING		\$ 55.00	
			C172 / R60	SAMPLING FRESHLY MIXED CONCRETE		\$ 55.00	
			C173 / T196	AIR - VOLUMETRIC METER		\$ 55.00	
			C1712	RAPID ASSESSMENT OF STATIC SEGREGATION RESISTANCE OF SCC		\$ 55.00	
			C1758	FABRICATING TEST SPECIMENS WITH SELFCONSOLIDATING CONCRETE		\$ 55.00	
			C192 / R39	LABORATORY CAST SPECIMENS	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			C231 / T152	AIR - PRESSURE METER		\$ 55.00	
			C31 / T23	CASTING SPECIMENS		\$ 55.00	
			C39 / T22	COMPRESSIVE STRENGTH	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			C403 / T197	SET TIME		\$ 55.00	
			C42 / T24	DRILLED CORES		\$ 55.00	
			C496 / T198	SPLITTING TENSILE STRENGTH		\$ 55.00	
			C511 / M201	CURING FACILITIES		\$ 55.00	
			C617 / T231	CAPPING SPECIMENS		\$ 55.00	
			C78 / T97	FLEXURAL STRENGTH		\$ 55.00	
			C803	PENETRATION RESISTANCE		\$ 55.00	
			C805	REBOUND NUMBER		\$ 55.00	
			C939	GROUT FLOW		\$ 55.00	
			C1074	ESTIMATING CONCRETE STRENGTH BY THE MATURING METHOD		\$ 55.00	
			FM 3 - C1074	ESTIMATING THE STRENGTH OF HIGH EARLY STRENGTH CONCRETE USING THE MATURITY METHOD		\$ 55.00	
			FM 5 - 516	ACID SOLUBLE CHLORIDE		\$ 55.00	
SELECTION			PROFICIENCY SAMPLES		TESTS INCLUDED	COST	TOTAL
			CONCRETE CYLINDERS PROFICIENCY SAMPLE		C39/T22	\$ 75.00	
			CONCRETE MIX DESIGN PROFICIENCY SAMPLE		C192/T126	\$ 250.00	

* The fees for C1077 and E329 only need to be paid one time each year.

PAGE TOTAL: \$ _____

MASONRY / MORTAR / GROUT

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			ASTM C1093	ACCREDITATION FOR TESTING AGENCIES FOR MASONRY		\$ 55.00	
			ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION		\$ 55.00	
			C109 / T106	MORTAR CUBES		\$ 55.00	
			C1019 / T162	GROUT PRISMS		\$ 55.00	
			C1314	MASONRY PRISMS		\$ 55.00	
			C1552	CAPPING MASONRY UNITS AND PRISMS		\$ 55.00	
			C140	MASONRY UNITS		\$ 55.00	
			C305 / T162	MIXING OF MORTAR		\$ 55.00	
			C426	DRYING SHRINKAGE		\$ 55.00	
			C511 / M201	MOISTURE ROOMS		\$ 55.00	
			C780	EVALUATION OF MORTAR		\$ 55.00	
			R64	SAMPLING AND FABRICATING OF 2 IN. CUBE SPECIMENS USING GROUT/MORTAR		\$ 55.00	

PAGE TOTAL: \$ _____

SPRAYED FIRE-RESISTIVE MATERIALS (SFRM)

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			E605	THICKNESS AND DENSITY OF SPRAYED FIRE-RESISTIVE MATERIAL (SFRM) APPLIED TO STRUCTURAL MEMBERS		\$ 55.00	
			E736	COHESION / ADHESION OF SPRAYED FIRERESISTIVE MATERIALS APPLIED TO STRUCTURAL MEMBERS		\$ 55.00	

PAGE TOTAL: \$ _____

HOT MIX ASPHALT

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			ASTM D3666	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS *		\$ 55.00	
			ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 55.00	
			D1188 / T275	BULK SG PARAFFIN COATED		\$ 55.00	
			D1461 / T110	MOISTURE CONTENT		\$ 55.00	
			D1560 / T246	HVEEM RESISTANCE		\$ 55.00	
			D1561 / T247	CA KNEADING COMPACTOR		\$ 55.00	
			D1856 / R59	ABSON RECOVERY		\$ 55.00	
			D2041 / T209	MAXIMUM SPECIFIC GRAVITY	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D2172 / T164	QUANTITATIVE EXTRACTION		\$ 55.00	
			D2726 / T166	BULK SPECIFIC GRAVITY	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D3203 / T269	PERCENT AIR VOIDS		\$ 55.00	
			D4125 / T287	ASPHALT CONTENT NUCLEAR METHOD		\$ 55.00	
			D4867 / T283	RESISTANCE TO MOISTURE		\$ 55.00	
			D5404	ROTAVAPOR RECOVERY		\$ 55.00	
			D5444 / T30	MECHANICAL ANALYSIS EXTRACTED AGGREGATE	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D6307 / T308	ASPHALT CONTENT BY IGNITION	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D6925 / T312	GYRATORY COMPACTION	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D6926 / R68	MARSHALL RESISTANCE	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D6927 / T245	MARSHALL RESISTANCE	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D7227 / R79	DRYING OF COMPACTED HMA SPECIMENS USING VACUUM DRYING APPARATUS		\$ 55.00	
			T324	HAMBURG WHEEL-TRACKING TEST		\$ 55.00	
			T329	MOISTURE CONTENT OF HMA BY OVEN		\$ 55.00	
			T331 / D6752	BULK SPECIFIC GRAVITY USING VACUUM SEALING METHOD		\$ 55.00	
			R30	MIXTURE CONDITIONING OF HOT MIX ASPHALT		\$ 55.00	
			R47	REDUCING SAMPLES OF HOT MIX ASPHALT TO TESTING SIZE		\$ 55.00	
			D6390	DRAINDOWN CHARACTERISTICS IN UNCOMPACTED ASPHALT MIXTURES		\$ 55.00	
SELECTION			PROFICIENCY SAMPLES		TESTS INCLUDED	COST	TOTAL
			HOT MIX ASPHALT GYRATORY PROFICIENCY SAMPLE		T312/D6925, T30/D5444, T166/D2726, T209/D2041, T308/D6307	\$ 150.00	
			HOT MIX ASPHALT MARSHALL PROFICIENCY SAMPLE		T245/D6926/D6927, T30/D5444, T166/D2726, T209/D2041, T308/D6307	\$ 150.00	

* The fees for D3666 and E329 only need to be paid one time each year.

PAGE TOTAL: \$ _____

SOIL

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			ASTM D3740	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING SOIL / ROCK *		\$ 55.00	
			ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 55.00	
			D1140	MATERIAL FINER THAN #200	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D1556 / T191	DENSITY AND UNIT WEIGHT OF SOIL IN PLACE BY THE SAND CONE METHOD		\$ 55.00	
			D1557 / T180	COMPACTION - MODIFIED	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D1883 / T193	CBR	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D2166 / T208	UNCONFINED COMPRESSIVE STRENGTH		\$ 55.00	
			D2216 / T265	MOISTURE CONTENT		\$ 55.00	
			D2419 / T176	SAND EQUIVALENT		\$ 55.00	
			T215	PERMEABILITY OF GRANULAR SOILS		\$ 55.00	
			D2435 / T216	ONE DIMENSIONAL CONSOLIDATION		\$ 55.00	
			D2487	CLASSIFICATION OF SOILS		\$ 55.00	
			D2488	DESCRIPTION OF SOILS		\$ 55.00	
			D2844 / T190	RESISTANCE R VALUE		\$ 55.00	
			D2850 / T296	UNCONSOLIDATED UNDRAINED TRIAX		\$ 55.00	
			D3080 / T236	DIRECT SHEAR		\$ 55.00	
			D421 / R58	DRY PREPARATION		\$ 55.00	
			D7928 / T88	PARTICLE SIZE	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D4318 / T89 T90	LIQUID AND PLASTIC LIMITS	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D4767 / T297	CONSOLIDATED UNDRAINED TRIAX		\$ 55.00	
			D4944 / T217	SPEEDY MOISTURE TEST		\$ 55.00	
			D5084	PERMEABILITY FLEX WALL		\$ 55.00	
			D558 / T134	SOIL CEMENT		\$ 55.00	
			D559 / T135	SOIL CEMENT - WETTING & DRYING		\$ 55.00	
			D560 / T136	SOIL CEMENT - FREEZE THAW		\$ 55.00	
			D6938 / T310	MOISTURE / DENSITY GAGE		\$ 55.00	
			D698 / T99	COMPACTION - STANDARD	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			D854 / T100	SPECIFIC GRAVITY	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	

* The fees for D3740 and E329 only need to be paid one time each year.

PAGE TOTAL: \$ _____



SOIL (Continued)

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			FM 5-514	CARBONATE CONTENT	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			FM 5-515	LBR	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			FM 1-T099	STANDARD COMPACTION FDOT METHOD	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			FM 1-T180	MODIFIED COMPACTION FDOT METHOD	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			FM 5-550	PH IN SOIL	MUST SIGN UP FOR PROFICIENCY SAMPLE SEE BELOW	\$ 55.00	
			FM 5-551	RESISTIVITY IN SOIL			
			FM 5-552	CHLORIDE IN SOIL			
			FM 5-553	SULFATE IN SOIL			
			R74	WET PREPARATION		\$ 55.00	
			T267	LOSS ON IGNITION		\$ 55.00	
SELECTION			PROFICIENCY SAMPLES		TESTS INCLUDED	COST	TOTAL
			SOIL PROFICIENCY SAMPLE		D698/T99, D1557/T180, D1140, D422/T88, D854/T100, FM 5-550, FM 5-551, FM 5-552, FM 5-553	\$ 100.00	
			CARBONATE CONTENT SAMPLE		FM 5-514	\$ 50.00	
			SOIL LBR / CBR PROFICIENCY SAMPLE		FM 5-515, D1883/T193	\$ 100.00	
			SOIL LL / PI PROFICIENCY SAMPLE		D4318/T89/T90	\$ 50.00	

PAGE TOTAL: \$ _____

CEMENT

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			C1012	LENGTH CHANGE - SULFATE		\$ 55.00	
			C109	COMPRESSIVE STRENGTH - CUBES		\$ 55.00	
			C305	MECHANICAL MIXING		\$ 55.00	
			C185	AIR CONTENT - MORTAR		\$ 55.00	
			C114	CHEMICAL ANALYSIS		\$ 55.00	
			C204	FINENESS		\$ 55.00	
			C430	FINENESS - #325		\$ 55.00	
			C151	AUTOCLAVE EXPANSION		\$ 55.00	
			C157	LENGTH CHANGE		\$ 55.00	
			C186	HEAT OF HYDRATION		\$ 55.00	
			C187	CONSISTENCY		\$ 55.00	
			C188	DENSITY		\$ 55.00	
			C191	VICAT		\$ 55.00	
			C226	AIR ENTRAINING		\$ 55.00	
			C227	ALAKALI ACTIVITY		\$ 55.00	
			C359	EARLY STIFFENING		\$ 55.00	
			C441	POZZOLAN / SLAG EXPANSION		\$ 55.00	
			C778	STANDARD SAND		\$ 55.00	

PAGE TOTAL: \$ _____

ASPHALT BINDER

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			ASTM D3666	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS *		\$ 55.00	
			ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 55.00	
			D5 / T49	PENETRATION TEST		\$ 55.00	
			D36 / T53	SOFTENING POINT		\$ 55.00	
			D70 / T228	SPECIFIC GRAVITY		\$ 55.00	
			D92 / T48	CLEVELAND FLASH		\$ 55.00	
			D113 / T51	DUCTILITY		\$ 55.00	
			D2042 / T44	SOLUBILITY TEST		\$ 55.00	
			D2170 / T201	KINEMATIC VISCOSITY		\$ 55.00	
			D2171 / T202	VISCOSITY BY VACUUM VISCOMETER		\$ 55.00	
			D2872 / T240	ROLLING THIN-FILM OVEN		\$ 55.00	
			D4402 / T316	ROTATIONAL VISCOSITY		\$ 55.00	
			D5801	TOUGHNESS AND TENACITY		\$ 55.00	
			D6084 / T301	ELASTIC RECOVERY		\$ 55.00	
			D6521 / R28	PRESSURIZED AGING VESSEL (PAV)		\$ 55.00	
			D6648 / T313	BENDING BEAM RHEOMETER (BBR)		\$ 55.00	
			D6723 / T314	DIRECT TENSION (DT)		\$ 55.00	
			D7175 / T315	DYNAMIC SHEAR RHEOMETER (DSR)		\$ 55.00	
			D7405 / T350	MULTIPLE STRESS CREEP AND RECOVERY (MSCR)		\$ 55.00	
			D7643 / R29	GRADING OR VERIFYING PGB		\$ 55.00	

* The fees for D3666 and E329 only need to be paid one time each year.

PAGE TOTAL: \$ _____

EMULSIFIED ASPHALT

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			ASTM D3666	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS *		\$ 55.00	
			ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 55.00	
			T59 / D6929	FREEZING TEST		\$ 55.00	
			T59 / D6930	SETTLEMENT AND STORAGE STABILITY		\$ 55.00	
			T59 / D6933	SIEVE TEST		\$ 55.00	
			T59 / D6934	RESIDUE BY EVAPORATION		\$ 55.00	
			T59 / D6935	CEMENT MIXING		\$ 55.00	
			T59 / D6936	DEMULSIBILITY		\$ 55.00	
			T59 / D6937	DETERMINING DENSITY		\$ 55.00	
			T59 / D6997	RESIDUE BY DISTILLATION		\$ 55.00	
			T59 / D6998	EVALUATING AGGREGATE COATING		\$ 55.00	
			T59 / D7402	PARTICLE CHARGE		\$ 55.00	
			T59 / D7496	SAYBOLT FUROL VISCOSITY @ 25°C		\$ 55.00	
			T59 / D7496	SAYBOLT FUROL VISCOSITY @ 50°C		\$ 55.00	
			D3910	DESIGN, TESTING, AND CONSTRUCTION OF SLURRY SEAL		\$ 55.00	
			D7000	SWEEP TEST		\$ 55.00	

* The fees for D3666 and E329 only need to be paid one time each year.

PAGE TOTAL: \$ _____

PAVEMENT PRESERVATION

SELECTION			PROCEDURE	DESCRIPTION	NOTES	COST	TOTAL
AASHTO / ASTM	AASHTO ONLY	ASTM ONLY					
			ASTM D3666	REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS *		\$ 55.00	
			ASTM E329	AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION *		\$ 55.00	
			ISSA TB-100	WET TRACK ABRASION OF SLURRY SURFACES		\$ 55.00	
			ISSA TB-106	MEASUREMENT OF SLURRY SEAL CONSISTENCY		\$ 55.00	
			ISSA TB-109	MEASUREMENT OF EXCESS ASPHALT IN BITUMINOUS MIXTURES BY USE OF A LOADED WHEEL TESTER AND SAND ABRASION		\$ 55.00	
			ISSA TB-112	METHOD TO ESTIMATE SLURRY SEAL SPREAD RATES AND TO MEASURE PAVEMENT MACROTEXTURE		\$ 55.00	
			ISSA TB-113	TRIAL MIX PROCEDURE FOR SLURRY DESIGN		\$ 55.00	
			ISSA TB-114	WET STRIPPING TEST FOR CURED SLURRY SEAL MIX		\$ 55.00	
			ISSA TB-115	DETERMINATION OF SLURRY SYSTEM COMPATIBILITY		\$ 55.00	
			ISSA TB-118	SURFACE AREA METHOD OF SLURRY SEAL DESIGN		\$ 55.00	
			ISSA TB-139	MODIFIED COHESION TEST		\$ 55.00	
			ISSA TB-144	COMPATIBILITY BY SHULZE-BRUER AND RUCK PROCEDURES		\$ 55.00	
			ISSA TB-147	MEASUREMENT OF STABILITY AND RESISTANCE TO COMPACTION, VERTICAL DISPLACEMENT OF MULTILAYERED FINE AGGREGATE COLD MIXTURES		\$ 55.00	
			ISSA TB-148	PREPARATION OF MICROSURFACE AND SLURRY SEAL SPECIMENS FOR EVALUATION BY HMA DESIGN METHODS		\$ 55.00	
			ISSA TB-149	METHOD FOR BOILING COMPACTIBILITY OF SLURRY SEAL MIXES		\$ 55.00	

* The fees for D3666 and E329 only need to be paid one time each year.

PAGE TOTAL: \$ _____

