

CMEC, Inc. LABORATORY ACCREDITATION APPLICATION

(Please complete the application, print, sign and date. Mail to CMEC at 2779 Apopka Blvd, Ste 1, Apopka, FL 32703)

STEP 1 — LABORATORY INFORMATION

| BILLING INFORMATION: | | |
|-----------------------|----|--|
| Laboratory: | | |
| Mailing Address: | | |
| City/State/Zip: | | |
| Phone: | F | |
| Contact Person: | | |
| | | |
| PHYSICAL INFORMATION: | | |
| Laboratory: | | |
| Mailing Address: | | |
| | | |
| Phone: | F. | |
| Lab Supervisor: | | |
| Email Address: | | |

STEP 2 — CHOOSE TYPE OF INSPECTION

The basic fee of the assessment is \$1150 for the first field of assessment, then an additional \$575 for each field added after the first. For example: If only a concrete assessment is desired, the basic fee would be \$1150. If a concrete, soil and aggregate assessment is desired, the basic fee would be \$2300. The additional cost for an ISO/IEC 17025 Accreditation is \$1200.

| SELECT | MINIMUM REQUIREMENTS | DESCRIPTION (FIELD) | BASIC FEE | TOTAL |
|--------|-------------------------|--|-----------|-------|
| | AASHTO R18 | AGGREGATE | | |
| | AASHTO R18 | CONCRETE | | |
| | AASHTO R18 | MASONRY | | |
| | AASHTO R18 | SPRAYED FIRE-RESISTIVE MATERIALS (SFRM)* | | |
| | AASHTO R18 | HOT MIX ASPHALT | | |
| | AASHTO R18 | SOIL | | |
| | AASHTO R18 | CEMENT | | |
| | AASHTO R18 | ASPHALT BINDER | | |
| | AASHTO R18 | EMULSIFIED ASPHALT | | |
| | AASHTO R18 | PAVEMENT PRESERVATION | | |
| | | ISO/IEC 17025 Accreditation** | \$1,200 | |

^{*} No additional basic fee required if included with another area (field).

^{**} An additional visit to the laboratory may be required for laboratories seeking ISO/IEC 17025 Accreditation.

STEP 3 — CHOOSE TEST METHODS

AGGREGATE

| SELECTION | | | | | | | |
|-----------------|----------------|--------------|----------------------------------|---|---------------------------------|----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | ASTM C1077 | REQUIREMENTS FOR AGENCIES TESTING CONCRETE AND AGGREGATES * | | \$ 60.00 | |
| | | | ASTM E329 | AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION * | | \$ 60.00 | |
| | | | C117 / T11 | P A SSING #200 - COARSE AGGREGATE | | | |
| | | | C136 / T27 | GRADATION - COARSE AGGREGATE | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | C117 / T11 | PASSING #200 - FINE AGGREGATE | PROFICIENCY | Φ 00.00 | |
| | | | C136 / T27 | GRADATION - FINE AGGREGATE | SAMPLE SEE BELOW | \$ 60.00 | |
| | | | C123 / T113 | LIGHTWEIGHT PIECES | | \$ 60.00 | |
| | | | C1252 / T304 | UNCOMPACTED VOID CONTENT | | \$ 60.00 | |
| | | | C127 / T85 | SPECIFIC GRAVITY COARSE AGGREGATE | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | C128 / T84 | SPECIFIC GRAVITY FINE AGGREGATE | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | C131 / T96 | LA ABRASION | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | C142 / T112 | CLAY LUMPS / FRIABLE PART | | \$ 60.00 | |
| | | | C29 / T19 | DENSITY / UNIT WEIGHT | | \$ 60.00 | |
| | | | C40 / T21 | ORGANIC IMPURITY | | \$ 60.00 | |
| | | | C566 / T255 | AGGREGATE MOISTURE CONTENT | | \$ 60.00 | |
| | | | C702 / R76 | REDUCING SAMPLES OF AGGREGATE | | \$ 60.00 | |
| | | | C88 / T104 | SODIUM SOUNDNESS | | \$ 60.00 | |
| | | | D2419 / T176 | SAND EQUIVALENT | | \$ 60.00 | |
| | | | D3744 / T210 | DURABILITY INDEX | | \$ 60.00 | |
| | | | D4791 | FLAT AND ELONGATED PARTICLES | | \$ 60.00 | |
| | | | D546 / T37 | GRADATION MINERAL FILLER | | \$ 60.00 | |
| | | | D5821 | FRACTURED PARTICLES | | \$ 60.00 | |
| | | | D75 / R90 | SAMPLING AGGREGATE | | \$ 60.00 | |
| | | | FM 5-555 | SHELL CONTENT | | \$ 60.00 | |
| | SELECTION | 1 | | PROFICIENCY SAMPLES | TESTS INCLUDED | COST | TOTAL |
| | | | FINE AGGREGAT STATISTICAL REF | E PROFICIENCY SAMPLE, DATA ANALYSIS AND PORT. | C117/T11, C136/T27, C128/T84 | \$ 60.00 | |
| | | | COARSE AGGRE | GATE PROFICIENCY SAMPLE, DATA ANALYSIS L REPORT | C127/T85, C131/T96 C136/T27 | \$ 85.00 | |

| * The fees for C1077 and E329 only need to be paid one time each year. | PAGE TOTAL: \$ |
|--|----------------|
| | |

CONCRETE

| | SELECTION | 1 | | | | | |
|-----------------|----------------|--------------|---------------------------------------|---|---------------------------------|-----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | ASTM C1077 | REQUIREMENTS FOR AGENCIES TESTING CONCRETE AND AGGREGATES * | | \$ 60.00 | |
| | | | ASTM E329 | AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION * | | \$ 60.00 | |
| | | | C1064 / T309 | TEMPERATURE | | \$ 60.00 | |
| | | | C1231 | UNBONDED PAD CAPS | | \$ 60.00 | |
| | | | C138 / T121 | DENSITY / UNIT WEIGHT | | \$ 60.00 | |
| | | | C143 / T119 | SLUMP | | \$ 60.00 | |
| | | | C1524 | WATER EXTRACTABLE CHLORIDE | | \$ 60.00 | |
| | | | C157 / T160 | SHRINKAGE / EXPANSION | | \$ 60.00 | |
| | | | C1610/ R81 | STATIC SEGREGATION OF SELF CONSOLIDATING CONCRETE | | \$ 60.00 | |
| | | | C1611 / T347 | SLUMP FLOW OF SELF-CONSOLIDATING CONCRETE | | \$ 60.00 | |
| | | | C1621 / T345 | PASSING ABILITY OF SELFCONSOLIDATING CONCRETE BY J-RING | | \$ 60.00 | |
| | | | C172 / R60 | SAMPLING FRESHLY MIXED CONCRETE | | \$ 60.00 | |
| | | | C173 / T196 | AIR - VOLUMETRIC METER | | \$ 60.00 | |
| | | | C1712 | RAPID ASSESSMENT OF STATIC SEGREGATION RESISTANCE OF SCC | | \$ 60.00 | |
| | | | C1758 | FABRICATING TEST SPECIMENS WITH SELFCONSOLIDATING CONCRETE | | \$ 60.00 | |
| | | | C192 / R39 | LABORATORY CAST SPECIMENS | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | C231 / T152 | AIR - PRESSURE METER | | \$ 60.00 | |
| | | | C31 / R100 | CASTING SPECIMENS | | \$ 60.00 | |
| | | | C39 / T22 | COMPRESSIVE STRENGTH | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | C42 / T24 | DRILLED CORES | | \$ 60.00 | |
| | | | C496 / T198 | SPLITTING TENSILE STRENGTH | | \$ 60.00 | |
| | | | C511 / M201 | CURING FACILITIES | | \$ 60.00 | |
| | | | C617 / T231 | CAPPING SPECIMENS | | \$ 60.00 | |
| | | | C78 / T97 | FLEXURAL STRENGTH | | \$ 60.00 | |
| | | | C803 | PENETRATION RESISTANCE | | \$ 60.00 | |
| | | | C805 | REBOUND NUMBER | | \$ 60.00 | |
| | | | C939 | GROUT FLOW | | \$ 60.00 | |
| | | | C1074 | ESTIMATING CONCRETE STRENGTH BY THE MATURING METHOD | | \$ 60.00 | |
| | | | FM 3 - C1074 | ESTIMATING THE STRENGTH OF HIGH EARLY STRENGTH CONCRETE USING THE MATURITY METHOD | | \$ 60.00 | |
| | | | FM 5 - 516 | ACID SOLUBLE CHLORIDE | | \$ 60.00 | |
| | | | T358 | SURFACE RESITIVITY INDICATION OF CONCRETE'S ABILITY TO RESIST CHLORIDE ION PENETRATION | | \$ 60.00 | |
| | SELECTION | | | PROFICIENCY SAMPLES | TESTS INCLUDED | COST | TOTAL |
| | | | CONCRETE CYLIND STATISTICAL REPOR | ERS PROFICIENCY SAMPLE, DATA ANALYSIS AND RT. | C39/T22 | \$ 90.00 | |
| | | | CONCRETE MIX DES STATISTICAL REPOR | SIGN PROFICIENCY SAMPLE, DATA ANALYSIS AND RT. | C192/T126 | \$ 275.00 | |

| PAGE TOTAL: | \$ |
|-------------|----|
| | |

^{*} The fees for C1077 and E329 only need to be paid one time each year.

MASONRY / MORTAR / GROUT

| | SELECTION | 1 | | | | | |
|-----------------|----------------|--------------|-------------|---|-------|----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | ASTM C1093 | ACCREDITATION FOR TESTING AGENCIES FOR MASONRY | | \$ 60.00 | |
| | | | ASTM E329 | AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION | | \$ 60.00 | |
| | | | C109 / T106 | MORTAR CUBES | | \$ 60.00 | |
| | | | C1019 | GROUT PRISMS | | \$ 60.00 | |
| | | | C1314 | MASONRY PRISMS | | \$ 60.00 | |
| | | | C1552 | CAPPING MASONRY UNITS AND PRISMS | | \$ 60.00 | |
| | | | C140 | MASONRY UNITS | | \$ 60.00 | |
| | | | C305 / T162 | MIXING OF MORTAR | | \$ 60.00 | |
| | | | C426 | DRYING SHRINKAGE | | \$ 60.00 | |
| | | | C511 / M201 | MOISTURE ROOMS | | \$ 60.00 | |
| | | | C780 | EVALUATION OF MORTAR | | \$ 60.00 | |
| | | | R64 | SAMPLING AND FABRICATING OF 2 IN. CUBE SPECIMENS USING GROUT/MORTAR | | \$ 60.00 | |

| PAGE TOTAL: | \$ |
|--------------|----|
| I AUL IUIAL. | Ψ |

SPRAYED FIRE-RESISTIVE MATERIALS (SFRM)

| : | SELECTION | | | | | | |
|-----------------|----------------|--------------|-----------|---|-------|----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | E605 | THICKNESS AND DENSITY OF SPRAYED FIRE-RESISTIVE MATERIAL (SFRM) APPLIED TO STRUCTURAL MEMBERS | | \$ 60.00 | |
| | | | E736 | COHESION / ADHESION OF SPRAYED FIRERESISTIVE MATERIALS APPLIED TO STRUCTURAL MEMBERS | | \$ 60.00 | |

PAGE TOTAL: \$_____

HOT MIX ASPHALT

| | SELECTION | | | | | | |
|-----------------|----------------|--------------|---|---|---|----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | ASTM D3666 | REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS * | | \$ 60.0 | 0 |
| | | | ASTM E329 | AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION * | | \$ 60.0 | 0 |
| | | | D1188 / T275 | BULK SG PARAFFIN COATED | | \$ 60.0 |) |
| | | | D1856 / R59 | ABSON RECOVERY | | \$ 60.0 | 0 |
| | | | D2041 / T209 | MAXIMUM SPECIFIC GRAVITY | PROFICIENCY SAMPLE SEE BELOW | \$ 60.0 | |
| | | | D2172 / T164 | QUANTITATIVE EXTRACTION | | \$ 60.0 | 0 |
| | | | D2726 / T166 | BULK SPECIFIC GRAVITY | PROFICIENCY SAMPLE SEE BELOW | \$ 60.0 | |
| | | | D3203 / T269 | PERCENT AIR VOIDS | | \$ 60.0 |) |
| | | | D4125 / T287 | ASPHALT CONTENT NUCLEAR METHOD | | \$ 60.0 | 0 |
| | | | D4867 / T283 | RESISTANCE TO MOISTURE | | \$ 60.0 | 0 |
| | | | D5404 | ROTAVAPOR RECOVERY | | \$ 60.0 | 0 |
| | | | D5444 / T30 | MECHANICAL ANALYSIS EXTRACTED AGGREGATE | PROFICIENCY SAMPLE SEE BELOW | \$ 60.0 | |
| | | | D6307 / T308 | ASPHALT CONTENT BY IGNITION | PROFICIENCY SAMPLE SEE BELOW | \$ 60.0 | |
| | | | D6925 / T312 | GYRATORY COMPACTION | PROFICIENCY SAMPLE SEE BELOW | \$ 60.0 | |
| | | | D6926 / R68 | MARSHALL RESISTANCE | PROFICIENCY SAMPLE SEE BELOW | \$ 60.0 | |
| | | | D6927 / T245 | MARSHALL RESISTANCE | PROFICIENCY SAMPLE SEE BELOW | \$ 60.0 | |
| | | | D7227 / R79 | DRYING OF COMPACTED HMA SPECIMENS USING VACUUM DRYING APPARATUS | | \$ 60.0 | |
| | | | T324 | HAMBURG WHEEL-TRACKING TEST | | \$ 60.0 | 0 |
| | | | T329 | MOISTURE CONTENT OF HMA BY OVEN | | \$ 60.0 |) |
| | | | D6752/T331 | BULK SPECIFIC GRAVITY USING VACUUM SEALING METHOD | | \$ 60.0 | |
| | | | R30 | MIXTURE CONDITIONING OF HOT MIX ASPHALT | | \$ 60.0 | o l |
| | | | R47 | REDUCING SAMPLES OF HOT MIX ASPHALT TO TESTING SIZE | | \$ 60.0 | o l |
| | | | D6390 | DRAINDOWN CHARACTERISTICS IN UNCOMPACTED ASPHALT MIXTURES | | \$ 60.0 | 0 |
| | SELECTION | ı | | PROFICIENCY SAMPLES | TESTS INCLUDED | COST | TOTAL |
| | | | HOT MIX ASPHALT G AND STATISTICAL R | SYRATORY PROFICIENCY SAMPLE, DATA ANALYSIS EPORT. | T312/D6925, T30/ D5444, T166/D2726, T209/D2041, T308/D6307 | \$ 170.0 | |
| | | | HOT MIX ASPHALT IN AND STATISTICAL R | MARSHALL PROFICIENCY SAMPLE, DATA ANALYSIS EPORT. | T245/D6926/D6927, T30/D5444, T166/ D2726, T209/D2041, T308/D6307 | \$ 170.0 | 0 |

| PAGE TOTAL: | \$ |
|-------------|----|
| FAGE TOTAL. | Φ |

 $^{^{\}star}$ The fees for D3666 and E329 only need to be paid one time each year.

SOIL

| SELECTION | | | | | | | |
|-----------------|----------------|--------------|-----------------|---|---------------------------------|----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| ASTM | ONEI | ONLI | ASTM D3740 | REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING SOIL / ROCK * | | \$ 60.00 | |
| | | | ASTM E329 | AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION * | | \$ 60.00 | |
| | | | D1140 | MATERIAL FINER THAN #200 | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | D1556 / T191 | DENSITY AND UNIT WEIGHT OF SOIL IN PLACE BY THE SAND CONE METHOD | | \$ 60.00 | |
| | | | D1557 / T180 | COMPACTION - MODIFIED | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | D1883 / T193 | CBR | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | D2166 / T208 | UNCONFINED COMPRESSIVE STRENGTH | | \$ 60.00 | |
| | | | D2216 / T265 | MOISTURE CONTENT | | \$ 60.00 | |
| | | | D2419 / T176 | SAND EQUIVALENT | | \$ 60.00 | |
| | | | D2434 / T215 | PERMEABILITY OF GRANULAR SOILS | | \$ 60.00 | |
| | | | D2435 / T216 | ONE DIMENSIONAL CONSOLIDATION | | \$ 60.00 | |
| | | | D2487 | CLASSIFICATION OF SOILS | | \$ 60.00 | |
| | | | D2488 | DESCRIPTION OF SOILS | | \$ 60.00 | |
| | | | D2844 / T190 | RESISTANCE R VALUE | | \$ 60.00 | |
| | | | D2850 / T296 | UNCONSOLIDATED UNDRAINED TRIAX | | \$ 60.00 | |
| | | | D3080 / T236 | DIRECT SHEAR | | \$ 60.00 | |
| | | | D421 / R58 | DRY PREPARATION | | \$ 60.00 | |
| | | | D7928 / T88 | PARTICLE SIZE | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | D4318 / T89 T90 | LIQUID AND PLASTIC LIMITS | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | D4767 / T297 | CONSOLIDATED UNDRAINED TRIAX | | \$ 60.00 | |
| | | | D4944 / T217 | SPEEDY MOISTURE TEST | | \$ 60.00 | |
| | | | D5084 | PERMEABILITY FLEX WALL | | \$ 60.00 | |
| | | | D558 / T134 | SOIL CEMENT | | \$ 60.00 | |
| | | | D559 / T135 | SOIL CEMENT - WETTING & DRYING | | \$ 60.00 | |
| | | | D560 / T136 | SOIL CEMENT - FREEZE THAW | | \$ 60.00 | |
| | | | D6938 / T310 | MOISTURE / DENSITY GAGE | | \$ 60.00 | |
| | | | D698 / T99 | COMPACTION - STANDARD | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | D854 / T100 | SPECIFIC GRAVITY | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |

| PAGE 1 | - ΙΔΤΩΙ | \$ |
|--------|---------|----|

 $^{^{\}star}$ The fees for D3740 and E329 only need to be paid one time each year.

SOIL (Continued)

| SELECTION | | | | | | | |
|-----------------|----------------|--------------|-----------|---------------------------------|---------------------------------|----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | FM 5-514 | CARBONATE CONTENT | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | FM 5-515 | LBR | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | FM 1-T099 | STANDARD COMPACTION FDOT METHOD | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | FM 1-T180 | MODIFIED COMPACTION FDOT METHOD | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | FM 5-550 | PH IN SOIL | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | FM 5-551 | RESISTIVITY IN SOIL | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | FM 5-552 | CHLORIDE IN SOIL | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | FM 5-553 | SULFATE IN SOIL | PROFICIENCY SAMPLE SEE BELOW | \$ 60.00 | |
| | | | R74 | WET PREPARATION | | \$ 60.00 | |
| | | | T267 | LOSS ON IGNITION | | \$ 60.00 | |
| _ ; | SELECTION | 1 | | PROFICIENCY SAMPLES | TESTS INCLUDED | COST | TOTAL |
| | | | | · | | | |
| | | | | | | | |

| SOIL PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT. | D698/T99, D1557/T180, D1140, D422/T88, D854/ T100, FM 5-550, FM 5- 551, FM 5-552, FM 5-553 | \$ 120.00 | |
|--|--|--------------|--|
| CARBONATE CONTENT SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT. | FM 5-514 | \$ 65.00 | |
| SOIL LBR / CBR PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT. | FM 5-515, D1883/T193 | \$ 120.00 | |
| SOIL LL / PI PROFICIENCY SAMPLE, DATA ANALYSIS AND STATISTICAL REPORT. | D4318/T89/T90 | \$ 65.00 | |

| PAGE TOTAL: | \$ |
|--------------|----|
| I AGE IOIAL. | Ψ |

CEMENT

| : | SELECTION | | | | | | |
|-----------------|----------------|--------------|-----------|------------------------------|-------|----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | C1012 | LENGTH CHANGE - SULFATE | | \$ 60.00 | |
| | | | C109 | COMPRESSIVE STRENGTH - CUBES | | \$ 60.00 | |
| | | | C305 | MECHANICAL MIXING | | \$ 60.00 | |
| | | | C185 | AIR CONTENT - MORTAR | | \$ 60.00 | |
| | | | C114 | CHEMICAL ANALYSIS | | \$ 60.00 | |
| | | | C204 | FINENESS | | \$ 60.00 | |
| | | | C430 | FINENESS - #325 | | \$ 60.00 | |
| | | | C151 | AUTOCLAVE EXPANSION | | \$ 60.00 | |
| | | | C157 | LENGTH CHANGE | | \$ 60.00 | |
| | | | C186 | HEAT OF HYDRATION | | \$ 60.00 | |
| | | | C187 | CONSISTENCY | | \$ 60.00 | |
| | | | C188 | DENSITY | | \$ 60.00 | |
| | | | C191 | VICAT | | \$ 60.00 | |
| | | | C226 | AIR ENTRAINING | | \$ 60.00 | |
| | | | C227 | ALAKALI ACTIVITY | | \$ 60.00 | |
| | | | C359 | EARLY STIFFENING | | \$ 60.00 | |
| | | | C441 | POZZOLAN / SLAG EXPANSION | | \$ 60.00 | |
| | | | C778 | STANDARD SAND | | \$ 60.00 | |

PAGE TOTAL: \$____

ASPHALT BINDER

| | SELECTION | | | | | | |
|-----------------|----------------|--------------|--------------|---|-------|----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | ASTM D3666 | REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS * | | \$ 60.00 | |
| | | | ASTM E329 | AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION * | | \$ 60.00 | |
| | | | D5 / T49 | PENETRATION TEST | | \$ 60.00 | |
| | | | D36 / T53 | SOFTENING POINT | | \$ 60.00 | |
| | | | D70 / T228 | SPECIFIC GRAVITY | | \$ 60.00 | |
| | | | D92 / T48 | CLEVELAND FLASH | | \$ 60.00 | |
| | | | D113 / T51 | DUCTILITY | | \$ 60.00 | |
| | | | D2042 / T44 | SOLUBILITY TEST | | \$ 60.00 | |
| | | | D2170 / T201 | KINEMATIC VISCOSITY | | \$ 60.00 | |
| | | | D2171 / T202 | VISCOSITY BY VACUUM VISCOMETER | | \$ 60.00 | |
| | | | D2872 / T240 | ROLLING THIN-FILM OVEN | | \$ 60.00 | |
| | | | D4402 / T316 | ROTATIONAL VISCOSITY | | \$ 60.00 | |
| | | | D5801 | TOUGHNESS AND TENACITY | | \$ 60.00 | |
| | | | D6084 / T301 | ELASTIC RECOVERY | | \$ 60.00 | |
| | | | D6521 / R28 | PRESSURIZED AGING VESSEL (PAV) | | \$ 60.00 | |
| | | | D6648 / T313 | BENDING BEAM RHEOMETER (BBR) | | \$ 60.00 | |
| | | | D6723 / T314 | DIRECT TENSION (DT) | | \$ 60.00 | |
| | | | D7175 / T315 | DYNAMIC SHEAR RHEOMETER (DSR) | | \$ 60.00 | |
| | | | D7405 / T350 | MULTIPLE STRESS CREEP AND RECOVERY (MSCR) | | \$ 60.00 | |
| | | | D7643 / R29 | GRADING OR VERIFYING PGB | | \$ 60.00 | |

 $^{^{\}star}$ The fees for D3666 and E329 only need to be paid one time each year.

PAGE TOTAL: \$_____

EMULSIFIED ASPHALT

| SELECTION | | | | | | | |
|-----------------|----------------|--------------|-------------|---|-------|----------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | ASTM D3666 | REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS * | | \$ 60.00 | |
| | | | ASTM E329 | AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION * | | \$ 60.00 | |
| | | | T59 / D6929 | FREEZING TEST | | \$ 60.00 | |
| | | | T59 / D6930 | SETTLEMENT AND STORAGE STABILITY | | \$ 60.00 | |
| | | | T59 / D6933 | SIEVE TEST | | \$ 60.00 | |
| | | | T59 / D6934 | RESIDUE BY EVAPORATION | | \$ 60.00 | |
| | | | T59 / D6935 | CEMENT MIXING | | \$ 60.00 | |
| | | | T59 / D6936 | DEMULSIBILITY | | \$ 60.00 | |
| | | | T59 / D6937 | DETERMINING DENSITY | | \$ 60.00 | |
| | | | T59 / D6997 | RESIDUE BY DISTILLATION | | \$ 60.00 | |
| | | | T59 / D6998 | EVALUATING AGGREGATE COATING | | \$ 60.00 | |
| | | | T59 / D7402 | PARTICLE CHARGE | | \$ 60.00 | |
| | | | T59 / D7496 | SAYBOLT FUROL VISCOSITY @ 25°C | | \$ 60.00 | |
| | | | T59 / D7496 | SAYBOLT FUROL VISCOSITY @ 50°C | | \$ 60.00 | |
| | | | D3910 | DESIGN, TESTING, AND CONSTRUCTION OF SLURRY SEAL | | \$ 60.00 | |
| | | | D7000 | SWEEP TEST | | \$ 60.00 | |

^{*} The fees for D3666 and E329 only need to be paid one time each year.

PAGE TOTAL: \$___

PAVEMENT PRESERVATION

| | SELECTION | | | | | | |
|-----------------|----------------|--------------|-------------|---|-------|--------------|-------|
| AASHTO/ ASTM | AASHTO ONLY | ASTM ONLY | PROCEDURE | DESCRIPTION | NOTES | COST | TOTAL |
| | | | ASTM D3666 | REQUIREMENTS FOR AGENCIES TESTING AND INSPECTING ROAD AND PAVING MATERIALS * | | \$ 60.00 | |
| | | | ASTM E329 | AGENCIES ENGAGED IN CONSTRUCTION INSPECTION, TESTING AND SPECIAL INSPECTION * | | \$ 60.00 | |
| | | | ISSA TB-100 | WET TRACK ABRASION OF SLURRY SURFACES | | \$ 60.00 | |
| | | | ISSA TB-106 | MEASUREMENT OF SLURRY SEAL CONSISTENCY | | \$ 60.00 | |
| | | | ISSA TB-109 | MEASUREMENT OF EXCESS ASPHALT IN BITUMINOUSMIXTURES BY USE OF A LOADED WHEEL TESTER AND SAND ABRASION | | \$ 60.00 | |
| | | | ISSA TB-112 | METHOD TO ESTIMATE SLURRY SEAL SPREAD RATES AND TO MEASURE PAVEMENT MACROTEXTURE | | \$ 60.00 | |
| | | | ISSA TB-113 | TRIAL MIX PROCEDURE FOR SLURRY DESIGN | | \$ 60.00 | |
| | | | ISSA TB-114 | WET STRIPPING TEST FOR CURED SLURRYSEAL MIX | | \$ 60.00 | |
| | | | ISSA TB-115 | DETERMINATION OF SLURRY SYSTEM COMPATIBILITY | | \$ 60.00 | |
| | | | ISSA TB-118 | SURFACE AREA METHOD OF SLURRY SEAL DESIGN | | \$ 60.00 | |
| | | | ISSA TB-139 | MODIFIED COHESION TEST | | \$ 60.00 | |
| | | | ISSA TB-144 | COMPATIBILITY BY SHULZE-BRUER AND RUCK PROCEDURES | | \$ 60.00 | |
| | | | ISSA TB-147 | MEASUREMENT OF STABILITY AND RESISTANCE TO COMPACTION, VERTICAL DISPLACEMENT OF MULTILAYERED FINE AGGREGATE COLD MISCURES | | \$ 60.00 | |
| | | | ISSA TB-148 | PREPARATION OF MICROSURFACE AND SLURRY SEAL SPECIMENS FOR EVALUATION BY HMA DESIGN METHODS | | \$ 60.00 | |
| | | | ISSA TB-149 | METHOD FOR BOILING COMPACTIBILITY OF SLURRY SEAL MIXES | | \$ 60v.00 | |

^{*} The fees for D3666 and E329 only need to be paid one time each year.

PAGE TOTAL: \$____

STEP 4 — PAYMENT OPTIONS

| TOTAL AMOUNT OF FEES: | | \$ | | | | | |
|--|--|-----------|--|--|--|--|--|
| Prices are subject to change. Current application fees are available on the CMEC website. | | | | | | | |
| Please submit payment for the assessment along with your application. | | | | | | | |
| NOTE: Laboratories applying for CMEC Accreditation that are located more than 1,000 land miles from Orlando, FL may incur additional travel and expenses fees. Laboratories that are located outside of the 48 contiguous United States should contact CMEC directly for special application processing. | | | | | | | |
| policies and procedures pertaining to this program. It a full report at the conclusion of the assessment, indiction further understand that all nonconformities must be contoc to CMEC within 30 days from the date of assessment laboratory. | I agree to all the requirements for accreditation and to follow those requirements specified in CMEC's | | | | | | |
| SIGNATURE TITLE DATE | | | | | | | |
| □ CHECK INCLUDED NUMBER | _ ENCLOSED IN THE AMOU | JNT OF \$ | | | | | |

Mail this application form with check payable to: CMEC, 2779 Apopka Blvd, Ste 1, Apopka, FL 32703 Phone: 407-628-3682 • Fax: 407-628-3283