

NC Controlled Substance License #:  
**NC-DHHS-1002881**  
 DEA Controlled Substance License #:  
**RD0577986**  
 ISO 17025 Certification:  
**PENDING**  
 Proficiency Testing Enrolled:  
 Hemp PT Program U of Kentucky  
 Regulatory Services



**Laboratory Location:**  
 6308 Angus Drive, Ste B  
 Raleigh NC 27617  
 919-673-7153 / 919-450-1870  
 frank@delta9analytical.com  
 michael@delta9analytical.com

Client Acct#: 21  
 Client Name: East Coast Pharmacies  
 Client Address: 8528 Market Street  
 Wilmington, NC 28411

NC Processor Lic#: **14754**  
 Received Date: 09032020  
 Reported Date: 09052020  
 Sample ID: **0000426**

Sample: **STE Charcoal Face Mask**  
 Sample Type: Extract  
 Sample Matrix: Charcoal/cream  
 Sample Size: 8 oz/240 mL

## Certificate of Analysis – Hemp



Scan to verify  
**CofA** at  
 www.delta9anal  
 ytical .com

<b>ND</b> *TOTAL THC	<b>ND</b> Δ9 THC
<b>0.4491%</b> *TOTAL CBD	<b>0.4491%</b> *TOTAL Cannabinoids

### Quick Summary




Batch Photo

## CANNABINOID PROFILE

(Tested by High-Performance Liquid Chromatography Mass Spectrometry)

<u>Cannabinoid</u>	<u>% Wt</u>	<u>Cocn (mg/mL)</u>	<u>LOQ (%Wt)</u>
Cannabinol (CBN)	ND	ND	< 0.01
Δ8-THC	ND	ND	< 0.01
Cannabichromene (CBC)	ND	ND	< 0.01
Cannabigerol (CBG)	ND	ND	< 0.01
Cannabidiol (CBD)	0.4491	4.491	< 0.01
Cannabigerolic Acid (CBGA)	ND	ND	< 0.01
Cannabidivarin (CBDV)	ND	ND	< 0.01
Cannabidolic Acid (CBDA)	ND	ND	< 0.01
Δ9-Tetrahydrocannabinolic Acid (THCA)	ND	ND	< 0.01
Tetrahydrocannabidvarian (THCV)	ND	ND	< 0.01
**Δ9-THC	ND	ND	< 0.01
*TOTAL CANNABINOIDS	0.4491	4.491	< 0.01
*TOTAL THC	ND	ND	< 0.01
*TOTAL CBD	0.4491	4.491	< 0.01

### SAMPLE CERTIFICATION

 09/05/2020  
 Frank P. Maurio COO/Michael R. Horton CSO & Date

\*Calculated as follows: Total CBD/G = CBD/GA% (0.877) + CBD/G%. Total THC = THCA % (0.877) + Δ9-THC %. \*Total Cannabinoids is the absolute sum of all cannabinoids detected.

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. \*\*The uncertainty of measurement associated with the measurement result reported in this certificate is available from D9A upon request. This report may not be reproduced, except in full, without the written approval of D9A.