

NC Controlled Substance License #: **NC-DHHS-1002881**
 DEA Controlled Substance License #: **RD0577986**
 ISO 17025 Certification: **PENDING**
 Proficiency Testing Enrolled:
Hemp PT Program U of Kentucky

9
ANALYTICAL
Delta 9 Analytical
 Professional, Accurate, Responsive

Laboratory Location:
 6308 Angus Drive, Ste B
 Raleigh NC 27617
 919-673-7153 / 919-450-1870
 frank@delta9analytical.com
 michael@delta9analytical.com

Remarketed by Legacy
 Farms Cannabis Verified /
 Inspected Production Partner

NC Processor Lic#: **14754**
 Received Date: 08/28/2020
 Reported Date: 08/30/2020
 Sample ID: **0000381**

Sample Strain: **Elektra**
 Sample Type: Flower
 Sample Matrix: Cured
 Sample Size: 1.972g

Certificate of Analysis – Hemp




Scan to verify
 CofA at
www.delta9analytical.com

0.2253%
 *TOTAL THC

0.1852%
 Δ9 THC

9.037%
 *TOTAL
 CBD

10.30%
 *TOTAL
 Cannabinoids



Batch Photo

Quick Summary

Moisture Test Results
2.22% (Loss on drying)

CANNABINOID PROFILE

(Tested by High-Performance Liquid Chromatography Mass Spectrometry)

<u>Cannabinoid</u>	<u>% Wt</u>	<u>Cocn (mg/mL)</u>	<u>LOQ (%Wt)</u>
Cannabinol (CBN)	0.0356	0.356	< 0.01
Δ8-THC	ND	ND	< 0.01
Cannabichromene (CBC)	0.2249	2.249	< 0.01
Cannabigerol (CBG)	0.0541	0.541	< 0.01
Cannabidiol (CBD)	4.626	46.26	< 0.01
Cannabigerolic Acid (CBGA)	0.0717	0.717	< 0.01
Cannabidivarin (CBDV)	0.0263	0.263	< 0.01
Cannabidolic Acid (CBDA)	5.0298	50.298	< 0.01
Δ9-Tetrahydrocannabinolic Acid (THCA)	0.0457	0.457	< 0.01
Tetrahydrocannabidvarian (THCV)	ND	ND	< 0.01
**Δ9-THC	0.1852	1.852	< 0.01
*TOTAL CANNABINOIDS	10.2993	102.993	< 0.01
*TOTAL THC	0.2253	2.253	< 0.01
*TOTAL CBD	9.037	90.37	< 0.01

SAMPLE CERTIFICATION


 Frank P. Maurio COO/Michael R. Horton CSO & Date 08/30/2020

*Calculated as follows: Total CBD/G = CBD/GA% (0.877) + CBD/G%. Total THC = THCA % (0.877) + Δ9-THC %. *Total Cannabinoids is the absolute sum of all cannabinoids detected.

Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. **The uncertainty of measurement associated with the measurement result reported in this certificate is available from D9A upon request. This report may not be reproduced, except in full, without the written approval of D9A.