

NC Controlled Substance License #: **NC-DHHS-1002881**
 DEA Controlled Substance License #: **RD0577986**
 ISO 17025 Certification: **PENDING**
 Proficiency Testing Enrolled: **Hemp PT Program U of Kentucky Regulatory Services**

9
ANALYTICAL
Delta 9 Analytical
 Professional, Accurate, Responsive

Laboratory Location:
 6308 Angus Drive, Ste B
 Raleigh NC 27617
 919-673-7153 / 919-450-1870
 frank@delta9analytical.com
 michael@delta9analytical.com

Remarketed by Legacy
 Farms Cannabis Verified /
 Inspected Production Partner

NC Processor Lic#: **14754**
 Received Date: 09282020
 Reported Date: 09302020
 Sample ID: **721**

Sample: **Stem Cell**
 Sample Type: Hemp Flower
 Sample Matrix: Plant, Cured
 Sample Size: 1.60g

Certificate of Analysis – Hemp



Scan to verify
 CofA at
www.delta9analytical.com

<0.05% *TOTAL THC	ND Δ9 THC
11.04% *TOTAL CBG	12.60% *TOTAL Cannabinoids



Batch Photo

Quick Summary

Moisture Test Results
2.27% (Loss on drying)

CANNABINOID PROFILE

(Tested by High-Performance Liquid Chromatography Mass Spectrometry)

<u>Cannabinoid</u>	<u>% Wt</u>	<u>Cocn (mg/mL)</u>	<u>LOQ (%Wt)</u>
Cannabinol (CBN)	ND	ND	< 0.05
Δ8-THC	ND	ND	< 0.05
Cannabichromene (CBC)	0.0961	0.961	< 0.05
Cannabigerol (CBG)	0.6269	6.269	< 0.05
Cannabidiol (CBD)	ND	ND	< 0.05
Cannabigerolic Acid (CBGA)	11.875	118.75	< 0.05
Cannabidivarin (CBDV)	ND	ND	< 0.05
Cannabidolic Acid (CBDA)	ND	ND	< 0.05
Δ9-Tetrahydrocannabinolic Acid (THCA)	<0.05	<0.05	< 0.05
Tetrahydrocannabidvarian (THCV)	ND	ND	< 0.05
**Δ9-THC	ND	ND	< 0.05
*TOTAL CANNABINOIDS	12.598	125.98	< 0.05
*TOTAL THC	<0.05	<0.05	< 0.05
*TOTAL CBG	11.041	110.41	< 0.05

SAMPLE CERTIFICATION

09302020

Frank P. Maurio COO/Michael R. Horton CSO & Date

**Calculated as follows: Total CBD/G = CBD/GA% (0.877) + CBD/G%. Total THC = THCA % (0.877) + Δ9-THC %. *Total Cannabinoids is the absolute sum of all cannabinoids detected.*

*Testing results are based solely upon the sample submitted to Delta 9 Analytical, LLC. (D9A) In the condition it was received. D9A warrants that all analytical work is conducted professionally in accordance with all applicable standard practices using validated methods utilizing certified reference standards. **The uncertainty of measurement associated with the measurement result reported in this certificate is available from D9A upon request. This report may not be reproduced, except in full, without the written approval of D9A.*