

NICHE ANALYSIS, INC.

1025 Westchester Avenue, Suite 108

White Plains, NY 10604

TEL: (914) 288-0805

FAX: (914) 288-0807

CLIENT:**PROJECT:****ABATED (ACM)****LOCATION:****ADDRESS:****TECHNICIAN:****DATE:**

| | |
|---------------------------------|--------------------------|
| NICHE ID | |
| CLIENT ID | |
| CONTRACT ID | |
| ANALYSIS: (CHECK ONE) | PCM – NIOSH 7400 |
| | TEM – AHERA |
| | AAS-NIOSH 7082 Pb |

AIR MONITORING LOG / CHAIN-OF-CUSTODY

PAGE of

| SAMPLE ID # | TYPE / PHASE II | SAMPLE DESCRIPTION/LOCATION | PUMP ID | TIME (min) | | FLOW RATE (liter/min) | | VOLUME (liters) | NOTE (f/cc) |
|----------------|--------------------|--|------------|------------|-------|-----------------------|------|--------------------|----------------|
| | | | | ON/OFF | TOTAL | START/END | AVG. | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |
| | | <input type="checkbox"/> IWA <input type="checkbox"/> OWA | | | | | | | |

| RESULTS TAT | | RESULTS CONTACT TO | | | |
|-------------------------|--------|--------------------|--|--|--|
| RUSH | 24 HR | NAME | | | |
| 48 HR | >72 HR | PHONE/FAX/E-MAIL | | | |
| RELINGUISHED BY: | | DATE: | | | |
| SIGNATURE: | | TIME: | | | |
| RECEIVED BY: | | DATE: | | | |
| SIGNATURE: | | TIME: | | | |
| RELINGUISHED BY: | | DATE: | | | |
| SIGNATURE: | | TIME: | | | |
| RECEIVED BY: | | DATE: | | | |
| SIGNATURE: | | TIME: | | | |

| LAB NAME: | | |
|----------------------------------|--|---|
| CASSETTE LOT # | | CALIBRATION |
| | | ROTOMETER ID: |
| | | CF = |
| | | CAL DATE: |
| SAMPLE TYPE | | ICR 56 - PHASE II |
| 1 – Pre-Abate / Background | | A – Work Area Prep & Enclosure Construction |
| 2 – During Preparation | | B – ACM Abate, Initial Cleans & Waste Removal |
| 3 – During Abate | | C – Final Cleaning & Clearance Air Sampling |
| 4 – During Cleanup | | D – Final Waste Removal from Site |
| 5 – Post Abate (Final Clearance) | | ABBREVIATION |
| 6 – Personal (OSHA) | | IWA - Inside Work Area |
| 7 – Other () | | OWA - Outside Work Area |