



COVENANT CIRCUMCISION

Updated: Dec 3, 2022

A Righteous Guide to Home Circumcision

Shalom and Blessings

Here you will find everything you need to know about Circumcision with detailed instructions on how to perform it without the unnecessary use of medical intervention.

Everlasting Covenant

Scripture is very clear that circumcision is an everlasting covenant, throughout our generations. We are commanded to circumcise our son's on the 8th day. This is an act that brings them into covenant with the Most High.

The very first Biblical mention of circumcision is in Genesis 17...

This is my covenant, which ye shall guard, between Me and you and your seed after you; Every male child among you shall be circumcised. And ye shall circumcise **תא** the flesh of your foreskin; and it shall be a sign of the covenant betwixt Me and you. And he that is eight days old shall be circumcised among you, every male child in your generations, he that is born in the house, or bought with money of any stranger, which is not of your seed. He that is born in your house, and he that is bought with your money, must need to be circumcised: and My covenant shall be in your flesh for an everlasting covenant. And the uncircumcised male child whose flesh of his foreskin is not circumcised, that soul shall be cut off from his people; he has broken My covenant. BERE'SHIYTH (GENESIS) 17:10-14 **תא** CEPHER

Before you perform the circumcision, I recommend that you read these verses to the male being circumcised (along with any others that are laid on your heart), and pray over them. It is important to have the Most High be your main focus, and rejoice in the covenant that He has laid before all of His children.

Why should all circumcisions be performed at home?

It is very important for us to be the ones to bring our own son's into covenant with the Most High, instead of a stranger, who most likely is not walking in His ways.

When we had our first boy, I diligently studied every option for circumcision that I could find. The option that I will be walking you through, is the only biblical and righteous way to perform circumcisions, but nevertheless I will show you all of your options and let you choose for yourself.

Basic Penial Anatomy


Before we walk through your options, we need to talk about basic penial anatomy.

When babies are born, they have extra skin that covers the glans (head) of their penis, this is called the foreskin. For the first couple years of their lives, their foreskin is attached to the glans with fibrous membranes. As they get older, the rest of the skin over the glans will naturally separate from it.



(Click on the pictures to Enlarge)

An amazing fact: the Most High created in all baby boys for there to be a huge spike in Vitamin K on the 8th Day. Vitamin K is the most essential element in clotting blood! He knew what He was doing when He commanded Avraham to circumcise all of his son's on the 8th day, and prepared for it from the beginning!



Disclaimers

(Disclaimer #1 The following information is solely about modern circumcision performed by medical professionals. The Righteous Guide to Circumcision will be at the end. But I strongly urge you to read through the entire article, so that you can make a wise informed decision after looking at every option.)

(Disclaimer #2 Some of the information discussed in this article is very disturbing. Proceed with care.)

Modern Circumcision


If you choose to forgo a circumcision performed by a "medical professional", you will have a few different options.

With all medical options, your baby will be strapped down to a cold medical table, so that they are unable to move. There will be bright lights and loud noises, creating a very unsettling environment for your baby. Most doctors will not allow you to be in the room, because they know that most parents cannot handle hearing their babies screams. You can also expect to pay \$500 - \$1000+ for the basic circumcision, and that's not including any common complications.



Medical Options

With all of that in mind, your options include 3 different medical devices called clamps/guards.



1:
LAMP





FIGURE 2:
THE PLASTIBELL




F1
THE G



The first stage of medical circumcision, in all options, is to shove a metal rod in between the foreskin and glans, to break the adherent fibers and very painfully rip the foreskin away from the glans so that it is not attached anymore. The foreskin is created to be attached to the glans, in the same way that your fingernail is attached to your finger. So you can imagine how painful this process already is for the baby.



Also with all options, they remove way too much of the skin from the penis. The foreskin is only the very tip, the rest does not need to be removed! The extra skin that they remove, is responsible for protection, maintaining a normal PH texture, color, and moisture balance, pleasure, lubrication, penis length and circumference.



FUNCTIONS OF THE FORESKIN

Throughout life the prepuce has important purpose. It comprises 50% of mobile tissue of the penis, and contains:

- Ridged Band
- Lymphatic Vessels
- Immunoglobulin Antibodies
- Frenulum
- Sebaceous Glands
- Dorsal Nerves
- Apocrine Glands
- Arterial Feet of Blood Vessels
- Langerhans Cells
- Estrogen Receptors
- Dartos Fascia (smooth muscle sheath)
- Meissner's Corpuscles


Foreskin is responsible for:


- Pleasure (of a man and his partner)
- Sliding/Rolling Bearing Action
- Lubrication
- Penis Length and Circumference
- Maintaining Normal pH, Texture, Color and Moisture Balance
- Protection (especially in infancy during diapering)

www.intactcare.com/INTACTCARE SAVINGSONS.ORG

The Mogen Clamp

After breaking the foreskin away from the glans, the foreskin is pinched with forceps and pulled extensively. This device is then clamped onto the babies skin, very painfully crushing and killing the skin to reduce blood flow. They then use a scalpel to saw against the clamp until the foreskin is removed. The clamp is then released. The entire procedure takes around 10 minutes and causes immense pain and trauma for the baby.






All options are dangerous and permanently harmful, but this clamp has been known to be applied incorrectly, sometimes even completely cutting off the tip of the penis glans. Even when applied correctly, it permanently damages the skin that it is clamped onto, causing bruising, discoloration, and permanent loss of nerve sensation.




The Plastibell Clamp

After the Foreskin is pulled tight with forceps, they break the membrane fibers, and then cut the foreskin in half. Then the doctor slowly chooses between different size clamps to fit the penis. They then put the clamp over the glans and pull the foreskin over it. Then a string is tied tightly around the plastibell, crushing the skin against the clamp. Excess skin is then cut off with scissors or a scalpel.




Newborn male circumcision Plastibell technique



This option is also known to have many complications. It is usually a process of ten minutes, and sometimes can even last up to 20 minutes.

The Gomco Clamp

After the Foreskin is stripped from the glans, the foreskin is retracted completely over the glans. The Gomco Bell is then placed over the glans, and then the foreskin is pulled over it and placed through a hole in the Gomco Clamp. The clamp is tightened. Then the foreskin is cut off with a scalpel. The clamp is loosened and the penis is freed.



Like all other options, this often has many complications as well. This procedure takes around 10 minutes.

Hospital Circumcision Videos

In case you aren't already disgusted with the torture that we just discussed, I am going to leave these videos here for you to watch. They show what truly happens during modern circumcisions. I must warn you, they are extremely distressing, nauseating, and traumatizing to watch. The images will not leave your mind once you watch them. I was brought to tears and deeply affected for weeks because of the pain that these babies and millions of others went through and continue to go through. I urge you not to watch them, but if you feel like your mind needs more convincing and evidence, here they are... Pray before you open them.

<https://youtu.be/SLhEo0QhsVw>

<https://youtu.be/YsFeQp2td4o>

<https://youtu.be/04CSCg5Srp8>


Jewish Circumcision

There is another option, this one being performed outside of the hospital. In Jewish culture they have what's called a "Mohel". They are a medically trained rabbi that performs circumcisions.

For this option they often come to your home and perform a Jewish ceremony. They follow the guidelines from classical rabbinical texts and subsequent law codes.



For the procedure they will often break the membrane fibers and also use shields or clamps, usually the same as the ones previously mentioned. Once the clamp is applied, they cut the foreskin off (in excess), and then tear the skin to the back of the glans. Then, depending on tradition, they may suck on the babies penis with their mouth to stop the bleeding.



This option has the same risks as the others, and there are often just as many complications, if not more. Not to mention that you can still expect to pay \$500 - \$1000+ for the procedure.

"What do we do?"

When we saw the mainstream medical methods of circumcision, we were traumatized. We saw the torture that the babies had to endure and it broke our hearts, knowing that we couldn't put our children through that, we cried out to the Father in desperation, asking Him for another way.





Then He revealed the righteous biblical way that He designed for circumcision. So what does that look like?

Biblical Circumcision

First, I want to show you why I know that this is the only biblical way to circumcise our son's. Let's go to the book of Exodus for our answers.

And it came to pass by the way in the inn, that Yahuah met him, and sought to kill him. Then Tsipporah took a sharp stone, and cut off the foreskin of her son, and cast it at his feet, and said, Surely a bloody man are you to me. So he let him go: then she said, A bloody man you are, because of the circumcision. SHEMOTH (EXODUS) 4:24-26 תא CEPHER



Zipporah circumcised her son with a sharp stone, some translations say flint, while traveling. This means that biblical circumcision could not be anything like modern circumcision. It is a simple and quick act that takes very little effort and resources. It really is that simple!

Step-by-step Guide for Righteous Circumcision

Finally, let me walk you through the righteous guide for covenant circumcision...

Covenant Circumcision Summary

Before I go into the detailed version, I want to give a short summary of the entire process. The foreskin is pulled past the glans, then cut off with a razor blade, then you squeeze the remainder until it is clotted, then bandage and diaper. It is very simple and nothing like what you saw above. Now, here is the in-depth version, step-by-step...

PREPARATION:

A couple weeks in advance, you will need to have these supplies on hand...

- Long Utility Razor Blades
(3+ Multi-Pack)
- Rubbing Alcohol
- 2" Rolled Gauze Bandages
- Petroleum Jelly
- Spray Bottle



Once your son is born, you will want to familiarize yourself with the feel of his penis, how it looks, how it feels to gently pull the foreskin past the glans, and how easily you can identify exactly where the glans tip ends.

Unpackage one of the razor blades and make sure it is very sharp. Ideally it should be able to remove the hairs off of your arm. Discard that one and save atleast 2 other ones for the circumcision.

THE DAY OF:

On the 8th day of your son's life, you will want to choose a time of day that works best for you. I recommend performing the circumcision in the morning.



Have all recommended supplies on hand. Unpackage the Long Utility Razor Blade and sterilize it by dumping rubbing alcohol on the entire thing. (DO NOT sterilize with fire, it can dull the blade). Wash your hands and sterilize them the same way.

Prepare the bandage: Take the rolled gauze and cut it to a length that is double the length of their entire penis. Rub the Petroleum Jelly on the entire bandage, add extra towards the edges for future adhesive purposes. (Make sure it's entirely covered, because this is what will prevent the gauze from sticking to the wound and reopening it).

You will want to find somewhere that you can sit comfortably next to your baby, in a calm environment. My husband and I perform the circumcisions on our bed, it's just what works best for our family.

When they are awake but calm, you will want to lay them on a blanket, with a towel underneath their bottom (in case there are some drops of blood).

Come together in prayer and meditate on the verses that talk about the circumcision covenant. Make sure you are calm and full of faith.





PERFORMING THE CIRCUMCISION:

Lay baby comfortably on their back, and make sure they are calm. You can give them a taste of honey off your finger to distract them. You will grab the tip of the foreskin (as little as you can while still being able to have a firm grip). Pull it past the glans (head) enough to leave as much room as possible between your fingers and the glans.


Use your free hand to feel exactly where the tip of the glans ends. You do not want to cut the glans, and need to be extremely careful to not cut the glans. Once you are sure that you know where it ends, use that same hand to grab the long utility razor blade. Again, make sure you know exactly where to cut, making sure it's clear of the glans.

When you are ready, put the very bottom of the blade to the foreskin, as close to your pinching fingers as you can, and with firm pressure do one long quick cut, completely removing the foreskin. Again, this will take a very firm amount of pressure, (you are cutting through skin after all). It also needs to be quick, to make it an even cut. If done correctly, you will not need to saw at the foreskin, it will be removed with one cut.

Immediately after you will need to pull the tip of the remaining skin, and squeeze it firmly to stop bleeding and promote clotting. You will want to hold it for 1-2 minutes. Carefully release the skin and check if the bleeding has stopped. In most cases it will have. In the rare case that it hasn't, hold it for up to five minutes, and check again. If it still hasn't clotted (very rare) use the herbal options for emergency clotting shown below.



the operation of circumcision is a knife or scissors; see below.



Bandaging the Wound:

After being circumcised, the baby will only cry for about 30 seconds. Once fully clotted, take the prepared bandage and fold it over the tip of the circumcised penis. The middle of the bandage should be covering the tip of the penis (leave a small gap in front of the penis), and there should be enough hanging on each side, so that it can be squeezed together and stick in place.



Monitor for bleeding for atleast 1 minute, then diaper them as usual, being careful to avoid bumping the wound.



0:00 / 3:07

AFTER CARE:

When baby pees or poops, fill the spray bottle up with lukewarm water. Put a folded towel underneath their bottom. Undiaper them and carefully remove the bandage (it may remove itself). For pee, unscrew the cap and dump the water over their genitals. (You do not need to change them every time they pee, only when needed, because urine is sterile).

For poop, do the same thing, but then carefully spray for any poop that isn't being removed. If need be, you can use a baby wipe to remove the poop, but do not wipe on the wound. Once clean, rebandage as before, and rediaper.

The healing process takes only one week. After a couple days, there will be a yellow film that forms around the circumcision site, this is completely normal! The yellow color is a sign that their body is sending antibodies to fight infection, and is an essential part of the healing process.

After 1 week, they do not need to be bandaged anymore, and life can go on as normal.

Circumcision for Adolescents, Teenagers, and Adults:



The commandment is the same for all ages. Ideally we should be circumcising our boys on the 8th day, but there are many circumstances where males are older and uncircumcised.

And Avraham took Yishma'el his son, and **תָּא** all that were born in his house, and all that were bought with his money, every male among the men of Avraham's house; and circumcised the flesh of their foreskin in the selfsame day, as Elohiym had said unto him. And Avraham was ninety years old and nine, when he was circumcised in the flesh of his foreskin. And Yishma'el his son was thirteen years old, when he was circumcised **תָּא** in the flesh of his foreskin. In the selfsame day was Avraham circumcised, and Yishma'el his son. And all the men of his house, born in the house, and bought with money of the stranger, were circumcised with him. BERE'SHIYTH (GENESIS) 17:23-27 **תָּא** CEPHER

The process is the same, but some people will use natural remedies for pain management. We have never personally performed circumcision on older males, and have been unable to find many potent pain relieving natural medicines.

Some possibilities could be willow bark extract tincture/tea, and arnica tablets/salve. Applying ice could be an option as well. If I find more I will update the article and add them here. Again, these remedies have not been tested for this as far as I know. Use what you feel led to use, but beware of standard pharmekia.

I can also assure you that the modern medical process of adult circumcision in the hospital, is just as barbaric, they remove way too much skin and it's not performed in a biblical way at all.





Nature Reviews | Urology



EXTRAS

Faith > Fear

Doing circumcisions yourself at home, is extremely easy, it just takes a lot of faith. It is okay to feel a bit of fear or anxiety surrounding this topic, especially when it is time to cut into your newborn. The important thing is bringing those worries and concerns to the Most High, and leaving it at His feet. We have very little control over our lives, and Scripture says to fear Him alone. You can rest in knowing that if you are walking in obedience to His Word, He will protect you, guide you, and love you.

Blade/Tool Options

There are other options for the tool that you will use for a blade. I am adding this in this section, because I very strongly caution you in this area. If you use a knife, it needs to be razor sharp. I have seen many people claim that their knives are sharp, and they are not. Cutting skin is not the same as most surfaces. If you decide to use a knife it needs to be razor sharp, so sharp that you can effortlessly shave with it. Flint would be super biblical, but it would be very difficult to find the right blade and sharpen it in a way that would be effective. All things considered, I recommend long utility razor blades above all. I recommend the long ones because it gives more surface area to easily perform the circumcision in one single quick cut. It also gives more surface area to comfortably hold onto it. They are made to be extremely sharp, so be wise in handling them.

Circumcision by Medical Professionals Facts

- 229 hospital circumcisions end in fatality every year in the US.

119 of them are infants.

- Rarely you will be able to find a doctor that will be willing to use a numbing agent/local anesthetic. The local anaesthetic works by moving to the inside of the cell then binding to the 'sodium channel' and so blocking the influx of sodium ions. This block stops nerve conductance and prevents further signals reaching the brain. If this doesn't sound like an abomination to be putting in our temple, then I don't know what does. If you watched the videos up above, you will know that most of the time the babies can still feel everything, even with numbing agents.

- Hospitals will often sell the foreskins after circumcisions. They are then used in vaccines, pharmekia, makeup, foods, etc.

OF INFANT CIRCUMCISION


With any surgery, it is important to know what complications are possible. Your doctor may not inform you about the numerous potential risks and complications which result from neonatal circumcision. The following list of complications is from the **Stanford School of Medicine** website.

COMPLICATIONS OF INFANT CIRCUMCISION
Bleeding
Infection
Excessive foreskin removed
Adhesions
Skin bridges
Inclusion cysts
Abnormal healing
Meatitis
Meatal Stenosis

What is Plastibell circumcision?

Mogen nor PlastiBell was associated with any complications in per 3-minute time period, but the Mogen technique on average took nearly 12 minutes. The Mogen procedure (20 vs 12 minutes) at 60% of the infants had pain or

The most common technique in male circumcision utilizes the **Gomco clamp, the Gomco clamp, the Plastibell device**. Complications are common and can include bleeding, pain, and damage to the penis, adhesions, exc



t associated with the procedure
Apr 11, 2003

noval, phimosis, and meat
s. Jun 1, 2020

Using Clamps

- Please do not attempt home circumcisions with the use of any medical clamps. I have heard so many stories of things going wrong with them. They complicate the process, cause bruising and jagged cuts, and are not biblical.

Emergency Backup Clotting Herbs

(They should never be needed, but in the case of a rare disorder or accident...)

- Helichrysum
- Kaolin Clay
- Cayenne Pepper
- Goldenseal
- Black Pepper
- Yarrow
- White Vinegar
- Cornstarch

Research ahead of time and use at your own risk.

The conclusion of the matter is this, Fear Yahuah and keep His Commandments. You and your son's will be blessed for walking in covenant with the Most High.

If this article Helped you, please consider Supporting my Work for the Kingdom. I am a stay at home mom, who left everything from her old life behind, to be a full time servant and missionary. Yah provides.

PayPal
a.stoerzer@gmail.com

Yahuah bless you, and guard you: Yahuah make His face shine upon you, and be gracious unto you: Yahuah lift up His countenance upon you, and give you peace. BEMIDBAR (NUMBERS) 6:24-26 תא CEPHER



