



Product Catalog

2025



About Us

Four E's Healthcare, part of the Four E's Industrial Group, is focused on Healthcare products which includes equipment and supplies.

We focus on Healthcare Market covering both professional & home healthcare segments. Our Key Product Categories include Medical Equipment, Dental Equipment, Exam Room Products, Laboratory Instruments & Consumables, Patient Care, Respiratory Care, Elderly Care, Mobility Care, Protective Apparels etc.

Our factory in Guangzhou, China is FDA registered, with Registration Number: 3009155756, and has ISO 9001 and ISO 13485 Certifications.

Our Warehousing facility based in West Windsor, New Jersey is certified by New Jersey Board of Health as a distributor of prescription (Rx) Medical Devices.

CONTENTS



Apparel - Protective1

AAMI Level Gowns
Non-AAMI Level Gowns
Lab Coats & Lab Jackets
Protective Coveralls
Face Shields
Bouffant Caps
Shoe Covers
NIOSH N95 Respirators

Cardiac Care10

ECG/EKG Monitors

Elderly Care13

Walkers
Rollators
Grab Bars

Equipment, Medical15

Wheelchairs
Dental Equipment
PRP centrifuges
Diagnostic Display Monitors

Exam Room Products30

Blood Pressure Monitors
Digital Thermometers
Examination Gloves
Alcohol Prep Pads

Laboratory35

Benchtop Centrifuges
Hematocrit Centrifuges
Tube Rockers

Tube Racks
Vortex Mixers
Slide Storage Cabinets
Syringes, Needles, Blood Collection

Mobility Care38

Patient Lifts
Patient Lift Slings
Transfer Discs

Mother & Baby Care39

Perineal Packs
Baby Bottle Warmers
Wipe Warmers
Portable Doppler Monitors

Ortho Rehab41

Cervical Traction Device
Cervical Collars
Slings
Supports

Patient Care43

Hot & Cold Gel packs
Instant Hot Packs
Instant Cold Packs
Overbed Tables
Bed rails
Commode Chairs

Respiratory Care45

Compressor Nebulizers
Mesh Nebulizers
Pulse Oximeters
Oxygen Concentrator

Our Gowns as per AAMI Classification

AAMI Gowns

AAMI Level 1 Gowns

SMS Gowns



- 40 gsm
- Blue
- Neck Tie
- Elastic Cuff / Knit Cuff

Coated Polypropylene Gowns (PP+PE)



- 45 gsm
- Blue, White
- Neck Tie
- Elastic Cuff

AAMI Level 2 Gowns

SMS Gowns



- 45 gsm
- Blue
- Neck Tie / Elastic Neck Closure
- Elastic Cuff / Knit Cuff

Coated Polypropylene Gowns (PP+PE)



- 60 gsm
- Blue, White
- Neck Tie
- Elastic Cuff / Knit Cuff

AAMI Level 3 Gowns

SMS Gowns



- 60 gsm
- Blue
- Neck Tie
- Elastic Cuff / Knit Cuff

Non-AAMI Gowns

Polypropylene Isolation Gowns (PP)



- 25 gsm
- Blue
- Neck Tie
- Elastic Cuff / Knit Cuff

Polyethylene (Over-the-Head) Gowns



- 25 gsm
- Blue
- Over-the-Head
- Thumb Loop

Usage Settings

The Usage settings and Material Descriptions can act as a guideline for choosing the appropriate gowns. The Icons below indicates the usage settings.

A Airborne Precautions

C Contact Precautions

+ Emergency

Food Service

ICU Intensive Care Unit

Lab

Nursing

Visitors

AAMI Isolation gowns

AAMI Level 1 – SMS non-Surgical Isolation Gowns

AAMI Level 1 lightweight non-surgical isolation gown made of soft and breathable SMS fabric for maximum comfort

SMS
Gown

40 gsm

AAMI
Level 1

Full
Back
Gown

Part no.	Remarks	Color	Sizes	Packing
4EL1SMS-E	Elastic Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs
4EL1SMS-K	Knit Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs

Recommended Settings:



Level 1 SMS Gowns: Protection and Comfort Levels			
	Good	Better	Best
Protection			
Comfort			



AAMI Level 1 – PP+PE non-Surgical Isolation Gowns

AAMI Level 1 non-surgical isolation gown made from Polypropylene material coated with Polyethylene (25gsm PP + 20gsm PE) offers good liquid barrier protection. Coated material is not as breathable as SMS material, and is not recommended for extended use.

PP+PE
Gown

45 gsm

AAMI
Level 1

Full
Back
Gown

Part no.	Remarks	Color	Sizes	Packing
4EL1CPP-E	Elastic Cuff	White, Blue	S, M, L, XL, 3XL	10/pk; 100/cs

Recommended Settings:



Level 1 Coated PP Gowns: Protection and Comfort Levels			
	Good	Better	Best
Protection			
Comfort			



AAMI Isolation gowns

AAMI Level 2 – SMS non-Surgical Isolation Gowns

AAMI Level 2 non-surgical isolation gown made of soft and breathable 5-ply SSMMS fabric for a perfect balance of protection comfort






SSMMS
Gown

45 gsm

AAMI
Level 2

Full
Back
Gown

Part no.	Remarks	Color	Sizes	Packing
4EL2SMS-TE	Neck Tie, Elastic Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs
4EL2SMS-TK	Neck Tie, Knit Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs
4EL2SMS-EE	Elastic Neck Closure, Elastic Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs
4EL2SMS-EK	Elastic Neck Closure, Knit Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs

Recommended Settings:     

Level 2 SMS Gowns: Protection and Comfort Levels			
	Good	Better	Best
Protection	<div></div>	<div></div>	<div></div>
Comfort	<div></div>	<div></div>	<div></div>



AAMI Level 2 – PP+PE non-Surgical Isolation Gowns

AAMI Level 1 non-surgical isolation gown made from Polypropylene material coated with Polyethylene (35gsm PP + 25gsm PE) offers good liquid barrier protection.






PP+PE
Gown

60 gsm

AAMI
Level 2

Full
Back
Gown

Part no.	Remarks	Color	Sizes	Packing
4EL2CPP-TE	Neck Tie, Elastic Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs
4EL2CPP-TK	Neck Tie, Knit Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs
4EL2CPP-EE	Elastic Neck Closure, Elastic Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs
4EL2CPP-EK	Elastic Neck Closure, Knit Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs

Recommended Settings:     

Level 2 Coated PP Gowns: Protection and Comfort Levels			
	Good	Better	Best
Protection	<div></div>	<div></div>	<div></div>
Comfort	<div></div>	<div></div>	<div></div>



AAMI Isolation gowns

AAMI Level 3 – SMS non-Surgical Isolation Gowns

AAMI Level 3[†] non-surgical isolation gown made of soft and breathable SMS fabric for a perfect balance of protection comfort

[†] Only to indicate Liquid barrier performance; NO 510k approval






SMS
Gown

60 gsm

AAMI
Level 3

Full
Back
Gown

Part no.	Remarks	Color	Sizes	Packing
4EL3SMS-TE	Neck Tie, Elastic Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs
4EL3SMS-TK	Neck Tie, Knit Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs

Recommended Settings:     

Level 2 SMS Gowns: Protection and Comfort Levels

	Good	Better	Best
Protection	<div></div>		
Comfort	<div></div>		



Apparel - Protective

Non-AAMI Isolation gowns

PP non-Surgical Isolation Gowns

The gowns made of Spun bond Polypropylene (PP) offers basic protection, and maximum comfort levels. The single layer non-woven PP fabric is appropriate only for very minimal fluid exposure, and offers basic cover protection.






PP
Gown

25 gsm

Non-
AAMI
Gown

Full
Back
Gown

Part no.	Remarks	Color	Sizes	Packing
4EIGPP-E	Elastic Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs
4EIGPP-K	Knit Cuff	Blue	S, M, L, XL, 3XL	10/pk; 100/cs

Recommended Settings:     

PP Gowns: Protection and Comfort Levels

	Good	Better	Best
Protection	<div></div>		
Comfort	<div></div>		



Polyethylene Apron Style Gowns

Apron-style Gowns with over-the-head neck, waist ties and thumb loop wrists. Made from polyethylene and offers impervious protection against fluids.

PE
Gown

25 gsm

Non-
AAMI
Gown

Open
Back
Gown

Part no.	Remarks	Color	Sizes	Packing
4EIGPE	Thumb Loop	Blue	Universal	10/pk; 100/cs

Recommended Settings:      

PE Gowns: Protection and Comfort Levels

	Good	Better	Best
Protection	<div></div>		
Comfort	<div></div>		



Lab Coats & Lab Jackets

Premium Lab Coats

Our Premium Knee-length Lab coats are made of breathable SMS fabric. The Liquid barrier performance of the fabric meets AAMI Level 2 requirement and the Lab Coat is Anti-static.

Anti-static SMS Lab coats with knit collars, cuffs and snap fronts

SMS
Fabric

Anti-
Static

AAMI
Level 2
Fabric

Knit
Cuff &
Collar

Snap
Front

3
Pockets

Part no.	Remarks	Color	Sizes	Packing
4ESMSLC45	Knit Collar & Cuff, Snap Front	Customizable (see below)	S, M, L, XL, 2XL, 3XL	10/pk; 100/cs

Recommended Settings: 



Medical Blue




White



Sky Blue



Teal



Purple



Premium Lab Jackets

Our Premium Hip-length Lab jackets are made of breathable SMS fabric. The Liquid barrier performance of the fabric meets AAMI Level 2 requirement and the Lab Coat is Anti-static.

SMS
Fabric

Anti-
Static

AAMI
Level 2
Fabric

Knit
Cuff &
Collar

Snap
Front

3
Pockets

Part no.	Remarks	Color	Sizes	Packing
4ESMSLJ45	Knit Collar & Cuff, Snap Front	Customizable (see below)	S, M, L, XL, 2XL, 3XL	10/pk; 100/cs

Recommended Settings: 



Medical Blue




White



Sky Blue



Teal



Purple



Protective Coveralls

Protective Coverall for General Protection

The Protective coveralls are made from Spun bond Polypropylene with Microporous laminate and guarantees an excellent combination of comfort and safety. The gown is particle-tight and spray-tight to a certain extent.

Disposable Coverall (non-Sterile)

Part no.	Remarks	Color	Sizes	Packing
4EL2PC	Without Foot Cover	White	M, L, XL, 2XL, 3XL	1/pk; 40/cs

Recommended Settings:  , or for general protection

Features

- Elasticated hood for perfect fit
- Elasticated waistbands, cuffs & ankles
- Zip fastener
- Antistatic



Suitable for airborne solid particulates

Protective Coverall for Liquid Barrier Protection

The Protective coveralls are made from Spun bond Polypropylene with Microporous laminate and guarantees an excellent combination of comfort and safety. The gown is particle-tight and offers moderate liquid resistance equivalent to AAMI PB70 Level 2.

Disposable Coverall (non-Sterile)

Part no.	Remarks	Color	Sizes	Packing
4EL3PC	Without Foot Cover	White	M, L, XL, 2XL, 3XL	1/pk; 40/cs
4EL3PC-FC	With Foot Cover	White	M, L, XL, 2XL, 3XL	1/pk; 40/cs

Recommended Settings:  

Features

- Elasticated hood for perfect fit
- Elasticated waistbands, cuffs & ankles
- Zip fastener
- Taped Seams
- Antistatic



Suitable for airborne solid particulates



Suitable for Lighter spray

Protective Wear

Face Shields

- Fluid Resistant
- Anti-Fog Optical Grade Shield
- Anti-Static
- Distortion Free
- Light Weight
- Latex free Head Band
- Large size offers more face coverage



Part no.	Remarks	Color	Sizes	Packing
4EPWFS	Anti-static	Green	Universal	10/pk; 20 pk/cs

Bouffant Caps

- Polypropylene Material
- Available in 3 sizes (21", 24", and 27")
- Color: Blue
- Elastic Headband



Part no.	Remarks	Color	Sizes	Packing
4EPWBC-21	PP	Blue	21"	100/pk; 10 pk/cs
4EPWBC-24	PP	Blue	24"	100/pk; 10 pk/cs
4EPWBC-27	PP	Blue	27"	100/pk; 10 pk/cs

Shoe Covers

- Disposable shoe covers
- Made of Polypropylene (PP), more durable than PE
- With full elastic.
- Suitable for use in clinics, laboratories, food industries etc.
- 50 Pairs shoe covers (100 Pcs per bag)



Part no.	Remarks	Color	Sizes	Packing
4EPWSC	PP	Blue	Universal	100/pk

NIOSH N95 Respirators

NIOSH Approved N95 Respirator - Flat Fold Type

- NIOSH approved N95
- Flat Fold Type Offers perfect Fit
- Latex-Free
- Filters at least 95% of particles at a particle size of 0.3 micron



Part no.	Remarks	Color	Sizes	Packing
4EN95-188	Flat-Fold	White	Universal	20/pk; 20 pk/cs

NIOSH Approved N95 Respirator – Cup Type


- NIOSH approved N95
- Cup Type is ideal for use while wearing a Face Shield
- Latex-Free
- Filters at least 95% of particles at a particle size of 0.3 micron



Part no.	Remarks	Color	Sizes	Packing
4EN95-288	Cup Type	White	Universal	20/pk; 20 pk/cs

ECG Measurement

- 30s~24h ECG record and analysis
- Oxygen level spot check
- Oxygen level sleep monitor for sleep apnea
- Infrared thermometer
- Multi-user management
- Support App and PC software



Part no.	Remarks
4ECMCMp	Checkme™ Pro Health Monitor



- Dual user mode management
- Cable / Cable free ECG monitor
- 30s / 60s / 5min ECG recording
- Arrhythmia detection
- Lead I, Lead II and Chest Lead
- Free App & PC software

Part no.	Remarks
4ECMPBEX	Pulsebit™ EX ECG/EKG Monitor

- ECG measurement
- Oxygen level & pulse rate measurement
- 2.4" color touch screen
- Cable / Cable free operation
- Audio instruction
- Support App and PC software

Part no.	Remarks
4ECMCMl	Checkme™ Lite ECG Monitor



Cardiac Care

ECG Measurement

- Accurate and Clear ECG Waveform display
- Continuous record for ECG waveform
- High resolution thermal printer for real-time print

Part no.	Remarks
4ECMH80A	Single Channel Handheld ECG
4ECMH100G	Electrocardiograph



4ECMH80A



4ECMH100G



- Touch Screen and Function Keys
- Sync collection for 12-lead ECG
- Display of 3/6/12-lead ECG on screen
- ECG waveforms can be clearly displayed on PC

Part no.	Remarks
4ECMH90A	Electrocardiograph

Portable ECG Monitors



- Quick One-touch ECG measurement
- 1.77" Color TFT LCD display
- Bluetooth Connectivity, Data can be saved to cloud

Part no.	Remarks
4ECMHPM10	Portable ECG Monitor

- Single channel palm ECG for homecare
- 2.8" Color TFT display
- Measurement method: Palm, Leg, Chest

Part no.	Remarks
4ECMPC80B	Easy ECG Monitor



Wearable ECG Measurement

- Designed for sports
- Two wearing modes with chest strap or electrodes
- 30s~24h heart rate monitoring
- 30s~30min ECG recording
- User-defined alarm triggered by High-Low heart rate level
- View and record real time ECG on App Compatible with GARMIN watch

Part no.	Remarks
4ECMCSV	VisualBeat™ ECG/EKG Cheststrap Monitor



- Dual user mode management
- Hand-held & Wearable
- Instant ECG analysis
- 30s~15min ECG recording
- Arrhythmia detection
- Lead I, Lead II and Chest Lead
- Share PDF report on APP
- Support ECG monitoring without phone

Part no.	Remarks
4ECMHDEKK	DuoEKG™ Wearable ECG Monitor

Elderly Care

Aluminum Rollator

- Lightweight aluminum frame
- Adjustable height & ergonomic handle,
- Handbrake with locking mechanism
- 8"x1"x4pcs wheels
- Folded for easy storage and transportation
- Padded seat with curve back support
- Comes with shopping basket

Part no.	Remarks	Color
4EHCALROL	Aluminum	Red



Steel Rollators

- Powder coated steel frame
- Adjustable height & ergonomic handles
- Handbrake with locking mechanism
- 8"x2"x4pcs solid wheels
- Foldable for easy storage and transportation
- Plastic seat with a tray
- Comes with shopping basket

Part no.	Remarks	Color
4EHCSTROL	Steel	Blue



Canes

- Quad-base provides superior stability and traction
- Universal: Can be used by Left & Right handed people
- Padded with soft foam and comfortable grip
- Adjustable Height

Part no.	Remarks	Color	Sizes
4EHCMCN	Quad-base	Black	Universal



Wheel Chair

Wheel Chair (Manual)

- Powder coated wheelchair frame
- 24"9 spokes with solid black rubber tire
- 8"*1 black rubber tire
- Plastic hand rim
- Fixed full length arms with padded armrest
- Plastic side panel
- Steel front fork
- Nylon footplate

Part no.	Remarks	Color
4EWCYK9022	Steel	Black



Wheel Chair (Manual)

- Aluminum wheelchair
- Powder coated wheelchair frame,
- 12" rear wheel with PU solid tire
- 8x1.25"PU front castor,,
- Swing in/out footrest with leg support,
- Plastic footplate,
- Half back folding
- Nylon seat and backrest
- Attendant brake

Part no.	Remarks	Color
4EWCYK9064F	Aluminium	Black



Wheel Chair (Powered)

- Powder coated wheelchair frame
- 250W*2 Motors
- 8" Front PU tire
- 16" Pneumatic Rear Wheel
- Detachable Foot Rest with ankle belt
- Maximum Speed:5 to 7 kmph
- Milage: 15 km

Part no.	Remarks	Color
4EWCPECO	Steel	Black



Dental Equipment

Dental Handpiece – High Speed Turbine Handpiece

- **Powerful:** turbine motor with maximum air pressure of 0.25MPa ~ 0.3MPa, providing speeds of 300,000rpm ~ 350,000rpm.
- **Ergonomic Design:** Features a lightweight and ergonomic design to minimize hand fatigue.
- **Exceptional Durability:** Constructed with stainless steel and titanium, offering outstanding durability and longevity.
- **4-hole coupling:** The dental-handpiece comes with a 4-hole coupling for drive air, exhaust air, spray air and spray water holes
- **Powerful LED Lighting:** LED light powered by a built-in micro-generator, efficiently converting kinetic energy into electrical energy for bright and reliable illumination.



4EDHP-HS164



HS1 Series

Part no.	Remarks	Bur Diameter
4EDHP-HS112	2 holes	φ1.595 - φ1.600mm
4EDHP-HS114	4 holes	φ1.595 - φ1.600mm
4EDHP-HS122	2 holes	φ1.595 - φ1.600mm
4EDHP-HS124	4 holes	φ1.595 - φ1.600mm
4EDHP-HS132	2 holes	φ1.595 - φ1.600mm
4EDHP-HS134	4 holes	φ1.595 - φ1.600mm
4EDHP-HS142	2 holes	φ1.595 - φ1.600mm
4EDHP-HS144	4 holes	φ1.595 - φ1.600mm
4EDHP-HS152	2 holes	φ1.595 - φ1.600mm
4EDHP-HS162	2 holes	φ1.593 - φ1.598mm
4EDHP-HS164	4 holes	φ1.593 - φ1.598mm



T/S Series

Part no.	Remarks	Remarks
4EDHP-HSTR	2/4holes	Triple Water Spray
4EDHP-HSTG	2/4holes	Single Water Spray
4EDHP-HSS	2/4holes	Single Water Spray
4EDHP-HSTUG	2/4holes	Single Water Spray
4EDHP-HSTUR	2/4holes	Triple Water Spray
4EDHP-HSSU	2/4holes	Single Water Spray
4EDHP-HSTUP	2/4holes	Triple Water Spray
4EDHP-HSSUP	2/4holes	Triple Water Spray
4EDHP-HSTUQP	2/4holes	Triple Water Spray
4EDHP-HSUQP	2/4holes	Triple Water Spray

Dental Handpiece – Low Speed Turbine Handpiece

- **Powerful:** turbine motor with maximum air pressure of 0.30MPa ~ 0.35MPa, providing speeds of less than 18,000rpm.
- **Ergonomic Design:** Features a lightweight and ergonomic design to minimize hand fatigue.
- **Exceptional Durability:** Constructed with stainless steel and titanium, offering outstanding durability and longevity.
- **Straight nose cone & contra angle cone** can be switched easily for precise and efficient operations like drilling, grinding and polishing.



4EDHP-LS414

Part no.	Remarks	Bur Diameter
4EDHP-LS412	2 holes	Φ2.34 – Φ2.35mm
4EDHP-LS414	4 holes	Φ2.34 – Φ2.35mm
4EDHP-LS422	2 holes	Φ2.34 – Φ2.35mm
4EDHP-LS424	4 holes	Φ2.34 – Φ2.35mm
4EDHP-LSLB2	2 holes	Φ2.334 – Φ2.355mm
4EDHP-LSLM4	4 holes	Φ2.334 – Φ2.355mm



4EDHP-LSLM4

Dental Equipment

PRP Centrifuge for Dental Industry

Part No.	CF0202003
Speed range [rpm]	200-4500, increment: 100
Max. RCF [x g]	2940
Speed accuracy [rpm]	±20
Rotor capacity	10mL/7mL/5mLx12; 15mLx8
Motor	Brushless DC motor
Safety devices	Door interlock; Over-speed detection;
Power	Single-phase, AC110V-240V, 50Hz/60Hz, 2.5A
Acceleration/Braking time[Sec]	20s↑ 15s↓
Additional features	Speed/RCF switch; Short-time run function; sound-alert function



Dental Handpiece - Surgical 45-Degree Handpiece

45-Degree Contra Angle: The 45-degree angle design allows for easy access to hard-to-reach areas, ideal for sectioning and extraction of third molars and other impacted teeth.

Rear Exhaust Design: Effectively prevents the air embolisms, 100% of the air escapes out of the backend, protecting the bur from breaking caused by the jitter.

Excellent Performance: Equipped with a high-quality turbine, the handpiece provides air pressure of 0.25mpa~0.30mpa, and a rotation speed of 280,000rpm ~ 400,000rpm.

Direct LED light & Single-Point Spray: The built-in generator powers a direct LED light, ensuring a well-lit operating environment with a single-point spray for precision.

High Quality Material: Constructed with a copper shell and ceramic bearings, offering excellent resistance to stains, scratches, and corrosion.



Head Size	Ø10.36mm x H13.3mm
Speed range [rpm]	280,000rpm-400,000rpm
Air Pressure	0.25Mpa-0.30Mpa
Torque	19Ncm
Applicable Burs	Φ1.595mm-Φ1.600mm
Noise Level	≤65db
Body Material	Coppery

Dental Equipment

Dental Handpiece - Electric Handpiece System

- **Constant & Precise Power Output:** Unlike traditional air-powered handpieces, electric handpiece can maintain consistent cutting speed and power for smoother cuts and margins.
- **3 Preset Working Modes:** Offers three speed ratios: 100-2,500 rpm (16:1), 2,000-40,000 rpm (1:1), and 10,000-200,000 rpm (1:5), to accommodate various dental procedures.
- **Wide Compatibility:** The handpiece system is compatible with both contra-angle and straight handpiece styles, and is suitable for endodontic and implant procedures.
- **Universal Connection Type:** Equipped with an ISO standard E-type connector, it supports most electric handpieces from different brands and easily connects to dental units via the 4-hole port on the back.
- **Autoclavable Handpiece Connector:** The connector can be autoclaved at 121°C for 20 minutes or 132°C for 15 minutes, ensuring proper sterilization.



	100	1,000	2,000	2,500	10,000	40,000	200,000
16:1		100~2,500rpm					
1:1			2,000~40,000rpm				
1:5					10,000~200,000rpm		

Dental Handpiece - 1:5 Speed-Increasing Electric Handpiece

- **Stable Power Output:** Driven by an electric motor rather than air, our electric 1:5 contra-angle handpiece offers smooth, constant torque, generate 33 to 45 watts of cutting power, making it easier to remove difficult crowns, bridges, and restorations.
- **Universal Connection & Easy to Use:** Equipped with a standard ISO E-Type connector, it is compatible with most dental electric motors. Its lightweight and ergonomic design ensures smooth operation.
- **Quality & Durable Material:** The quality copper-plating chrome finished shell and ceramic bearing provide highest resistance to stain, strach and corrsion, effectively extend the lifespan.
- **Exceptional Performance:** With a gear ratio of 1:5, the handpiece achieves a maximum rotation speed of 200,000 rpm. It features a push-button chuck design, 4 water spray holes, and fiber-optic lighting up to 320,000 Lux.
- **Fully Autoclavable:** The contra-angled handpiece can be autoclaved at 121° C for 20 minutes or 132° C for 15 minutes, ensuring hygiene and safety.



Gear Ratio:	1:5
Cooling System:	Water spray with 4 holes
LED Light	Fiber-optic
Brightness	32,000Lux
Applicable Burs	FG
Max.speed	200,000rpm



Dental Equipment

Dental Prophylaxis - Hygiene Handpiece

- **Excellent Polishing & Cleaning Performance:** Featuring a high-torque motor with speeds up to 3500 rpm, it ensures efficient tooth cleaning with a vibration-free experience.
- **Easy to Manipulate:** Made of lightweight but high strength aluminum to minimize hand fatigue. The ergonomic design and non-slip grip provide comfortable and secure handling.
- **Wide Compatibility:** Compatible with almost all disposable prophy angles and equipped with a standard 4-hole air motor connection, it integrates seamlessly with most dental units.
- **4:1 Reduction Nose Cone:** The 4:1 slow speed nose cone is ideal for dental hygiene services and it's detachable for autoclaved individually.
- **Quality Material & Easy to be Maintained:** The quality ceramic bearings ensures long-lasting operation, and it can be easily lubricated with the included lubrication tools.



Rotation Speed	2,500-3,500rpm
Gear Ratio	4:1 reduction
Used with	Disposable prophy angles
Weight	130g
Connection Type	Standard 4-holes & E-type

Dental Prophylaxis - Disposable Propy Angle with Soft Cup


- **Excellent Polishing & Cleaning Performance:** Our disposable prophylaxis angle features an outer-groove design that effectively reduces splatter. The soft cup ensures smooth operation without overheating.
- **Exceptional Flare:** Made of high-quality rubber and thinner, tapered walls that deliver greater flare, making it easier to access to subgingival and interproximal tooth surfaces.
- **Ergonomic Design:** 90° steady angle style allows for more comfortable and neutral wrist position, reducing hand fatigue.
- **Individually Wrapped:** Each prophylaxis angle & cup is individually packaged for convenient use without the need for repeated autoclaving.
- **Easy Grip Mechanism:** Our prophylaxis angle can be attached to the hygiene handpiece securely and rotate effectively during the polishing process.



Dental Equipment

Endodontic - Cordless Endodontic Handpiece

- **User-defined Working Modes:** The endo motor allows users to define some key parameters including rotation direction, torque (0.6~0.4Ncm) and rotation speed (140~600rpm), by 9 built-in presettable programs.
- **Upgraded Color LED Display:** The new-gen display provides the enhanced readability by the colorful and brighter fonts, make it easy to identify the parameters clearly.
- **16:1 Contra Angle & Autoclavable:** The handpiece comes with a standard 16:1 contra angle attachment, which is 360° rotatable, easily to be connected. Also the push-button design makes it easy for rotary file replacement. The attachment is also autoclavable up to 135°C.
- **Built-in lithium battery & Auto Shut-Down Function:** Equipped with large capacity battery (1000mAh), the handpiece can be used for longer time; Also the device will automatically turn off itself after 5 minutes if no any operation.
- **Quality & Ergonomic Design:** The endodontic handpiece is 510(K) approved, featured as light-weight and ergonomic design for less fatigue.



Endodontic - Assorted NiTi Rotary Files | 21mm & 25mm

- **Assorted Rotary Files Set:** Each set includes 3 shaping files (SX, S1 & S2) and 3 finishing files (F1, F2 & F3), ideal for mechanically shape and prepare the root canals.
- **Premium NiTi Rotaries:** The premium heat-treated nickel titanium construction offers extreme flexibility and durability, increase the cutting efficiency.
- **Enhanced Safety:** The convex triangular x-section help to reduce the rotational friction and high-resistant to cyclic fatigue, also the coated surface makes sure high-resistant to corrosion.
- **Greater Accessibility:** The heat-treated NiTi construction, together with 21/25mm length handle offers improved accessibility to teeth, also the flat non-cutting files can efficiently remove the debris and soft tissue.
- **Well Compatibility:** The files are designed to applicable to most of endodontic handpieces with clamping system, but it's more recommended to be used with FOUR E'S cordless endodontic handpiece for higher performance.



Dental Equipment

Implant - Dental VPS Impression Material | Base*400g & Catalyst*400g

- **Dimensionally Accurate & Stable:** It offers a good substitute of alginate or PEs for dentistry, featured by hydrophilic, it can reproduce excellent details of the patient's mouths, also it has high elastic recovery, leading to a good dimensional stability.
- **Tear-Resistant & Flexible:** It has a high rigidity to resist distortion, easily to be removed from the patient's mouth once set. Compared to PEs, our tooth & gum impression putty has fewer problems with distortion.
- **High Patient Tolerance:** Regular working time 3 mins for reducing the discomfort of patients, also it's naturally smell so as more acceptable.
- **Large Capacity & Easy of Use:** The whole set includes base of 400g and catalyst of 400g , also the labels are marked with different colors, in case of any mistaking. Also the set comes with 2 spoons for easy retaking.
- **Quality & Safe:** The teeth molding material is made of quality vinyl polysiloxane (VPS), which is practical & safe for using with all crowns, bridges, and orthodontic impression techniques to reproduce the structure of a patient' s teeth and gum.



Ingredient	Vinyl Polysiloxane
Contents	Base, Catalyst
Mixing Ratio	1:1
Method of Manipulation	Hand-kneaded mixing

Implant - Dental VPS Impression Material | 25g x12 (Base x6 & Catalysts x6)

- **Assorted Rotary Files Set:** Each set includes 3 shaping files (SX, S1 & S2) and 3 finishing files (F1, F2 & F3), ideal for mechanically shape and prepare the root canals.
- **Premium NiTi Rotaries:** The premium heat-treated nickel titanium construction offers extreme flexibility and durability, increase the cutting efficiency.
- **Enhanced Safety:** The convex triangular x-section help to reduce the rotational friction and high-resistant to cyclic fatigue, also the coated surface makes sure high-resistant to corrosion.
- **Greater Accessibility:** The heat-treated NiTi construction, together with 21/25mm length handle offers improved accessibility to teeth, also the flat non-cutting files can efficiently remove the debris and soft tissue.
- **Well Compatibility:** The files are designed to applicable to most of endodontic handpieces with clamping system, but it's more recommended to be used with 4E'S USA cordless endodontic handpiece for better performance.



Dental Equipment

Implant - Dental Implant Torque Wrench & Screwdrivers Kit

- **Practical Prosthetic Tool:** The kit includes a manual mechanical torque wrench (lever type), providing precise torque control (10-70Ncm) and featured by easy-to-use.
- **Completed Ratchet & Drivers Kit:** The dental implant tool kit includes adjustable torque ratchet and screwdrivers (short & long stem) with different sizes, fit to hexagonal drivers from 0.9mm to 1.4mm, Unigrip and Torx/Star drivers.
- **Color Classification:** Innovative design with different colors on drivers and bases, convenient for dentists to find the correct drivers in fastest time.
- **Quality Material & Fully Autoclavable:** Made of surgical stainless steel, featured by high-strength, high-resistant on corrosion, wear & high temp. Both box & tool kits are autoclavable up to 135°C(275°F).
- **Simplified Structure & Comfortable to Use:** The torque wrench combines the ratchet bolt & torque control device into one part, so as make driver installation easier. Also the restorative torque wrench can be easily grabbed without worry of dropping.



Short



Long



Model	Size	System
●	Hex 0.9	Xive
●	Hex 1.0	Anlylos
●	Hex 1.2	Osstem/DIO/31/ C-Tech/ ICM/Megagen/T-Plus
●	Hex 1.25	Cortex/Ticare/ABT/ Zimmer
●	Hex 1.27	Dentium/Dentis/Bego/Astra/ Adin/MIS/Alpha/Biotac/ Biohorizon
●	Hex 1.4	ICX
★	UniGrip	Nobel/Basic/Omni-Tight/ Dental Master
★	Torx/Star	Strausim/Trausim/ Bioconcept

Diagnostic Display Monitors

Diagnostic Display Monitors

Part no.	Remarks
4EDDMC22S	2MP Color Medical Display
4EDDMC22SP	2MP Color Medical Display with Protective Glass
4EDDMG22S	2MP Grayscale Medical Display
4EDDMG22SP	2MP Grayscale Medical Display with Protective Glass
4EDDMG23S	2MP Grayscale Low Blue Light Medical Display
4EDDMG23SP	2MP Grayscale Low Blue Light Medical Display with Protective Glass
4EDDMC32S	3MP Color Medical Display
4EDDMC32SP	3MP Color Medical Display with Protective Glass
4EDDMG32S	3MP Grayscale Medical Display
4EDDMG32SP	3MP Grayscale Medical Display with Protective Glass
4EDDMC53S	5MP Color Low Blue Light Medical Display
4EDDMC53SP	5MP Color Low Blue Light Medical Display with Protective Glass
4EDDMG53S	5MP Grayscale Low Blue Light Medical Display
4EDDMG53SP	5MP Grayscale Low Blue Light Medical Display with Protective Glass




4EDDMC22S/SP



4EDDMG22S/SP



4EDDMG23S/SP




4EDDMC32S/SP



4EDDMG32S/SP



4EDDMG52S/SP



4EDDMC53S/SP

Examination Room Products

Digital Blood Pressure Monitor

- Large LCD backlit Display
- Can Record up to 196 measurements
- Simple Push Button Design
- Also indicates Heart Beat Rate

Part no.	Remarks	Color
4EMMDBPM	OTC – FDA 510K	White



- Automatic NIBP measurement
- Optional SpO2 function
- PC connectivity for data analysis

Part no.	Remarks	Color
4EMMDBPM	Rx – FDA 510K	White
4EMMDBPM	Rx – FDA 510K	White



Ambulatory Blood Pressure Monitor



Part no.	Remarks	Color
4EMMDBPM	Rx – FDA 510K	White

- Ambulatory Blood Pressure Monitoring for 24 hours, store up to 350 measurement results
- Data Review interfaces with 'Data List', 'Trend Chart'

Wireless Blood Pressure Monitor

- Wireless, one-key operation
- Cable-free ECG measurement
- Sync data with App via Bluetooth

Part no.	Remarks	Color
4EMMDBP2	Rx – FDA 510K	White
4EMMDBP2A	Rx – FDA 510K	White



Examination Room Products

Digital Thermometer

- Slim Design: Small body with large screen
- Celsius and Fahrenheit modes
- Store up to 40 temperature readings
- Audio and visual fever warning
- Backlight color temperature indication
- Multi-function: Adult forehead mode, Child forehead mode, ear mode and object mode.
- With free protective pouch



Part no.	Remarks	Color
4EMMDT	OTC – FDA 510K	White

Nitrile Examination Gloves

- Powder-free Nitrile Examination Gloves
- Latex-Free
- Non-Sterile



Part no.	Remarks	Color	Sizes	Packing
4EJINEGS	FDA 510K	Blue	S	100/pk; 10 pk/cs
4EJINEGM	FDA 510K	Blue	M	100/pk; 10 pk/cs
4EJINEGL	FDA 510K	Blue	L	100/pk; 10 pk/cs
4EJINEGXL	FDA 510K	Blue	XL	100/pk; 10 pk/cs

Alcohol Prep Pads

- Saturated with Isopropyl Alcohol 70%
- Sterile

Part no.	Remarks	Box Qty
4EHCAPP-M	Medium Size (3cm*6.5cm)	200 pads per Box
4EHCAPP-L	Large Size (4.5cm*9cm)	100 pads per Box



Laboratory

Clinical Centrifuges (Benchtop)

- Widely used in separation of serum, plasma, blood, urine samples and other routine applications in hospitals
- Comes with Timed, Continuous and Pulse modes

Part No.	TD-CC-01
Speed range [rpm]	300-4500, increment: 100
Max. RCF [x g]	2490xg, increment: 100xg
Speed accuracy [rpm]	±20
Rotor capacity	10mL/7mL/5mLx12; 15mLx8
Driving motor	Brushless DC motor
Safety devices	Door interlock, Over-speed detection; Automatic internal diagnosis
Acceleration/ Braking time[Sec]	20s↑ 20s↓



Heamtocrit Centrifuge

- Precise control speed and time with efficient separation
- Speed range of 200-14000rpm, Max. RCF 18620xg
- Hematocrit rotor: 24 capillary Max. speed: 12000rpm
- Tube rotor: 1.5/2mL x 24 Max. speed: 14000rpm

Part No.	CF0202003
Speed range [rpm]	200-4500, increment: 100
Max. RCF [x g]	2940
Speed accuracy [rpm]	±20
Rotor capacity	10mL/7mL/5mLx12; 15mLx8
Motor	Brushless DC motor
Safety devices	Door interlock; Over-speed detection;
Acceleration/ Braking time[Sec]	20s↑ 15s↓



Tube Rockers

- Single Speed
- Ideal speed and tilt angle (24 rpm/30°) for agitation of sample tubes.
- Grooved design and rubber mat properly secures all tube sizes ranging from 1.5 to 50mL

Part no.	Remarks	Color
4ESCTR	Single Speed	Grey



Tube Racks

- Microcentrifuge Tuberacks (Single size)
- Four-Way Microtube Racks
- Flexible Multi-Tube Racks

Part no.	Remarks	Color
4ESCTRMCMC	Micro-Centrifuge Racks	Multiple
4ESCTR4W	Four-way Racks	Multiple
4ESCTRMT	Flexible Mini Tubes	Multiple



Vortex Mixers

- Excellent mixing capability: full 50ml containers mix within 3 seconds
- Perfect dynamic balanced design can eliminate any movement while mixing

Part No.	MI0101002D	MI0101002
Speed Display	LED Digital	Scale
Type of movement	Orbital	Orbital
Orbital diameter	6 mm	6mm
Speed range	0-3000 rpm	0-3000rpm



Laboratory

Slide Storage Cabinets

- Stacked 12 units high when filled with slides without any deformation and tipping
- Four colors of white, beige, green and tan can be available.
- Made of cold rolled steel with epoxy powder coating
- The interlocking system allows for safe stacking
- Hold up to 5,000 microscope slides per cabinet



Part no.	Remarks	Color	Sizes
4ESCSC	6 drawers	Grey	Universal

Tissue Cassette Storage Cabinets

- Made of ABS
- 6 drawers per cabinet
- Hold up to 2,100 tissue cassettes per cabinet
- The interlocking system allows for safe stacking



Part no.	Remarks	Color	Sizes
4ESCTSC	6 drawers	Blue	Universal

Syringes, Needles

Syringes

- Non-toxic, non-pyrogenic
- Sterilized, single use only
- Quality certified: ISO9001/ISO13485, US FDA 820, CE0123

Part no.	Remarks
4EHC-SY01LL	Syringe 1ml LL (luerlock)
4EHC-SY01LS	Syringe 1ml LS (luerlock)
4EHC-SY03LL	Syringe 3ml LL (luerlock)
4EHC-SY03LS	Syringe 3ml LS (luerlock)
4EHC-SY05LL	Syringe 5ml LL (luerlock)
4EHC-SY05LS	Syringe 5ml LS (luerlock)
4EHC-SY10LL	Syringe 10ml LL (luerlock)
4EHC-SY10LS	Syringe 10ml LS (luerlock)
4EHC-SY20LL	Syringe 20ml LL (luerlock)
4EHC-SY20LS	Syringe 20ml LS (luerlock)
4EHC-SY30LL	Syringe 30ml LL (luerlock)
4EHC-SY30LS	Syringe 30ml LS (luerlock)
4EHC-SY60LL	Syringe 60ml LL (luerlock)
4EHC-SY60LS	Syringe 60ml LS (luerlock)



Safety Retractable Syringe

ENFit Enteral Syringe

NRFit Syringe

Part no.	Remarks
4EHC-RSY01	Safety Retractable Syringe 1ml
4EHC-RSY03	Safety Retractable Syringe 3ml
4EHC-RSY05	Safety Retractable Syringe 5ml
4EHC-RSY10	Safety Retractable Syringe 10ml
4EHC-ENSY01	ENFit Enteral Syringe 1ml
4EHC-ENSY03	ENFit Enteral Syringe 3ml
4EHC-ENSY05	ENFit Enteral Syringe 5ml
4EHC-ENSY10	ENFit Enteral Syringe 10ml
4EHC-ENSY20	ENFit Enteral Syringe 20ml
4EHC-ENSY30	ENFit Enteral Syringe 30ml
4EHC-ENSY60	ENFit Enteral Syringe 60ml
4EHC-NRSY03L	NRFit Syringe 3ml LL (luerlock)
4EHC-NRSY03S	NRFit Syringe 3ml LS (luerlock)
4EHC-NRSY05L	NRFit Syringe 5ml LL (luerlock)
4EHC-NRSY05S	NRFit Syringe 5ml LS (luerlock)
4EHC-NRSY10L	NRFit Syringe 10ml LL (luerlock)
4EHC-NRSY10S	NRFit Syringe 10ml LS (luerlock)
4EHC-NRSY20L	NRFit Syringe 20ml LL (luerlock)
4EHC-NRSY20S	NRFit Syringe 20ml LS (luerlock)

Syringes, Needles

Needles

- Non-toxic, non-pyrogenic
- Sterilized, single use only
- Quality certified: ISO9001/ISO13485, US FDA 820, CE0123

Part no.	Remarks
4EHC-SRN18-10	Disposable Sterile Needle 18G*1"
4EHC-SRN18-15	Disposable Sterile Needle 18G*1 1/2"
4EHC-SRN19-10	Disposable Sterile Needle 19G*1"
4EHC-SRN19-15	Disposable Sterile Needle 19G*1 1/2"
4EHC-SRN20-10	Disposable Sterile Needle 20G*1"
4EHC-SRN20-15	Disposable Sterile Needle 20G*1 1/2"
4EHC-SRN21-10	Disposable Sterile Needle 21G*1"
4EHC-SRN21-15	Disposable Sterile Needle 21G*1 1/2"
4EHC-SRN22-10	Disposable Sterile Needle 22G*1"
4EHC-SRN22-15	Disposable Sterile Needle 22G*1 1/2"
4EHC-SRN22-75	Disposable Sterile Needle 22G*3/4"
4EHC-SRN23-10	Disposable Sterile Needle 23G*1"
4EHC-SRN23-15	Disposable Sterile Needle 23G*1 1/2"
4EHC-SRN23-125	Disposable Sterile Needle 23G*1 1/4"
4EHC-SRN25-125	Disposable Sterile Needle 25G*3/4'
4EHC-SRN25-625	Disposable Sterile Needle 25G*5/8"
4EHC-SRN25-125	Disposable Sterile Needle 25G*1"
4EHC-SRN26-625	Disposable Sterile Needle 26G*5/8"
4EHC-SRN26-5	Disposable Sterile Needle 26G*1/2"
4EHC-SRN27-15	Disposable Sterile Needle 27G*1 1/2"
4EHC-SRN27-125	Disposable Sterile Needle 27G*1 1/4"
4EHC-SRN27-5	Disposable Sterile Needle 27G*1/2"
4EHC-SRN30-10	Disposable Sterile Needle 30G*1"
4EHC-SRN30-5	Disposable Sterile Needle 30G*1/2"



Disposable Sterile Needles

Part no.	Remarks
4EHC-SN18-10	Safety Needle 18G*1"
4EHC-SN18-15	Safety Needle 18G*1 1/2"
4EHC-SN19-10	Safety Needle 19G*1"
4EHC-SN19-15	Safety Needle 19G*1 1/2"
4EHC-SN20-10	Safety Needle 20G*1"
4EHC-SN20-15	Safety Needle 20G*1 1/2"
4EHC-SN21-10	Safety Needle 21G*1"
4EHC-SN21-15	Safety Needle 21G*1 1/2"
4EHC-SN22-10	Safety Needle 22G*1"
4EHC-SN22-15	Safety Needle 22G*1 1/2"
4EHC-SN22-75	Safety Needle 22G*3/4"
4EHC-SN23-10	Safety Needle 23G*1"
4EHC-SN23-15	Safety Needle 23G*1 1/2"
4EHC-SN23-125	Safety Needle 23G*1 1/4"
4EHC-SN25-75	Safety Needle 25G*3/4'
4EHC-SN25-625	Safety Needle 25G*5/8"
4EHC-SN25-10	Safety Needle 25G*1"
4EHC-SN26-625	Safety Needle 26G*5/8"
4EHC-SN26-5	Safety Needle 26G*1/2"
4EHC-SN27-15	Safety Needle 27G*1 1/2"
4EHC-SN27-125	Safety Needle 27G*1 1/4"
4EHC-SN27-5	Safety Needle 27G*1/2"
4EHC-SN30-10	Safety Needle 30G*1"
4EHC-SN30-5	Safety Needle 30G*1/2"



Safety Needle

Blood Collection Set

Safelock Blood Collection Set

- Non-toxic, non-pyrogenic
- Sterilized, single use only
- Quality certified: ISO9001/ISO13485, US FDA 820, CE0123
- Safety lock design for taking blood samples

Part no.	Remarks
4EHC-SY01LL	Syringe 1ml LL (luerlock)
4EHC-SY01LS	Syringe 1ml LS (luerlock)
4EHC-SY03LL	Syringe 3ml LL (luerlock)



Blood Collection Needles

- Non-toxic, non-pyrogenic
- One puncture could be multiple blood collection
- Color identification, easy to identify specifications
- Quality certified: ISO9001/ISO13485, US FDA 820, CE0123

Part no.	Remarks
4EHC-BCN21-10	Blood Collection Needle 21G×1"
4EHC-BCN22-10	Blood Collection Needle 22G×1"
4EHC-BCN22-15	Blood Collection Needle 22G×1 1/2"
4EHC-BCN20-10	Blood Collection Needle 20G×1"
4EHC-BCN20-15	Blood Collection Needle 20G×1 1/2"
4EHC-BCN18-15	Blood Collection Needle 18G×1 1/2"
4EHC-BCN16-15	Blood Collection Needle 16G×1 1/2"



Mobility Care

Patient Lifts (Battery Powered)

- Heavy gauge steel construction with powder-coated finish
- DC 24V 5AH, interchangeable feeding battery
- Approx. 60 lifts per full charge
- Large, easy to grip handles for easy maneuverability
- Lifting Height: 852mm - 1912mm

Part no.	Remarks	Color	Lifting Height
4EHCMPL	Battery powers	White	852 to 1912mm



Patient Lift Slings

- Ideal for transferring a patient from the bed to a toilet or shower chair or from the floor to a bed
- High quality Breathable Poly Mesh Material ideal for bathing
- Four reinforced hookup points that work with any competitive floor style patient lifts

Part no.	Remarks	Color	Sizes
4EHCMPTS	Poly Mesh	Grey	Universal



Transfer & Pivot Discs

- Weight transfer disc assists individuals with limited mobility in moving from one seat to another using minimum physical effort.
- Allows individuals to be able to pivot and turn with minimal to no assistance from a caregiver, allowing for greater independence

Part no.	Color	Sizes
4EHCMTD	Black	Universal



Perineal Packs

- Postpartum Recovery
- Single Use Pack
- Instant Cold Packs
- Self Adhesive Strip

Part no.	Remarks	Color	Sizes	Packing
4EINPCP	Instant Pack	White	Universal	9 pc/pk



Baby Bottle Warmer & Sterilizer

- Multi-function device: Can warm and sterilize baby bottles.
- Additional functions: thawing/defrosting and can also heat food.
- Can handle Plastic, Glass, Silicone bottles, and also Milk Bags
- Night Lamp: The Night lamp helps improve the visibility in dim-lit conditions at night
- Dry-Run Protection: The device has a dry run protection which automatically shuts off the device when there is no water

Part no.	Color	Remarks
4EHCBBW	White	Twin-bottles



Wipe Warmers

- Warmer maintains a constant temperature, which can be set between 113°F-131°F (45°C-55°C)
- LED Display to accurately set the desired temperature

Part no.	Remarks	Color	Sizes
4EHCWW	Baby Wipes	Four Colors	Universal



Mother & Baby Care

Portable Doppler Monitors

- **Light & Portable:** The device can be conveniently carried around.
- **Ease of Use:** easy-to-use controls and a large LCD display
- **Crystal Clear Sound:** High-fidelity, crystal clear sound
- **Multiple Listening Options:** The device has a built-in speaker for listening and also comes with an earphone socket
- **Pease Note:** The Fetal Heart rate Monitor is not a diagnostic device.



Part no.	Remarks
4EHC-FDPB	normal
4EHC-FDPA	normal
4EHC-FDPE	normal
4EHC-FDPS6	normal
4EHC-FDPS	normal
4EHC-FDPSm	normal
4EHC-FDPSp	normal
4EHC-FDPS3	normal
4EHC-FDPS4	normal
4EHC-FDPS5	normal
4EHC-FDPS9	normal

Part no.	Remarks
4EHC-FDP2S	normal
4EHC-FDP2S1	normal
4EHC-FDP2T8	normal
4EHC-FDP860	normal
4EHC-FDPBSA	pocket
4EHC-FDPBSB	pocket
4EHC-FDPSOA	normal
4EHC-FDPSOB	normal



4EHC-FDPB



4EHC-FDPA



4EHC-FDPE



4EHC-FDPS6



4EHC-FDPS



4EHC-FDPSm



4EHC-FDPSp



4EHC-FDPS4



4EHC-FDPS5



4EHC-FDP2S

Cervical Traction Device (Inflatable)

- Provides natural relief and fix spinal problems without the need of invasive procedures.
- For Treatment of chronic pain, pinched nerves, bulging discs, arthritis and bone spurs
- Made with quality material, is soft, comfortable and non-itchy for extended use.
- The neck collar fits most neck sizes and is adjustable with the included Velcro straps.



Part no.	Remarks	Color
4EHCORCTDI	Velcro Straps	Grey

Cervical Collars

- Cervical Immobilization with easy access to trachea
- Rigid plastic to limit movement
- Light Weight
- Adjustable Height



Part no.	Remarks	Color	Sizes
4EHCORCC	Adjustable Height	Grey, Black	Universal

Arm Slings

- Lightweight, breathable fabric and features an integrated thumb loop to reduce hand fatigue
- Evenly distributes weight of the arm to reduce pain and eliminate pressure points
- Shoulder strap is adjustable for a customizable fit



Part no.	Remarks	Color	Sizes
4EHCORASL	Adjustable Shoulder Pad	Black	S, M, L, XL

Back Support

- Back Support for Pain Relief
- Compressive all day support for pulled muscles
- Designed with breathable light weight material for all-day comfort
- Low-profile, fits well under clothes

Part no.	Remarks	Color
4EHCORBS	Aluminum	Black



Knee Support

- Relieves pressure and stress on the knee-joint
- Fully adjustable straps helps to prevent slippage and accommodate a broad range of users.
- Ensures the knee cap remains in proper position during flexion and extension
- Eases chronic and acute knee pain arthritis, strains, sprains and fatigue; ideal for post-surgery rehabilitation

Part no.	Remarks	Color
4EHORKNS	Neoprene	Black



Crutches

- Light weight and durable Aluminum
- I-beam to reduce wobbliness

Part no.	Remarks	Color	Sizes
4EHCORCRT	Aluminum	Metallic, Black	Tall
4EHCORCRA	Aluminum	Metallic, Black	Adult
4EHCORCRY	Aluminum	Metallic, Black	Youth



Reusable Hot n Cold Gel Packs

- Non-invasive Pain Therapy
- Reusable Gel Packs for Hot & Cold Therapy
- Comes with an adjustable strap which enables a good fit on your knees, wrist, legs, foot and ankle
- High-quality durable nylon & vinyl fabric provides extra safety and comfort
- No skin irritation or discomfort during use



Part no.	Remarks	Color
4EHCPMHCR	Adjustable Straps	Blue

Instant Cold Packs

- Relief from pain and swelling caused by sprains, strains, minor burns etc.
- No need for refrigeration; squeeze pouch to activate
- For External application only
- Single-use product

Part no.	Remarks	Color	Sizes
4EHCPMICP	Single-Use	White, Blue	Universal



Instant Hot Packs

- Relief from pain and swelling caused by knocks and bruises
- No heating needed; squeeze pouch to activate
- For External application only
- Single-use product



Part no.	Remarks	Color	Sizes
4EHCPMIHP	Single-Use	White, orange	Universal

Patient Care

Over Bed Tables

- Adjustable height range: from 27" to 45"
- Comes with wheels and can be easily moved into position
- Non-Tilt Table



Part no.	Remarks	Color
4EHCMOBT	Non-Tilt	Wood Top

Bed Rails

- Designed to prevent falls by helping the user to get out of the bed
- Non-Slip Hand Grip
- Adjustable height to suit to any beds
- Light & Portable: The device can be conveniently carried around



Part no.	Remarks	Color
4EHCBR	Adjustable Height	Metallic, Black

Commode Chair (movable)

- Movable Commode Chair--Steel
- Detachable swing away footrest
- Fixed full length PVC padded armrest
- Detachable seat
- Seat width 44.5 cm
- Seat Height 51.5 cm
- Maximum load 100kg

Part no.	Remarks	Color
4EHCCCH	Detachable Seat	Metallic, Black



Compressor Nebulizers

- For Treatment of Respiratory Diseases
- Low Noise & One-button Operation
- High Nebulization Rate
- Nebulization Rate: more than 0.2ml/min
- Small & Light-weight
- Comes with Nebulizer Bottle, Air Tube, Mouthpiece, Adult & Child Mask, Air Filters and Adapter



4ERC-CND CF

S600 Series

Part no.	Remarks	Color
4ERC-CNACA	AC	white/blue
4ERC-CNACB	AC	white/blue
4ERC-CNACC	AC	white/blue
4ERC-CNACD	AC	white/blue
4ERC-CNACE	AC	white/blue
4ERC-CNACMA	AC	white
4ERC-CNACMC	AC	white
4ERC-CNACME	AC	white
4ERC-CNACMF	AC	white
4ERC-CNACMG	AC	white

Part no.	Remarks	Color
4ERC-CNACMI	AC	white
4ERC-CND CF	DC	white
4ERC-CND CG	DC	white
4ERC-CND CMD	DC	blue/orange
4ERC-CNACH	AC	grey
4ERC-CNACMB	AC	white
4ERC-CNACMK	AC	black
4ERC-CNACMJ	AC	brown
4ERC-CNACI	AC	green
4ERC-CNACJ	AC	green/blue



MCN-S600A



MCN-S600B



MCN-S600C



MCN-S600D



MCN-S600E



MCN-S600MA



MCN-S600MC



MCN-S600ME



MCN-S600MF



MCN-S600MG



MCN-S600MI

Respiratory Care - Nebulizers

Compressor Nebulizers



MCN-S600G



MCN-S600F



MCN-S600MD



MCN-S600MD



MCN-S600H



MCN-S600MB



MCN-S600MK



MCN-S600MJ



MCN-S600J



MCN-S6001

23XX Series

Part no.	Remarks	Color
4ERC-CN2300AS	AC	white
4ERC-CN2301AS	AC	white
4ERC-CN2302AS	AC	white
4ERC-CN2305AS	AC	white
4ERC-CN2305BS	AC	white
4ERC-CN2305BS-B	AC	white
4ERC-CN2308AS	AC	white
4ERC-CN2310AS	AC	white and orange
4ERC-CN2312AS	AC	black and white
4ERC-CN2300AS	AC	white
4ERC-CN2313AS	AC	white
4ERC-CN2315AS	AC	black and white

Part no.	Remarks	Color
4ERC-CN2317AS	AC	white
4ERC-CN2318AS	AC	white
4ERC-CN2320AS	AC	white
4ERC-CN2322AS	AC	white
4ERC-CN2337AS	AC	white
4ERC-CN2341AS	AC	black and white
4ERC-CN2342AS	AC	black and pink
4ERC-CN2343AS	AC	brown and white
4ERC-CN2300BS	AC	white
4ERC-CN2300Air	AC	white
4ERC-CN2362AS	AC	brown
4ERC-CN2311HD	AC	white



4ERC-CN2300AS



4ERC-CN2301AS



4ERC-CN2302AS



4ERC-CN2305AS

Respiratory Care - Nebulizers

Compressor Nebulizers - AC



4ERC-CN2305BS



4ERC-CN2305BS-B



4ERC-CN2308AS



4ERC-CN2310AS



4ERC-CN2312AS



4ERC-CN2313AS



4ERC-CN2315AS



4ERC-CN2317AS



4ERC-CN2341AS



4ERC-CN2342AS



4ERC-CN2343AS



4ERC-CN2300BS

Mesh Type Nebulizers

- For Treatment of Respiratory Diseases
- Active Vibrating Mesh Technology
- Small & Light-weight
- Comes with Mouthpiece, Adult & Child Mask, USB cable

Part no.	Remarks	Color
4ERC-MB001	mesh	white & blue
4ERC-MB002	mesh	white
4ERC-MB003	mesh	white
4ERC-MB004	mesh	white



4ERC-MB001



4ERC-MB002



4ERC-MB003



4ERC-MB004

Pulse Oximeter

Fingertip Pulse Oximeter

- High accuracy real-time measurement indication SpO2 measurement.
- SpO2 (Blood Oxygen Saturation level) and pulse rate measurement even at low blood perfusion.
- ALARM function will remind patients of SpO2 and PR value change.
- Suitable for all Ages - Finger chamber with SMART Spring System.

500 Series (LED and OLED displays)

Part no.	Remarks	Color
4EHC-FPOA	LED	blue/pink/white
4EHC-FPOB	LED	Blue
4EHC-FPOC	OLED	blue
4EHC-FPODI	LED	black
4EHC-FPODo	OLED	black
4EHC-FPOEI	LED	white
4EHC-FPOEo	OLED	white
4EHC-FPOGI	LED	black/ white
4EHC-FPOGo	OLED	black/ white



4EHC-FPOA



4EHC-FPOB



4EHC-FPOC



4EHC-FPODI



4EHC-FPODo



4EHC-FPOEI



4EHC-FPOEo



4EHC-FPOGI



4EHC-FPOGo

101 Series (with PI Indicator)

Perfusion Index reflects the amount of blood flow being measured by the oximeter



4EHC-FPOA3



4EHC-FPOB1



4EHC-FPOH1

Part no.	Remarks	Color
4EHC-FPOA	LED	blue/pink/white
4EHC-FPOB	LED	Blue
4EHC-FPOC	OLED	blue
4EHC-FPODI	LED	black



4EHC-FPOA2

Pulse Oximeter

Fingertip Pulse Oximeter

50 Series (with bar graph and pulse waveform)

Part no.	Remarks	Color
4EHC-FPO50EW	OLED	Black & white
4EHC-FPO50E	OLED	Black & white



4EHC-FPO50E

BSX Series (Pulse Curve Display and Suited for High Altitude Sports)

Part no.	Part no.
4EHC-FPO221	4EHC-FPO283
4EHC-FPO223	4EHC-FPO231
4EHC-FPO261	4EHC-FPO233
4EHC-FPO263	4EHC-FPO251
4EHC-FPO281	4EHC-FPO253



4EHC-FPO221



4EHC-FPO223

70 Series (Multi Directional Display)

Part no.	Remarks	Color
4EHC-FPO70Alp	LED	pink
4EHC-FPO70Alb	LED	blue
4EHC-FPO70AI	LED	black
4EHC-FPO70Alg	LED	grey
4EHC-FPO70Aop	OLED	pink
4EHC-FPO70Aob	OLED	blue
4EHC-FPO70Ao	OLED	Black
4EHC-FPO70Aog	OLED	Grey
4EHC-FPO70Atp	TFT	pink
4EHC-FPO70Atb	TFT	blue
4EHC-FPO70At	TFT	black
4EHC-FPO70Atg	TFT	grey



4EHC-FPO70Alp



4EHC-FPO70Alb



4EHC-FPO70AI



4EHC-FPO70Alg



4EHC-FPO70Ao



4EHC-FPO70Aog

Part no.	Remarks	Color
4EHC-FPO70Eo	OLED	Black
4EHC-FPO70Eow	OLED	white

Pulse Oximeter

Handheld Pulse Oximeter

- Accurate Monitoring against low perfusion.
- Reliable reading while patient is moving.
- Sensitive: Can monitor weak pulse signals

Part no.	Remarks
4EHC-HPOSP20	SPO2, Pulse rate & Temperature
4EHC-HPO50C	PR sound, Bar Graph, Waveform



4EHC-HPOSP20



4EHC-HPOSP20

Wrist Pulse Oximeter

- Built-in smart vibrator
- Vibration triggered by low oxygen
- Never goes off the finger
- Nighttime Continuous Monitoring

Part no.	Remarks
4EHC-WPOCM2	For Continuous Monitoring



Part no.	Remarks
4EHC-WPOW01T	SP02, HR, Sleep Monitoring, Steps

- Sleep data Monitoring
- Real Time pedometer
- App Support

Oxygen Concentrator

Portable Oxygen Concentrator

- Suitable for use at home, Gym or sport training center, hospitals, ambulances
- Oxygen concentrator with, adjustable flow, 24*7 working, and flow rate of 5L/min
- Overheat Alarm, Power Failure Alarm, Low Purity Alarm
- Flow Splitter capable of dividing into 5 flows

Part no.	Remarks
4ERC-OC5W	flow rate of 5L/min
4ERC-OC5WN	flow rate of 5L/min



- Suitable for use at home, Gym or sport training center, hospitals, ambulances
- Oxygen concentration: $93\% \pm 3\%$
- flow rate of 3L/min
- SpO2 measurement function
- Waterproof and Dustproof: IP21

Part no.	Remarks
4ERC-OC3B	flow rate of 3L/min



For more information, Contact us at info@4e-s.com