

SILVER NON-STICK

BIPOLEAR FORCEPS, NON-BAYONET



STRAIGHT
8,0 MM TIP LENGTH

| | TIP WIDTH | LENGTH | | | | | |
|--|-----------|--------|--------|--------|--------|--------|--------|
| | | 105 mm | 170 mm | 185 mm | 215 mm | 265 mm | 285 mm |
| | 0,2 mm | WEV-2U | WEW-1U | WEX-1U | | | |
| | 0,4 mm | WEV-3U | WEW-2U | WEX-2U | | | |
| | 0,7 mm | WEV-4U | WEW-3U | WEX-3U | | | |
| | 1,0 mm | WEV-6U | WEW-4U | WEX-4U | | | |
| | 1,5 mm | | | WEY-8U | WEY-1U | | |
| | 2,0 mm | | | WEZ-0U | WEY-2U | | |
| | 2,5 mm | | | | | WEY-5U | WEY-9U |


ANGLED
8,0 MM TIP LENGTH

| | TIP WIDTH | LENGTH | | | |
|--|-----------|--------|--------|--------|--------|
| | | 105 mm | 170 mm | 185 mm | 245 mm |
| | 0,7 mm | WEV-5U | | | |
| | 1,0 mm | WEV-7U | WEW-5U | WEX-5U | WEY-3U |
| | 2,0 mm | | | WEX-6U | WEY-4U |



SILVER NON-STICK

BIPOLAR FORCEPS, BAYONET



8,0 MM TIP LENGTH

| | TIP SHAPE | TIP WIDTH | LENGTH | | |
|--|------------------|-----------|--------|--------|--------|
| | | | 140 mm | 155 mm | 185 mm |
| | STRAIGHT | 0,2 mm | WEP-5U | WEP-1U | WEQ-1U |
| | | 0,4 mm | WEQ-3U | WEP-2U | WEQ-2U |
| | | 0,7 mm | WEQ-4U | WEP-4U | WEP-7U |
| | | 1,0 mm | | WEP-3U | WEP-8U |
| | | 1,2 mm | | | WEQ-8U |
| | 2,0 mm | | WEP-6U | WEQ-7U | |
| | ANGLED DOWNWARDS | 1,2 mm | | | WEQ-5U |
| | ANGLED UPWARDS | 1,2 mm | | | WEQ-6U |

8,0 MM TIP LENGTH

| | TIP SHAPE | TIP WIDTH | LENGTH | | | |
|--|------------------|-----------|--------|--------|--------|--------|
| | | | 215 mm | 235 mm | 255 mm | 275 mm |
| | STRAIGHT | 0,2 mm | WER-1U | WES-0U | | |
| | | 0,4 mm | WER-2U | WES-4U | WEW-8U | |
| | | 0,7 mm | WER-3U | WES-2U | | WET-4U |
| | | 1,0 mm | WER-4U | WES-7U | | |
| | | 1,2 mm | WER-5U | WES-3U | | |
| | | 2,0 mm | WET-3U | WET-2U | | |
| | ANGLED DOWNWARDS | 0,7 mm | WER-6U | WES-8U | | |
| | | 1,2 mm | WER-7U | WES-9U | | |
| | ANGLED UPWARDS | 0,7 mm | WER-9U | WES-6U | WEW-9U | |
| | | 1,2 mm | WER-8U | WES-1U | WEW-7U | |

LENGTH



SILVER NON-STICK SE

BIPOLAR FORCEPS, BAYONET



SHORT ELECTRODE
3,0 MM TIP LENGTH

| | TIP WIDTH | LENGTH | | |
|--|--------------|--------|--------|--------|
| | | 215 mm | 235 mm | 250mm |
| | 0,5 mm | WFE-1U | | |
| | 1,0 mm | | WFE-2U | |
| | 2,0 mm | | WFE-3U | WFE-8U |



SILVER NON-STICK FE

BIPOLAR FORCEPS, BAYONET



FLAT ELECTRODE
6,0 MM TIP LENGTH

| | TIP | | LENGTH | | | |
|--|-------------------------|--------|--------|--------|--------|--------|
| | | | 155 mm | 185 mm | 215 mm | 235 mm |
| | STRAIGHT | 0,2 mm | WFF-3U | WFG-3U | WFH-3U | WFI-3U |
| | | 0,4 mm | WFF-2U | WFG-2U | WFH-2U | WFI-2U |
| | | 0,7 mm | WFF-1U | WFG-1U | WFH-1U | WFI-1U |
| | | 1,0 mm | | WFG-4U | WFH-4U | WFI-4U |
| | ANGLED UPWARDS 45° | 0,4 mm | | WFJ-0U | WFJ-2U | |
| | ANGLED UPWARDS 80° | 0,4 mm | | WFJ-1U | WFJ-3U | |
| | ANGLED DOWNWARDS 45° | 0,4 mm | | WFK-0U | WFK-2U | |
| | ANGLED DOWNWARDS 80° | 0,4 mm | | WFK-1U | WFK-3U | |

Please note that not all products are available in every country.
Wir weisen darauf hin, dass einzelne Produkte oder Produktgruppen in manchen Ländern nicht verfügbar sein können.

The dimensions listed in the catalog are nominal measurements. Actual values may differ slightly due to variations in production.
Bei denen im Katalog angegebenen Maßen handelt es sich um Nennmaße. Die tatsächlichen Werte können fertigungsbedingt abweichen.

LENGTH



Günter Bissinger Medizintechnik GmbH
Hans-Theisen-Str.1
79331 Teningen
Germany

Distributed by:

FEHLING INSTRUMENTS GmbH & Co. KG
Hanauer Landstr. 7A
63791 Karlstein/Germany
Tel.: + 49 (0) 6188-9574-0
Fax: + 49 (0) 6188-9574-44
www.fehling-instruments.de