



SECURITY CAMERA TRAILERS

24/7 Security
Rapid Deployment

SURVEILLANCE & DETERRENCE

View Cameras

24/7 live-stream + recording, all viewable from your phone or computer. View multiple cameras from one login, from any device.

Monitoring

Select the option that meets your security needs:

- **1) Self Monitoring -** 24/7 access to live camera feeds. Alerts delivered over email or text. Included with your rental.
- **2) Central Monitoring Station -** Video alerts monitored by trained analysts in Central Monitoring Station. Staff dispatches emergency responders.

Visual Deterrence

Blue strobe light to deter unwanted visitors dusk/dawn.



RESERVE YOUR TRAILER

(803) 335-4400 | info@pathfinderuav.com

THE PROCESS IS EASY



Identify Location For Your Trailers



Trailers Delivered and Installed within 3-5 days



Online in 10 Minutes

CUSTOM SITE DESIGN





- Site Design: Cameras placed for optimal coverage
- Monitoring Zones: protecting your most critical assets

LIVE AGENT MONITORING







Video alerts monitored by trained analysts in Central Monitoring Station. Staff dispatches local emergency responders.











OWL

Surveillance & Deterrence Over Unlit Areas



KEY FEATURES

- High resolution PTZ
- Active deterrence (alarm & strobe light)
- Automated alerts (SMS or email)
- Auto-selects best available LTE service
- Automatic power management with battery backup
- Live streaming and 24/7 recording accessible
- Control camera access and add/remove users at any time





INFRARED (IR) CAMERA

- OptimizedIR with 250m range
- HDTV 1080p with 32x optical zoom
- Autotracking 2 and orientation aid
- Speed Dry ensures clarity in rainy weather
- Sharpdome design it allows viewing 20° above the horizon



ADVANCED VIDEO MANAGEMENT SOFTWARE

- Included with every rental
- Access from anywhere via Android and iOS mobile apps
- Remove single point-of-failure with In-device storage paired with redundant cloud storage
- Guarding your data with modern cybersecurity protocols







STANDARD CONFIGURATION

IR PTZ Camera	AXIS Q6315-LE
Strobe and Siren	AXIS D4100-E
Solar Power	800W (3-4 days operation with no sun)
Auxiliary Power	110v AC mains power
Trailer Dimensions	Length: 131in (3.3M); 90in (2.3M) when tongue is raised
	Width: 69in (1.8M); 90in (2.3M) when solar panels are deployed
Mast Height	18' (5.5M)

OPTIONAL ATTACHMENTS

Bullet Camera	AXIS P1468-LE, 4K, remote focus and zoom, Horizontal field of view 108°-49°, Vertical field of view 58°-27
Panoramic Camera	AXIS P3818, 13MP Resolution, 180° horizontal, 90° vertical coverage
Network Horn Speaker	AXIS C1310, All-in-one speaker system with built-in power amplifier and signal processing

