

WOODFORD FLATBED VEHICLE TRANSPORTERS

PROFESSIONAL OPEN VEHICLE TRANSPORTATION

Our Woodford Flatbed Trailers are adaptable to meet a vast array of different vehicle requirements. They are extremely robust and light and like all of our trailer range are very user friendly. Woodford Flatbed trailers are high quality aluminium trailers ideal for Cars, Diggers, Tractors, Movers and Plant Equipment – available with two or three axles and five variant bed lengths – their versatility, strength and value for money is why they are most popular amongst our customers. With our wide range of sizes and configurations we are certain we have the right trailer to suit your needs.




STANDARD FLATBED SPECIFICATION:


- Set of 2 heavy duty ramps 8' long (2.4m)
- 50mm ball coupling with barrel lock and safety ball
- Supporting loading legs
- Spare wheel on bracket
- Heavy duty jockey wheel



2 AXLE



3 AXLE




**THE
FLATBED**

FLATBED PRESTIGE OPEN CAR TRAILERS **SPECIFICATIONS**


Model	Bed Size B, A FT/IN MM	Load KG	Gross KG	Axles Number	Wheel size Inches	O/A Width C MM	O/A Length D MM	Loading Angle Degrees	Bed Height MM
FBT010	12' x 7'3" 3660 x 2220	2000	2600	2	12 or 10	2220	5050	15	620
FBT0101	12' x 7'3" 3660 x 2220	2400	3000	2	12 or 10	2220	5050	15	620
FBT020	12' x 7'3" 3660 x 2220	2800	3500	2	12	2220	5050	15	620
FBT050	14' x 7'3" 4260 x 2220	1950	2600	2	12 or 10	2220	5670	15	620
FBT0501	14' x 7'3" 4260 x 2220	2350	3000	2	12 or 10	2220	5670	15	620
FBT070	14'x7'3" 4260 x 2220	2750	3500	2	12	2220	5670	15	620
FBT130	16' x 7'3" 4870 x 2220	1900	2600	2	12 or 10	2220	6225	15	620
FBT1301	16' x 7'3" 4870 x 2220	2300	3000	2	12 or 10	2220	6225	15	620
FBT150	16' x 7'3" 4870 x 2220	2700	3500	2	12	2220	6225	15	620
FBT210	18' x 7'3" 5500 x 2220	1850	2600	2	12 or 10	2220	6835	15	620
FBT2101	18' x 7'3" 5500 x 2220	2250	3000	2	12 or 10	2220	6835	15	620



2 AXLE



3 AXLE



**THE
FLATBED**

FLATBED PRESTIGE OPEN CAR TRAILERS SPECIFICATIONS

Model	Bed Size B, A FT/IN MM	Load KG	Gross KG	Axles Number	Wheel size Inches	O/A Width C MM	O/A Length D MM	Loading Angle Degrees	Bed Height MM
FBT230	18' x 7' 3" 5500 x 2220	2650	3500	2	12	2220	6835	15	620
FBT290	20' x 7' 3" 6100 x 2220	1800	2600	2	12 or 10	2220	7425	15	620
FBT2901	20' x 7' 3" 6100 x 2220	2200	3000	2	12 or 10	2220	7425	15	620
FBT310	20' x 7' 3" 6100 x 2220	2600	3500	2	12	2220	7425	15	620
FBT151	18' x 7' 3" 4870 x 2220	2670	3500	3	10	2220	6225	13	620
FBT231	18' x 7' 3" 5500 x 2220	2620	3500	3	10	2220	6835	13	620
FBT311	20' x 7' 3" 6100 x 2220	2570	3500	3	10	2220	7425	13	620

Part Number	Flatbed Trailer Optional Extras
OPMP01	Manual Hydraulic tilt system (will reduce load 30kg and bring loading angle to 7 degrees ,not recommended for less than 14" trailer bed length)
OP100	LED lights (upgrade)
OP002	Centre deck storage box
OP005	Ladder rack
OP006	Jerry can/fuel box (2 can size) 353mm length x 400mm width x 500mm height

Part Number	Flatbed Trailer Optional Extras
OP007	Jerry can/fuel box (3 can size) 500mm length x 400mm width x 500mm height
OP009	Strap box (weight 9.2kg) 170mm length x 690mm width x 500mm height
OP014	Set of 4 medium duty straps with loops 1000kg each
OP0141	Set of 4 medium duty straps over wheel 1000kg each
OP015	Set of 4 heavy duty straps with loops 2000kg each
OP0151	Set of 4 heavy duty straps over wheel 2000kg each
OP016	Adjustable tyre rack (weight 39kg, max height 1000mm)
OP021	Manual single speed winch 3500lb (6mm x 10m wire or strap)
OP012	Electric winch 3500lb fitted with battery and battery box
OP011	Electric winch 4500lb fitted with battery and battery box
OP010	Electric winch 12000lb fitted with battery and battery box
WTSDW	Short drum 9500lb electric winch with nylon cable
OP031	Wireless remote control for electric winch
OP026	Second spare wheel with bracket
OP029	10' alloy wheel (upgrade)
OP030	Assister ramps set of 2 aluminium (will reduce loading angle to 2 degrees)
WTWC	Adjustable full width wheel stop with two front rails
WTFR	Formed ramps (upgrade)
WTTFL	Full length tie down rails aluminium
WTRTG220	Ramp tailgate 7' 3" (2200mm) instead of standard ramp choice
OP053	Wider 8' (2400mm) trailer bed
OP028	Shock absorbers
WTWSC	Spare wheel soft cover