


WOODFORD LIGHTWEIGHT VEHICLE TRANSPORTERS


PROFESSIONAL OPEN VEHICLE TRANSPORTATION

The Woodford Lightweight trailer range is ideal for transporting small lightweight vehicles and is commonly used by motor sport enthusiasts. Ideal for cars up to 1500kg, with options of single or twin braked axle. They are extremely robust and light and like all of our trailer range are very user friendly. Lightweight trailers are available with load bed lengths from 2440mm to 4270mm.



STANDARD LIGHTWEIGHT SPECIFICATION:


- Spare wheel on bracket
- 50mm ball coupling with barrel lock and safety ball
- Supporting loading drop down legs
- Set of two ramps and medium to heavy duty jockey wheel



THE LIGHTWEIGHT

LIGHTWEIGHT PRESTIGE OPEN CAR TRAILERS SPECIFICATIONS


Model	Bed Size E, B FT/IN MM	Load KG	Gross KG	Axles Number	Wheel Size Inches	O/A Width C MM	O/A Length F MM	Loading Angle Degrees	Gap Between Runways MM	Ramp Length MM D
LWT010	8' x 5'5" for smart cars 2440 x 1650	980	1300	1	12	2170	3650	8	870	1520
LWT011	8'x 5'7" for smart cars 2440 x 1700	980	1300	1	12	2230	3700	8	920	1520
LWT020	8'8" x 5'5" for smart cars 2640 x 1650	980	1300	1	12	2170	3850	8	870	1520
LWT021	8'8" x 5'7" for smart cars 2640 x 1700	980	1300	1	12	2230	3700	8	920	1520
LWT030	10' x 5'5" 3050 x 1650	970	1300	1	12	2170	4245	8	870	1920
LWT031	10' x 5'7" 3050x1700	960	1300	1	12	2230	4295	8	875	1920
LWT032	10' x 6'1" 3050x1850	960	1300	1	12	2300	4345	8	1070	1920
LWT040	11' x 5'5" 3350x1650	950	1300	1	12	2170	4625	8	870	1920



THE LIGHTWEIGHT

LIGHTWEIGHT PRESTIGE OPEN CAR TRAILERS SPECIFICATIONS


Model	Bed Size E, B FT/IN MM	Load KG	Gross KG	Axles Number	Wheel Size Inches	O/A Width C MM	O/A Length F MM	Loading Angle Degrees	Gap Between Runways MM	Ramp Length MM D
LWT041	11' x 5'7" 3350 x 1700	950	1300	1	12	2230	4670	8	920	1920
LWT051	11' x 5'7" 3350 x 1700	1200	1600	2	10	2230	4670	8	920	1920
LWT052	11' x 6'1" 3350 x 1850	1200	1600	2	10	2300	4725	8	1070	1920
LWT060	12' x 5'5" 3660 x 1650	930	1300	1	12	2170	4925	8	870	1920
LWT061	12' x 5'7" 3660 x 1700	940	1300	1	12	2230	4970	8	920	1920
LWT062	12' x 6'1 3660 x 1850	940	1300	1	12	2300	5025	8	1070	1920
LWT070	12' x 5'5" 3660 x 1650	1200	1600	2	10	2170	4925	8	870	1920
LWT071	12' x 5'7" 3660 x 1700	1200	1600	2	10	2230	4970	8	920	1920



THE LIGHTWEIGHT

LIGHTWEIGHT PRESTIGE OPEN CAR TRAILERS SPECIFICATIONS

Model	Bed Size E, B FT/IN MM	Load KG	Gross KG	Axles Number	Wheel Size Inches	O/A Width C MM	O/A Length F MM	Loading Angle Degrees	Gap Between Runways MM	Ramp Length MM D
LWT072	12' x 6'1" 3660 x 1850	1200	1600	2	10	2300	5025	8	1070	1920
LWT073	12' x 6'1" 3660 x 1850	1500	2000	2	12	2300	5025	8	1070	1920
LWT080	13' x 5'5" 3960 x 1650	930	1300	1	12	2170	5215	8	870	1920
LWT081	13' x 5'7" 3960 x 1700	930	1300	1	12	2230	5260	8	920	1920
LWT082	13' x 6'1" 3960 x 1850	950	1300	1	12	2300	5315	8	1070	1920
LWT090	13' x 5'5" 3960 x 1650	1200	1600	2	10	2170	5215	8	870	1920
LWT091	13' x 5'7" 3960 x 1700	1200	1600	2	10	2230	5260	8	920	1920
LWT092	13' x 6'1" 3960 x 1850	1200	1600	2	10	2300	5315	8	1070	1920



THE LIGHTWEIGHT

LIGHTWEIGHT PRESTIGE OPEN CAR TRAILERS SPECIFICATIONS

Model	Bed Size E, B FT/IN MM	Load KG	Gross KG	Axles Number	Wheel Size Inches	O/A Width C MM	O/A Length F MM	Loading Angle Degrees	Gap Between Runways MM	Ramp Length MM D
LWT093	13' x 6'1" 3960 x 1850	1500	2000	2	12	2300	5315	8	1070	1920
LWT100	14' x 5'5" 4270 x 1650	1200	1600	2	10	2170	5574	8	870	1920
LWT101	14' x 5'7" 4270 x 1700	1200	1600	2	10	2230	5619	8	920	1920
LWT102	14' x 6'1" 4270 x 1850	1200	1600	2	10	2300	5674	8	1070	1920
LWT103	14' x 6'1" 4270 x 1850	1500	2000	2	12	2300	5674	8	1070	1920

Part Number	Lightweight Trailer Optional Extras
WATU001	Upgrade axle to 1500kg (Possible on 5'5" and 6'1" only)
OP001	Centre deck kit (12mm thick buffalo floor)
OP006	Jerry can/fuel box (2 can size 353mm length x 400mm width x 500mm height)
OP007	Jerry can/fuel box (3 can size 500mm length x 400mm width x 500mm height)
OP009	Strap box (weight 9.2kg, 220mm height x 170mm length x 690mm width)
OP014	Set of 4 medium duty straps with loops 1000kg each
OP0141	Set of 4 medium duty straps over wheel 1000kg each
OP015	Set of 4 heavy duty straps with loops 2000kg each
OP0151	Set of 4 heavy duty straps over wheel 2000kg each
OP016	Adjustable tyre rack (weight 39kg, maximum height 1000mm)
OP017	Pair of two wheel stops
OP019	Manual 2 speed winch 2500lb (6mm x 8m wire)
OP020	Manual single speed winch 3200lb (6mm x 8m wire)
OP100	LED lights upgrade