RL7000

WOOODFORD RL7000 VEHICLE TRANSPORTERS

FULLY COVERED PROFESSIONAL VEHICLE TRANSPORTATION


The Woodford RL7000 is a robust quality covered trailer, fitted with a high impact aerodynamic composite body shell, suitable for race events, track days and general haulage.





STANDARD RL7000 SPECIFICATION:

- · 50mm ball coupling with barrel lock and safety ball
- · Spare wheel
- · LED lights
- · Heavy duty jockey wheel
- · Steel ramp tailgate
- · Two front access door
- · Two main side doors
- · Manual tilt bed system
- · Internal LED light



RL7000

RL7000 COVERED PRESTIGE CAR TRAILER SPECIFICATIONS

Model	Bed Size F, C FT/IN MM	Load KG	Gross KG	Axles Number		Tailgate Length B,E MM	Front Storage Space G MM	Wheel Size Inches	Overall Length H MM	Overall Width D MM
RL7010	20' x 7' or 7' 8" 6100 x 2100	2080	3500	3	2900	2130	250	10" 195 / 5 stud	8100	2300
RL7011	20' x 7' or 7' 8" 6100 x 2300	2050	3500	3	2900	2130	250	10" 195 / 5 stud	8100	2500

Part Number	RL7000 Trailer Optional Extras
EHTILT	Electric hydraulic tilt system
OP002	Centre deck storage
WTSDW	Short drum 9500lb electric winch with nylon cable
OP010	1200lb electric winch

Part Number	RL7000 Trailer Optional Extras			
OP011	4500lb Electric winch			
OPO12	3500lb Electric winch			
OPO31	Wireless remote control for electric winch			
OP014	Set of 4 medium duty straps with loops 1000kg each			
OPO14/1	Set of 4 medium duty straps over wheel 1000kg each RECOMMENDED FOR WHEN OPTION WTTF CHOSEN			
OP015	Set of 4 heavy duty straps with loops 2000kg each			
OP015/1	Set of 4 heavy duty straps over wheel 2000kg each RECOMMENDED FOR WHEN OPTION WTTF CHOOSE			
OP016	Adjustable tyre rack			
WTDT	Double tyre rack			
OP025	Adjustable wheel stop			
OP026	Second spare wheel			
OP027	Additional LED internal lighting			
OP028	Shock absorber			
OP029	10" Alloy wheels			
OP030	Assister ramps set of two aluminium			
OP033	4 Jerry can box			
AKSA02	3500kg AL-KO stabiliser			
WTTFL	Full length aluminium tie down rails 400mm wide both sides			
WTRCPS001	Reversing camera			