

WOODFORD STANDARD VEHICLE TRANSPORTERS




PROFESSIONAL OPEN VEHICLE TRANSPORTATION

Our Woodford Standard Trailers are adaptable to meet a vast array of different vehicle requirements with a loading capability up to 2800kg. They are extremely robust and light and like all of our trailer range are very user friendly. Woodford Standard trailers are high quality trailers ideal for your club, motor sport and classic car haulage needs – available with one, two or three axles and four variant bed lengths – their versatility, strength and value for money is why they are popular amongst our customers. With our wide range of sizes and configurations we are certain we have the right trailer to suit you needs.



STANDARD STANDARD SPECIFICATION:




- Spare wheel on bracket
- When no tilt supporting loading legs
- 50mm ball coupling with barrel lock and safety ball
- Heavy duty jockey wheel



**THE
STANDARD**

STANDARD PRESTIGE OPEN CAR TRAILERS SPECIFICATIONS

Model	Bed Size E, B FT/IN MM	Load KG	Gross KG	Axles Number	Wheel Size Inches	O/A Width C MM	O/A Length F MM	Loading Angle Degrees	Gap Between Runways MM	Ramp Length D MM
STT020	12'x 6'1" T 3660 x 1850	1150	1500	1	12	2330	5275	13	950	No ramps
STT030	12'x 6'1" 3660 x 1850	2050	2070	2	12	2330	4974	13	950	1500
STT050	13'x 6'1" 3960 x 1850	2050	2060	2	12	2330	5274	13	950	1500
STT070	14'x 6'1" 4260 x 1850	2050	2600	2	12	2330	5574	13	950	1500
SST080	14'x 6'1" T 4260 x 1850	2050	2600	2	12	2330	5824	15	950	No ramps
STT090	14'x 6'1" TWR 4260 x 1850	2020	2600	2	12	2300	5824	5	950	1500
STT100	14'x 6'1" T 4260 x 1850	2450	3000	2	12	2330	5574	13	950	1500
STT110	14'x 6'1" T 4260 x 1850	2450	3000	2	12	2330	5874	15	950	No ramps
STT120	16'x 6'1" TWR 4260 x 1850	2420	3000	2	12	2330	5874	5	950	1500
STT190	16'x 6'1" 4870 x 1850	2030	2600	2	12	2330	6137	13	950	1500
STT200	16'x 6'1" T 4870 x 1850	2030	2600	2	12	2330	6427	15	950	No ramps



**THE
STANDARD**

STANDARD PRESTIGE OPEN CAR TRAILERS **SPECIFICATIONS**

Model	Bed Size E, B FT/IN MM	Load KG	Gross KG	Axles Number	Wheel Size Inches	O/A Width C MM	O/A Length F MM	Loading Angle Degrees	Gap Between Runways MM	Ramp Length D MM
STT210	16'x 6'1" TWR 4870 x 1850	2010	2600	2	12	2330	6427	5	950	1500
STT220	16'x 6'1" 4870 x 1850	2420	3000	2	12	2330	6137	13	950	1500
STT230	16'x 6'1" T 4870 x 1850	2420	3000	2	12	2330	6477	15	950	No ramps
STT240	16'x 6'1" TWR 4870 x 1850	2390	3000	2	12	2330	6477	5	950	1500
STT250	16'x 6'1" 4870 x 1850	2820	3500	2	12	2330	6137	13	950	1500

Part Number	Standard Trailer Optional Extras
WTWS	5"/127mm wider trailer bed (Apart from STT250 model)
OP100	LED lights (upgrade)
OP001	Centre deck kit (18mm thick buffalo board)
OP006	Jerry can/fuel box (2 can size 353mm length x 400mm width x 500mm height)
OP007	Jerry can/fuel box (3 can size 500mm length x 400mm width x 500mm height)
OP009	Strap box (weight 9.2kg 170mm length x 690mm width x 220mm height)
OP014	Set of 4 medium duty straps with loops 1000kg each
OP0141	Set of 4 medium duty straps over wheel 1000kg each
OP015	Set of 4 heavy duty straps with loops 2000kg
OP0151	Set of 4 heavy duty straps over wheel 2000kg each
OP016	Adjustable tyre rack (weight 39kg, max height 1000mm)
WTDT	Double tyre rack
OP017	Pair of two wheel stops
OP019	Manual 2 speed winch 2500lb (6mm x 8m wire)
OP020	Manual single speed winch 3200lb (6mm x 8m wire)
OP021	Manual single speed winch 3500lb (6mm x 10m wire or strap)