



**OFFICE OF REGIONAL COMMUNICATIONS AND TECHNOLOGY (ORCAT)
PUBLIC SAFETY RADIO ADMINISTRATION**

1801 NW 64th Street, Suite 106A • Fort Lauderdale, Florida 33309 • 954-357-8442

October 21, 2025

Effective October 8, 2025, all Bi-Directional Amplifiers (BDAs), whether classified as Class A or Class B, must have a physical internal or external FirstNet (Band 14) filter installed, regardless of any internal filtering software systems that may already be in place. Spec sheets will be required to show the physical filter.

This requirement applies to all new projects currently undergoing plan review, including 800MHz BDA's that will be switched to 700MHz, as the inclusion of the external filter is essential for project approval and sign off.

Furthermore, BDAs that are currently operating without this mandated filter, and whose retransmission authorization expires on or after January 1, 2026, must have a filter installed ahead of their next annual maintenance and inspection to receive a renewed retransmission authorization from Broward County.

It is crucial to ensure compliance with this directive to avoid any disruptions in operational status.

Thank you for your cooperation in this matter.

Sincerely,



Rob Brownstein | Supervisor, Regional Public Safety Radio System

Office of Regional Communications and Technology – Radio Administration

[Public Safety Radio Administration](#)

[1801 NW 64TH ST, Suite 106A Fort Lauderdale, FL 33309](#)

E-mail: RBROWNSTEIN@broward.org | Cellular: 954.240.6433 | Office: 954-357-8443

<https://www.broward.org/911> | <https://twitter.com/911Broward>

Broward County Board of County Commissioners

Mark D. Bogen • Alexandra P. Davis • Lamar P. Fisher • Beam Furr • Steve Geller • Robert McKinzie • Nan H. Rich • Hazelle P. Rogers • Michael Udine
Broward.org