


WHAT'S YOUR FENTANYLIQ?

SCAN QR CODE & FIND OUT!






WHO – WHO WE ARE










Fentanyl Fathers, South Florida Opioid Alliance & Miami Poison Control Center are non-profits working to educate kids and warn communities about the dangers of fentanyl and counterfeit pills for Miami-Dade Public Schools through the lens of bereaved parents. Our goal is to spare families from waking up to the same grief we share in every day.

Mission:

To establish a world where no adolescent succumbs to fentanyl poisoning or overdose, by raising awareness about the dangers of fentanyl, counterfeit pills, and effective overdose response measures.













THE NUMBERS

High school-aged overdose deaths rose by 114% starting in 2020. Fentanyl accounted for 77% of those deaths.

Among adolescent overdose decedents (ages 10 to 19) only 35% of them had previous opioid use history, yet **90% of deaths were opioid related**.

Source: Georgetown University

114%

2019-2021

90%

Opioid Related



OVER 100,000 DEAD NUMBERS TREND

Passing 100,000 in one year as reported by the CDC:

There were an estimated 101,078 drug overdose deaths in the US for the 12-month period ending April 2021.

The CDC indicated that more than 110,000 Americans died from a drug overdose in the 12-months, 2022 to January 2023.

In January 2024 107,543 OD Deaths were recorded.

101,078

April 2020-2021

110,133

January 2022-2023



Source: CDC. 2023 was 107,543

MOSTLY FENTANYL NUMBERS

Of the 107,543 OD deaths in 2023, 84,873 (78.9%) involved at

least one opioid, with 74,702 (69.4%) involving synthetic opioids,

primarily illicitly manufactured Fentanyl or Fentanyl analogs.

74,702

69.4%
Synthetic Opioids



FAMOUS PEOPLE

ONE NATION OVERDOSED

Prince died after taking fake Vicodin laced with fentanyl, prosecutor says

"In all likelihood, Prince had no idea he was taking a counterfeit pill that could kill him," the Minnesota prosecutor said.

Angus Cloud: Euphoria actor who played 'Fez' dead aged 25

③ 6 days ag



Drug dealer accepts plea deal in Mac Miller death




Mac Miller had just released a new album when he died of an overdose in 2018

Prince performs during the halftime show at the Super Bowl in 2007. Chris O'Meara / AP file

Prince performs during the halftime show at the Super Bowl in 2007. Chris O'Meara / AP file

Mac Miller




Angus Cloud



Source: Forbes

THE IMPACT

Annual Deaths By Category	Deaths
9/11 Attack +	2,977
All Covid Deaths 18-29	6,749
Cancer: Childhood-39	10,600
Drunk Driving +	13,524
Global Plane Crashes since '06 +	14,572
Vietnam +	58,220
Total	106,642





Sources: NHTSA CDC May 15, 2024

<u>DEA</u>

2 MG = POTENTIALLY LETHAL DOSE OF FENTANYL

THERE ARE 2,000 MG IN A PACKET OF SUGAR BY COMPARISON





FAKE PRESCRIPTION PILLS • WIDELY AVAILABLE • INCREASINGLY LETHAL

DEA LAB TESTING REVEALS THAT

7 OUT OF EVERY 10 PILLS

WITH FENTANYL CONTAIN A POTENTIALLY

LETHAL DOSE

COUNTERFEIT PILLS OFTEN CONTAIN
FENTANYL AND ARE MORE LETHAL
THAN EVER BEFORE



COUNTERFEIT PILLS

Mass produced by criminal drug networks


Most contain Fentanyl, a synthetic opioid that is 50x more potent than heroin and 100x more potent than morphine

Easy to purchase, widely available

Sold on social media and e-commerce platforms like Snapchat.



Source: DEA. Note - CoFounder of FentanylFathers.org
James McCarthy of Birmingham MI lost his 19 year
old son Jack via a Snapchat purchase of fake Xanax.





Social Media
Creates *Pressure*,

affects
Mental
Health







Source: Yale Study

COUNTERFEIT PILLS








These pills are being sold on social media to look like Oxycontin, Percocet, Vicodin, Xanax, and Adderall

Assume every pill you purchase today WILL KILL YOU

Fentanyl powder is also being added to street drug supplies like cocaine, Source: DEA heroin, and methamphetamine

FAKE VS REAL PILL LABS



Source: **DEA**

CARTEL LAB

Fentanyl Fathers
has an agreement
with the DEA to present
to schools.

Tracking Fentanyl's deadly path from China to Mexico to ODs in America


















DON'T BECOME A HEADLINE LIKE THE MOVIE YOU JUST SAW


Jose Hernandez 13

Alexander Neville 14

Melanie Ramos 15

Noah Rodriguez 15












THEYOUNG & DEAD

Source: DEA, <u>FentanylSafe.org</u>








NALOXONE IN THE BRAIN

Naloxone Reversing An Overdose

Naloxone has a stronger affinity to the opioid receptors than opioids, so it knocks the opioids off the receptors for a short time (30-90 minutes). This allows the person to breathe again and reverse the overdose.



Source: Alliance of Coalitions

NALOXONE IN ACTION



Works on ANY opiate ANY time

Reverses opiate effects- sedation and respiratory depression

Causes sudden withdrawal – an unpleasant experience

No contraindications for use in the event of a suspected overdose

Routinely used by EMS (often in larger doses)


There will be no effect on the individual if an opiate is not present







SIGNS OF OPIOID OVERDOSE



Step 1: Call 9-1-1

Request EMS or fire department



Law 768.13 "Good Samaritan Act"

- (3) As used in this section:
- (d) "Who participates in emergency response activities...is not liable for any civil damages" means reporting a drug overdose or other medical emergency to law enforcement, the 9-1-1 system, a poison control center, or medical provider, or assisting someone in reporting a drug overdose or other medical emergency.



Source: Alliance of Coalitions

Step 2: Assess Situation

Do not disturb the area

Check consciousness





Step 3: Give Nasal

Naloxone


Remove 1 – 4mg dose of the


Nasal Narcan, or 8mg dose of Nasal

Kloxxado

Tilt individual's head back

Dispense dose as directed into 1 nostril





Step 4: Possible 2nd Dose

Wait 3 minutes

If no change in victim's condition, administer the second dose in the opposite nostril





Step 5: Withdrawal

Place individual on their side in the recovery position (left side)

Possible vomiting, diarrhea, and/or sweating

Possible agitated behavior













Where can you grab Naloxone in an Emergency?



Resources

Emergencies

9 1 1

Suicide Prevention

988

Poison Control 1-800-222-1222

Health Information Project (HIP)

Drug Free Coalition Youth Groups

Youth Frontliners

One Voice Youth Coalition

Students Working Against Tobacco (SWAT)

Addiction & Recovery

National Institute on Drug Abuse Hotline: 1-800-662-4357

National Helpline for Substance Abuse: 1-800-262-2463

Free Naloxone



Lisa Keeler 954-627-0126 LKeeler@GFLAlliance.org




Jan Thoman 954-830-5262 JThoman@GFLAlliance.org



Dr. Wendy Stephan
305-355-4995
WStephan@med.miami.edu



Greg Swan248-667-2722
Greg@FentanylFathers.org



Bob Minotti
248-667-2722
Bob.Minotti@FentanylFathers.org



S.A.F.E.


fentanylsafe.org

fentanylsafe@gmail.com



Pill Roulette





Analysis constructs


- Perceived severity of consequences from fentanyl use
- Perceived susceptibility to OD
- Perceived benefit to drug abstinence
- Perceived barriers to naloxone
- Self efficacy to recognize an OD
- Self efficacy to respond to OD
- Knowledge about fentanyl

**Signs of an OD + Save-a-Life kits act as Cue to Action

Survey Purpose: Theory based programming - MEASURE to MANAGE.

Measure perceived benefit to **DRUG ABSTINENCE**, **SELF EFFICACY** to recognize and respond to an OD / Poisoning.

FREE PDF book: 1001 Great Comebacks to Peer Pressure =>



Conclusions: Applying the Health Belief Model and bereaved-parent testimony, this school-based overdose prevention program demonstrated notable attitude changes among adolescents. Theory-guided public health interventions forecast engagement with preventive behaviors that are more likely to yield significant behavioral shifts in addressing drug misuse, and fentanyl-related overdoses for schoolaged populations.

Source: <u>Dr. Jack Swan exclusive survey results</u>

We say this together:

I'LL NEVER TRY
SO I'LL NEVER DIE
FROM FENTANYL!

PLEASE COMPLETE THE SURVEY!



