

# **CBP**

**CHALK'S BUS PARTS**


**SPECIAL NEEDS/  
SECUREMENTS**



Speak to a Specialist 1-800-231-5061  
e-mail: [sales@chalks.com](mailto:sales@chalks.com)

## SEAT BELTS - SAFETY VESTS - RELATED PARTS

**TR23122T - 7** 2 Point Retractable




3 Point Dual Retractor  
**CSB-6808** Dual Retractor Extra  
 Length for Thomas Bus

### FEATURES

- Ideal for buses, vans, trucks, construction equipment, and retrofitting used vehicles
- Meets the requirements of FMVSS 209
- Available in assorted colors
- Mounting hardware available

**TRDSCH301T**

**3 Point Belts**



HARDWARE KIT #: **HDW-2**


### FEATURES

- Bus drivers seat belt
- Ideal for buses, vans, trucks, construction equipment, and retrofitting used vehicles
- Meets the requirements of FMVSS 209 and SAE J386
- Mounting hardware available

**TR23122T- 4**  
**TR23122T - 7**

**2 Point Retractable**

**SEAT BELTS - SAFETY VESTS - RELATED PARTS**



3 Point Dual Retractor  
**CSB-6808**Dual Retractor Extra  
 Length for Thomas Bus

**FEATURES**

- *Ideal for buses, vans, trucks, construction equipment, and retrofitting used vehicles*
- *Meets the requirements of FMVSS 209*
- *Available in assorted colors*
- *Mounting hardware available*

**TRDSCH301T**

**3 Point Belts**

**SEAT BELTS - SAFETY VESTS - RELATED PARTS**



Chalk's Part#:  
**WSCH14154C-12** 3 Point Driver,  
 (Wayne/Thomas/B-Bird),  
 Female End 13" **CSB-8004-** For Larger Drivers  
 - 3 Point Female 17 3/4  
 W/L Bend At Floor

## SEAT BELTS - SAFETY VESTS - RELATED PARTS

Seat belts and mounting that are to be used **with** "seat belt ready seats"




### Belts With Brackets

Chalk's Part #: **PBA-45**: 9" Left Female 36" Right Male **PBA-60**: 9" Left Female 51" Right Male **PBA-70**: 9" Left Female 61" Right Male **PBA-75**: 9" Left Female 66" Right Male (Above Available in Black, Maroon, and Tan) S

SeatMount/Anchor Mount  
 Breaking Strength Capacity: 5,000 lbs.  
 Available With Custom Or Standard Size Belts.  
 (Standard Webbing Color Black - Others Available)

This is how a Seat Belt Ready Seat looks



**CSB-145**  
 Special IH Bracket  
 BLUE



**CSB-146**  
 Special IH Bracket  
 MAROON



**CSB-147**  
 Special IH Bracket  
 BROWN



**CSB-148**  
 Special IH Bracket  
 BLACK

**SPECIAL BRACKETS**



Speak to a Specialist 1-800-231-5061  
 e-mail: sales@chalks.com

### **SEAT BELTS - SAFETY VESTS - RELATED PARTS**



- Chalk's Part #:
- PBL-48-15:** 15" Female Left, 33" Male Right
  - PBL-60-15:** 15" Female Left, 45" Male Right
  - PBL-70-15:** 15" Female Left, 55" Male Right
  - PBL-75:** 15" Female Left, 60" Male Right

These Belts Are Adjustable - We Also Have Fixed Length Seat - Adjustable Seat Restraint With Loops (Standard Webbing Color Black - Others Available ie: PRL = Maroon)

**Ask About Our Continuous Belts For Special Applications**  
**SEAT BELTS - SAFETY VESTS - RELATED PARTS**



- Chalk's Part #: **TR23122T-4** (4" Boot)  
**TR23122T-7** (7" Boot)  
 Driver Seat Belt, Retractable  
**HDW-1L**-Bracket With Washer For  
 Mounting Driver Seat Belt Vertically To Floor  
**HDW-2**Reinforcing Washers And Bolts

Speak to a Specialist 1-800-231-5061  
 e-mail: sales@chalks.com

**SEAT BELTS - SAFETY VESTS - RELATED PARTS**

*Only 3 harnesses will take care of all your needs.*

**Adjustable  
Restraining  
Vest**

Certified to take the place of a car seat when used in conjunction with a seat belt. This Harness meets FMVSS 213 when used with a safety belt. The Harness comes in 3 color coded sizes: small, medium, and large. Each size has 2 separate zippered inserts that give you the ability to adjust to almost any size child. Set complete with Vest, Straps, Inserts.



Strap (Harness) over seat  
Chalk's Part #:  
**SM-101-S** Brown  
**SM-101-M** Maroon  
**SM-101-L** Grey

**Color-coded by size for easy identification**

**SMALL**

Vest; 20 -90 Lbs  
**Part # BR-22A/C**  
Crotch Strap Sewn into Vest



Waist size range 22" to 28"

Insert # **BI-22-2**  
child waist 24"  
Insert # **BI-22-4**  
child waist 26"  
child waist 28"  
for 6" combine 2 w/ 4  
child waist

Product color code: **Brown**

**MEDIUM**

Vest; 20 - 165 Lbs  
**Part # BR-30A**  
**CS30603M**- Retrofit  
Crotch Strap  
**BR30A/C** C-Strap  
Sewn into Vest



Waist size range 30" to 36"

Insert # **BI-30-2**  
child waist 32" 34" 36"  
Insert # **BI-30-4**  
child waist  
for 6" combine 2 w/ 4  
child waist

Crotch Strap **CS30603-M**

Product color code: **Maroon**

**LARGE**

Vest: 20 - 165 Lbs  
**Part # BR-38A**  
**CS30603L** - Retrofit  
Crotch Strap  
**BR38A/C**, C-Strap  
Sewn in to Vest



Waist size range 38" to 44"

Insert # **BI-38-2**  
child waist 40" 42"  
child waist 44"  
Insert # **BI-38-4**  
child waist  
for 6" combine 2 w/ 4  
child waist

Crotch Strap **CS30603-L**

Product color code: **Grey**

**\*WARNING:** Vest Must Only Be Used On School bus Seats. Entire Seat Directly Behind Must be Unoccupied Or Have Secure Occupants

**- Recommended Replacement After 5 years in Service**

**Zipper are on the back to keep out of reach of "busy little hands".  
Crotch strap available to keep kids from sliding down and out of vest.**

Speak to a Specialist 1-800-231-5061

e-mail: sales@chalks.com

## **SEAT BELTS - SAFETY VESTS - RELATED PARTS**


### **Little People Restraint System**

Chalks' Part #: **QF-100**  
(One Chest Size Fits All)

Over The Seat Strap (Only)  
Chalk's Part #: **PAR-105**

Our "Little People Restraint System" Is Designed To Transport Pre-School Or Handicapped Children Safely And Comfortably. It Can Be Easily Installed On Any Standard Seat.

These Restraint Harnesses Are Not Seat Belts, Nor Are They Designed To Provide Protection In The Event Of A Collision Or Sudden Stop.




### **How to Install "Little People Restraint System"**

The Cam-Rap Style System Is Designed To Help With Upper Body Mobility Control. Unbuckle Safety Release, Lift Bench Seat And Insert -Buckle End Between Seat Cushion And Backrest. Place Child In Restraint. Use Buckle To Secure Restraint On Child.

## **SEAT BELTS - SAFETY VESTS - RELATED PARTS**

### **BESI, Inc. Over the Shoulder Harness**



Over the Shoulder Harness Installation Part No: **Y8103-1AHB: Y8103-1ALB: Y8103-1CHB: Y8103-1CLB: Adult Hi Back (New York) ; 90-165 lbs; 18 1/2" - 29" Adult Low Back (Standard) 90-165 lbs; Child Hi Back(New York) ; 20-90 lbs Child Low Back(Standard) 20-90 lbs; 11 1/2" - 18"**

The Over the Shoulder Harness is an added way to give extra upper body support when being transported in a school bus. Unbuckle existing vehicle seat belt, lift bench seat and insert the tongue part of the buckle end between seat cushion and backrest, leaving the 1 1/2" webbing (crotch strap) lay on the seat cushion. Lay the two looped ends over the top on the seat back. Buckle the unit on the backside of the seat back.

Speak to a Specialist 1-800-231-5061  
e-mail: [sales@chalks.com](mailto:sales@chalks.com)

# SEAT BELTS - SAFETY VESTS - RELATED PARTS

## BESI, Inc. PRO-TECH III

Manufactured in the USA and dynamically test certified to meet FMVSS213 Standards

Padded head and lumbar areas

Adjustable shoulder strap to fit child

Convenient 6 point adjustability as well as a color coded harness

Does not require the use of a lap belt or seat belt ready seat



Seat accommodates children 20-90 lbs  
Up to 51" Tall

Chalk's Part #: **CSB-6000**

Comfortable and form fitting seat area, constructed of memory foam to help keep the child in place

Harness is constructed of heavy duty certified webbing and hardware components. Pad is constructed of easy clean fire block fabric and R/F welded to prevent fluid penetration as well as bacterial growth saving cost of replacement pads, easy washing

- **FITS CHILDREN 20 - 90 LBS AND UPTO 51" TALL,**
- **MAX WAIST 30.5"**
- **FITS CURRENT SEAT**
- **EASY TO USE WITH CURRENT HIGH AND LOW BACK**
- **NO LAP OR SHOULDER BELT REQUIRED**
- **MEETS FMVSS 213 STANDARDS**
- **3 POINT HOOK UP**

**SEAT BELTS - SAFETY VESTS - RELATED PARTS SEE PAGES 252 - 261 FOR MORE SEAT RELATED PARTS**

## **SafeGuard - STAR 1**

**Student Transportation Add-on Restraint**



Chalk's Part #: **Star 1** STAR-SB  
F103181

**SEAT BELTS - SAFETY VESTS - RELATED PARTS SEE PAGES 252 - 261 FOR MORE SEAT RELATED PARTS**

## **SafeGuard - STAR2**

**Star Plus (F103187)**

**Student Transportation Add-on Restraint**



Replacement pad

### **STAR 2 (F103187)**

**Children From 25 to 90 lbs and up to 47" tall**

- Fits Current Hi & Low Back Seats
- No Lap Belt Required
- Meets FMVSS Requirements
- 5 Point Restraint With Quick Release Buckle

**STAR 2 PLUS - ( F103185) With Chest Strap**

Same As **Star2** But Includes Height Adjuster

Speak to a Specialist 1-800-231-5061

e-mail: sales@chalks.com

## C.E. WHITE STUDENT SAFETY SEAT



- Single Frame Seat Back
- Various Seat Widths
- Meets All Current Fmvss
- Standard School Bus Vinyl And Colors
- *Child Restraints And Special Security Seats Available Also*



### SEAT BELTS - SAFETY VESTS - RELATED PARTS SEE PAGES 252 - 261 FOR MORE SEAT RELATED PARTS



#### **Sure-Lok (Kinedyne) Vinyl Storage Container**

Chalk's Part #: **FE200746**  
 Made of durable, flame resistant **vinyl**, this container provides practical and economical storage of the total system when not in use. Will store all of our systems, including the new Retraktor" Systems.



- Chalk's Part #: **Q5-8521**
- Wall Pouch
  - Belt Storage



- Chalk's Part #: **Q5-8522**
- Mesh Pouch

**SEAT BELTS - SAFETY VESTS - RELATED PARTS  
SEE PAGES 252 - 261 FOR MORE SEAT RELATED PARTS**



SAFETY BELT  
***Buckle Guard***

Chalk's Part #: **BG-100**

**SURE-LOK**

**AL700 TITAN SERIESSYSTEM**

**AUTOMATIC RETRACTRO ADJUSTMENT - HANDS FREE**

Choose Which Kit You Need:



**EXAMPLE OF KIT  
AL712S-4C**

**AL700907S-(2 ea)LeftHand  
Retractor S-Hook**

**AL700727HA - Occupant  
Restraint With Height Adj**

**AL700855S - Right Hand**

Retractor S-Hook

RETRACTOR KITS WITH HEIGHT ADJUSTERS

**SURE-LOK**

**FF600**



**EXAMPLE OF KIT**

**FF612S-4C**

**FE200907S** - (2 ea) Left Hand Retractor S-Hook

**FE200727HA**

**FE200855S** - (2 ea)

Hand Retractor S-Hook

**SURE-LOK  
WHEEL CHAIR RESTRAINTS**



**Kit No. FF612**

Five Retractor Kit - Series L

- 1-**FE200771** Occupant Restraint w/ Height Adjuster
- 1-**FE200771-1** Occupant Restraint Buckle Connector Asym.
- \*2-**FE200824** Rear Retractor Assembly
- \*1-**FE200828** Left Hand Front Crank Retractor Assembly
- \*1-**FE200827** Right Hand Front Crank Retractor Assembly

**L-Track  
Systems**



W/ S-Hook

**Kit No. FF612S**



**Kit No. FF627**

Four Retractor Kit - Series L

- \*2-**FE200824** Rear Retractor Assembly
- \*1-**FE200828** Left Hand Front Crank Retractor Assembly
- \*1-**FE200827** Right Hand Front Crank Retractor Assembly



W/ S-Hook

**Kit No. FF627S**



**Kit No. FF612S-4C**

Five Retractor Kit - Series L

- 1-**FE200771** Occupant Restraint w/ Height Adjuster
- 1-**FE200771-1** Occupant Restraint Buckle Connector Asym.
- 4-**FF200855S** Crank Retractor Assembly with D-Ring

W/ Buckle and connector

**Kit No. FF612-4C**



**Kit No. FF627-4C**

W/ S-Hook

**Kit No. FF627S-4C**

Four Retractor Kit - Series L

- 4-**FF200855S** Right Hand Crank Retractor Assembly with D-Ring



Speak to a Specialist 1-800-231-5061

e-mail: sales@chalks.com

## **WHEEL CHAIR RESTRAINTS SURE-LOK**

### **Parallel Lap Belts**



The Parallel Lap Belts attach directly to the floor track or plates, and provide an occupant restraint system that secures the passenger separately and independently from the mobility aid securement system.

Shoulder Belt  
Lap Belt  
Center-Studded Latch Plate  
Single Push-Button Release



**FE200600 Length 108"**

Premium Lap Belt for Series L Track



**FE200612 Length 108"**

Premium Lap Belt for Series A Track



**FE200594 Length 98"**

Standard Lap Belt for Series L Track



**FE200601 Length 98"**

Standard Lap Belt for Series A Track



### **Integrated Lap Belts**



**Lap Belt Extensions:**

**FE200637 -**  
12" Long

**FE200637- 020 -**  
20" Long

The Integrated Lap Belt attaches directly to the rear strap assemblies of the mobility aid securement system. It provides an occupant restraint system that is an "integrated" part of the mobility aid securement and is dependent upon the strength of the securement system for its restraint capability.



**AL700842 Length 96"**

Integrated Lap Belt With Triangular Fittings To Attach To Stud On Rear Wheelchair Tie down Retractor Assemblies. For Use With AL700 Titan Series Systems Only



**FE200842 Length 96"**

IntegratedLapBeltWithSnap Hooks To Attach to D-Rings On Rear Wheelchair Tie-Down Assemblies



**FE200595 Length 80"**

IntegratedLap Belt WithSnap Hooks To Attach to D-Rings On Rear Wheelchair Tie-Down Assemblies For Use With FE500 Manual Series Systems Only



**FE200637 Length 13"**

**FE200637-020-05 Length 20"**  
Lap Belt Extension



## **WHEEL CHAIR RESTRAINTS**

### **SURE-LOK**

#### **Integrated Combination Belts**

**AL700727**

**AL700856**

**Integrated Combination Belt**

Integrated Lap Belt With Triangular Fittings To Attach Lap Belt To Stud On Rear Wheelchair Tie down Retractor Assemblies. A Velcro Strap Is Provided To Keep Belt Against The Vehicle Sidewall When Not In Use

The **AL700856**Is Designed To Allow The Retractor To Be Installed On A Sidewall Rail, Which Is Typically Mounted 10" Above The Vehicle Floor - For Use With **AL700**Titan Series Systems Only



**FE200727**

**FE200856**

**Integrated Combination Belt**

Integrated Combination Belt With Snap Hooks To Attach Lap Belt To D-Rings On Rear Wheelchair Tie down Assemblies. A Velcro Strap Is Provided To Keep Belt Against The Vehicle Sidewall When Not In Use

The **FE200856**Is Designed To Allow The Retractor To Be Installed On A Sidewall Rail, Which Is Typically Mounted 10" Above The Vehicle Floor - For Use With **AL700**Titan Series Systems Only



**AL700727HA**

**AL700856HA**

**Integrated Combination Belt With Height Adjuster**

Integrated Lap Belt With Triangular Fittings To Attach Lap Belt To Stud On Rear Wheelchair Tie Down Retractor Assemblies. Height Adjusters Provides Nearly 12" Of Vertical Adjustment To Allow Proper Shoulder Belt Placement On The Occupant. A Velcro Strap Is Provided To Keep Belt Against The Vehicle Sidewall When Not In Use.

The **AL700856HA**Is Designed To Allow The Retractor To Be Installed On A Sidewall Rail, Which Is Typically Mounted 10" Above The Vehicle Floor - For Use With **AL700**Titan Series Systems Only



**FE200727HA**

**FE200856HA**

**Integrated Combination Belt With Height Adjuster**

Integrated Combination Belt With Snap Hooks To Attach Lap Belt To D-Rings On Rear Tie down. Height Adjusters Provides Nearly 12" Of Vertical Adjustment To Allow Proper Shoulder Belt Placement On The Occupant. A Velcro Strap Is Provided To Keep Belt Against The Vehicle Sidewall When Not In Use

The **FE200856HA**Is Designed To Allow The Retractor To Be Installed On A Sidewall Rail, Which Is Typically Mounted 10" Above The Vehicle Floor - For Use With **AL700**Titan Series Systems Only



Speak to a Specialist 1-800-231-5061

e-mail: [sales@chalks.com](mailto:sales@chalks.com)

## WHEEL CHAIR RESTRAINTS SURE-LOK

### Dual Retractable Integrated Combination Belts

**AL700868-2**  
**AL700868-4**

**Dual Retractable Integrated Combination Belt**  
Dual Retractable Integrated Combination Belt Lap Belt With Triangular Fittings To Attach Lap Belt To Stud On Rear Wheelchair Tie down Retractor Assemblies And a Flat Mounting Bracket On The Upper Retractor  
The **AL700868-4** Offers An Angled Mounting Bracket On The Upper Retractor To Accommodate Angled Vehicle Sidewall Wire Molding  
- For Use With **AL700** Titan Series Systems Only

**FE200868-2**  
**FE200868-4**

**Dual Retractable Integrated Combination Belt**  
Dual Retractable Integrated Combination Belt Lap Belt With Snap Hooks To Attach Lap Belt To D-Rings On Rear Wheelchair Tie down Retractor Assemblies And a Flat Mounting Bracket On The Upper Retractor The **FE200868-4** Offers An Angled Mounting Bracket On The Upper Retractor To Accommodate Angled Vehicle Sidewall Wire Molding - For Use With **AL700** Titan Series Systems Only



### Shoulder Belts

**FE200599 Length 52"**  
**FE200732 Length 82"**

**Non-Retractable Shoulder Belt For Series L Track**

Non-Retractable Shoulder Belt Attaches To Series L Track On Vehicle Sidewall, Providing Increased Positioning Flexibility For Multiple Station Vehicles.

**FE200613 Length 52"**  
**FE200716 Length 82"**

**Non-Retractable Shoulder Belt For Series A Track**

Non-Retractable Shoulder Belt Attaches To Series A Track On Vehicle Sidewall, Providing Increased Positioning Flexibility For Multiple Station Vehicles.



Speak to a Specialist 1-800-231-5061  
e-mail: [sales@chalks.com](mailto:sales@chalks.com)

## WHEEL CHAIR RESTRAINTS SURE-LOK

### Shoulder Belts - cont.

#### **FE200599HA Length 72"**

##### **Non-Retractable Shoulder Belt With Height Adjuster**

Non-Retractable Shoulder Belt Attaches To Series L Track On Vehicle Sidewall, Providing Increased Positioning Flexibility For Multiple Station Vehicles. Height Adjusters Provides Nearly 12" Of Vertical Adjustment To Allow Proper Shoulder Belt Placement On The Occupant. A Velcro Strap Is Provided To Keep Belt Against The Vehicle Sidewall When Not In Use



#### **FE200710 Length 52"**

##### **FE200710L Length 82"**

##### **Non-Retractable Fixed Point Shoulder Belt**

Non-Retractable Fixed -Point Shoulder Belt Can Be Mounted Directly To The Vehicle Sidewall, Or Series L Track With **FE200745**, **FE200747** Or **FE200736** Mounting Hardware Kit



#### **FE200710HA Length 72"**

##### **Non-Retractable Fixed-Point Shoulder Belt With Height Adjuster**

Non-Retractable Fixed-Point Shoulder Belt Web Guide Can Be Mounted Directly To The Vehicle Sidewall or Series L Track With **FE200745**, **FE200747**, Or **FE200736** Mounting Hardware Kit. Bottom Bracket can Be mounted to the vehicle floor or sidewall, or can be converted from a fixed-point to a track application with **FE200747**, **FE201037**, or **FE201039** Mounting Hardware Kit. Height Adjusters Provides Nearly 12" Of Vertical Adjustment To Allow Proper Shoulder Belt Placement On The Occupant. A Velcro Strap Is Provided To Keep Belt Against The Vehicle Sidewall When Not In Use



#### **Hardware Shown Is Included On The Following Occupant Restraint Systems:**

**AL700727 (HA)**  
**AL700856 (HA)**  
**FE200727(HA)**  
**FE200856(HA)**  
**FE200710(HA)**  
**FE200710L**  
**FE200604(HA)**  
**FE200604L**



Speak to a Specialist 1-800-231-5061  
e-mail: [sales@chalks.com](mailto:sales@chalks.com)

## WHEEL CHAIR RESTRAINTS SURE-LOK

### Shoulder Belts - cont.

#### **FE200865 Length 63"**

**Non-Retractable Fixed-Point Shoulder Belt With Quick Disconnect** The Quick Disconnect Shoulder Belt Can Be Mounted To The Existing Original Equipment Shoulder Belt Anchor Bolt. This Allows It To Be Used Along With The Original Equipment Shoulder Belt. The Quick Disconnect Shoulder Belt Can Be Easily Removed By Using The Single Push-Button Buckle, Allowing A Passenger Sitting On The Flip Seat To Use The Original Equipment Shoulder Belt Connects To Its Short Anchor Strap By Using The Single Push-Button Buckle.



#### **FE200936 Length 100"**

**Retractable Fixed-Point Shoulder Belt** Retractable Fixed-Point Shoulder Belt Provides Automatic Webbing Adjustment For Proper Shoulder Belt Placement On The Occupant. Retractor Can Be Mounted Directly To The Upper Point Of Vehicle Sidewall With Mounting Hardware Included.



#### **FE200604 Length 112" FE200604L Length 136"**

**Retractable Fixed-Point Shoulder Belt** Retractable Fixed-Point Shoulder Belt Provides Automatic Webbing Adjustment. Web Guide Can Be Mounted Directly To The Vehicle Sidewall Or Series L Track With FE200745, FE200747 Or FE200736 Mounting Hardware Kit. Retractor Can Be Mounted To The Vehicle Floor Or Sidewall, Or Can Be Converted From A Fixed-Point To A Track Application With **FE200747**, **FE201037** OR **FE201039** Mounting Hardware Kit.




#### **FE200604HA Length 136"**

##### **Non-Retractable Shoulder Belt With Height Adjuster**

Retractable Fixed-Point Shoulder Belt Provides Automatic Webbing Adjustment. Web Guide Can Be Mounted Directly To The Vehicle Sidewall Or Series L Track With **FE200745**, **FE200747** Or **FE200736** Mounting Hardware Kit. Retractor Can Be Mounted To The Vehicle Floor Or Sidewall, Or Can Be Converted From A Fixed-Point To A Track Application With FE200747, FE201037 Of FE201039 Mounting Hardware Kit. Height Adjusters Provides Nearly 12" Of Vertical Adjustment To Allow Proper Shoulder Belt Placement On The Occupant. A Velcro Strap Is Provided To Keep Belt Against The Vehicle Sidewall When Not In Use.




## TRACKS FOR WHEEL CHAIRS SURE-LOK




### **FE744-01**

Heavy-Duty **Series L**Track, Aluminum, 100" stick





### **FE744-01-PD4**

Heavy-Duty **Series L**Track, Aluminum, 100" Stick, With 4" Center Mounting Holes




### **FE748-01**

Heavy-Duty **Series L**Track, Aluminum, 100" Stick, With Flanges




### **FE752-01**

Medium-Duty **Series L**Track, Angled series Aluminum, 100" Stick, With Flanges



### **FE200784**

**Series L**Single Bolt Surface Mount Floor Plate Kit, Impact-Resistant Plastic **Ramped** Collar w/ Steel Track Section, Zinc Plated




### **FE200844**

**Series L**Single Bolt **Flush**Mount Floor Plate Kit, Stainless Steel w/ Steel Track Section, Zinc Plated

## TRACKS FOR WHEEL CHAIRS SURE-LOK



**FE200744**  
Series L Seat Stud Fitting  
For Mounting Seats Into  
FE744-01 L Track



**FE200745**  
Sidewall Mounting Kit  
For Retractable Shoulder  
Belt and Int. Combo Belt



**FE200747**  
Series L Mounting Kit  
For Wall



**FE200750**  
Quick Strap Can  
Be Attached To  
Structural Frame  
Of Wheelchair

### The QRT™ Q-8100-A1 Deluxe Retractor System



A complete wheelchair and occupant restraint system The **Q-8100-A1** will meet and exceed your expectations for speed, endurance and ease of use. The system includes 4-QRT automatic retractors, an all new adjustable and retractable lap / shoulder belt combo and 2 pin connector brackets. Meets all SAE J2249, ISO 10542 and ADA requirements. Crash tested at 30 mph / 50 kph.

**Features**

- Heavy-duty automatic retractors for tie down belts (4)
- Dual tensioning knobs on all retracting tie downs
- Hard cover case to protect belts not in use
- Self-tensioning tie down belts are interchangeable (front, back, left or right)
- Quick and easy style speed hooks
- Easy tousel release levers

### The QRT™ Q-8200-A1 Econo Retractor System



The **Q-8200-A1** is a well designed complete wheelchair and occupant restraint system. The QRT Econo includes 4 QRT Econo retractors, a retractable and adjustable lap / shoulder belt combo and 2 pin connector brackets. Meets ADA requirements.

**Features**

- Single tensioning knob
- Interchangeable belts (front, back, left or right)
- Self tensioning
- Speed hook
- Red release lever

Speak to a Specialist 1-800-231-5061  
e-mail: [sales@chalks.com](mailto:sales@chalks.com)

## QRT™ DELUXE AUTOMATIC SELF-TENSION

### Q-8100-A1

#### QRT Deluxe System With Retractable Lap And Shoulder Belt Combination

- 4 QRT Deluxe Retractors With Pin Connector And Fittings (**Q8-6200**)
- 1 Lap And Shoulder Belt Combination With Manual Height Adjuster, (Emergency Locking Retractor) - (**Q8-6326-A1**) Serialized System With Complete Installation And Driver Operator Instructions.



*For Special Fittings Or Retractable Height Adjusters On Occupant SecUREMENTS, Refer To Occupant SecUREMENT Section*

### Q-8100-A

#### QRT Deluxe System With Standard Lap And Standard Shoulder Belt

- 4 QRT Deluxe Retractors With Pin Connector And Fittings (**Q8-6200**)
- 1 Standard Lap And Standard Shoulder Belt (**Q8-6325-A**) Serialized System With Complete Installation and Driver Operator Instructions



*For Special Fittings Or Retractable Height Adjusters On Occupant SecUREMENTS, Refer To Occupant SecUREMENT Section*

### Q-8101

#### QRT Deluxe Retractor Series

The **Q-8101** Series Consists Of 4 QRT Deluxe Retractors Mounted To Your Preferred Fittings



## QRT T M STANDARD WITH STANDARD RETRACTORS

### Q-8200-A1

#### QRT Standard System With Retractable Lap And Shoulder Belt Combination

- 4 QRT Standard Retractors With Pin Connector And Fittings (**Q8-6201**)
- 1 Lap And Shoulder Belt Combination With Manual Height Adjuster, (Emergency Locking Retractor) - (**Q8-6326-A1**) Serialized System With Complete Installation And Driver Operator Instructions.



*For Special Fittings Or Retractable Height Adjusters On Occupant SecUREMENTS, Refer To Occupant SecUREMENT Section*

### Q-8200-A

#### QRT Standard System With Standard Lap And Standard Shoulder Belt

- 4 QRT Standard Retractors With Pin Connector And Fittings (**Q8-6201**)
- 1 Standard Lap And Standard Shoulder Belt (**Q8-6325-A**) Serialized System With Complete Installation and Driver Operator Instructions



*For Special Fittings Or Retractable Height Adjusters On Occupant SecUREMENTS, Refer To Occupant SecUREMENT Section*

### Q-8201

#### QRT Standard Retractor Series

The **Q-8201** Series Consists of 4 QRT Standard Retractors Mounted To Your Preferred Fittings



## **QRT™ MAX SYSTEM AUTO SELF-TENSION LOW PROFILE**

### **Q-8300-A1**

#### **QRTMAX System With Retractable Lap And Shoulder Belt Combination**

- 4 QRT MAX Retractors With Pin Connector And Fittings (**Q8-6209**)
- 1 Lap And Shoulder Belt Combination With Manual Height Adjuster, (Emergency Locking Retractor) - (**Q8-6326-A1**) Serialized System With Complete Installation And Driver Operator Instructions.



*For Special Fittings Or Retractable Height Adjusters On Occupant SecUREMENTS, Refer To Occupant SecUREMENT Section*

### **Q-8300-A**

#### **QRTMAX System With Standard Lap And Standard Shoulder Belt**

- 4 QRT MAX Retractors With Pin Connector And Fittings (**Q8-6209**)
- 1 Standard Lap And Standard Shoulder Belt (**Q8-6325-A**) Serialized System With Complete Installation and Driver Operator Instructions



*For Special Fittings Or Retractable Height Adjusters On Occupant SecUREMENTS, Refer To Occupant SecUREMENT Section*

### **Q-8301**

#### **QRT MAX Retractor Series**

The **Q-8301** Series Consists of 4 QRT MAX Retractors Mounted To Your Preferred Fittings  
*For Special Fittings Or Retractable Height Adjusters On Occupant SecUREMENTS, Refer To Occupant SecUREMENT Section*



## QRT™ ACCESSORIES

### WEBBING LOOP

Webbing Loops Are Used On Wheelchair Frames To Provide A Safe, Quick & Easy Attachment Point For The Securement Hook. Length Cited Is When The Loop Is Laid Flat. Webbing Loops Are 1" / 2.54cm Wide.

- Q5-7580** 14" Length/35.56cm Blue Webbing  
**Q5-7580-4** 18" Length/45.72cm Blue Webbing  
**Q5-7580** 20" Length/50.80cm Blue Webbing



### BELT CUTTERS

Belt Cutters Are Critically Useful To Cut Webbing During Emergency Situations When Time Is Of The Essence.

- Q5-7590** Belt Cutter With Mounting Velcro™



- 200-950** Belt Cutter With Mounting Velcro™



### Sure-Lok Vinyl Storage Container

Chalk's Part #: **FE200746**

Made Of Durable, Flame Resistant **Vinyl**, This Container

Provides Practical And Economical Storage Of The Total System When Not In Use. Will Store All Of Our Systems, Including The New Retractor Systems.



Chalk's Part #:

**Q5-8522**

Mesh Storage Pouch  
15" x 16" Nylon Mesh