




ACCORDION
CONVEYOR
accordionconveyor.com




*With Turkey's largest Accordion Conveyor brand, we reached the target of **16,750 meters** of Accordion Conveyors in **5 years**.*



ACCORDION
CONVEYOR
accordionconveyor.com






MRA **NEW**

MRA SERIES		MOTORIZED ROLLER ACCORDION CONVEYOR				
Type	Width	Open Length	Ø 50 Closed Length	Ø 40 Closed Length	Height	Weight Per Meter
MRA-1	500 mm	3000 mm	1290 mm	1200 mm	600-800 mm	75 Kg
MRA-2	500 mm	4000 mm	1725 mm	1600 mm	600-800 mm	75 Kg
MRA-3	500 mm	5000 mm	2150 mm	2000 mm	600-800 mm	75 Kg
MRA-4	500 mm	6000 mm	2585 mm	2400 mm	600-800 mm	75 Kg
MRA-5	500 mm	7000 mm	3020 mm	2800 mm	600-800 mm	75 Kg
MRA-6	500 mm	8000 mm	3440 mm	3200 mm	600-800 mm	75 Kg
MRA-7	500 mm	9000 mm	3875 mm	3600 mm	600-800 mm	75 Kg
MRA-8	500 mm	10000 mm	4300 mm	4000 mm	600-800 mm	75 Kg



Motorized Accordion Conveyors are used by many sectors by giving the desired movement and are easy to transport.
Generally; Logistics, Food, Textile, Industry, etc. Are used in industries.





ACCORDION
CONVEYOR
accordionconveyor.com

MTA

NEW



MTB

NEW



MTA

PLASTIC ROLLER ACCORDION CONVEYOR

Type	Width	Open Length	Closed Length	Height	Weight Per Meter
MTA-1	500 mm	1000 mm	300 mm	600-800 mm	75 Kg
MTA-2	500 mm	2000 mm	600 mm	600-800 mm	75 Kg
MTA-3	500 mm	3000 mm	900 mm	600-800 mm	75 Kg
MTA-4	500 mm	4000 mm	1200 mm	600-800 mm	75 Kg
MTA-5	500 mm	5000 mm	1500 mm	600-800 mm	75 Kg

MTB

METAL ROLLER ACCORDION CONVEYOR


Type	Width	Open Length	Closed Length	Height	Weight Per Meter
MTB-1	500 mm	1000 mm	300 mm	600-800 mm	75 Kg
MTB-2	500 mm	2000 mm	600 mm	600-800 mm	75 Kg
MTB-3	500 mm	3000 mm	900 mm	600-800 mm	75 Kg
MTB-4	500 mm	4000 mm	1200 mm	600-800 mm	75 Kg
MTB-5	500 mm	5000 mm	1500 mm	600-800 mm	75 Kg



ACCORDION
CONVEYOR
accordionconveyor.com

Roller Accordion Conveyors are produced in the form of 40x40 and 60x40 chassis profiles and with or without brake wheel features. It is divided into two metal and plastic rollers. It can be electrostatically painted in the desired color.

Generally; Logistics, Food, Textile, Industry, etc. Are used in industries.





MRC **NEW**

MRC	IDLER ROLLER ACCORDION CONVEYOR				
Type	Width	Open Length	Closed Length	Height	Weight Per Meter
MRC-1	500 mm	1000 mm	400 mm	600-700 mm	75 Kg
MRC-2	500 mm	2000 mm	800 mm	600-700 mm	75 Kg
MRC-3	500 mm	3000 mm	1200 mm	600-700 mm	75 Kg
MRC-4	500 mm	4000 mm	1600 mm	600-700 mm	75 Kg
MRC-5	500 mm	5000 mm	2000 mm	600-700 mm	75 Kg
MRC-6	500 mm	6000 mm	2400 mm	600-700 mm	75 Kg
MRC-7	500 mm	7000 mm	2800 mm	600-700 mm	75 Kg
MRC-8	500 mm	8000 mm	3200 mm	600-700 mm	75 Kg
MRC-9	500 mm	9000 mm	3600 mm	600-700 mm	75 Kg
MRC-10	500 mm	10000 mm	4000 mm	600-700 mm	75 Kg



Idler Roller Accordion Conveyors and Motorized Accordion Conveyors are the products that are preferred at the points you want and need.

Generally; Logistics, Food, Textile, Industry, etc. Are used in industries.



1000 mm



2000 mm



3000 mm



4000 mm



5000 mm





MRB



MRB	PVC BELT CONVEYOR			
Type	Width	Length	Height	Weight
MRB-1	500 mm	1000 mm	600-700 mm	100 Kg
MRB-2	500 mm	2000 mm	600-700 mm	110 Kg
MRB-3	500 mm	3000 mm	600-700 mm	140 Kg
MRB-4	500 mm	4000 mm	600-700 mm	170 Kg
MRB-5	500 mm	5000 mm	600-700 mm	200 Kg



PVC Belt Conveyors are used to transport non-corrosive materials. Their most distinctive features are their lightweight, smooth surface and low tolerance.

According to the type and weight of the product;

- * ST-37 Iron chassis (Painted in desired color & Rall)
- It is manufactured as Metal, Aluminum, and Stainless Chassis.

PVC belt conveyors are produced in desired sizes and dimensions.

Generally; Logistics, Packaging, Cargo, Textile, Food, Automotive, etc. Are used in industries.






MTD **NEW**

MTD	IDLER ROLLER CONVEYOR			
Type	Width	Length	Height	Weight
MTD-1	500 mm	1000 mm	600-700 mm	100 Kg
MTD-2	500 mm	2000 mm	600-700 mm	110 Kg
MTD-3	500 mm	3000 mm	600-700 mm	140 Kg
MTD-4	500 mm	4000 mm	600-700 mm	170 Kg
MTD-5	500 mm	5000 mm	600-700 mm	200 Kg

Idler Roller Conveyors are generally used for packaging etc. It is preferred for packaging and transporting the products quickly by moving on the production lines as they come out of the machine.

Generally; It is used in industries such as packaging and packaging.





References



Communication Informantion

TURKEY

kitelli O.S.B. Mah.
Demirciler Sanayi Sitesi,
C3 Blok No:224, 34100
Başakşehir/İstanbul
Phone : +90 212 485 80 71
Whatsapp : +90 530 326 84 62
E-mail : satis@metaroller.com

