

APPENDIX ONE

Family Accommodation Scale – Anxiety (FASA)

DEVELOPED BY:

Eli R. Lebowitz,^a Joseph Woolston, Yair Bar-Haim,^b Lisa Calvocoressi,^c
Christine Dauser,^a Erin Warnick,^a Lawrence Scahill,^a Adi Rimón
Chakir,^b Tomer Shechner,^d Holly Hermes,^a Lawrence A. Vitulano,^a
Robert A. King,^a James F. Leckman^a

^a Yale Child Study Center

^b Tel Aviv University School of Psychological Sciences

^c Yale School of Public Health

^d National Institute of Mental Health

COPYRIGHT AND PERMISSIONS:

Family Accommodation Scale – Anxiety (FASA) © 2012 by Eli R. Lebowitz et al.

The FASA is a modified version of the Family Accommodation Scale – developed by Calvocoressi et al. (1995, 1999) and modified with the authors' permission.

REFERENCES

- Lebowitz, E. R., Woolston, J., Bar-Haim, Y., Calvocoressi, L., Dauser, C., Warnick, E., Scahill, L., Chakir, A. R., Shechner, T., Hermes, H., Vitulano, L. A., King, R. A., & Leckman, J. F. (2012). Family accommodation in pediatric anxiety disorders. *Depression and Anxiety*, 30 (1), 47–54.
- Calvocoressi, L., Lewis, B., Harris, M., Trufan, S. J., Goodman, W. K., McDougle, C. J., & Price, L. H. (1995). Family accommodation in obsessive-compulsive disorder. *American Journal of Psychiatry*, 152, 441–443.
- Calvocoressi, L., Mazure, C. M., Kasl, S. V., Skolnick, J., Fisk, D., Vegso, S. J., Van Noppen, B. L., & Price, L. H. (1999). Family accommodation of obsessive-compulsive symptoms: Instrument development and assessment of family behavior. *Journal of Nervous and Mental Disease*, 187, 636–642.

CORRESPONDENCE

Eli R. Lebowitz, Ph.D. Yale Child Study Center: eli.lebowitz@yale.edu

Your name:		Child's name:				
Relationship to child:		Child's age:				
Participation in symptom-related behaviors in the past month						
		Never	1-3 times a month	1-2 times a week	3-6 times a week	Daily
1	How often did you reassure your child?	0	1	2	3	4
2	How often did you provide items needed because of anxiety?	0	1	2	3	4
3	How often did you participate in behaviors related to your child's anxiety?	0	1	2	3	4
4	How often did you assist your child in avoiding things that might make him/her more anxious?	0	1	2	3	4
5	Have you avoided doing things, going places, or being with people because of your child's anxiety?	0	1	2	3	4
Modification of functioning during the past month						
6	Have you modified your family routine because of your child's symptoms?	0	1	2	3	4

(Continued).

Your name:		Child's name:				
Relationship to child:		Child's age:				
Modification of functioning during the past month						
		Never	1-3 times a month	1-2 times a week	3-6 times a week	Daily
7	Have you had to do things that would usually be your child's responsibility?	0	1	2	3	4
8	Have you modified your work schedule because of your child's anxiety?	0	1	2	3	4
9	Have you modified your leisure activities because of your child's anxiety?	0	1	2	3	4

Distress and Consequences	No	Mild	Moderate	Severe	Extreme
Does helping your child in these ways cause you distress?	0	1	2	3	4
Has your child become distressed when you have not provided assistance? To what degree?	0	1	2	3	4
Has your child become angry/abusive when you have not provided assistance? To what degree?	0	1	2	3	4
Has your child's anxiety been worse when you have not provided assistance? How much worse?	0	1	2	3	4