



# Accredited Analytical Resources, LLC.

---

27 September 2022

AAR Work Order: 2201411

Carmen Melendez  
THE PEACE ROSE LLC  
3079 Bordentown Ave.  
Parlin, NJ 08859

Project: Peace Rose Water Test

Enclosed are the results of analyses for samples received by the laboratory on 09/13/2022 08:45. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Daniel Miguel  
Technical Director



New Jersey Certification Number: 12007  
New York Certification Number: 11109

Pennsylvania Certification Number: 68-02799  
CT Certification Number: PH-0219

This report shall not be reproduced, except in its entirety, without the written consent of Accredited Analytical Resources, LLC.  
The test results included in this report relate only to the samples analyzed.



THE PEACE ROSE LLC  
3079 Bordentown Ave.  
Parlin NJ, 08859

Project: Peace Rose Water Test  
Project Manager: Carmen Melendez

**Reported:**  
09/27/2022 08:30

### Analytical Report for Samples

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Kitchen	2201411-01	Potable	09/13/2022 06:53	09/13/2022 08:45
Rm 5 L. Sink	2201411-02	Potable	09/13/2022 06:54	09/13/2022 08:45
Rm 4 R. Sink	2201411-03	Potable	09/13/2022 06:55	09/13/2022 08:45
Rm 4 M. Sink	2201411-04	Potable	09/13/2022 06:56	09/13/2022 08:45
Rm 3 L. Sink	2201411-05	Potable	09/13/2022 06:58	09/13/2022 08:45
Rm 3 R. Sink	2201411-06	Potable	09/13/2022 06:59	09/13/2022 08:45
Rm 1 Big Sink	2201411-07	Potable	09/13/2022 07:00	09/13/2022 08:45
Rm 1A	2201411-08	Potable	09/13/2022 07:02	09/13/2022 08:45
Rm 2 M. Sink	2201411-09	Potable	09/13/2022 07:04	09/13/2022 08:45
Fountain	2201411-10	Potable	09/13/2022 07:06	09/13/2022 08:45
FB	2201411-11	Potable	09/13/2022 07:08	09/13/2022 08:45

### Notes and Definitions

\* Values outside of QC limits

ND - Indicates compound analyzed for but not detected at or above the MDL

U - Indicates analyte/compound was analyzed for but not detected

J - Indicates estimated value for TICs and all results when detected below the RL

B - Indicates compound found in associated blank

E - Concentration exceeds highest calibration standard

D - Indicates result is based on a dilution

P - Greater than 25% diff. between 2 GC columns.

MDL - Minimum detection limit

RL - Reporting limit

NFL - No Free Liquids

VC - The container(s) provided by the client for soil volatiles do not meet the requirements of EPA SW846-5035A. Results reported below 200 ug/kg may be biased low due to samples not being collected according to EPA SW846 5035A requirements.

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC  
3079 Bordentown Ave.  
Parlin NJ, 08859

Project: Peace Rose Water Test  
Project Manager: Carmen Melendez

**Reported:**  
09/27/2022 08:30

### Methodology Summary

**Total Metals by EPA 200 Series Methods:**

EPA 200.5  
EPA 200.7A

### Condition of Samples on Receipt

Temperature °C	2.00
Chain of Custody Filled Out Properly	Yes
Received with Proper Containers	Yes
Received with Proper Volumes	Yes
Received Within Holding Time	Yes
Samples Received with Correct Preservation	Yes
Samples Received On Ice	Yes
Sample Received Via Field Services	Yes
Samples Hand Delivered	No

---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

---

Daniel Miguel, Technical Director



THE PEACE ROSE LLC 3079 Bordentown Ave. Parlin NJ, 08859	Project: Peace Rose Water Test Project Manager: Carmen Melendez	<b>Reported:</b> 09/27/2022 08:30
--	--	--------------------------------------

**Client ID: Kitchen**  
**Lab ID: 2201411-01 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 12:58/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>157</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 12:42/LIT	EPA 200.7	D
-----------	---------------	------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC  
 3079 Bordentown Ave.  
 Parlin NJ, 08859

Project: Peace Rose Water Test  
 Project Manager: Carmen Melendez

**Reported:**  
 09/27/2022 08:30

**Client ID: Rm 5 L. Sink**  
**Lab ID: 2201411-02 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 13:32/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>124</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 12:47/LIT	EPA 200.7	D
-----------	---------------	------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC 3079 Bordentown Ave. Parlin NJ, 08859	Project: Peace Rose Water Test Project Manager: Carmen Melendez	<b>Reported:</b> 09/27/2022 08:30
--	--	--------------------------------------

**Client ID: Rm 4 R. Sink**  
**Lab ID: 2201411-03 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 13:39/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>184</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 12:53/LIT	EPA 200.7	D
-----------	---------------	------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC  
 3079 Bordentown Ave.  
 Parlin NJ, 08859

Project: Peace Rose Water Test  
 Project Manager: Carmen Melendez

**Reported:**  
 09/27/2022 08:30

**Client ID: Rm 4 M. Sink**  
**Lab ID: 2201411-04 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 13:46/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>220</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 12:59/LIT	EPA 200.7	D
-----------	---------------	------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC  
 3079 Bordentown Ave.  
 Parlin NJ, 08859

Project: Peace Rose Water Test  
 Project Manager: Carmen Melendez

**Reported:**  
 09/27/2022 08:30

**Client ID: Rm 3 L. Sink**  
**Lab ID: 2201411-05 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 13:52/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>364</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 14:06/LIT	EPA 200.7	D
-----------	---------------	------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC  
 3079 Bordentown Ave.  
 Parlin NJ, 08859

Project: Peace Rose Water Test  
 Project Manager: Carmen Melendez

**Reported:**  
 09/27/2022 08:30

**Client ID: Rm 3 R. Sink**  
**Lab ID: 2201411-06 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 13:59/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>1350</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 13:15/LIT	EPA 200.7	D
-----------	---------------	-------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC 3079 Bordentown Ave. Parlin NJ, 08859	Project: Peace Rose Water Test Project Manager: Carmen Melendez	<b>Reported:</b> 09/27/2022 08:30
--	--	--------------------------------------

**Client ID: Rm 1 Big Sink**  
**Lab ID: 2201411-07 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 14:06/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>159</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 13:21/LIT	EPA 200.7	D
-----------	---------------	------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC  
 3079 Bordentown Ave.  
 Parlin NJ, 08859

Project: Peace Rose Water Test  
 Project Manager: Carmen Melendez

**Reported:**  
 09/27/2022 08:30

**Client ID: Rm 1A**

**Lab ID: 2201411-08 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 14:13/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>198</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 13:26/LIT	EPA 200.7	D
-----------	---------------	------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC  
 3079 Bordentown Ave.  
 Parlin NJ, 08859

Project: Peace Rose Water Test  
 Project Manager: Carmen Melendez

**Reported:**  
 09/27/2022 08:30

**Client ID: Rm 2 M. Sink**  
**Lab ID: 2201411-09 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 14:19/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>214</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 13:32/LIT	EPA 200.7	D
-----------	---------------	------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC  
 3079 Bordentown Ave.  
 Parlin NJ, 08859

Project: Peace Rose Water Test  
 Project Manager: Carmen Melendez

**Reported:**  
 09/27/2022 08:30

**Client ID: Fountain**  
**Lab ID: 2201411-10 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 14:39/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	<b>Copper</b>	<b>847</b>	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 13:38/LIT	EPA 200.7	D
-----------	---------------	------------	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



THE PEACE ROSE LLC  
 3079 Bordentown Ave.  
 Parlin NJ, 08859

Project: Peace Rose Water Test  
 Project Manager: Carmen Melendez

**Reported:**  
 09/27/2022 08:30

**Client ID: FB**

**Lab ID: 2201411-11 (Potable)**

CAS #	Analyte	Result	MDL	RL	Units	Dilution	Prepared Date	Analyzed Date/By	Method	Notes
-------	---------	--------	-----	----	-------	----------	---------------	------------------	--------	-------

**Accredited Analytical Resources LLC**

**Total Metals by EPA 200 Series Methods**

Sample Prepared by Method:EPA 200.5

7439-92-1	Lead	ND	1.99	2.50	ug/L	0.5	09/13/22 08:51	09/14/22 14:46/LIT	EPA 200.5	U
-----------	------	----	------	------	------	-----	----------------	--------------------	-----------	---

Sample Prepared by Method:EPA 200.7

7440-50-8	Copper	ND	0.840	4.00	ug/L	0.5	09/15/22 06:42	09/16/22 13:43/LIT	EPA 200.7	U
-----------	--------	----	-------	------	------	-----	----------------	--------------------	-----------	---

Accredited Analytical Resources LLC

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Daniel Miguel, Technical Director



# Accredited Analytical Resources, LLC.

20 PERSHING AVE, CARTERET, NJ 07008  
 Tel. 732-969-6112 FAX 732-541-1383  
 WEB: WWW.ACCREDITEDANALYTICAL.COM

## CHAIN OF CUSTODY FORM

STATE AGENCY (CIRCLE ONE)	<u>NJ</u> NY PA
PROJECT NAME:	<u>Peace Rose Water Test</u>
CONTACT:	<u>Carmen Melendez</u>
OFFICE PHONE #	<u>646-825-1330</u>
OFFICE FAX #	
INITIAL RESULTS TO:	<u>Carmen@thepeacrose.com</u>
EMAIL FOR INVOICE:	<u>" "</u>

CLIENT NAME:	<u>The Peace Rose LLC</u>		
ADDRESS:	<u>3079 Bordentown Ave</u>		
CITY:	<u>Parlin, NJ</u>		
STATE:	<u>NJ</u>	ZIP:	<u>08859</u>

AAR QUOTE #		<b>ANALYSIS</b>	
AAR WORK ORDER #	<u>2201411</u>	PRES. CODE →	<u>Z</u>
P.O. #		CONT. CODE →	<u>P</u>

COLLECTION INFORMATION						AAR SAMPLE #
CUSTOMER SAMPLE # / ID	DATE / TIME SAMPLED	MATRIX CODE	DEPTH	# OF CONTAINERS	GRAB (G) COMP (C)	
	<u>9/13/22</u>					
<u>Kitchen</u>	<u>0653</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u> ✓	<u>-01</u>
<u>Rm 5 L-Sink</u>	<u>0654</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u> ✓	<u>-02</u>
<u>Rm 4 R-Sink</u>	<u>0655</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u> ✓	<u>-03</u>
<u>Rm 4 M-Sink</u>	<u>0656</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u> ✓	<u>-04</u>
<u>Rm 3 L-Sink</u>	<u>0658</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u> ✓	<u>-05</u>
<u>Rm 3 R-Sink</u>	<u>0659</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u> ✓	<u>-06</u>
<u>Rm 1 Big Sink</u>	<u>0700</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u> ✓	<u>-07</u>
<u>Rm 1A</u>	<u>0702</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u> ✓	<u>-08</u>
<u>Rm 2 M-Sink</u>	<u>0704</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u> ✓	<u>-09</u>

MATRIX CODES: S = SOIL A = AQUEOUS GW = GROUND WATER WW = WASTE WATER SW = SURFACE WATER P = POTABLE WATER O = OIL K = SOLID X = OTHER

CONTAINER TYPE CODES: G = GLASS P = PLASTIC E = ENCORE PRESERVATIVES CODES: 1 = HCL 2 = HNO<sub>3</sub> 3 = H<sub>2</sub>SO<sub>4</sub> 4 = NaOH 5 = OTHER

TURNAROUND TIME (CIRCLE ONE): STANDARD 5 DAY 72 HRS. 48 HRS. 24 HRS. OTHER

REPORT TYPE: RESULTS ONLY FULL  REDUCED  EXCEL SPREADSHEET  EDD

COMMENTS:

COOLER TEMP: 22

PERSON(S) ASSUMING RESPONSIBILITY FOR SAMPLING: PRINT: Ian Constantino SIGN: [Signature]

SIGN BELOW WHEN DELIVERING SAMPLES EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY, CUSTODY MUST BE DOCUMENTED.

RELINQUISHED BY:	RECEIVED BY:	RELINQUISHED BY:	RECEIVED BY:
Print Name: <u>I. Constantino</u>	Print Name: <u>[Signature]</u>	Print Name:	Print Name:
Signature: <u>[Signature]</u>	Signature: <u>[Signature]</u>	Signature:	Signature:
Agent of:	Agent of:	Agent of:	Agent of:
Date Received: <u>9/13/22</u>	Time: <u>845</u>	Date Received: / /	Time:
RELINQUISHED BY:	RECEIVED BY:	RELINQUISHED BY:	RECEIVED BY:
Print Name:	Print Name:	Print Name:	Print Name:
Signature:	Signature:	Signature:	Signature:
Agent of:	Agent of:	Agent of:	Agent of:
Date Received: / /	Time:	Date Received: / /	Time:



# Accredited Analytical Resources, LLC.

20 PERSHING AVE, CARTERET, NJ 07008  
 Tel. 732-969-6112 FAX 732-541-1383  
 WEB: WWW.ACCREDITEDANALYTICAL.COM

## CHAIN OF CUSTODY FORM

CLIENT NAME: The Peace Rose LLC  
 ADDRESS: 3079 Bordertown Ave  
 CITY: Parlin  
 STATE: NJ ZIP: 08859

STATE AGENCY (CIRCLE ONE): (NJ) NY PA  
 PROJECT NAME: Peace Rose Water Test  
 CONTACT: Carmen Melendez  
 OFFICE PHONE #: 646-825-1330  
 OFFICE FAX #:  
 INITIAL RESULTS TO: carmen@thepeacrose.com  
 EMAIL FOR INVOICE: 11

AAR QUOTE #: 2201411  
 AAR WORK ORDER #:  
 P.O. #:

### ANALYSIS

PRES. CODE → 2  
 CONT. CODE → P

/ / / / / / / / / /									
---------------------	--	--	--	--	--	--	--	--	--

### COLLECTION INFORMATION

CUSTOMER SAMPLE # / ID	DATE / TIME SAMPLED	MATRIX CODE	DEPTH	# OF CONTAINERS	GRAB (G)	COMP (C)	AAR SAMPLE #
<u>Fountain</u>	<u>9/13/22</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u>	<u>✓</u>	<u>-10</u>
<u>FB</u>	<u>0708</u>	<u>P</u>	<u>-</u>	<u>1</u>	<u>G</u>	<u>✓</u>	<u>-11</u>

MATRIX CODES: S = SOIL A = AQUEOUS GW = GROUND WATER WW = WASTE WATER SW = SURFACE WATER P = POTABLE WATER O = OIL K = SOLID X = OTHER

CONTAINER TYPE CODES: G = GLASS P = PLASTIC E = ENCORE PRESERVATIVES CODES: 1 = HCL 2 = HNO<sub>3</sub> 3 = H<sub>2</sub>SO<sub>4</sub> 4 = NaOH 5 = OTHER

TURNAROUND TIME (CIRCLE ONE): STANDARD 5 DAY 72 HRS. 48 HRS. 24 HRS. OTHER

REPORT TYPE: RESULTS ONLY  REDUCED  FULL  EDD  EXCEL SPREADSHEET

COMMENTS:  
 COOLER TEMP: 20

PERSON(S) ASSUMING RESPONSIBILITY FOR SAMPLING: PRINT: Ian Constantino SIGN: [Signature]

SIGN BELOW WHEN DELIVERING SAMPLES EACH TIME SAMPLES CHANGE POSSESSION, INCLUDING COURIER DELIVERY, CUSTODY MUST BE DOCUMENTED

RELINQUISHED BY: Print Name: <u>I. Constantino</u> Signature: <u>[Signature]</u> Agent of: <u>[Signature]</u> Date Received: <u>9/13/22</u> Time: <u>845</u>	RECEIVED BY: Print Name: <u>[Signature]</u> Signature: <u>[Signature]</u> Agent of: <u>[Signature]</u> Date Received: <u>/ /</u> Time: <u>/ /</u>	RELINQUISHED BY: Print Name: Signature: Agent of: Date Received: <u>/ /</u> Time: <u>/ /</u>	RECEIVED BY: Print Name: Signature: Agent of: Date Received: <u>/ /</u> Time: <u>/ /</u>
--	---	--	--